ELMARK HOLDING SE

CATALOGUE 2021

7 YEARS WARRANTY

ELMARK®

The Brand of Electricity

SENSO
MODERN
PAGE 501

HENDRIX
MODERN
PAGE 505

ELIZABETH
LUX
PAGE 515

CAROL
LUX
PAGE 516

CARMEN
LUX
PAGE 519

AMBIX
LUX
PAGE 535

IZZY
LUX
PAGE 543

EDDY BLACK
LUX
PAGE 551

TWIST
LUX
PAGE 553

DALISS
CRYSTAL
PAGE 555

BLESSY
CRYSTAL
PAGE 558

VERA
CRYSTAL
PAGE 559

VICTORIA
CRYSTAL
PAGE 562

MISHELLE
CRYSTAL
PAGE 563

CINEMA
DESIGN
PAGE 574

OLENA
DESIGN
PAGE 576

ELLARIA
DESIGN
PAGE 578

SALLY
DESIGN
PAGE 582

ROXIE
DESIGN
PAGE 585

JARS
DESIGN
PAGE 590

SHUTTLE
DESIGN
PAGE 596

KERRY
DESIGN
PAGE 607

ALMA
DESIGN
PAGE 612

YVONNE
DESIGN
PAGE 624

LUNA
DESIGN
PAGE 625

PHIL
DESIGN
PAGE 626

WOODY
DESIGN
PAGE 628

BAMBOO
DESIGN
PAGE 631

ALEGRA
DESIGN
PAGE 632

JACKSON
VINTAGE
PAGE 640

LUTON
VINTAGE
PAGE 644

ROPE
VINTAGE
PAGE 646

ROPE
VINTAGE
PAGE 648

SAILOR
VINTAGE
PAGE 661

MARIEL
CLASSIC
PAGE 663

AMANDA
CLASSIC
PAGE 664

LAURA
CLASSIC
PAGE 667

STACY
CLASSIC
PAGE 676

JUDY
CLASSIC
PAGE 685

JANIS
CLASSIC
PAGE 691

HANNA
CLASSIC
PAGE 692

SENSOR
CLASSIC
PAGE 697

MAX
TABLE & FLOOR LAMPS
PAGE 701

CLARA
TABLE & FLOOR LAMPS
PAGE 702

JOHN
TABLE & FLOOR LAMPS
PAGE 704

TOMY
TABLE & FLOOR LAMPS
PAGE 708

CARMEN
TABLE & FLOOR LAMPS
PAGE 709

MAYA
TABLE & FLOOR LAMPS
PAGE 711

DUNCAN
TABLE & FLOOR LAMPS
PAGE 713

DIMMABLE TABLE LAMP
TABLE & FLOOR LAMPS
PAGE 715

ELINOR
TABLE & FLOOR LAMPS
PAGE 716

LUKE
TABLE & FLOOR LAMPS
PAGE 717

MICKEY BLUE
SPOTLIGHTS
PAGE 721

MICKEY WHITE
SPOTLIGHTS
PAGE 723

JIM
SPOTLIGHTS
PAGE 734

PICASSO
SPOTLIGHTS
PAGE 741

INDOOR LIGHTING

TETRAGON IP20
LED PANELS
PAGE 743

TETRAGON IP44
LED PANELS
PAGE 745

LED PANEL ROUND IP20
LED PANELS
PAGE 746

LED PANEL ROUND IP44
LED PANELS
PAGE 750

SUPER SLIM WITH CLIPS
LED PANELS
PAGE 753

LED PANEL ROUND OM
LED PANELS
PAGE 754

COLOUR TEMP. ADJUSTABLE
LED PANELS
PAGE 757

INDIRECT DOWNLIGHTS
LED PANELS
PAGE 758

LED PANEL SQUARE
LED PANELS
PAGE 759

LED PANEL SQUARE OM
LED PANELS
PAGE 760

GLASS PANEL ROUND
LED PANELS
PAGE 763

RECESSED FIXTURE
LED FIXTURE
PAGE 765

IVOR
LED PANELS
PAGE 766

LUCE
LED FIXTURE
PAGE 768

MALIA
LED FIXTURE
PAGE 772

DONUT
LED FIXTURE
PAGE 773

TRACY SUPER SLIM
LED FIXTURE
PAGE 775

LED WALL LIGHT IP65
LED FIXTURE
PAGE 778

SENSOR CABINET LAMP
LED FIXTURE
PAGE 779

ELR627
DOWNLIGHT
PAGE 782

SA-045
DOWNLIGHT
PAGE 789

GYPSUM DOWNLIGHTS
DOWNLIGHT
PAGE 792

BOUTIQUES MINI
DOWNLIGHT
PAGE 794

SA-71
DOWNLIGHT
PAGE 795

DEEP RECESSED IP44
DOWNLIGHT
PAGE 805

SKY TLR
DOWNLIGHT
PAGE 811

DL-044 SQUARE
DOWNLIGHT
PAGE 812

FLCOM COB
DOWNLIGHT
PAGE 815

FRANCA 90
DOWNLIGHT
PAGE 817

FOUR POLES MAGNETIC
TRACK LIGHTING
PAGE 821

FOUR POLES MAGNETIC
TRACK LIGHTING
PAGE 823

FOUR POLES 48V TRACK
TRACK LIGHTING
PAGE 824

2/4 LINES SKY TLR
TRACK LIGHTING
PAGE 826

2/4 LINES SKY TFL
TRACK LIGHTING
PAGE 829

2/4 LINES CINEMA SKY
TRACK LIGHTING
PAGE 832

SKY FIXTURES TLBM
TRACK LIGHTING
PAGE 834

TRITON
LUMINAIRES
PAGE 839

LED MOD FIXTURE
LUMINAIRES
PAGE 841



ACOUSTIC HIGH POWER LED
LUMINAIRES
PAGE 845

ACOUSTIC LED RINGS
LUMINAIRES
PAGE 846

LED RINGS
LUMINAIRES
PAGE 847

LED PROFILES S48
LUMINAIRES
PAGE 849

LED PROFILES S77
LUMINAIRES
PAGE 854

RAINBOW LED SMD
LUMINAIRES
PAGE 855

LENA-V BM/
LUMINAIRES
PAGE 860

XL101
EMERGENCY LIGHTS
PAGE 874

XL3114
EMERGENCY LIGHTS
PAGE 876

TRITON
BATHROOM
PAGE 878

LED MIRROR LIGHT
BATHROOM
PAGE 880

LED PANEL ROUND IP44
BATHROOM
PAGE 882

WATERPROOF LED PANEL
BATHROOM
PAGE 884

ELR627
BATHROOM
PAGE 886

OUTDOOR LIGHTING

BELT LIGHT
GARDEN
PAGE 889

JOSH
GARDEN
PAGE 891

ERIK
GARDEN
PAGE 894

GOLIA
GARDEN
PAGE 900

ANNA
GARDEN
PAGE 902

GLOBE 250
GARDEN
PAGE 904

GRF506 LED
GARDEN
PAGE 909

GABRI
GARDEN
PAGE 911

CARLO DECO
GARDEN
PAGE 913

CARLO
GARDEN
PAGE 914

SAURO
GARDEN
PAGE 916

GRF965
GARDEN
PAGE 919

PMMA OPAL
GARDEN
PAGE 922

NINA 150
GARDEN
PAGE 923

LETI 100GR
GARDEN
PAGE 924

LED WALL FIXTURES
GARDEN
PAGE 927

LORENZA 190
GARDEN
PAGE 928

GRF9617 LED
GARDEN
PAGE 932

WALL LAMP
GARDEN
PAGE 933

STUCCHI
GARDEN
PAGE 936

BRICE
GARDEN
PAGE 940

LED BULKHEAD LAMP
GARDEN
PAGE 941

LIVIA 160
FACADE AND GROUND
PAGE 945

MARTA 90-2
FACADE AND GROUND
PAGE 948

STREAM
FACADE AND GROUND
PAGE 953

SOLAR LED WALL LIGHTS
FACADE AND GROUND
PAGE 954

SOLAR FIXTURE & SENSOR
FACADE AND GROUND
PAGE 955

MINI TOMMY EL
FACADE AND GROUND
PAGE 958

SOLAR TORCH LIGHT
FACADE AND GROUND
PAGE 961

SOLAR GROUND LIGHT
FACADE AND GROUND
PAGE 963

SOLAR WALL
FACADE AND GROUND
PAGE 966

ALDO
FACADE AND GROUND
PAGE 967

CECI
FACADE AND GROUND
PAGE 970

WADE FIXTURE IP65
LUMINAIRES
PAGE 974

BELLA SMD2835
LUMINAIRES
PAGE 976

BELLA LED T8
LUMINAIRES
PAGE 980

HELIOS SMD
FLOODLIGHTS
PAGE 983

STADIUM FLOOD LIGHTS
FLOODLIGHTS
PAGE 989

SIRIUS SMD
FLOODLIGHTS
PAGE 990

LED WORK FLOODLIGHTS
FLOODLIGHTS
PAGE 992

MADRID SMD
ROAD LIGHTS
PAGE 995

SOLAR LED & SENSOR
ROAD LIGHTS
PAGE 999

FESTA SMD
HIGH BAYS
PAGE 1001

VIENA SMD
HIGH BAYS
PAGE 1002

LAMPS AND COMPONENTS

LED VINTAGE LAMP
LAMPS
PAGE 1011

LED VINTAGE LAMP
LAMPS
PAGE 1014

LED VINTAGE LAMP
LAMPS
PAGE 1016

LED CANDLE C37
LAMPS
PAGE 1019

LED PEAR A60
LAMPS
PAGE 1023

MOSQUITO LED 6W IP20
LAMPS
PAGE 1025

HIGH POWER LED LAMP
LAMPS
PAGE 1028

LED MOULD
LAMPS
PAGE 1030

LED COLOR
LAMPS
PAGE 1031

LEDSMD GU10
LAMPS
PAGE 1035

HALF SPIRAL
LAMPS
PAGE 1040

FRESH LIGHT LED TUBE
LAMPS
PAGE 1049

LED TUBE T8
LAMPS
PAGE 1051

LED 300 12V DC IP20
LED STRIPS & PROFILES
PAGE 1056

LED 300 RGBW
LED STRIPS & PROFILES
PAGE 1060

LED 600 24V DC - IP65
LED STRIPS & PROFILES
PAGE 1062

COB LED STRIPS
LED STRIPS & PROFILES
PAGE 1065

LED MODULES
LED STRIPS & PROFILES
PAGE 1068



LED NEON FLEX
LED STRIPS & PROFILES
PAGE 1070

FLEXIBLE AL. PROFILE
LED STRIPS & PROFILES
PAGE 1072

PROFILES FOR DRYWALL
LED STRIPS & PROFILES
PAGE 1073

SET24DC DRIVERS IP20
ACCESSORIES
PAGE 1084

SETDC 12V/24V DRIVERS IP66
ACCESSORIES
PAGE 1085

HANGING LAMP HOLDER
ACCESSORIES
PAGE 1092

LED FURNITURE & DESIGN

PEPPER
LED FURNITURE
PAGE 1099

OSLO
LED FURNITURE
PAGE 1100

BOCCA
LED FURNITURE
PAGE 1111

MALLORCA
LED FURNITURE
PAGE 1117

LAGOS
LED FURNITURE
PAGE 1121

BERMUDA
LED FURNITURE
PAGE 1125

VARNA
LED FURNITURE
PAGE 1126



BORNEO
LED FURNITURE
PAGE 1132

SALERNO
LED FURNITURE
PAGE 1135

GENEVA
LED FURNITURE
PAGE 1140

LUGANO
LED FURNITURE
PAGE 1152

LIGHTING

MODERN

MARCELLA
955MARCELLA1T



MARCELLA
955MARCELLA3R



MARCELLA
955MARCELLA1W

LED WARM WHITE 2700K **IP40**

MARCELLA

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955MARCELLA1W	A	Wall lamp	11	756	2800-3200	Silver	400	110	140	1/1	A++→A
955MARCELLA1T	A	Table lamp	11	770	2800-3200	Silver	220	160	363	1/1	A++→A
955MARCELLA3R	A	Chandelier	33	2310	2800-3200	Silver	540	520	1500	1/1	A++→A

Material: Aluminium + Iron + PC, **LED:** Included, **Light source:** Epistar 2835

~230V 50/60 Hz > 15000 SMD 2835 Ra≥80 IP 40 RoHS COMPLIANT EMC CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MARCELLA

955MARCELLA4A

LED WARM WHITE 2700K **IP40**

MARCELLA

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955MARCELLA4A	A	Chandelier	42	2940	2800-3200	Silver	740	520	1500	1/1	A++→A

Material: Aluminium + Iron + PC, **LED:** Included, **Light source:** Epistar 2835

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

OWEN

955OWEN1P

LED WARM WHITE 2700K IP40

OWEN

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955OWEN1P	A	Pendant	19	1330	2800-3200	Chrome	520	520	1500	1/5	A++→A

Material: Aluminium + Iron + Acrylic, **LED:** Included, **Light source:** Epistar 2835

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SENSO
955SENSO1T



SENSO
955SENSO3F

LED WARM WHITE 2700K **IP40**

SENSO

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Length/ Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955SENSO1T	A	Table lamp	8.5	588	2800-3200	Matte black	458	180	459	1/1	A++→A
955SENSO3F	A	Floor lamp	25	1764	2800-3200	Matte black	443		1475	1/1	A++→A

Material: Aluminium + Iron + Acrylic, **LED:** Included, **Light source:** Epistar 2835

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SENSO
955SENSO1W

SENSO
955SENSO2W

SENSO
955SENSO6

LED WARM WHITE 2700K **IP40**

SENSO

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Length/ Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955SENSO1W	A	Wall lamp	8.5	588	2800-3200	Matte black	100	100	300	1/1	A++→A
955SENSO2W	A	Wall lamp	17	1176	2800-3200	Matte black	180	100	460	1/1	A++→A
955SENSO6	A	Pendant	50	3528	2800-3200	Matte black	696		1200	1/1	A++→A

Material: Aluminium + Iron + Acrylic, **LED:** Included, **Light source:** Epistar 2835

~230V 50/60 Hz > 15000 SMD 2835 Ra≥80 IP 40 RoHS COMPLIANT EMC CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DUNCAN
955DUNCAN1W

DUNCAN
955DUNCAN1T



DUNCAN
955DUNCAN3F

LED WARM WHITE 2700K **IP40**

DUNCAN

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Length/ Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955DUNCAN1W	A	Wall lamp	5	350	2800-3200	Matte black & wood	288	100	190	1/10	A++→A
955DUNCAN1T	A	Table lamp	5	350	2800-3200	Matte black & wood	272	180	272	1/2	A++→A
955DUNCAN3F	A	Floor lamp	15	1050	2800-3200	Matte black & wood	230	250	1440	1/1	A++→A

Material: Aluminium + Iron + PC, **LED:** Included, **Light source:** Epistar 2835

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DUNCAN
955DUNCAN9

DUNCAN
955DUNCAN6

LED WARM WHITE 2700K **IP40**

DUNCAN

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Length/ Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955DUNCAN6	A	Chandelier	30	2100	2800-3200	Matte black & wood	730	730	260	1/1	A++→A
955DUNCAN9	A	Chandelier	45	3150	2800-3200	Matte black & wood	820	820	390	1/1	A++→A

Material: Aluminium + Iron + PC, **LED:** Included, **Light source:** Epistar 2835

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LINUS
955LINUS1W

LINUS
955LINUS1P

LED WARM WHITE 2700K **IP40**

LINUS

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955LINUS1W	A	Wall lamp	8.5	595	2800-3200	Silver	408	100	135	1/1	A++→A
955LINUS1P	A	Pendant	23	1610	2800-3200	Silver	918	60	1200	1/1	A++→A

Material: Aluminium + Iron + PC, **LED:** Included, **Light source:** Epistar 2835

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

HENDRIX
955HENDRIX1P

HENDRIX
955HENDRIX1T

LED WARM WHITE 2700K **IP40**

HENDRIX

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955HENDRIX1T	A	Table lamp	11	770	2800-3200	White & black	250	480	1/1	A++→A
955HENDRIX1P	A	Pendant	21	1470	2800-3200	White & black	350	1500	1/1	A++→A

Material: Aluminium + Iron + PC, **LED:** Included, **Light source:** Epistar 2835

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

JOSEY
955JOSEY48
955JOSEY48W



JOSEY
955JOSEY120
955JOSEY120W

JOSEY
955JOSEY156P
955JOSEY156PW

LED | WARM WHITE 2700K | COOL WHITE 6400K | IP40

UNTIL SUPPLY LAST

JOSEY

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955JOSEY48	F	Chandelier	48	3600	3000	mat white	410	410	170	1/1	A++→A
955JOSEY48W	F	Chandelier	48	3600	5000	mat white	410	410	170	1/1	A++→A
955JOSEY120	F	Chandelier	120	9000	3000	mat white	610	610	260	1/1	A++→A
955JOSEY120W	F	Chandelier	120	9000	5000	mat white	610	610	260	1/1	A++→A
955JOSEY156P	F	Pendant	156	11700	3000	mat white	700		1200	1/1	A++→A
955JOSEY156PW	F	Pendant	156	11700	5000	mat white	700		1200	1/1	A++→A

Material: Aluminium + silicon, **LED:** Included, **Light source:** Epistar 2835, **White:** RAL9016

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | IP 40 | RoHS | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

JOSEY
955JOSEY96/BL



JOSEY
955JOSEY192
955JOSEY192W

LED | WARM WHITE 2700K | COOL WHITE 6400K | IP40

UNTIL SUPPLY LAST

JOSEY

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955JOSEY96/BL	F	Chandelier	96	7200	3000	black	575		50	1/1	A++→A
955JOSEY192	F	Chandelier	192	13824	3000	mat white	600	600	220	1/1	A++→A
955JOSEY192W	F	Chandelier	192	13824	5000	mat white	600	600	220	1/1	A++→A

Material: Aluminium + silicon, **LED:** Included, **Light source:** Epistar 2835, **White:** RAL9016

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | IP 40 | RoHS | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

SHELL
955SHELL1P

SHELL
955SHELL1W/G

SHELL
955SHELL1W/SL

SHELL
955SHELL1W/WH

LED NEUTRAL WHITE 4000K **IP40**

UNTIL SUPPLY LAST

SHELL

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955SHELL1P	F	Chandelier	40	3600	4000	white	500		70	1/1	A++→A
955SHELL1W/WH	F	Wall lamp	5	500	4000	white	170	110	70	1/20	A++→A
955SHELL1W/G	F	Wall lamp	5	500	4000	gold	170	110	70	1/20	A++→A
955SHELL1W/SL	F	Wall lamp	5	500	4000	silver	170	110	70	1/20	A++→A

Material: Plastic, **LED:** Included, **Light source:** Epistar

~230V 50/60 Hz > 15000 Ra≥80 IP 40 RoHS COMPLIANT EMC CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

CAMEO
955CAMEO20

CAMEO
955CAMEO30

CAMEO
955CAMEO5W

CAMEO
955CAMEO15

LED WARM WHITE 2700K **IP40**

UNTIL SUPPLY LAST

CAMEO

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955CAMEO5W	F	Spot	5	400	3200	chrome	80		120	1/24	A++→A
955CAMEO15	F	Spot	15	1200	3200	chrome	250		125	1/6	A++→A
955CAMEO20	F	Spot	20	1600	3200	chrome		600	125	1/6	A++→A
955CAMEO30	F	Spot	30	2400	3200	chrome		1500	145	1/4	A++→A

Material: Metal, **LED:** Included, **Light source:** Epistar

~230V | 50/60 Hz | > 15000 | Ra≥80 | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

AZZAR
955AZZAR7

AZZAR
955AZZAR108

LED | WARM WHITE 2700K | **IP40**

UNTIL SUPPLY LAST

AZZAR

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955AZZAR7	F	Ceiling lamp	7	490	3000	mat white	100	100	75	1/20	A++→A
955AZZAR108	F	Chandelier	108	8100	3000	mat white	1000	420	1200	1/1	A++→A

Material: Aluminium + acrylic + silicon, **LED:** Included, **Light source:** Epistar 2835, **White:** RAL9016

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

AZZAR
955AZZAR66



AZZAR
955AZZAR72

LED WARM WHITE 2700K **IP40**

UNTIL SUPPLY LAST

AZZAR

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955AZZAR66	F	Chandelier	66	4950	3000	mat white	580	580	140	1/1	A++→A
955AZZAR72	F	Chandelier	72	5400	3000	mat white	800	420	1200	1/1	A++→A

Material: Aluminium + acrylic + silicon, **LED:** Included, **Light source:** Epistar 2835, **White:** RAL9016

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | IP 40 | RoHS | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

OLIVIA
955OLIVIA42

OLIVIA
955OLIVIA42P

OLIVIA
955OLIVIA7W

LED | WARM WHITE 2700K | IP40

UNTIL SUPPLY LAST

OLIVIA

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955OLIVIA7W	F	Wall fixture	7	490	3000	black	130	90	250	1/10	A++→A
955OLIVIA42	F	Chandelier	42	3150	3000	black	430		300	1/1	A++→A
955OLIVIA42P	F	Pendant	42	3150	3000	black	730	100	1200	1/1	A++→A

Material: Aluminium + acrylic, **LED:** Included, **Light source:** Epistar 2835

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY



FAYE
955FAYE12



FAYE
955FAYE24



FAYE
955FAYE16

LED | WARM WHITE 2700K | IP40

UNTIL SUPPLY LAST

FAYE

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955FAYE12	F	Ceiling lamp	12	960	3200	chrome	580		50	1/6	A++→A
955FAYE16	F	Ceiling lamp	16	1280	3200	chrome	470	470	85	1/4	A++→A
955FAYE24	F	Ceiling lamp	24	1920	3200	chrome	680		50	1/4	A++→A

Material: Metal, **LED:** Included, **Light source:** Epistar

~230V | 50/60 Hz | > 15000 | Ra≥80 | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

LUX

ELIZABETH
955ELIZABETH1WL/NI

ELIZABETH
955ELIZABETH1WL/G

ELIZABETH
955ELIZABETH1/G

ELIZABETH
955ELIZABETH1/NI

IP20

ELIZABETH

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ELIZABETH1/NI	A	Chandelier	Nickel	500	1500	1xE27	1/1	A++→E
955ELIZABETH1/G	A	Chandelier	Gold	500	1500	1xE27	1/1	A++→E
955ELIZABETH1WL/NI	A	Wall lamp	Nickel	220	200	1xE27	1/1	A++→E
955ELIZABETH1WL/G	A	Wall lamp	Gold	220	200	1xE27	1/1	A++→E

Material: Metal & fabric | **Lamps Not Included**, Max 40W

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

CLARA
955CLARA1T/NI

CAROL
955CAROL1F/BL

IP20

CAROL / CLARA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CAROL1F/BL	A	Floor lamp	Black & brass	600	1850	1xE27	1/1	A++→E
955CLARA1T/NI	A	Table lamp	Nickel	460	670	1xE27	1/1	A++→E

Material: CAROL: Wood, fabric & metal, CLARA: Metal & fabric | **Lamps Not Included**, Max 40W

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

TOMY
955TOMY1T

TOMY
955TOMY1F

TOMY
955TOMY1WLED

IP20

TOMY

Catalogue number	Product category	Description	Colour	Length/ Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TOMY1T	A	Table lamp	dark gray	240	490	E27	1/1	A++→E
955TOMY1F	A	Floor lamp	dark gray	400	1550	E27	1/1	A++→E
955TOMY1WLED	A	Wall lamp with two keys	dark gray	120	250	E27 + LED	1/1	A++→A A++→E

Material: Metal+ Fabric, **Lamps Not Included,** max 40W on lampholder, 955TOMY1WLED colour temperature: 4000K, with two keys on the base

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MELODY
955MELODY5

MELODY
955MELODY1

IP20

MELODY

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MELODY1	A	Wall lamp	Chrome & white	200	250	1xE27	1/1	A++→E
955MELODY3	A	Chandelier	Chrome & white	200	250	3xE27	1/1	A++→E
955MELODY5	A	Chandelier	Chrome & white	200	250	5xE27	1/1	A++→E

Material: Metal, **Lamps Not Included**, Max 40W

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

CARMEN
955CARMEN1T

CARMEN
955CARMEN6

CARMEN
955CARMEN1F

IP20

CARMEN

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CARMEN1F	A	Floor lamp	White & chrome	300	230	1xE27	1/1	A++→E
955CARMEN1T	A	Table lamp	White & chrome	300	230	1xE27	1/1	A++→E
955CARMEN6	A	Chandelier	White & chrome	300	230	6xE27	1/1	A++→E

Material: Metal, **Lamps Not Included**, Max 40W

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MAYA
955MAYA1T

MAYA
955MAYA1WLED

MAYA
955MAYA1W

MAYA
955MAYA1P

MAYA
955MAYA1F

MAYA
955MAYA5

MAYA
955MAYA3

IP20

MAYA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MAYA3	A	Chandelier	Chrome	550	420	3 x E27	1/1	A++→E
955MAYA5	A	Chandelier	Chrome	600	420	5 x E27	1/1	A++→E
955MAYA1P	A	Pendant	Chrome	350	420	1 x E27	1/1	A++→E
955MAYA1T	A	Table lamp	Chrome	300	650	1 x E27	1/1	A++→E
955MAYA1F	A	Floor lamp	Chrome	400	1630	1 x E27	1/1	A++→E
955MAYA1W	A	Wall lamp	Chrome	150	310	1 x E27	1/10	A++→E
955MAYA1WLED	A	Wall lamp	Chrome	220	220	1 x E27 + 1W LED	1/10	A++→E

Material: Metal with glass and fabric shade, **955MAYA1WLED** - Wattage- 1W; Colour temperature- 4000K, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LILLY
955LILLY1T

LILLY
955LILLY5

LILLY
955LILLY1W

LILLY
955LILLY1F

LILLY
955LILLY3

IP20

LILLY

Catalogue number	Product category	Description	Colour	Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LILLY3	A	Chandelier	Chrome	550	-	540	3 x E27	1/1	A++→E
955LILLY5	A	Chandelier	Chrome	650	-	590	5 x E27	1/1	A++→E
955LILLY1W	A	Wall lamp	Chrome	-	220	330	1 x E27	1/10	A++→E
955LILLY1T	A	Table lamp	Chrome	150	-	410	1 x E27	1/4	A++→E
955LILLY1F	A	Floor lamp	Chrome	400	-	1585	1 x E27	1/1	A++→E

Material: Metal with crystal and fabirc shade, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MERY
955MERY1T/AB

MERY
955MERY5/AB

MERY
955MERY1P/AB

MERY
955MERY1F/AB

MERY
955MERY1W/AB

MERY
955MERY3/AB

IP20

MERY

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MERY3/AB	A	Chandelier	Antique brass	600	480	3 x E27	1/1	A++→E
955MERY5/AB	A	Chandelier	Antique brass	700	520	5 x E27	1/1	A++→E
955MERY1P/AB	A	Pendant	Antique brass	350	520	1 x E27	1/1	A++→E
955MERY1T/AB	A	Table lamp	Antique brass	320	570	1 x E27	1/1	A++→E
955MERY1F/AB	A	Floor lamp	Antique brass	400	1565	1 x E27	1/1	A++→E
955MERY1W/AB	A	Wall lamp	Antique brass	160	350	1 x E27	1/10	A++→E

Material: Metal with crystal and fabric shade, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MERY
955MERY1T/CH

MERY
955MERY5/CH

MERY
955MERY1P/CH

MERY
955MERY1F/CH

MERY
955MERY1WLED/CH

MERY
955MERY1W/CH

MERY
955MERY3/CH

IP20

MERY

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MERY3/CH	A	Chandelier	Chrome	600	480	3 x E27	1/1	A++→E
955MERY5/CH	A	Chandelier	Chrome	700	520	5 x E27	1/1	A++→E
955MERY1P/CH	A	Pendant	Chrome	350	520	1 x E27	1/1	A++→E
955MERY1T/CH	A	Table lamp	Chrome	320	570	1 x E27	1/1	A++→E
955MERY1F/CH	A	Floor lamp	Chrome	400	1565	1 x E27	1/1	A++→E
955MERY1W/CH	A	Wall lamp	Chrome	160	350	1 x E27	1/10	A++→E
955MERY1WLED/CH	A	Wall lamp	Chrome	220	400	1 x E27 + 1W LED	1/10	A++→A A++→E

Material: Metal with crystal and fabric shade, **955MERY1WLED/CH** - Wattage: 1W; Colour temperature: 4000K, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ERIN LUX
955ERIN5

MARTA
955MARTA6

IP20

UNTIL SUPPLY LAST

ERIN LUX / MARTA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ERIN5	F	Chandelier	Sand nickel	690	530	5 x E27	1/1	A++→E
955MARTA6	F	Chandelier	Gold bronze	690	470	6 x E27	1/1	A++→E

Material: Metal and glass shade, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

JULIA
955JULIA1

JULIA
955JULIA5

IP20

UNTIL SUPPLY LAST

JULIA

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JULIA1	F	Pendant	Black	250	-	280	1 x E27	1/1	A++→E
955JULIA5	F	Chandelier	Black	250	800	250	5 x E27	1/1	A++→E

Material: Metal with crystal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

DJENY
955DJENY5

DJENY
955DJENY3

IP20

UNTIL SUPPLY LAST

DJENY

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955DJENY5	F	Chandelier	Silver	530	-	200	5 x E14	1/1	A++→E
955DJENY3	F	Ceiling lamp	Silver	450	-	240	3 x E14	1/1	A++→E

Material: Metal with crystal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

JANET
955JANET2W

JANET
955JANET3

IP20

UNTIL SUPPLY LAST

JANET

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JANET2W	F	Wall lamp	Silver	300	-	280	2 x E27	1/1	A++→E
955JANET3	F	Ceiling lamp	Silver	400	-	280	3 x E27	1/1	A++→E

Material: Metal silver with crystal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

JAKLIN
955JAKLIN1W

JAKLIN
955JAKLIN2

IP20

UNTIL SUPPLY LAST

JAKLIN

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JAKLIN1W	F	Wall lamp	Silver	200	241	95	1 x E27	1/1	A++→E
955JAKLIN2	F	Ceiling lamp	Silver	375	-	171	2 x E27	1/1	A++→E

Material: Metal silver with crystal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

DARA

955DARA5

IP20

UNTIL SUPPLY LAST

DARA

Catalogue number	Product category	Description	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955DARA5	F	Chandelier	680	490	5 x E27	1/1	A++→E

Material: Metal chrome and glass shade, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

DELIA
955DELIA1W/BL

DELIA
955DELIA2/BL

DELIA
955DELIA3/BL

IP20

DELIA

Catalogue number	Product category	Description	Colour	Length (mm)	Width (mm)	Depth (mm)	Lamp holder	Packing/Box (pcs)	Energy class
955DELIA1W/BL	A	Spot	black + red amber	80	150	200	1xE27	1/12	A++→E
955DELIA2/BL	A	Spot	black + red amber	340	80	200	2xE27	1/8	A++→E
955DELIA3/BL	A	Spot	black + red amber	620	80	200	3xE27	1/6	A++→E

Material: Iron+PVC+cotton cloth, **Lamps Not Included , Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DELIA
955DELIA4/BL

DELIA
955DELIA6/BL

IP20

DELIA

Catalogue number	Product category	Description	Colour	Length (mm)	Width (mm)	Depth (mm)	Lamp holder	Packing/Box (pcs)	Energy class
955DELIA4/BL	A	Spot	black + red amber	630	90	200	4xE27	1/4	A++→E
955DELIA6/BL	A	Ceiling lamp	black + red amber	800	500	200	6xE27	1/4	A++→E

Material: Iron+PVC+cotton cloth, **Lamps Not Included , Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

YOLI
955YOLI1W/SN

YOLI
955YOLI2/SN

YOLI
955YOLI3/SN

IP20

YOLI

Catalogue number	Product category	Description	Colour	Length/Diameter (mm)	Depth (mm)	Lamp holder	Packing/Box (pcs)	Energy class
955YOLI1W/SN	A	Spot	satin nickel +white	100	200	1xE27	1/12	A++→E
955YOLI2/SN	A	Spot	satin nickel +white	360	200	2xE27	1/8	A++→E
955YOLI3/SN	A	Spot	satin nickel +white	360	200	3xE27	1/4	A++→E

Material: Iron, **Lamps Not Included , Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

YOLI
955YOLI4/SN

YOLI
955YOLI6/SN

IP20

YOLI

Catalogue number	Product category	Description	Colour	Length/Diameter (mm)	Depth (mm)	Lamp holder	Packing/Box (pcs)	Energy class
955YOLI4/SN	A	Spot	satin nickel +white	800	200	4xE27	1/6	A++→E
955YOLI6/SN	A	Ceiling lamp	satin nickel +white	620	200	6xE27	1/4	A++→E

Material: Iron, **Lamps Not Included , Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

AMBIX
955AMBIX1W

AMBIX
955AMBIX3

AMBIX
955AMBIX3R



AMBIX
955AMBIX2

IP20

AMBIX

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lamp holder	Packing/Box (pcs)	Energy class
955AMBIX1W	A	Spot	black+copper	80		162	1xE14	1/24	A++→E
955AMBIX2	A	Spot	black+copper		250	175	2xE14	1/12	A++→E
955AMBIX3	A	Spot	black+copper	250		175	3xE14	1/6	A++→E
955AMBIX3R	A	Ceiling lamp	black+copper	390		240	3xE14	1/6	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

AMBIX
955AMBIX4

AMBIX
955AMBIX6

AMBIX
955AMBIX5

IP20

AMBIX

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lamp holder	Packing/Box (pcs)	Energy class
955AMBIX4	A	Spot	black+copper		600	175	4xE14	1/6	A++→E
955AMBIX5	A	Ceiling lamp	black+copper	630	370	210	5xE14	1/4	A++→E
955AMBIX6	A	Spot	black+copper		1500	195	6xE14	1/4	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

JULIE
955JULIE1W

JULIE
955JULIE2

JULIE
955JULIE3

JULIE
955JULIE3R

IP20

JULIE

Catalogue number	Product category	Description	Colour	Lampholder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955JULIE1W	A	Spot	satin nickel+aluminium	1xE14	80		162	1/24	A++→E
955JULIE2	A	Spot	satin nickel+aluminium	2xE14		250	175	1/12	A++→E
955JULIE3	A	Spot	satin nickel+aluminium	3xE14		410	175	1/8	A++→E
955JULIE3R	A	Ceiling lamp	satin nickel+aluminium	3xE14	390		240	1/6	A++→E

Material: Metal, Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

JULIE
955JULIE4

JULIE
955JULIE6

JULIE
955JULIE5

IP20

JULIE

Catalogue number	Product category	Description	Colour	Lampholder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955JULIE4	A	Spot	satin nickel+aluminium	4xE14		600	175	1/6	A++→E
955JULIE5	A	Ceiling lamp	satin nickel+aluminium	5xE14	630	370	210	1/4	A++→E
955JULIE6	A	Spot	satin nickel+aluminium	6xE14		1500	195	1/4	A++→E

Material: Metal, Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SHEEN
955SHEEN1W/SN

SHEEN
955SHEEN2/SN

SHEEN
955SHEEN31/SN

IP20

SHEEN

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955SHEEN1W/SN	A	Spot	satin nickel and chrome frame with clear glass	1xE14	92	74	150	1/8	A+→E
955SHEEN2/SN	A	Spot	satin nickel and chrome frame with clear glass	2xE14		280	165	1/6	A+→E
955SHEEN31/SN	A	Ceiling lamp	satin nickel and chrome frame with clear glass	3xE14	380	240		1/4	A+→E

Material: Metal and glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SHEEN
955SHEEN3/SN

SHEEN
955SHEEN4/SN

SHEEN
955SHEEN5/SN

IP20

SHEEN

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955SHEEN3/SN	A	Spot	satin nickel and chrome frame with clear glass	3xE14	450		165	1/6	A+→E
955SHEEN4/SN	A	Spot	satin nickel and chrome frame with clear glass	4xE14		700	165	1/4	A+→E
955SHEEN5/SN	A	Ceiling lamp	satin nickel and chrome frame with clear glass	5xE14	610	360	210	1/4	A+→E

Material: Metal and glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ABBY
955ABBY1W

ABBY
955ABBY2



ABBY
955ABBY3

IP20

UNTIL SUPPLY LAST

ABBY

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955ABBY1W	F	Spot	chrome+white glass	1xE14	80		120	1/24	A++→E
955ABBY2	F	Spot	chrome+white glass	2xE14		250	175	1/12	A++→E
955ABBY3	F	Spot	chrome+white glass	3xE14	250		175	1/6	A++→E

Material: Metal+glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

ABBY
955ABBY4

ABBY
955ABBY6

IP20

UNTIL SUPPLY LAST

ABBY

Catalogue number	Product category	Description	Colour	Lamp holder	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955ABBY4	F	Spot	chrome+white glass	4xE14	700	175	1/6	A++→E
955ABBY6	F	Spot	chrome+white glass	6xE14	1500	185	1/4	A++→E

Material: Metal+glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

IZZY
955IZZY1/BL

IZZY
955IZZY1/WH

IZZY
955IZZY2/BL

IZZY
955IZZY2/WH

IZZY
955IZZY1W/BL

IZZY
955IZZY1W/WH

IP20

IZZY

Catalogue number	Product category	Description	Colour	Lamp holder	Base Diameter (mm)	Length (mm)	Width (mm)	Packing/Box (mm)	Energy class
955IZZY1W/WH	A	Spot with metal swtich	white	1xGU10	80		180	1/20	A++→E
955IZZY1W/BL	A	Spot with metal swtich	black	1xGU10	80		180	1/20	A++→E
955IZZY1/WH	A	Spot	white	1xGU10	80		180	1/20	A++→E
955IZZY1/BL	A	Spot	black	1xGU10	80		180	1/20	A++→E
955IZZY2/WH	A	Spot	white	2xGU10	80	250	180	1/12	A++→E
955IZZY2/BL	A	Spot	black	2xGU10	80	250	180	1/12	A++→E

Material: Metal, **Lamps Not Included** | max 50W on lampholder

3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

IZZY
955IZZY4/WH

IZZY
955IZZY3/BL

IZZY
955IZZY3/WH

IZZY
955IZZY4/BL

IP20

IZZY

Catalogue number	Product category	Description	Colour	Lamp holder	Diameter (mm)	Length (mm)	Width (mm)	Packing/Box (mm)	Energy class
955IZZY3/WH	A	Spot	white	3xGU10	80/250		180	1/6	A++→E
955IZZY3/BL	A	Spot	black	3xGU10	80/250		180	1/6	A++→E
955IZZY4/WH	A	Spot	white	4xGU10	80	600	180	1/6	A++→E
955IZZY4/BL	A	Spot	black	4xGU10	80	600	180	1/6	A++→E

Material: Metal, **Lamps Not Included** | max 50W on lampholder

3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ADDY WHITE
955ADDY3/WH

ADDY WHITE
955ADDY4/WH

ADDY WHITE
955ADDY1W/WH

IP20

ADDY WHITE

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955ADDY1W/WH	A	Spot	white and wood painting	1xE14	80		150	1/24	A++→E
955ADDY3/WH	A	Spot	white and wood painting	3xE14	250		165	1/6	A++→E
955ADDY4/WH	A	Spot	white and wood painting	4xE14		700	165	1/6	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ADDY BLACK
955ADDY3/BL

ADDY BLACK
955ADDY4/BL

ADDY BLACK
955ADDY1W/BL

IP20

ADDY BLACK

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955ADDY1W/BL	A	Spot	black and wood painting	1xE14	80		150	1/24	A++→E
955ADDY3/BL	A	Spot	black and wood painting	3xE14	250		165	1/6	A++→E
955ADDY4/BL	A	Spot	black and wood painting	4xE14		700	165	1/6	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ADDY GOLD
955ADDY1W/G

ADDY GOLD
955ADDY2/G

ADDY GOLD
955ADDY31/G

IP20

ADDY GOLD

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955ADDY1W/G	A	Spot	antique gold and amber glass	1xE14	80	150	150	1/8	A++→E
955ADDY2/G	A	Spot	antique gold and amber glass	2xE14		280	165	1/6	A++→E
955ADDY31/G	A	Ceiling lamp	antique gold and amber glass	3xE14	390		240	1/6	A++→E

Material: Metal and glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ADDY GOLD
955ADDY4/G

ADDY GOLD
955ADDY5/G

IP20

ADDY GOLD

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955ADDY4/G	A	Spot	antique gold and amber glass	4xE14		700	165	1/4	A++→E
955ADDY5/G	A	Ceiling lamp	antique gold and amber glass	5xE14	300	600	180	1/4	A++→E

Material: Metal and glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ADDY CHROME
955ADDY1W/CH

ADDY CHROME
955ADDY2/CH

ADDY CHROME
955ADDY31/CH

IP20

ADDY CHROME

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955ADDY1W/CH	A	Spot	chrome and smoking glass	1xE14	80		150	1/8	A++→E
955ADDY2/CH	A	Spot	chrome and smoking glass	2xE14		280	165	1/6	A++→E
955ADDY31/CH	A	Ceiling lamp	chrome and smoking glass	3xE14	390		240	1/6	A++→E

Material: Metal and glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ADDY CHROME
955ADDY4/CH

ADDY CHROME
955ADDY5/CH

IP20

ADDY CHROME

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955ADDY4/CH	A	Spot	chrome and smoking glass	4xE14		700	165	1/4	A++→E
955ADDY5/CH	A	Ceiling lamp	chrome and smoking glass	5xE14	300	600	180	1/4	A++→E

Material: Metal and glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ADDY WOOD
955ADDY1W/WD

ADDY WOOD
955ADDY2/WD

ADDY WOOD
955ADDY3/WD

ADDY WOOD
955ADDY4/WD

IP20

ADDY WOOD

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955ADDY1W/WD	A	Spot	satin nickel+wood painting+amber glass	1xE14	80	150	150	1/8	A++→E
955ADDY2/WD	A	Spot	satin nickel+wood painting+amber glass	2xE14		280	165	1/6	A++→E
955ADDY3/WD	A	Spot	satin nickel+wood painting+amber glass	3xE14	250		165	1/6	A++→E
955ADDY4/WD	A	Spot	satin nickel+wood painting+amber glass	4xE14		700	165	1/4	A++→E

Material: Metal and glass | **Lamps Not Included** | max 40W on lampholder

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

EDDY BLACK
955EDDY1W/BL

EDDY BLACK
955EDDY2/BL

EDDY BLACK
955EDDY3/BL

EDDY BLACK
955EDDY4/BL

IP20

EDDY BLACK

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lamp holder	Packing/Box (pcs)	Energy class
955EDDY1W/BL	A	Spot	black and white	80		150	1xE14	1/24	A++→E
955EDDY2/BL	A	Spot	black and white		280	165	2xE14	1/12	A++→E
955EDDY3/BL	A	Spot	black and white	250	250		3xE14	1/6	A++→E
955EDDY4/BL	A	Spot	black and white		700	165	4xE14	1/6	A++→E

Material: Metal and glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

RIKO
955RIKO1W

RIKO
955RIKO2

RIKO
955RIKO3

RIKO
955RIKO4

IP20

RIKO

Catalogue number	Product category	Description	Colour	Length (mm)	Height (mm)	Lamp holder	Packing/Box (pcs)	Energy class
955RIKO1W	A	Spot	wood and black	150	100	1xGU10	1/1	A++→E
955RIKO2	A	Spot	wood and black	320	100	2xGU10	1/1	A++→E
955RIKO3	A	Spot	wood and black	505	100	3xGU10	1/1	A++→E
955RIKO4	A	Spot	wood and black	300	100	4xGU10	1/1	A++→E

Material: Metal **and wood | Lamps Not Included |** max 35W on lampholder

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

TWIST
955TWIST3/BL

TWIST
955TWIST5/BL

IP20

TWIST

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lamp holder	Packing/Box (pcs)	Energy class
955TWIST3/BL	A	Ceiling lamp	black	570	220	3xE27	1/1	A++→E
955TWIST5/BL	A	Ceiling lamp	black	670	220	5xE27	1/1	A++→E

Material: Metal | **Lamps Not Included** | max 40W on lampholder

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

CRYSTAL

High Quality

DALISS
955DALISS5

DALISS
955DALISS13

IP20

DALISS

Catalogue number	Product category	Description	Colour	Crystal index	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955DALISS5	A	Chandelier	Gold	K9	390	420	5xE14	1/1	A++→E
955DALISS13	A	Chandelier	Gold	K9	580	570	13xE14	1/1	A++→E

Material Metal and crystal, Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

AURIA
955AURIA5

AURIA
955AURIA10

IP20

UNTIL SUPPLY LAST

AURIA

Catalogue number	Product category	Description	Colour	Crystal index	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955AURIA5	F	Chandelier	Chrome	K9	390	360	5xE14	1/1	A++→E
955AURIA10	F	Chandelier	Chrome	K9	550	450	10xE14	1/1	A++→E

Material Metal and crystal, Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

High Quality

BLESSY
955BLESSY10

BLESSY
955BLESSY18

IP20

BLESSY

Catalogue number	Product category	Description	Colour	Crystal index	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955BLESSY10	A	Chandelier	Chrome	K9	460	580	10xE14	1/1	A++→E
955BLESSY18	A	Chandelier	Chrome	K9	610	770	18xE14	1/1	A++→E

Material Metal and crystal, Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

High Quality

BLESSY
955BLESSY44

BLESSY
955BLESSY77

BLESSY
955BLESSY19

IP20

BLESSY

Catalogue number	Product category	Description	Colour	Crystal index	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955BLESSY77	A	Chandelier 14 sections	Chrome	K9	750	3000	77xE14	1/1	A++→E
955BLESSY44	A	Chandelier 8 sections	Chrome	K9	750	1500	44xE14	1/1	A++→E
955BLESSY19	A	Chandelier 5 sections	Chrome	K9	500	950	19xE14	1/1	A++→E

Material Metal and crystal, Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

High Quality

VERA
955VERA9

IP20

VERA

Catalogue number	Product category	Description	Colour	Crystal index	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955VERA9	A	Chandelier	Gold	K9	500	200	9xE14	1/1	A++→E

Material Metal and crystal, Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ELMARK
www.elmarkholding.eu

High Quality

CATHERINE
955CATHERINE17/S

CATHERINE
955CATHERINE17/R

IP20

CATHERINE

Catalogue number	Product category	Description	Colour	Crystal index	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CATHERINE17/R	A	Chandelier	Gold & black	K9	600		460	17xE14	1/1	A++→E
955CATHERINE17/S	A	Chandelier	Gold & black	K9	400	1000	330	17xE14	1/1	A++→E

Material Metal and crystal, Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

High Quality

ALBERT
955ALBERT6

ALBERT
955ALBERT13

IP20

ALBERT

Catalogue number	Product category	Description	Colour	Crystal index	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ALBERT6	A	Chandelier 5 sections	Chrome	K9	500	950	6xE14	1/1	A++→E
955ALBERT13	A	Chandelier 8 sections	Chrome	K9	750	1500	13xE14	1/1	A++→E

Material Metal and crystal, Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

High Quality

VICTORIA
955VICTORIA6

VICTORIA
955VICTORIA14

VICTORIA
955VICTORIA22

IP20

VICTORIA

Catalogue number	Product category	Description	Colour	Crystal index	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955VICTORIA6	A	Ceiling lamp	Gold & black	K9	400	270	6xE14	1/1	A++→E
955VICTORIA14	A	Ceiling lamp	Gold & black	K9	600	310	14xE14	1/1	A++→E
955VICTORIA22	A	Ceiling lamp	Gold & black	K9	800	350	22xE14	1/1	A++→E

Material Metal and crystal, Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

AMELIA
955AMELIA18

MISHELLE
955MISHELLE8

IP20

AMELIA / MISHELLE

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955AMELIA18	A	Ceiling lamp	Gold	800	300	18 x E27	1/1	A++→E
955MISHELLE8	A	Ceiling lamp	Chrome	600	340	8 x E14	1/1	A++→E

Material: Metal and crystal, Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

INNA
955INNA2W/CH

INNA
955INNA2W/GD

IP20

INNA

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Lampholder	Packing/Box (pcs)	Energy class
955INNA2W/CH	A	Wall lamp	Chrome	210	330	2 x E14	1/1	A++→E
955INNA2W/GD	A	Wall lamp	Gold	210	330	2 x E14	1/1	A++→E

Material: Metal and crystal, Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ANNA
955ANNA4

ANNA
955ANNA3

ANNA
955ANNA2

ANNA
955ANNA1W

IP20

ANNA

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ANNA4	A	Chandelier	Chrome	180	820	330	4xE14	1/1	A++→E
955ANNA2	A	Chandelier	Chrome	140	430	330	2xE14	1/1	A++→E
955ANNA3	A	Chandelier	Chrome	140	580	330	3xE14	1/1	A++→E
955ANNA1W	A	Wall lamp	Chrome	250	150	140	1xE14	1/10	A++→E

Material: Metal and crystal, Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LIZA
955LIZA5/CH

LIZA
955LIZA1W/CH

LIZA
955LIZA1T/CH

LIZA
955LIZA3/CH

IP20

LIZA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LIZA3/CH	A	Chandelier	Chrome	445	225	3xE14	1/1	A++→E
955LIZA5/CH	A	Chandelier	Chrome	500	230	5xE14	1/1	A++→E
955LIZA1W/CH	A	Wall lamp	Chrome	145	125	1xE14	1/4	A++→E
955LIZA1T/CH	A	Table lamp	Chrome	210	330	1xE14	1/4	A++→E

Material: Metal and crystal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LIZA
955LIZA5/AB

LIZA
955LIZA1W/AB

LIZA
955LIZA1T/AB

LIZA
955LIZA3/AB

IP20

LIZA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LIZA3/AB	A	Chandelier	Antique brass	445	225	3xE14	1/1	A++→E
955LIZA5/AB	A	Chandelier	Antique brass	500	230	5xE14	1/1	A++→E
955LIZA1W/AB	A	Wall lamp	Antique brass	145	125	1xE14	1/4	A++→E
955LIZA1T/AB	A	Table lamp	Antique brass	210	330	1xE14	1/4	A++→E

Material: Metal and crystal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MADLEN
955MADLEN5

MADLEN
955MADLEN3

MADLEN
955MADLEN1W

IP20

MADLEN

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MADLEN5	A	Chandelier	Transparent	610	590	5xE14	1/1	A++→E
955MADLEN3	A	Chandelier	Clear	610	555	3 x E14	1/1	A++→E
955MADLEN1W	A	Wall lamp	Clear	115	260	1 x E14	1/10	A++→E

Material: Metal and crystal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

KARY
955KARY1P

IP20

KARY

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
955KARY1P	A	Chandelier	Smoky	400	5xG9	1/1	A++→E

Material: Glass and crystal, **Lamps Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LIA
955LIA3

NIA
955NIA4

KATELYN
955KATELYN1

MIA
955MIA6

IP20

UNTIL SUPPLY LAST

NIA / MIA / KATELYN / LIA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955NIA4	F	Chandelier	Chrome	400	270	4xE14	1/1	A++→E
955MIA6	F	Chandelier	Chrome	500	135	6xE14	1/1	A++→E
955KATELYN1	F	Pendant	Chrome	280	-	1xE27	1/1	A++→E
955LIA3	F	Chandelier	Chrome	400	300	3xE14	1/1	A++→E

Material: Metal and crystal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

DESIGN

SPIDER
955SPIDER3/BK

SPIDER
955SPIDER8/BK

IP20

UNTIL SUPPLY LAST

SPIDER

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955SPIDER3/BK	F	Chandelier	Golden and black	1200	-	600	3 x E27	1/5	A++→E
955SPIDER8/BK	F	Chandelier	Golden and black	1200	-	600	8 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

SPIDER
955SPIDER3/WH

SPIDER
955SPIDER6/WH

SPIDER
955SPIDER8/WH

SPIDER
955SPIDER1T/WH

SPIDER
955SPIDER1W/WH

IP20

UNTIL SUPPLY LAST

SPIDER

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955SPIDER3/WH	F	Chandelier	Copper and white	1200	-	600	3 x E27	1/5	A++→E
955SPIDER6/WH	F	Chandelier	Copper and white	1200	-	600	6 x E27	1/1	A++→E
955SPIDER8/WH	F	Chandelier	Copper and white	1200	-	600	8 x E27	1/1	A++→E
955SPIDER1W/WH	F	Wall lamp	Copper and white	130	600	-	1 x E27	1/8	A++→E
955SPIDER1T/WH	F	Table lamp	Copper and white	130	-	600	1 x E27	1/8	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

CINEMA
955CINEMA1

CINEMA
955CINEMA6

IP20

CINEMA

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CINEMA6	A	Chandelier	Black	630	-	150	6 x E27	1/1	A++→E
955CINEMA1	A	Ceiling lamp	Black	170	310	850	1 x E27	1/8	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

BETTY
955BETTY1W/BL

BETTY
955BETTY1W/WH

BRENDA
955BRENDA1T/BL

BRENDA
955BRENDA1/WH

IP20

BETTY / BRENDA

Catalogue number	Product category	Description	Colour	Length/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955BETTY1W/BL	A	Wall lamp	Black	180	280	1xG9	1/1	A++→E
955BETTY1W/WH	A	Wall lamp	White	180	280	1xG9	1/1	A++→E
955BRENDA1/WH	A	Wall lamp	White & grey	160	180	1xG9	1/1	A++→E
955BRENDA1T/BL	A	Table lamp	Black	160	180	1xG9	1/1	A++→E

Material: Metal + Glass, **Lamps Not Included**, BETTY with USB port, **955BRENDA1/WH Lampshade Colour:** Outside Grey, Inside White

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

OLENA GOLD
955OLENA5H/GD

OLENA BLACK
955OLENA5H/BL

IP20

OLENA

Catalogue number	Product category	Description	Colour	Length / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955OLENA5H/BL	A	Chandelier	Black	600	450-900 adjustable	5xG9	1/4	A++→E
955OLENA5H/GD	A	Chandelier	Gold	600	450-900 adjustable	5xG9	1/4	A++→E

Material: Iron + Glass, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

OLENA BLACK
955OLENA1W/BL

OLENA GOLD
955OLENA1W/GD

OLENA BLACK
955OLENA5V/BL

OLENA GOLD
955OLENA5V/GD

IP20

OLENA

Catalogue number	Product category	Description	Colour	Length / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955OLENA1W/BL	A	Wall lamp	Black	150	150	1xG9	1/10	A++→E
955OLENA5V/BL	A	Chandelier	Black	270	725-1025 adjustable	5xG9	1/4	A++→E
955OLENA1W/GD	A	Wall lamp	Gold	150	150	1xG9	1/10	A++→E
955OLENA5V/GD	A	Chandelier	Gold	270	725-1025 adjustable	5xG9	1/4	A++→E

Material: Iron + Glass, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ELLARIA
955ELLARIA3

ELLARIA
955ELLARIA5

IP20

ELLARIA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ELLARIA3	A	Chandelier	Wood & grey	620	250	3xE27	1/1	A++→E
955ELLARIA5	A	Chandelier	Wood & grey	620	250	5xE27	1/1	A++→E

Material: Iron + Glass, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

BUBBLES
955BUBBLES16

BUBBLES
955BUBBLES8

IP20

BUBBLES

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955BUBBLES16	A	Chandelier	Black and bronze with amber glass	1350	600	16 x E14	1/1	A++→E
955BUBBLES8	A	Chandelier	Black and bronze with amber glass	850	600	8 x E14	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ERMINA
955ERMINA8

ERMINA
955ERMINA6

IP20

ERMINA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ERMINA6	A	Ceiling lamp	Chrome & smocked glass	730	640	200	6xE14	1/1	A++→E
955ERMINA8	A	Ceiling lamp	Chrome & smocked glass	860	860	200	8xE14	1/1	A++→E

Material: Shades: Glass; **Body:** Metal, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ARTE
955ARTE4/BL

IP20

ARTE

Catalogue number	Product category	Description	Colour	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ARTE4/BL	A	Ceiling lamp	black	580/400	390	4xE27	1/1	A++→E

Material: Metal, Lamps Not Included, Max 40W

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SALLY
955SALLY6/BL

IP20

SALLY

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955SALLY6/BL	A	Ceiling lamp	Black	650	650	220	6xE27	1/12	A++→E

Material: Metal, **Lamps Not Included, Max 25W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LOREN
955LOREN8/BL

IP20

LOREN

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LOREN8/WH	A	Ceiling lamp	White & gold	1000	200	8xE27	1/1	A++→E
955LOREN8/BL	A	Ceiling lamp	Black	1000	200	8xE27	1/1	A++→E

Material: Metal, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



MARISA
955MARISA6/BL

IP20

MARISA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MARISA6/BL	A	Ceiling lamp	Black	1000	200	6xE27	1/1	A++→E

Material: Metal, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ROXIE
955ROXIE6/GD

IP20

ROXIE

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ROXIE3/GD	A	Ceiling lamp	Gold	640	190	3xE27	1/1	A++→E
955ROXIE6/GD	A	Ceiling lamp	Gold	830	190	6xE27	1/1	A++→E
955ROXIE12/GD	A	Ceiling lamp	Gold	1330	190	12xE27	1/1	A++→E

Material: Metal, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DINNER

955DINNER3M

DINNER
955DINNER6

DINNER
955DINNER3S

IP20

UNTIL SUPPLY LAST

DINNER

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955DINNER3M	F	Chandelier	Black and chrome	330	-	800	3 x E14	1/5	A++→E
955DINNER6	F	Chandelier	Black and chrome	310	900	700	6 x E14	1/1	A++→E
955DINNER3S	F	Chandelier	Black and chrome	260	-	540	3 x E14	1/6	A++→E

Material: Metal with stainless steel and crystal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

CUPS
955CUPS4

CUPS
955CUPS9

IP20

UNTIL SUPPLY LAST

CUPS

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CUPS9	F	Chandelier	Black with white cover	630	-	900	9 x E14	1/1	A++→E
955CUPS4	F	Chandelier	Black with white cover	520	-	750	4 x E14	1/1	A++→E

Material: Metal with stainless steel and crystal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TEATIME
955TEATIME1/BK

TEATIME
955TEATIME1/WH

IP20

TEATIME

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TEATIME1/BK	A	Pendant	Black	150	200	160	1 x E27	1/1	A++→E
955TEATIME1/WH	A	Pendant	White	120	220	160	1 x E27	1/1	A++→E

Material: Metal with polyresin, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ELMARK

www.elmarkholding.eu



JARS

955JARS13

IP20

UNTIL SUPPLY LAST

JARS

Catalogue number	Product category	Description	Diameter (mm)	Height (mm)	Lampholder	Packing/ Box (pcs)	Energy class
955JARS13	F	Chandelier	450	1200	13 x E27	1/1	A++→E

Material: Metal with colored glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

BOTTLES
955BOTTLES5

BOTTLES
955BOTTLES2

IP20

UNTIL SUPPLY LAST

BOTTLES

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955BOTTLES5	F	Chandelier	Black with colored glass	600	-	400	5 x E27	1/1	A++→E
955BOTTLES2	F	Chandelier	Black with colored glass	300	780	400	2 x E27	1/1	A++→E

Material: Metal and glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

BLOOM
955BLOOM8

IP20

BLOOM

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955BLOOM8	A	Chandelier	black	900	1500	8xE27	1/1	A++→E

Material: Metal, **Lamps Not Incl uded**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ROBBY
955ROBBY1/BL



ROCCO
955ROCCO1/BL



ROCCO
955ROCCO1/WH

IP20

ROBBY/ ROCCO

Catalogue number	Product category	Description	Colour	Length (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ROBBY1/BL	A	Pendant	Black & white	290	290	1042	1xE27	1/20	A++→E
955ROCCO1/BL	A	Pendant	Black	280	280	1230	1xE27	1/10	A++→E
955ROCCO1/WH	A	Pendant	White	280	280	1230	1xE27	1/10	A++→E

Material: Metal and PP, **Lamps Not Included, Max 25W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

PENDANT SECRET
955SECRET1P

PENDANT SPRING
955SPRING1P

IP20

UNTIL SUPPLY LAST

PENDANTS

Catalogue number	Product category	Description	Colour	Material	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955SECRET1P	F	Pendant	black/wood	metal+wood	400	210	1xE27	1/1	A++→E
955SPRING1P	F	Pendant	black	metal	330	400	1xE27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

KEN
955KEN1

KEN
955KEN3

IP20

KEN

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955KEN3	A	Chandelier	Matt black	280	1385	3 x E27	1/1	A++→E
955KEN1	A	Pendant	Matt black	120	1385	1 x E27	1/6	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SHUTTLE
955SHUTTLE3

SHUTTLE
955SHUTTLE1/WH

IP20

SHUTTLE

Catalogue number	Product category	Description	Colour	Diameter (mm)	Width (mm)	Height (mm)	Lamp holder	Packing/Box (pcs)	Energy class
955SHUTTLE1/WH	A	Pendant	White	200	200	1300	1xE27	1/1	A++→E
955SHUTTLE3	A	Pendant	White/Grey/Green	420	420	1300	3xE27	1/1	A++→E

Material: Metal | **Lamps Not Included, max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

POLLY
955POLLY4/BL

IP20

POLLY

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lamp holder	Packing/Box (pcs)	Energy class
955POLLY4/BL	A	Ceiling lamp	black	650	350	4xE27	1/1	A++→E

Material: Metal | **Lamps Not Included** | max 40W on lampholder

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

HOLLY
955HOLLYP/BL

HOLLY
955HOLLYWL/BL

IP20

HOLLY

Catalogue number	Product category	Description	Colour	Length (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955HOLLYWL/BL	A	Wall lamp	Black	270	180	280	1xE27	1/12	A++→E
955HOLLYP/BL	F	Pendant*	Black	180	180	650	1xE27	1/12	A++→E

Material: Metal, **Lamps Not Included, Max 25W**
*Until Supply Last

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ADRIA
955ADRIA1/BL

ADRIA
955ADRIA3/BL

IP20

ADRIA

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ADRIA1/BL	A	Pendant	black	160		1500	1xE27	1/1	A++→E
955ADRIA3/BL	A	Chandelier	black	160	650	1500	3xE27	1/1	A++→E

Material: Metal, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

HEIDI
955HEIDI3/BL

HEIDI
955HEIDI1/BL

IP20

HEIDI

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955HEIDI1/BL	A	Pendant	black	200		1500	1xE27	1/1	A++→E
955HEIDI3/BL	A	Chandelier	black	150	550	1500	3xE27	1/1	A++→E

Material: Metal+Plastic, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MYSTIC
955MYSTIC1P

MYSTIC
955MYSTIC3P

MYSTIC
955MYSTIC3S

IP20

UNTIL SUPPLY LAST

MYSTIC

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MYSTIC1P	F	Pendant	black/copper	150		200	1xE27	1/1	A++→E
955MYSTIC3P	F	Pendant	black/copper	300		200	3xE27	1/1	A++→E
955MYSTIC3S	F	Chandelier	black/copper	150	680	220	3xE27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

CLIVE
955CLIVE1/BL

SALVA
955SALVA1/BL

IP20

SALVA/ CLIVE

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955SALVA1/BL	A	Pendant	black	400	1500	1xE27	1/1	A++→E
955CLIVE1/BL	A	Pendant	black	150	1500	1xE27	1/10	A++→E

Material: Metal, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



JILL
955JILL1/BL



TARA
955TARA1/BL

IP20

JILL / TARA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JILL1/BL	A	Pendant	black	175	1140	1xE27	1/50	A++→E
955TARA1/BL	A	Pendant	black	200	1140	1xE27	1/50	A++→E

Material: Metal, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TERI
955TERI1/BL



IDA
955IDA1/BL

IP20

IDA / TERI

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955IDA1/BL	A	Pendant	black	175	175	1140	1xE27	1/50	A++→E
955TERI1/BL	A	Pendant	black	160	160	1140	1xE27	1/50	A++→E

Material: Metal, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

QUINN
955QUINN5/BL

STAR
955STAR1/BL

CAGE
955CAGE1/BL

IP20

QUINN/STAR/CAGE

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955QUINN5/BL	A	Chandelier	black	250		1500	5xE27	1/1	A++→E
955STAR1/BL	F	Pendant*	black+gold		300	1500	1xE27	1/1	A++→E
955CAGE1/BL	A	Pendant	black	200		1500	1xE27	1/1	A++→E

Material: Metal, **Lamps Not Included, Max 40W**

*Until Supply Last

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MALI
955MALI3/WH

MALI
955MALI3/BL

IP20

MALI

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MALI3/WH	A	Chandelier	white	200	900	1500	3xE27	1/1	A++→E
955MALI3/BL	A	Chandelier	black	200	900	1500	3xE27	1/1	A++→E

Material: Metal, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

KERRY
955KERRY3WL/AL

KERRY
955KERRY3P/AL

IP20

KERRY

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955KERRY3WL/AL	A	Ceiling lamp	aluminium	400	280	3xE27	1/1	A++→E
955KERRY3P/AL	A	Pendant	aluminium	400	1500	3xE27	1/1	A++→E

Material: Aluminium, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LIV
955LIV1/BL

LIV
955LIV1/AL

LIV
955LIV1/C

IP20

LIV

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LIV1/BL	A	Pendant	chrome/black	400	1500	1xE27	1/1	A++→E
955LIV1/AL	A	Pendant	chrome/aluminium	400	1500	1xE27	1/1	A++→E
955LIV1/C	A	Pendant	chrome/coffe	400	1500	1xE27	1/1	A++→E

Material: Aluminium, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LUCCA
955LUCCA1/WH

IP20

LUCCA

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LUCCA1/WH	A	Pendant	white	400	1500	1xE27	1/1	A++→E

Material: Metal, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MAJESTIC
955MAJESTIC1P

MAJESTIC
955MAJESTIC1P/BG

MAJESTIC
955MAJESTIC1P/CF

MAJESTIC
955MAJESTIC4

MAJESTIC
955MAJESTIC3

IP20

MAJESTIC

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MAJESTIC1P	A	Pendant	concrete/wood	125		165	1xE27	1/1	A++→E
955MAJESTIC1P/BG	A	Pendant	beige/wood	125		165	1xE27	1/1	A++→E
955MAJESTIC1P/CF	A	Pendant	caffe/wood	125		165	1xE27	1/1	A++→E
955MAJESTIC3	A	Chandelier	concrete/beige/caffe/wood	300	1100		3xE27	1/1	A++→E
955MAJESTIC4	A	Chandelier	concrete/beige/caffe/green/wood	400	1100		4xE27	1/1	A++→E

Material: Metal+wood+concrete, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

BRADLEY
955BRADLEY3

BRADLEY
955BRADLEY1

IP20

BRADLEY

Catalogue number	Product category	Description	Colour	Length/ Diameter (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955BRADLEY1	A	Pendant	Wood & grey	165		1000	1xE27	1/4	A++→E
955BRADLEY3	A	Pendant	Wood & grey	890	165	1000	3xE27	1/4	A++→E

Material: Iron + Glass, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ALMA
955ALMA1/BL

ALMA
955ALMA1/GR

ALMA
955ALMA1/G

IP20

ALMA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ALMA1/BL	A	Pendant	Wood & blue	200	1320	1xE27	1/1	A++→E
955ALMA1/GR	A	Pendant	Gold & grey	200	1320	1xE27	1/1	A++→E
955ALMA1/G	A	Pendant	Gold & green	200	1320	1xE27	1/1	A++→E

Material: Metal, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ALMA
955ALMA3/MC

IP20

ALMA

Catalogue number	Product category	Description	Colour	Length (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ALMA3/MC	A	Pendant	Multicolour	1000	200	1320	1320	3xE27	1/1

Material: Metal, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ART
955ART1C

DUKE
955DUKE1/BK

DUKE
955DUKE1/AB

DUKE
955DUKE1/CH

IP20

DUKE / ART

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955DUKE1/BK	A	Pendant	Black	90	400	1 x GU10	1/10	A++→E
955DUKE1/AB	F	Pendant*	Antique brass	70	430	1 x GU10	1/10	A++→E
955DUKE1/CH	F	Pendant*	Chrome	55	430	1 x GU10	1/10	A++→E
955ART1C	F	Pendant*	Chrome	300	140	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

*Until Supply Last

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

SHADE
91SHADE3DR4

SHADE
91SHADE3DC1

IP20

UNTIL SUPPLY LAST

SHADE

Catalogue number	Product category	Description	Colour	Material	Width / Diameter (mm)	Length (mm)	Lampholder	Packing/Box (pcs)	Energy class
91SHADE3DR4	F	Chandelier	Colourful	Glass	150	1150	E27	1/12	A++→E
91SHADE3DC1	F	Chandelier	Colourful	Glass	120	1120	E27	1/20	A++→E

Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

MORGAN
955MORGAN1W/BL

MORGAN
955MORGAN2/BL

IP20

MORGAN

Catalogue number	Product category	Description	Colour	Diameter (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MORGAN1W/BL	A	Wall lamp	Black	370	370	180	1xE14	1/1	A++→C
955MORGAN2/BL	A	Chandelier	Black	500	500	420	2xE14	1/1	A++→C

Material: Metal, **Lamps Not Included, Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MORGAN
955MORGAN3/BL

MORGAN
955MORGAN6/BL

IP20

MORGAN

Catalogue number	Product category	Description	Colour	Diameter (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MORGAN3/BL	A	Chandelier	Black	500	500	500	3xE14	1/1	A++→C
955MORGAN6/BL	A	Chandelier	Black	600	600	500	6xE14	1/1	A++→C

Material: Metal, **Lamps Not Included, Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ANDREA
955ANDREA1/BL

IP20

ANDREA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ANDREA1/BL	A	Pendant	Black & gold	400	1500	1xE27	1/1	A++→C

Material: Metal + Fabric, **Lamps Not Included , Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

TIM
955TIM1A

TIM
955TIM1C

TIM
955TIM1B

IP20

TIM

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TIM1A	A	Pendant	Black & Gold	190	400	1 x E27	1/1	A++→C
955TIM1B	A	Pendant	Black & Gold	350	150	1 x E27	1/1	A++→C
955TIM1C	A	Pendant	Black & Gold	250	300	1 x E27	1/1	A++→C

Material: Aluminum, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

JEMMA
955JEMMA3

IP20

JEMMA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JEMMA3	A	Chandelier	Black & gold	255	195	3xE27	1/1	A++→E

Material: Iron, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

FOREST
955FOREST1A

FOREST
955FOREST1B

FOREST
955FOREST1C

IP20

UNTIL SUPPLY LAST

FOREST

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955FOREST1A	F	Pendant	Pine-tree	300	140	1 x E27	1/1	A++→E
955FOREST1C	F	Pendant	Walnut	300	140	1 x E27	1/1	A++→E
955FOREST1B	F	Pendant	Cherry-tree	300	140	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

MARBLE
955MARBLE1A/WH



MARBLE
955MARBLE1A/BR

IP20

UNTIL SUPPLY LAST

MARBLE

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MARBLE1A/WH	F	Pendant	Marble	200	1 x E27	1/1	A++→E
955MARBLE1A/BR	F	Pendant	Marble	200	1 x E27	1/1	A++→E

Material: Metal and glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

FRANK
955FRANK3/GR

IP20

FRANK

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955FRANK3/GR	A	Chandelier	grey	400	900	600	3xE27	1/1	A++→E

Material: Metal, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

YVONNE
955YVONNE1S/BL
955YVONNE1L/BL

YVONNE
955YVONNE1S/BR
955YVONNE1L/BR

IP20

YVONNE

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955YVONNE1S/BL	A	Pendant	Black	350	1500	3xE27	1/2	A++→E
955YVONNE1S/BR	A	Pendant	Brown	350	1500	3xE27	1/1	A++→E
955YVONNE1L/BL	A	Pendant	Black	500	1500	5xE27	1/2	A++→E
955YVONNE1L/BR	A	Pendant	Brown	500	1500	5xE27	1/1	A++→E

Material: Iron + Acrylic + Fabric, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

TWEED
955TWEED1

LUNA
955LUNA1

IP20

TWEED/LUNA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TWEED1	A	Pendant	White	300	230	1320	1xE27	1/1	A++→E
955LUNA1	A	Pendant	White	300	300	1400	1xE27	1/1	A++→E

Material: Plastic, , **Lamps Not Included, max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

PHIL
955PHIL1WL/BL

PHIL
955PHIL5/BL

PHIL
955PHIL3/BL

IP20

PHIL

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955PHIL1WL/BL	A	Wall lamp	Black and wood	200	160	130	1xE27	1/40	A++→E
955PHIL3/BL	A	Ceiling lamp	Black and wood	536	536	415	3xE27	1/10	A++→E
955PHIL5/BL	A	Ceiling lamp	Black and wood	731	731	515	5xE27	1/6	A++→E

Material: Metal and Wood, **Lamps Not Included, max 25W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



FIONA
955FIONA3



RONNY
955RONNY1

RONNY
955RONNY3

IP20

RONNY / FIONA

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955RONNY1	A	Pendant	Black and wood	150	90	1120	1xE27	1/40	A++→E
955RONNY3	A	Pendant	Black and wood	480	145	940	3xE27	1/10	A++→E
955FIONA3	A	Pendant	Wood		300	230	3xE27	1/1	A++→E

Material: Metal and Wood, **Lamps Not Included, max 25W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

WOODY
955WOODY/D

WOODY
955WOODY/R

IP20

WOODY

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955WOODY/D	A	Pendant	black painting+rattan	340	1200	E27	1	A++→E
955WOODY/R	A	Pendant	wood painting+wood ring	380	1200	E27	1	A++→E

Material 955WOODY/D: Metal+ Rattan | **Material 955WOODY/R:** Metal+ Wood | **Lamps Not Included** | max 40W

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

WOODY
955WOODY/1

WOODY
955WOODY/2

WOODY
955WOODY/H

IP20

WOODY

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955WOODY/1	A	Pendant	wood painting+rattan	540	1200	E27	1/1	A++→E
955WOODY/2	A	Pendant	wood painting+rattan	350	1200	E27	1/1	A++→E
955WOODY/H	A	Pendant	black painting+rattan	300/300	1200	E27	1/1	A++→E

Material: Metal+ Rattan | **Lamps Not Included** | max 40W

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

WOODY
955WOODY/3

WOODY
955WOODY/4

IP20

WOODY

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955WOODY/3	A	Pendant	chrome/wood	400	1500	1xE27	1/1	A++→E
955WOODY/4	A	Ceiling lamp	black/wood	300		1xE27	1/1	A++→E

Material: Metal+ Wood | **Lamps Not Included** | Max 40W

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

BAMBOO
955BAMBOO1

SIMONA
955SIMONA1

IP20

BAMBOO/SIMONA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955BAMBOO1	A	Pendant	Wood	330	200	1xE27	1/1	A++→E
955SIMONA1	A	Pendant	Wood	450	300	1xE27	1/1	A++→E

Material: Wood, **Lamps Not Included, Max 25W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ALEGRA
955ALEGRA1W

ALEGRA
955ALEGRA1T

IP20

ALEGRA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ALEGRA1W	A	Wall lamp	wood and black	245	290	1xE14	1/1	A++→E
955ALEGRA1T	A	Table lamp	wood and black	280	475	1xE14	1/1	A++→E

Material: Metal and wood, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

CIMENT
955CIMENT1A



CIMENT
955CIMENT1C

CIMENT
955CIMENT1D

STONE
955STONE1C

IP20

UNTIL SUPPLY LAST

CIMENT / STONE

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CIMENT1A	F	Pendant	Concrete	180	250	1 x E27	1/1	A++→E
955CIMENT1C	F	Pendant	Concrete	250	250	1 x E27	1/1	A++→E
955CIMENT1D	F	Pendant	Concrete	150	220	1 x E27	1/1	A++→E
955STONE1C	F	Pendant	Stone	300		1 x E27	1/1	A++→E

Material: Cement and metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

HELIX
955HELIX3/BK

HELIX
955HELIX3/WH

UNION
955UNION1

IP20

HELIX / UNION

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955HELIX3/BK	A	Chandelier	Matt black	425	1240	3 x E27	1/1	A++→E
955HELIX3/WH	A	Chandelier	White	400	1240	3 x E27	1/1	A++→E
955UNION1	A	Pendant	Matt black	300	1240	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

GALAXY
955GALAXY1/BL

CHESTER
955CHESTER1/WH

CHESTER
955CHESTER1/BL

IP20

GALAXY / CHESTER

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955GALAXY1/BL	A	Pendant	Black & gold	400	1500	1xE27	1/1	A++→E
955CHESTER1/WH	A	Pendant	White	350	1500	1xE27	1/1	A++→E
955CHESTER1/BL	A	Pendant	Black	350	1500	1xE27	1/1	A++→E

Material: Iron, **Lamps Not Included, Max 40W, 955CHESTER1/BL Lampshade Colour:** Outside Black, Inside White

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

JASON
955JASON1/GR

JASON
955JASON1/WH

JASON
955JASON1/BK

IP20

JASON

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JASON1/BK	A	Pendant	Sand black with copper	300	1410	1 x E27	1/1	A++→E
955JASON1/GR	A	Pendant	Sand grey with copper	300	1410	1 x E27	1/1	A++→E
955JASON1/WH	A	Pendant	Sand white with satin nickel	300	1410	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

TEDD
955TEDD1P/WH

TEDD
955TEDD1P/BK

IP20

UNTIL SUPPLY LAST

TEDD

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TEDD1P/BK	F	Pendant	Sand black with copper	260	1400	1 x E27	1/1	A++→E
955TEDD1P/WH	F	Pendant	Sand white with satin nickel	260	1400	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

MATT
955MATT1/WH

MATT
955MATT1/BK

IP20

MATT

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MATT1/BK	A	Pendant	Matt black and gold	360	1290	1 x E27	1/1	A++→E
955MATT1/WH	A	Pendant	Matt white and gold	360	1290	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VINTAGE

JACKSON
955JACKSON18

IP20

JACKSON

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JACKSON18	A	Chandelier	black	730	18 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DAMON
955DAMON1W

DAMON
955DAMON1P

DAMON
955DAMON3P

IP20

DAMON

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
955DAMON1P	F	Pendant*	black	230	1 x E27	1/10	A++→E
955DAMON3P	A	Pendant	black	360	3 x E27	1/1	A++→E
955DAMON1W	A	Wall lamp	black	230	1 x E27	1/6	A++→E

Material: Metal, **Lamps Not Included**

Pendant*

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DAMON
955DAMON1P/BL

DAMON
955DAMON1P/AB

IP20

DAMON

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
955DAMON1P/BL	A	Pendant	Black	220	1 x E27	1/50	A++→E
955DAMON1P/AB	A	Pendant	Antique brass	220	1 x E27	1/50	A++→E

Material: Metal, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

JACOB

955JACOB1P

IP20

UNTIL SUPPLY LAST

JACOB

Catalogue number	Product category	Description	Diameter (mm)	Height (mm)	Lampholder	Packing/ Box (pcs)	Energy class
955JACOB1P	F	Pendant	320	550	1 x E27	1/1	A++→E

Material: Metal with transparent glass, Lamps Not Included

BEST EFFECT WITH VINTAGE LAMPS

RoHS COMPLIANT

CE

3+2 standard +extended 5 YEAR TOTAL WARRANTY

LUTON
955LUTON1

LUTON
955LUTON6

IP20

LUTON

Catalogue number	Product category	Description	Colour	Length (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LUTON1	A	Pendant	Black	205	205	1500	1xE14	1/1	A++→E
955LUTON6	A	Pendant	Black	990	205	1500	6xE14	1/1	A++→E

Material: Metal + Acrylic, **Lamps Not Included, , Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

PAIL
955PAIL1

APIS
955APIS1

IP20

PAIL / APIS

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Material	Packing/Box (pcs)	Energy class
955APIS1	A	Pendant	Black with sliver	300	240	1 x E27	Metal	1/1	A++→E
955PAIL1	A	Pendant	Black with wood	215	130	1 x E27	Metal with wood	1/1	A++→E

Lamps Not Included

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ROPE
955ROPE1W

ROPE
955ROPE2W

IP20

ROPE

Catalogue number	Product category	Description	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ROPE1W	A	Wall lamp	200	190	1 x E27	1/1	A++→E
955ROPE2W	A	Wall lamp	400	400	2 x E27	1/1	A++→E

Material: Metal, Black and rust, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ROPE
955ROPE1P

SAILOR
955SAILOR17

GRID
955GRID1P

IP20

ROPE / GRID / SAILOR

Catalogue number	Product category	Description	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ROPE1P	A	Pendant	160	180	1 x E27	1/10	A++→E
955GRID1P	A	Pendant	160	180	1 x E27	1/1	A++→E
955SAILOR17	A	Pendant	40	1000	1xE27	1/100	A++→E

Material: Metal, Black and rust, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ROPE
955ROPE5L

ROPE
955ROPE5R

OLIVER
955OLIVER8

IP20

UNTIL SUPPLY LAST

ROPE / OLIVER

Catalogue number	Product category	Description	Colour	Diameter/ Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ROPE5R	F	Chandelier	brown and rust	600	700	5 x E27	1/1	A++→E
955ROPE5L	F	Chandelier	brown and rust	1030	500	5 x E27	1/1	A++→E
955OLIVER8	F	Chandelier	brown	600	300	8 x E27	1/50	A++→E

Material: Metal with hemp rope, Lamps Not Included

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended 5 YEAR TOTAL WARRANTY

CARTER

955CARTER6L

IP20

UNTIL SUPPLY LAST

CARTER

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CARTER6L	F	Chandelier	black	300	480	250	6 x E27	1/1	A++ → E

Material: Metal, Lamps Not Included

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended 5 YEAR TOTAL WARRANTY

CARTER
955CARTER6R

CARTER
955CARTER4R

CARTER
955CARTER1W

IP20

UNTIL SUPPLY LAST

CARTER

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CARTER4R	F	Chandelier	black	370	250	4 x E27	1/1	A++→E
955CARTER6R	F	Chandelier	black	580	250	6 x E27	1/1	A++→E
955CARTER1W	F	Wall lamp	black	142	410	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended 5 YEAR TOTAL WARRANTY

GRACE
955GRACE6L

BLAKE
955BLAKE6

IP20

UNTIL SUPPLY LAST

BLAKE / GRACE

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955BLAKE6	F	Chandelier	Black	580	650	6 x E27	1/1	A++→E
955GRACE6L	F	Chandelier	Dark wood with stone	400/700	700	6 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

TYLER
955TYLER1B/AB

TYLER
955TYLER1A/CU

IP20

UNTIL SUPPLY LAST

TYLER

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TYLER1B/AB	F	Pendant	Antique brass	195	155	1 x E27	1/1	A++→E
955TYLER1A/CU	F	Pendant	Copper	155	195	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

CLARK
955CLARK1A

CLARK
955CLARK1B

IP20

UNTIL SUPPLY LAST

CLARK

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CLARK1A	F	Pendant	Copper	260	1 x E27	1/1	A++→E
955CLARK1B	F	Pendant	Copper	220	1 x E27	1/1	A++→E

Material: Glass with metal, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+0 standard +extended · 3 YEAR TOTAL WARRANTY



DECO
955DECO1A

DECO
955DECO1B



DECO
955DECO1C

IP20

DECO

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955DECO1A	A	Pendant	Copper	350	350	1 x E27	1/1	A++→E
955DECO1B	A	Pendant	Copper	300	270	1 x E27	1/1	A++→E
955DECO1C	F	Pendant*	Copper	300	180	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

*Until Supply Last

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

HAMMER
955HAMMER1C/CU

HAMMER
955HAMMER1A/G

HAMMER
955HAMMER1D/CH

IP20

UNTIL SUPPLY LAST

HAMMER

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955HAMMER1C/CU	F	Pendant	Copper	300		1 x E27	1/1	A++→E
955HAMMER1A/G	F	Pendant	Gold	290	220	1 x E27	1/1	A++→E
955HAMMER1D/CH	F	Pendant	Chrome	190	250	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+0 standard +extended · 3 YEAR TOTAL WARRANTY

ELMARK

www.elmarkholding.eu

BRYAN

955BRYAN1W

IP20

BRYAN

Catalogue number	Product category	Description	Diameter (mm)	Height (mm)	Lampholder	Packing/ Box (pcs)	Energy class
955BRYAN1W	A	Wall lamp	260	260	1 x E27	1/6	A++→E

Material: Metal antique brass and glass, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS

RoHS COMPLIANT

CE

3+2 standard +extended

5 YEAR TOTAL WARRANTY

BERLIN
955BERLIN1A/CH

BERLIN
955BERLIN1B/BK



SKY
93SKY2211PWW/BL
93SKY2211PW/BL
93SKY2211PCW/BL

IP20

BERLIN / SKY

Catalogue number	Product category	Description	Colour temp. (K)	Lamp	Watt	Whole fixture lumens (lm)	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
955BERLIN1B/BK	F	Pendant*	-	Not Included	-	-	Black	360	1 x E27	1/1	A++→E
955BERLIN1A/CH	F	Pendant*	-	Not Included	-	-	Chrome	360	1 x E27	1/1	A++→E
93SKY2211PWW/BL	A	Pendant	2700	Included PAR30	15	1275	Black	100	1 x E27	1/1	A+ A++→E
93SKY2211PW/BL	A	Pendant	4000	Included PAR30	15	1275	Black	100	1 x E27	1/1	A+ A++→E
93SKY2211PCW/BL	A	Pendant	6400	Included PAR30	15	1275	Black	100	1 x E27	1/1	A+ A++→E

Material: Metal

* Until Supply Last

SKY Lamp included

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SAILOR
955SAILOR1RAB



SAILOR
955SAILOR1P

SAILOR
9527100

SAILOR
955SAILOR1W

IP20

SAILOR

Catalogue number	Product category	Description	Colour	Diameter (mm)	Length (mm)	Lampholder	Material	Packing/Box (pcs)	Energy class
955SAILOR1RAB	F	Pendant*	red antique brass	100	2050	E27	iron	1/20	A++→E
955SAILOR1P	F	Pendant*	pink	90	1500	E27	silicone	1/80	A++→E
9527100	A	Pendant	chrome	100	1085	E27	silicone	1/50	A++→E
955SAILOR1W	A	Wall fixture	antique brass	100	200	E27	iron	1/20	A++→E

Lamps Not Included

* Until Supply Last

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SAILOR
955SAILOR1BK

SAILOR
955SAILOR1AB

SAILOR
955SAILOR1CU

SAILOR
955SAILOR1C

SAILOR
955SAILOR1BR

IP20

SAILOR

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Material	Packing/Box (pcs)	Energy class
955SAILOR1BK	F	Pendant*	Black	50	1240	1 x E27	Metal	1/1	A++→E
955SAILOR1AB	A	Pendant	Antique brass and black	50	1070	1 x E27	Metal	1/10	A++→E
955SAILOR1CU	A	Pendant	Copper and black	50	1080	1 x E27	Metal	1/10	A++→E
955SAILOR1C	F	Pendant*	Cement and black	60	1090	1 x E27	Cement and metal	1/10	A++→E
955SAILOR1BR	F	Pendant*	Brown	50	1080	1 x E27	Silicone	1/50	A++→E

Lamps Not Included

* Until Supply Last

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SAILOR
955SAILOR11/G

SAILOR
955SAILOR12/G

SAILOR
955SAILOR13/S

SAILOR
955SAILOR14/AB

SAILOR
955SAILOR15/RAB

IP20

SAILOR

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Material	Packing/Box (pcs)	Energy class
955SAILOR11/G	A	Pendant	Gold	50	1000	1 x E27	Metal	1/100	A++→E
955SAILOR12/G	A	Pendant	Gold	45	1000	1 x E27	Metal	1/100	A++→E
955SAILOR13/S	A	Pendant	Silver	45	1000	1 x E27	Metal	1/100	A++→E
955SAILOR14/AB	A	Pendant	Antique brass	55	1000	1 x E27	Metal	1/100	A++→E
955SAILOR15/RAB	A	Pendant with switch	Red antique brass	35	1000	1 x E27	Metal	1/100	A++→E

Lamps Not Included

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

955SAILOR16/R

955SAILOR16/BL

955SAILOR16/BR

955SAILOR16/WH

955SAILOR16/Y

IP20

SAILOR

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Material	Packing/Box (pcs)	Energy class
955SAILOR16/BL	A	Pendant	Black	40	1000	1 x E27	Silicon	1/100	A++→E
955SAILOR16/WH	A	Pendant	White	40	1000	1 x E27	Silicon	1/100	A++→E
955SAILOR16/R	A	Pendant	Red	40	1000	1 x E27	Silicon	1/100	A++→E
955SAILOR16/BR	A	Pendant	Brown	40	1000	1 x E27	Silicon	1/100	A++→E
955SAILOR16/Y	A	Pendant	Yellow	40	1000	1 x E27	Silicon	1/100	A++→E

Lamps Not Included

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

CLASSIC

MARIEL
955MARIEL5/WH-G

MARIEL
955MARIEL5/GR-G

IP20

UNTIL SUPPLY LAST

MARIEL

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MARIEL5/WH-G	F	Chandelier	white and gold	600	460	5xE14	1/1	A++→E
955MARIEL5/GR-G	F	Chandelier	gray and gold	600	460	5xE14	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

AMANDA
955AMANDA5/BK

AMANDA
955AMANDA5/WH

IP20

UNTIL SUPPLY LAST

AMANDA

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955AMANDA5/WH	F	Chandelier	White	580	550	5 x E14	1/1	A++→E
955AMANDA5/BK	F	Chandelier	Black	580	550	5 x E14	1/10	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

ANGELA
955ANGELA1W

ANGELA
955ANGELA5

ANGELA
955ANGELA8

ANGELA
955ANGELA3

IP20

ANGELA

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ANGELA1W	A	Wall lamp	Black	270	370	1 x E14	1/10	A++→E
955ANGELA3	A	Chandelier	Black	510	530	3 x E14	1/1	A++→E
955ANGELA5	A	Chandelier	Black	510	570	5 x E14	1/1	A++→E
955ANGELA8	A	Chandelier	Black	680	690	8 x E14	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MADISON
955MADISON5

ASHLEY
955ASHLEY1W

ASHLEY
955ASHLEY5

IP20

UNTIL SUPPLY LAST

ASHLEY / MADISON

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ASHLEY1W	F	Wall lamp	White	250	360	1 x E14	1/10	A++→E
955ASHLEY5	F	Chandelier	White	550	680	5 x E14	1/1	A++→E
955MADISON5	F	Chandelier	Black	500	520	5 x E14	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

LAURA
955LAURA1W

RUBY
955RUBY6

LAURA
955LAURA5

RUBY
955RUBY1W

IP20

RUBY / LAURA

Catalogue number	Product category	Description	Colour	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955RUBY6	A	Chandelier	Beige swept gold	570	490	6 x E14	1/1	A++→E
955LAURA5	A	Chandelier	White swept gold	650	680	5 x E14	1/1	A++→E
955RUBY1W	A	Wall lamp	Beige swept gold	270	205	1 x E14	1/10	A++→E
955LAURA1W	A	Wall lamp	White swept gold	100	425	1 x E14	1/10	A++→E

Material: Metal with crystal, **Lamps Not Included**

RoHS CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

KAYLA
955KAYLA6

KAYLA
955KAYLA5

IP20

UNTIL SUPPLY LAST

KAYLA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955KAYLA5	F	Chandelier	black	640	200	5 x E14	1/1	A++→E
955KAYLA6	F	Chandelier	black	930	200	6 x E14	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

CLOVER
955CLOVER5

CALLA
955CALLA3

CALLA
955CALLA5

IP20

UNTIL SUPPLY LAST

CALLA / CLOVER

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CALLA3	F	Chandelier	Chrome	500	200	3xE14	1/1	A++→E
955CALLA5	F	Chandelier	Chrome	500	200	5xE14	1/1	A++→E
955CLOVER5	F	Chandelier	Chrome	520	200	5xE27	1/1	A++→E

Material: Metal + glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

SIA
955SIA3

SIA
955SIA5

IP20

UNTIL SUPPLY LAST

SIA

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955SIA3	F	Chandelier	Gold	500	300	3xE14	1/1	A++→E
955SIA5	F	Chandelier	Gold	500	300	5xE14	1/1	A++→E

Material: Metal + glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

TAURY
955TAURY3

TAURY
955TAURY5

IP20

UNTIL SUPPLY LAST

TAURY

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TAURY3	F	Chandelier	antique brass	500	300	3xE14	1/1	A++→E
955TAURY5	F	Chandelier	antique brass	500	300	5xE14	1/1	A++→E

Material: Metal + glass + crystals, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

TULIP
955TULIP3

TULIP
955TULIP5

IP20

UNTIL SUPPLY LAST

TULIP

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TULIP3	F	Chandelier	White+gold	550	220	3xE14	1/1	A++→E
955TULIP5	F	Chandelier	White+gold	550	220	5xE14	1/1	A++→E

Material: Metal + glass + crystals, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

RENY
955RENY3

RENY
955RENY4

IP20

UNTIL SUPPLY LAST

RENY

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955RENY3	F	Chandelier	Wenge/chrome	460		220	3xE27	1/1	A++→E
955RENY4	F	Chandelier	Wenge/chrome	520		220	4xE27	1/1	A++→E

Material: Metal + glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

ZORY
955ZORY3

ZORY
955ZORY6

IP20

UNTIL SUPPLY LAST

ZORY

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ZORY3	F	Chandelier	Wenge/chrome	540		230	3xE27	1/1	A++→E
955ZORY6	F	Chandelier	Wenge/chrome	690		230	6xE27	1/1	A++→E

Material: Metal + glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

CIARA
955CIARA3

CIARA
955CIARA5

IP20

UNTIL SUPPLY LAST

CIARA

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CIARA3	F	Chandelier	Wenge/chrome	420		220	3xE27	1/1	A++→E
955CIARA5	F	Chandelier	Wenge/chrome	530		220	5xE27	1/1	A++→E

Material: Metal + glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

STACY
955STACY4

STACY
955STACY3

STACY
955STACY2

STACY
955STACY1W

IP20

STACY

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955STACY4	A	Chandelier	Satin nickel	180	750	350	4 x E27	1/1	A++→E
955STACY1W	A	Wall lamp	Satin nickel	220	250	130	1 x E27	1/10	A++→E
955STACY3	A	Chandelier	Satin nickel	160	600	350	3 x E27	1/1	A++→E
955STACY2	A	Chandelier	Satin nickel	180	390	350	2 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SARA
955SARA6

SARA
955SARA4

SARA
955SARA3

IP20

UNTIL SUPPLY LAST

SARA

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955SARA6	F	Chandelier	Satin nickel	330	660	330	6 x E27	1/1	A++→E
955SARA4	F	Chandelier	Satin nickel	240	680	330	4 x E27	1/1	A++→E
955SARA3	F	Chandelier	Satin nickel	180	560	330	3 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

LEXI
955LEXI6/SN

LEXI
955LEXI4/SN

IP20

UNTIL SUPPLY LAST

LEXI

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LEXI6/SN	F	Chandelier	Satin nickel	650	350	6 x E27	1/1	A++→E
955LEXI4/SN	F	Chandelier	Satin nickel	520	350	4 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

LEXI
955LEXI1P/AB

LEXI
955LEXI6/AB

LEXI
955LEXI4/AB

IP20

UNTIL SUPPLY LAST

LEXI

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LEXI6/AB	F	Chandelier	Antique brass	650	350	6 x E27	1/1	A++→E
955LEXI4/AB	F	Chandelier	Antique brass	520	350	4 x E27	1/1	A++→E
955LEXI1P/AB	F	Pendant	Antique brass	150	100	1 x E27	1/10	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

ADEL
955ADEL6/SN

ADEL
955ADEL4/SN

ADEL
955ADEL3/SN

ADEL
955ADEL1W/SN

IP20

ADEL

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ADEL1W/SN	A	Wall lamp	Satin nickel	160	260	140	1 x E27	1/10	A++→E
955ADEL3/SN	A	Chandelier	Satin nickel	480	-	370	3 x E27	1/1	A++→E
955ADEL4/SN	A	Chandelier	Satin nickel	330	520	370	4 x E27	1/1	A++→E
955ADEL6/SN	A	Chandelier	Satin nickel	600	-	370	6 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ADEL
955ADEL6/AB

ADEL
955ADEL4/AB

ADEL
955ADEL3/AB

ADEL
955ADEL1W/AB

IP20

ADEL

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ADEL1W/AB	A	Wall lamp	Antique brass	160	260	140	1 x E27	1/10	A++→E
955ADEL3/AB	A	Chandelier	Antique brass	480	-	370	3 x E27	1/1	A++→E
955ADEL4/AB	A	Chandelier	Antique brass	330	520	370	4 x E27	1/1	A++→E
955ADEL6/AB	A	Chandelier	Antique brass	600	-	370	6 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ALICE
955ALICE5

ALICE
955ALICE4

IP20

UNTIL SUPPLY LAST

ALICE

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ALICE4	F	Chandelier	Satin nickel	500	-	350	4 x E27	1/1	A++→E
955ALICE5	F	Chandelier	Satin nickel	600	-	350	5 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

CECIL
955CECIL6

CECIL
955CECIL4

CECIL
955CECIL1W

IP20

UNTIL SUPPLY LAST

CECIL

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CECIL6	F	Chandelier	Wenge and chrome	550	-	350	6 x E27	1/1	A++→E
955CECIL4	F	Chandelier	Wenge and chrome	400	-	350	4 x E27	1/1	A++→E
955CECIL1W	F	Wall lamp	Wenge and chrome	160	260	140	1 x E27	1/10	A++→E

Material: Metal with white glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



JUDY
955JUDY3/WH

JUDY
955JUDY5/WH

IP20

JUDY

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JUDY3/WH	A	Ceiling lamp	White	460	460	340	3xE27	1/12	A++→E
955JUDY5/WH	A	Ceiling lamp	White	540	540	340	5xE27	1/12	A++→E

Material: Metal and PP, **Lamps Not Included, Max 25W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

JUDY
955JUDY3/BL

JUDY
955JUDY5/BL

IP20

JUDY

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JUDY3/BL	A	Ceiling lamp	Black	460	460	340	3xE27	1/12	A++→E
955JUDY5/BL	A	Ceiling lamp	Black	540	540	340	5xE27	1/12	A++→E

Material: Metal and PP, **Lamps Not Included, Max 25W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

KRISTA
955KRISTA5

KRISTA
955KRISTA1W

KRISTA
955KRISTA1T

KRISTA
955KRISTA3

IP20

KRISTA

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955KRISTA1T	A	Table lamp	Golden copper brass with beige	180	-	330	1 x E27	1/6	A++→E
955KRISTA1W	A	Wall lamp	Golden copper brass with beige	180	275	235	1 x E27	1/12	A++→E
955KRISTA3	A	Chandelier	Golden copper brass with beige	525	-	450	3 x E27	1/1	A++→E
955KRISTA5	A	Chandelier	Golden copper brass with beige	525	-	450	5 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

KAREN
955KAREN1P

KAREN
955KAREN3R

KAREN
955KAREN3L

IP20

KAREN

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955KAREN3R	A	Chandelier	Satin nickel	130	500	800	3 x E27	1/1	A+→E
955KAREN1P	A	Pendant	Satin nickel	120	-	800	1 x E27	1/1	A+→E
955KAREN3L	A	Chandelier	Satin nickel	130	500	800	3 x E27	1/1	A+→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MOLLY
955MOLLY2/SN

MOLLY
955MOLLY1P/SN

IP20

UNTIL SUPPLY LAST

MOLLY

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MOLLY1P/SN	F	Pendant	Satin nickel and white	295	-	1245	1 x E27	1/1	A++→E
955MOLLY2/SN	F	Chandelier	Satin nickel and white	295	1100	800	2 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

MOLLY
955MOLLY1P/AB

MOLLY
955MOLLY1T/AB

MOLLY
955MOLLY2/AB

IP20

UNTIL SUPPLY LAST

MOLLY

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MOLLY1P/AB	F	Pendant	Antique brass and white	295	-	1245	1 x E27	1/1	A++→E
955MOLLY2/AB	F	Chandelier	Antique brass and white	295	1100	800	2 x E27	1/1	A++→E
955MOLLY1T/AB	F	Table lamp	Antique brass and white	230	300	480	1 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

ERIN
955ERIN1P

ERIN
955ERIN3R

ERIN
955ERIN3L

VELEKA
9520067

IP20

ERIN / VELEKA

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ERIN3R	A	Chandelier	Satin nickel	300	-	800	3 x E27	1/1	A++→E
955ERIN1P	A	Pendant	Satin nickel	120	-	800	1 x E27	1/10	A++→E
955ERIN3L	A	Chandelier	Satin nickel	90	500	800	3 x E27	1/1	A++→E
9520067	F	Table lamp*	chrome/frosted glass				1 x E14	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**
*Until supply last

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

JANIS
955JANIS1A

JANIS
955JANIS1B

JANIS
955JANIS1C

IP20

JANIS

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JANIS1A	A	Pendant	Black	130	-	250	1 x E27	1/1	A++→E
955JANIS1B	A	Pendant	White	130	130	190	1 x E27	1/1	A++→E
955JANIS1C	A	Pendant	Black	130	-	250	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

HANNA
955HANNA3

DONNA
955DONNA3

IP20

HANNA / DONNA

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955HANNA3	F	Ceiling lamp*	Lite wood	450	160	3 x E27	1/1	A++→E
955DONNA3	A	Ceiling lamp	Black wood	400	100	3 x E27	1/1	A++→E

Material: Metal with glass and wood, **Lamps Not Included**

* Until Supply last

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

EROS
958930BL



EROS
958940BL

EROS
958970

EROS
958960BL

EROS
958970BL

IP20

UNTIL SUPPLY LAST

EROS

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Lampholder	Packing/Box (pcs)	Energy class
958930BL	F	Ceiling lamp	Black	300	-	1 x E27	1/1	A++→E
958940BL	F	Ceiling lamp	Black	400	-	2 x E27	1/1	A++→E
958960BL	F	Wall lamp	Black	300	300	2 x E27	1/1	A++→E
958970BL	F	Wall lamp	Black	230	350	2 x E27	1/1	A++→E
958970	F	Wall lamp	White	230	350	2 x E27	1/1	A++→E

Material: Metal with glass, Lamps Not Included

RoHS COMPLIANT CE 2+1 standard +extended 3 YEAR TOTAL WARRANTY

VIVIAN
9500640024
9500650025

STYLE
9500250008

BRANDY
9501450065

CORAL
9500840034
9500850035

IP20

UNTIL SUPPLY LAST

VIVIAN / BRANDY / CORAL / STYLE

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
9500640024	F	Ceiling lamp	Blue	400	2 x E27	1/5	A++→E
9500650025	F	Ceiling lamp	Blue	500	3 x E27	1/5	A++→E
9501450065	F	Ceiling lamp	Brown	500	3 x E27	1/5	A++→E
9500840034	F	Ceiling lamp	Brown	400	2 x E27	1/5	A++→E
9500850035	F	Ceiling lamp	Brown	500	3 x E27	1/5	A++→E
9500250008	F	Ceiling lamp	Brown	500	3xE27	1/5	A++→E

Material: Metal with glass, Lamps Not Included

RoHS COMPLIANT CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

LIDIA
9501732075

CANDY
950273631113

LIDIA
9501850081

LIDIA
9501740076
9501750077

IP20

UNTIL SUPPLY LAST

LIDIA / CANDY

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
9501732075	F	Wall lamp	Pink	300/2	1 x E27	1/20	A++→E
9501740076	F	Ceiling lamp	Pink	400	2 x E27	1/5	A++→E
9501750077	F	Ceiling lamp	Pink	500	3 x E27	1/5	A++→E
9501850081	F	Ceiling lamp	Purple	500	3 x E27	1/5	A++→E
950273631113	F	Wall lamp	Dots	360/310	2 x E27	1/10	A++→E

Material: Metal with glass, Lamps Not Included

RoHS COMPLIANT CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

SENSOR
958120WH

SENSOR
958120MCH

IP20

UNTIL SUPPLY LAST

SENSOR

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Lampholder	Packing/Box (pcs)	Energy class
958120WH	F	Ceiling lamp	White	300	300	2 x E27	1/8	A++→E
958120MCH	F	Ceiling lamp	Satin nickel	300	300	2 x E27	1/8	A++→E

Material: Metal with glass, Lamps Not Included

Ceiling fixture with movement sensor | Detection range: 360 degrees | Detection distance: max.6m | Time-Delay: 10sec ± 3sec to 7 min ± 2 min (adjustable) | Ambient light: <3 - 2000lux (adjustable) | Detection motion speed: 0.6 - 1.5 m/s | Installation height: 2.2 - 4m

RoHS COMPLIANT | CE | 2+1 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

SENSOR
958300WH

SENSOR
958300MCH

IP20

UNTIL SUPPLY LAST

SENSOR

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Lampholder	Packing/Box (pcs)	Energy class
958300WH	F	Ceiling lamp	White	300	-	2 x E27	1/8	A++→E
958300MCH	F	Ceiling lamp	Satin nickel	300	-	2 x E27	1/8	A++→E

Material: Metal with glass, Lamps Not Included

Ceiling fixture with movement sensor | Detection range: 360 degrees | Detection distance: max.6m | Time-Delay: 10sec ± 3sec to 7 min ± 2 min (adjustable) | Ambient light: <3 - 2000lux (adjustable) | Detection motion speed: 0.6 - 1.5 m/s | Installation height: 2.2 - 4m

RoHS COMPLIANT | CE | 2+1 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

SENSOR
958300WH/2

IP20

SENSOR

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Lampholder	Packing/Box (pcs)	Energy class
958300WH/2	A	Ceiling lamp	White	300	-	2xE27	1/10	A++→E

Material: Metal with glass, Lamps Not Included

958300WH/2: Lamps Not Included- max 2x25W | Detection range: 360 degrees | Detection distance: max.5m | Time-Delay: 7sec to 8 min (adjustable) | Installation height: 2.2 - 4m

RoHS COMPLIANT | CE | 2+1 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

TUBES
9510010

RULET
95109R

RULET
95109WH

IP20

UNTIL SUPPLY LAST

RULET / TUBES

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
95109R	F	Pendant	red	190	1 x E27	1/1	A++→E
95109WH	F	Pendant	white	190	1 x E27	1/1	A++→E
9510010	F	Chandelier	chrome	-	5 x E27	1/1	A++→E

Material: Metal with glass, Lamps Not Included

RoHS COMPLIANT CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

TABLE & FLOOR LAMPS

MAX
955MAX1T



MAX
955MAX1F

IP20

MAX

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MAX1T	A	Table lamp	Sand black	200	310	520	1 x E27	1/12	A++→E
955MAX1F	A	Floor lamp	Sand black	545	640	1450	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

CLARA
955CLARA1T/NI

CAROL
955CAROL1F/BL

IP20

CAROL / CLARA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CAROL1F/BL	A	Floor lamp	Black & brass	600	1850	1xE27	1/1	A++→E
955CLARA1T/NI	A	Table lamp	Nickel	460	670	1xE27	1/1	A++→E

Material: CAROL: Wood, fabric & metal, CLARA: Metal & fabric | **Lamps Not Included**, Max 40W

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ROB

955ROB1F

IP20

UNTIL SUPPLY LAST

ROB

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ROB1F	F	Floor lamp	Chrome	230	400	1540	2 x E27	1/1	A++ → E

Material: Metal with wood, Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

JOHN
955JOHN1F/BK

JOHN
955JOHN1T/BK

JOHN
955JOHN1T/WH

IP20

JOHN

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JOHN1T/WH	A	Table lamp	Sand white with satin nickel	190	495	600	1 x E27	1/1	A++→E
955JOHN1T/BK	A	Table lamp	Sand black with copper	190	495	600	1 x E27	1/1	A++→E
955JOHN1F/BK	A	Floor lamp	Sand black with copper	280	830	1500	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

KILIE
955KILIE1

LEDA
955LEDA3F

IP20

KILIE / LEDA

Catalogue number	Product category	Description	Colour	Widthr (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955KILIE1	A	Floor lamp	White	1390	1750	E27	1/1	A++→E
955LEDA3F	A	Floor lamp	Satin nickel	1670	2170	3xE27	1/1	A++→E

Material: KILIE: Marble + Fabric; LEDA: Metal, **Lamps Not Included, Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DANN
955DANN3F

NOAH
955NOAH1F

IP20

ROY / DANN / NOAH

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ROY1F	A	Floor lamp	Satin nickel	445	2110	2120	1 x E27	1/1	A++→E
955DANN3F	F	Floor lamp*	Satin nickel	830	820	2000	3 x E14	1/1	A++→E
955NOAH1F	F	Floor lamp*	Satin nickel	205	330	1320	1 x E27	1/4	A++→E

Material: Metal, Lamps Not Included
* Until supply Last - 3 year standard+0 year extended warranty

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ROY
955ROY1F

TOMY
955TOMY1F

TOMY
955TOMY1T

IP20

TOMY

Catalogue number	Product category	Description	Colour	Widthr (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TOMY1T	A	Table lamp	dark gray	240	490	E27	1/1	A++→E
955TOMY1F	A	Floor lamp	dark gray	400	1550	E27	1/1	A++→E

Material: Metal+ Fabric, **Lamps Not Included, Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

CARMEN
955CARMEN1T

CARMEN
955CARMEN1F

IP20

CARMEN

Catalogue number	Product category	Description	Colour	Diameter/Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CARMEN1F	A	Floor lamp	White & chrome	300	230	1xE27	1/1	A++→E
955CARMEN1T	A	Table lamp	White & chrome	300	230	1xE27	1/1	A++→E

Material: Metal, **Lamps Not Included**, Max 40W

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MERY
955MERY1F/AB

MERY
955MERY1T/AB

MERY
955MERY1F/CH

MERY
955MERY1T/CH

IP20

MERY

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MERY1F/AB	A	Floor lamp	Antique brass	400	1565	1 x E27	1/1	A++→E
955MERY1T/AB	A	Table lamp	Antique brass	320	570	1 x E27	1/1	A++→E
955MERY1F/CH	A	Floor lamp	Chrome	400	1565	1 x E27	1/1	A++→E
955MERY1T/CH	A	Table lamp	Chrome	320	570	1 x E27	1/1	A++→E

Material: Metal with crystal and fabirc shade, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MAYA
955MAYA1F

MAYA
955MAYA1T

LILLY
955LILLY1F

LILLY
955LILLY1T

IP20

MAYA / LILLY

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MAYA1F	A	Floor lamp	Chrome	400	1630	1 x E27	1/1	A++→E
955MAYA1T	A	Table lamp	Chrome	300	650	1 x E27	1/1	A++→E
955LILLY1F	A	Floor lamp	Chrome	400	1585	1 x E27	1/1	A++→E
955LILLY1T	A	Table lamp	Chrome	150	410	1 x E27	1/4	A++→E

Material: Metal with crystal and fabirc shade, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SENSO
955SENSO1T



SENSO
955SENSO3F

LED WARM WHITE 2700K **IP40**

SENSO

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Length/ Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955SENSO1T	A	Table lamp	8.5	588	2800-3200	Matte black	458	180	459	1/1	A++→A
955SENSO3F	A	Floor lamp	25	1764	2800-3200	Matte black	443		1475	1/1	A++→A

Material: Aluminium + Iron + Acrylic, **LED:** Included, **Light source:** Epistar 2835

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | Hg | IP 40 | RoHS | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DUNCAN
955DUNCAN1T



DUNCAN
955DUNCAN3F

LED WARM WHITE 2700K **IP40**

DUNCAN

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Length/ Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955DUNCAN1T	A	Table lamp	5	350	2800-3200	Matte black & wood	272	180	272	1/2	A++→A
955DUNCAN3F	A	Floor lamp	15	1050	2800-3200	Matte black & wood	230	250	1440	1/1	A++→A

Material: Aluminium + Iron + PC, **LED:** Included, **Light source:** Epistar 2835

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

HENDRIX
955HENDRIX1T

LED WARM WHITE 2700K **IP40**

HENDRIX

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955HENDRIX1T	A	Table lamp	11	770	2800-3200	White & black	250	480	1/1	A++→A

Material: Aluminium + Iron + PC, **LED:** Included, **Light source:** Epistar 2835

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DIMMABLE LED TABLE LAMPS
955LED101T/WH

DIMMABLE LED TABLE LAMPS
955LED101T/BL

LED NEUTRAL WHITE 4000K IP40 DIMMABLE

DIMMABLE LED TABLE LAMPS

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955LED101T/WH	A	9	500	4000K	white	150	600	1/30	A++→A
955LED101T/BL	A	9	500	4000K	black	150	600	1/30	A++→A

Material: ABS+PP | Third gear dimmable | **Lamps Not Included** | **Light source:** 30pcs 5730SMD | **Voltage:** 100-240V AC | **Adapter:** 4.6V/1.5A

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ELINOR
955ELINOR1T/DGR

ELINOR
955ELINOR1T/TR

IP20

ELINOR

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ELINOR1T/DGR	A	Table lamp	Dark grey	245	512	1xE27	1/1	A++→E
955ELINOR1T/TR	A	Table lamp	Transparent	245	512	1xE27	1/1	A++→E

Material: Acrylic , **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ALEGRA
955ALEGRA1T

LUKE
955LUKE1T/BK

LUKE
955LUKE1T/WH

IP20

LUKE

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LUKE1T/BK	A	Table lamp	Sand black with copper	165	530	700	1 x E27	1/12	A++→E
955LUKE1T/WH	A	Table lamp	Sand white with satin nickel	165	530	700	1 x E27	1/12	A++→E
955ALEGRA1T	A	Table lamp	wood and black	280		475	1xE14	1/1	

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LIZA
955LIZA1T/AB

LIZA
955LIZA1T/CH

KRISTA
955KRISTA1T

IP20

LIZA / KRISTA

Catalogue number	Product category	Description	Material	Colour	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LIZA1T/AB	A	Table lamp	Metal and crystal	Antique brass	210	330	1 x E14	1/4	A++→E
955LIZA1T/CH	A	Table lamp	Metal and crystal	Chrome	210	330	1 x E14	1/4	A++→E
955KRISTA1T	A	Table lamp	Metal with glass	Golden copper brass with beige	180	330	1 x E27	1/6	A++→E

Material: Metal with crystal / glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

SPIDER
955SPIDER1T/WH

MOLLY
955MOLLY1T/AB

IP20

UNTIL SUPPLY LAST

SPIDER / MOLLY

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955SPIDER1T/WH	F	Table lamp	Copper and white	130	600	1 x E27	1/8	A++→E
955MOLLY1T/AB	F	Table lamp	Antique brass and white	300	480	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

SPOTLIGHTS

MICKEY BLUE
955MICKEY1W/B



MICKEY BLUE
955MICKEY3/B

MICKEY BLUE
955MICKEY1T/B

IP20

MICKEY BLUE

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955MICKEY1T/B	A	Table lamp	blue	1xE27	120		300	1/1	A++→E
955MICKEY1W/B	A	Wall lamp	blue	1xE27	120	250	140	1/1	A++→E
955MICKEY3/B	A	Chandelier	blue	3xE27	300		1100	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MICKEY PINK
955MICKEY1W/P



MICKEY PINK
955MICKEY3/P

MICKEY PINK
955MICKEY1T/P

IP20

MICKEY PINK

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955MICKEY1T/P	A	Table lamp	pink	1xE27	120		300	1/1	A++→E
955MICKEY1W/P	A	Wall lamp	pink	1xE27	120	250	140	1/1	A++→E
955MICKEY3/P	A	Chandelier	pink	3xE27	300		1100	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MICKEY WHITE
955MICKEY1W/WH

MICKEY WHITE
955MICKEY3/WH

MICKEY WHITE
955MICKEY1T/WH

IP20

MICKEY WHITE

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955MICKEY1T/WH	A	Table lamp	white	1xE27	120		300	1/1	A++→E
955MICKEY1W/WH	A	Wall lamp	white	1xE27	120	250	140	1/1	A++→E
955MICKEY3/WH	A	Chandelier	white	3xE27	300		1100	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

TINY
955TINY1/P

TINY
955TINY1/B

IP20

TINY

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lamp holder	Packing/Box (pcs)	Energy class
955TINY1/P	A	Wall lamp	pink	120		1xGU10	1/1	A++→E
955TINY1/B	A	Wall lamp	blue	120		1xGU10	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TINY
955TINY7/MC

PEARL
955PEARL3/BL

IP20

TINY / PEARL

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lamp holder	Packing/Box (pcs)	Energy class
955TINY7/MC	A	Chandelier	multicolour	350	1500	7xGU10	1/1	A++→E
955PEARL3/BL	A	Chandelier	black and gold	150	1500	3xE27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

IZZY
955IZZY1/BL

IZZY
955IZZY1/WH

IZZY
955IZZY2/BL

IZZY
955IZZY2/WH

IZZY
955IZZY1W/BL

IZZY
955IZZY1W/WH

IP20

IZZY

Catalogue number	Product category	Description	Colour	Lamp holder	Base Diameter (mm)	Length (mm)	Width (mm)	Packing/Box (mm)	Energy class
955IZZY1W/WH	A	Spot with metal swtich	white	1xGU10	80		180	1/20	A++→E
955IZZY1W/BL	A	Spot with metal swtich	black	1xGU10	80		180	1/20	A++→E
955IZZY1/WH	A	Spot	white	1xGU10	80		180	1/20	A++→E
955IZZY1/BL	A	Spot	black	1xGU10	80		180	1/20	A++→E
955IZZY2/WH	A	Spot	white	2xGU10	80	250	180	1/12	A++→E
955IZZY2/BL	A	Spot	black	2xGU10	80	250	180	1/12	A++→E

Material: Metal, **Lamps Not Included** | max 50W on lampholder

3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

IZZY
955IZZY4/WH

IZZY
955IZZY3/BL

IZZY
955IZZY3/WH

IZZY
955IZZY4/BL

IP20

IZZY

Catalogue number	Product category	Description	Colour	Lamp holder	Diameter (mm)	Length (mm)	Width (mm)	Packing/Box (mm)	Energy class
955IZZY3/WH	A	Spot	white	3xGU10	80/250		180	1/6	A++→E
955IZZY3/BL	A	Spot	black	3xGU10	80/250		180	1/6	A++→E
955IZZY4/WH	A	Spot	white	4xGU10	80	600	180	1/6	A++→E
955IZZY4/BL	A	Spot	black	4xGU10	80	600	180	1/6	A++→E

Material: Metal, **Lamps Not Included** | max 50W on lampholder

3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DOTS
955DOTS1S

DOTS
955DOTS2S

DOTS
955DOTS3S

IP20

UNTIL SUPPLY LAST

DOTS

Catalogue number	Product category	Description	Colour	Lampholder	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955DOTS1S	F	Spot	White with colored dots	1 x E27	110	205	180	1/20	A++→E
955DOTS2S	F	Spot	White with colored dots	2 x E27	185	400	180	1/6	A++→E
955DOTS3S	F	Spot	White with colored dots	3 x E27	185	580	180	1/6	A++→E

Material: Metal

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

DOTS
955DOTS1P

DOTS
955DOTS3P

IP20

UNTIL SUPPLY LAST

DOTS

Catalogue number	Product category	Description	Colour	Lampholder	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955DOTS1P	F	Pendant	White with colored dots	1 x E27	130	1225	1/12	A++→E
955DOTS3P	F	Chandelier	White with colored dots	3 x E27	260	1225	1/6	A++→E

Material: Metal

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

STRIPS
955STRIPS1S

STRIPS
955STRIPS3S

STRIPS
955STRIPS2S

IP20

UNTIL SUPPLY LAST

STRIPS

Catalogue number	Product category	Description	Colour	Lampholder	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955STRIPS1S	F	Spot	White with creme and coffee	1 x E27	110	205	180	1/20	A++→E
955STRIPS2S	F	Spot	White with creme and coffee	2 x E27	185	400	180	1/6	A++→E
955STRIPS3S	F	Spot	White with creme and coffee	3 x E27	185	580	180	1/6	A++→E

Material: Metal

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

STRIPS
955STRIPS1P

STRIPS
955STRIPS3P

IP20

UNTIL SUPPLY LAST

STRIPS

Catalogue number	Product category	Description	Colour	Lampholder	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955STRIPS1P	F	Pendant	White with creme and coffee	1 x E27	130	1225	1/12	A++→E
955STRIPS3P	F	Chandelier	White with creme and coffee	3 x E27	260	1225	1/6	A++→E

Material: Metal

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

BRAD
955BRAD3/WH

BRAD
955BRAD3/BK

IP20

UNTIL SUPPLY LAST

BRAD

Catalogue number	Product category	Description	Colour	Lampholder	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955BRAD3/WH	F	Chandelier	White	3 x E14	170	495	1/1	A++→E
955BRAD3/BK	F	Chandelier	Black	3 x E14	170	495	1/1	A++→E

Material: Metal

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

NOAH
955NOAH2L

NOAH
955NOAH3L

NOAH
955NOAH1

NOAH
955NOAH3R

NOAH
955NOAH2R

IP20

UNTIL SUPPLY LAST

NOAH

Catalogue number	Product category	Description	Colour	Lampholder	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955NOAH1	F	Spot	Satin nickel	1 x E27	120	225	170	1/20	A++→E
955NOAH2L	F	Spot	Satin nickel	2 x E27	195	415	170	1/6	A++→E
955NOAH3L	F	Spot	Satin nickel	3 x E27	195	550	170	1/1	A++→E
955NOAH2R	F	Spot	Satin nickel	2 x E27	220	310	220	1/6	A++→E
955NOAH3R	F	Spot	Satin nickel	3 x E27	400	410	220	1/6	A++→E

Material: Metal

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

JIM
955JIM1/AB

JIM
955JIM2/AB

JIM
955JIM3/AB

JIM
955JIM1/SN

JIM
955JIM3/SN

IP20

UNTIL SUPPLY LAST

JIM

Catalogue number	Product category	Description	Colour	Lampholder	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955JIM1/SN	F	Spot	Satin nickel	1 x E27	95	145	140	1/30	A++→E
955JIM3/SN	F	Spot	Satin nickel	3 x E27	120	560	155	1/12	A++→E
955JIM1/AB	F	Spot	Antique brass	1 x E27	95	145	140	1/30	A++→E
955JIM2/AB	F	Spot	Antique brass	2 x E27	145	360	155	1/12	A++→E
955JIM3/AB	F	Spot	Antique brass	3 x E27	120	560	155	1/12	A++→E

Material: Metal

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

JACK
955JACK1/SN

JACK
955JACK3/SN

JACK
955JACK3R/SN

IP20

UNTIL SUPPLY LAST

JACK

Catalogue number	Product category	Description	Colour	Lampholder	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955JACK1/SN	F	Spot	Satin nickel	1 x E14	75	105	140	1/30	A++→E
955JACK3/SN	F	Spot	Satin nickel	3 x E14	105	560	145	1/12	A++→E
955JACK3R/SN	F	Spot	Satin nickel	3 x E14	180	-	145	1/12	A++→E

Material: Metal

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

JACK
955JACK1/AB

JACK
955JACK3R/AB

JACK
955JACK2/AB

JACK
955JACK3/AB

IP20

UNTIL SUPPLY LAST

JACK

Catalogue number	Product category	Description	Colour	Lampholder	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955JACK1/AB	F	Spot	Antique brass	1 x E14	75	105	140	1/30	A++→E
955JACK2/AB	F	Spot	Antique brass	2 x E14	105	360	145	1/12	A++→E
955JACK3/AB	F	Spot	Antique brass	3 x E14	105	560	145	1/12	A++→E
955JACK3R/AB	F	Spot	Antique brass	3 x E14	180	-	145	1/12	A++→E

Material: Metal

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

ARDA
9520001

ARDA
9520002

ARDA
9520003

IP20

UNTIL SUPPLY LAST

ARDA

Catalogue number	Product category	Description	Model	Colour	Lampholder	Packing/Box (pcs)	Energy class
9520001	F	Spot	3901	Satin nickel	1 x GU10	1/1	A++→C
9520002	F	Spot	3902	Satin nickel	2 x GU10	1/1	A++→C
9520003	F	Spot	3903	Satin nickel	3 x GU10	1/1	A++→C

Material: Metal

~230V RoHS COMPLIANT CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

VRANA
9520022

VRANA
9520023



VRANA
9520021

IP20

UNTIL SUPPLY LAST

VRANA

Catalogue number	Product category	Description	Model	Colour	Lampholder	Packing/Box (pcs)	Energy class
9520021	F	Spot	3602	Silver + black	2 x GU10	1/1	A++→C
9520022	F	Spot	3603	Silver + black	3 x GU10	1/1	A++→C
9520023	F	Spot	3604	Silver + black	4 x GU10	1/1	A++→C

Material: Metal

~230V RoHS COMPLIANT CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

ARCHAR
9520027

AHELOY
9520033

AHELOY
9520032

IP20

UNTIL SUPPLY LAST

AHELOY / ARCHAR

Catalogue number	Product category	Description	Model	Colour	Lampholder	Packing/Box (pcs)	Energy class
9520032	F	Spot	3803	Chrome	3 x GU10	1/1	A++→C
9520033	F	Spot	3804	Chrome	4 x GU10	1/1	A++→C
9520027	F	Spot	3703	Satin nickel and Chrome	3 x GU10	1/1	A++→C

Material: Metal

~230V RoHS COMPLIANT CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

ELMARK

www.elmarkholding.eu

SAM

955SAM1W/WH

SAM

955SAM1W/SN

IP20

SAM

Catalogue number	Product category	Description	Lampholder	Width (mm)	Length (mm)	Height (mm)	Packing/ Box (pcs)	Energy class
955SAM1W/SN	A	Spot	1 x E27	105	340	175	1/20	A++→E
955SAM1W/WH	A	Spot	1 x E27	105	340	175	1/20	A++→E

Material: Metal , Satin nickel, White, With key

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

PICASSO
955PICASSO12/AB



PICASSO
955PICASSO8/AB

PICASSO
955PICASSO12/SN

PICASSO
955PICASSO8/SN

LED NEUTRAL WHITE 4000K **IP44**

PICASSO

Catalogue number	Product category	Description	Colour	Watt (W)	Colour temp. (K)	Whole fixture lumens (lm)	Width (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955PICASSO12/AB	A	LED Picture Light	Antique brass	12	4000	960	70	675	190	1/20	A++→A
955PICASSO12/SN	A	LED Picture Light	Satin nickel	12	4000	960	70	675	190	1/20	A++→A
955PICASSO8/AB	A	LED Picture Light	Antique brass	8	4000	640	70	495	180	1/20	A++→A
955PICASSO8/SN	A	LED Picture Light	Satin nickel	8	4000	640	70	495	180	1/20	A++→A

Material: Metal | **Beam angle:** 30° | **Operating temperature:** 50-60° | **LED chip type:** SMD2835

~230V 50/60 Hz Ra>80 30000h >50000 INSTANT 100% Hg IP 44 RoHS F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

INDOOR

LED PANEL STELLAR IP40
99XPANEL020W
99XPANEL020CW



LED PANEL STELLAR IP40
99XPANEL021W

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

LED PANELS STELLAR

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99XPANEL020W	**99XPANEL020WE**	C	48	4320	4000	white	595	595	30	1/6	A++→A
99XPANEL020CW	**99XPANEL020CWE**	C	48	4320	6400	white	595	595	30	1/6	A++→A
99XPANEL021W	**99XPANEL021WE**	C	48	4320	4000	white	295	1195	30	1/6	A++→A

Emergency kit with a possibility for work in an emergency regime more than two hours.

Frame for LED panel with dimensions 595/595/30mm for surface mounting.
Catalogue number:
92FRAME020W

Frame for LED panel with dimensions 295/1195/30mm for surface mounting.
Catalogue number:
92FRAME021W

*Suitable for surface and ceiling mounting. | **Body:** Iron+PS | 1YEAR WARRANTY
Suitable for mountig in suspended celling Armstrong type (in grid cellings)
Body: aluminium | **Light source:** SMD 4014 | **Starting time:** < 0.5s | **Power factor:** 0.9 | Recessed mounted luminaire | **Until Supply Last

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >10000 | INSTANT 100% | 15000h | Hg | IP 40 | RoHS COMPLIANT | EMC | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PANEL IP44
WHITE FRAME COLOUR

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP44 | DIMMABLE

LED PANEL IP44

Catalogue number	Catalogue number with Emergency kit	Product category	Dimmable	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/ Box (pcs)	Energy class
92PANEL012WIP44	**92PANEL012WIP44E**	C	-	24	2400	4000	white	295	295	11	1/12	A++→A
92PANEL013WIP44	**92PANEL013WIP44E**	C	-	36	3600	4000	white	595	295	11	1/6	A++→A
92PANEL020WIP44	**92PANEL020WIP44E**	C	-	48	4800	4000	white	595	595	30	1/6	A++→A
92PANEL020CWIP44	**92PANEL020CWIP44E**	C	-	48	4800	6400	white	595	595	30	1/6	A++→A
92PANEL018WIP44	**92PANEL018WIP44E**	C	Yes	45	4500	4000	white	595	595	9	1/5	A++→A
92PANEL021WIP44	**92PANEL021WIP44E**	C	-	48	4800	4000	white	1195	295	30	1/6	A++→A

INSTALLATION ACCESSORIES FOR LED PANELS
Suspension wire for suspended mounting
Catalogue number: **99ACC18**
Clips for mounting on plasterboard
Catalogue number: **99ACC21**
Fasteners for surface mounting
Catalogue number: **99ACC22**

Emergency kit with a possibility for work in an emergency regime more than two hours.

Suitable for mounting in suspended ceiling Armstrong type (in grid ceilings). 99ACC21 and 99ACC22 are suitable only for LED panels with height 9-11mm
Body: aluminium | **Light source:** Epistar SMD4014 | **Starting time:** <0.5s | **Power factor:** λ>0.9
LED panels can be dimmed using a suitable dimmable driver and remote control.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >15000 | INSTANT 100% | 30000h | Hg | IP 44 | RoHS | EMC | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PANEL
WHITE FRAME COLOUR

LED THIN PANEL WITH CLIPS FOR
MOUNTING IN DRYWALL

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40 | DIMMABLE

LED PANEL

Catalogue number	Catalogue number with Emergency kit	Product category	Additional function	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/ Box (pcs)	Energy class
92PANEL012W	**92PANEL012WE**	C	-	24	2400	4000	white	295	295	11	1/12	A++→A
92PANEL013W	**92PANEL013WE**	C	-	36	3600	4000	white	595	295	11	1/6	A++→A
92PANEL018W	**92PANEL018WE**	C	Dimmable	45	4500	4000	white	595	595	9	1/5	A++→A
92PANEL018	-	F	Dimmable	45*	4500	4000	aluminium	595	595	9	1/5	A++→A
92PANEL020W	**92PANEL020WE**	C	-	48	4800	4000	white	595	595	30	1/6	A++→A
92PANEL020CW	**92PANEL020CWE**	C	-	48	4800	6400	white	595	595	30	1/6	A++→A
92PANEL021W	**92PANEL021WE**	C	-	48	4800	4000	white	1195	295	30	1/6	A++→A
92PANEL030W	**92PANEL030WE**	C	With clips	48	4800	4000	white	595	595	9	1/6	A++→A
92PANEL030CW	**92PANEL030CWE**	C	With clips	48	4800	6400	white	595	595	9	1/6	A++→A

INSTALLATION ACCESSORIES FOR LED PANELS
Suspension wire for suspended mounting
Catalogue number: **99ACC18**
Clips for mounting on plasterboard
Catalogue number: **99ACC21**
Fasteners for surface mounting
Catalogue number: **99ACC22**

Panel frame for 595/595 mm ceiling mounting white
Catalogue number:
92FRAME020W

Panel frame for 295/1195 mm ceiling mounting white
Catalogue number:
92FRAME021W

Frame for LED panel with dimensions 595/595/9mm and 595/595/11mm for surface mounting.
Catalogue number:
92FRAME014W

Suitable for mounting in suspended ceiling Armstrong type (in grid ceilings). 99ACC21 and 99ACC22 are suitable only for LED panels with height 9-11mm
Body: aluminium | **Light source:** Epistar SMD4014 | **Starting time:** <0.5s | **Power factor:** λ>0.9 | *Until Supply Last | LED panels can be dimmed using a suitable dimmable driver and remote control.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >15000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PANEL ROUND
99XLED621
99XLED620
99XLED620CW

LED PANEL ROUND
99XLED615
99XLED614
99XLED614CW

LED PANEL ROUND
99XLED612
99XLED611
99XLED611CW

LED PANEL ROUND
99XLED610
99XLED609
99XLED609CW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40

LED PANELS ROUND STELLAR

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/ Box (pcs)	Energy class
99XLED610	**99XLED610E**	C	6	330	2700	white	118	18	100	1/30	A++→A
99XLED609	**99XLED609E**	C	6	330	4000	white	118	18	100	1/30	A++→A
99XLED609CW	**99XLED609CWE**	C	6	330	6500	white	118	18	100	1/30	A++→A
99XLED612	**99XLED612E**	C	12	840	2700	white	167	18	150	1/24	A++→A
99XLED611	**99XLED611E**	C	12	840	4000	white	167	18	150	1/24	A++→A
99XLED611CW	**99XLED611CWE**	C	12	840	6500	white	167	18	150	1/24	A++→A
99XLED615	**99XLED615E**	C	18	1350	2700	white	225	18	205	1/20	A++→A
99XLED614	**99XLED614E**	C	18	1350	4000	white	225	18	205	1/20	A++→A
99XLED614CW	**99XLED614CWE**	C	18	1350	6500	white	225	18	205	1/20	A++→A
99XLED621	**99XLED621E**	C	24	1800	2700	white	295	18	268	1/24	A++→A
99XLED620	**99XLED620E**	C	24	1800	4000	white	295	18	268	1/24	A++→A
99XLED620CW	**99XLED620CWE**	C	24	1800	6500	white	295	18	268	1/20	A++→A

Emergency kit with a possibility for work in an emergency regime more than two hours.

Voltage: 185-240V | **Body:** aluminium | **Light source:** SMD 2835 | **Starting time:** < 0.5s | **Power factor:** 0.55 | Recessed mounted luminaire

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >10000 | INSTANT 100% | 15000h | Hg | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PANEL ROUND

LED PANEL ROUND
DIMMABLE

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40 | DIMMABLE

LED PANEL ROUND

Catalogue number	Catalogue number with Emergency kit	Product category	Dimmable	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/ Box (pcs)	Energy class
99LED971	**99LED971E**	C		6	350	4000	white	118	17	103	1/50	A++→A
99LED971WW	**99LED971WWE**	C		6	350	2700	white	118	17	103	1/50	A++→A
99LED971CW	**99LED971CWE**	C		6	350	6400	white	118	17	103	1/50	A++→A
99LED972	**99LED972E**	C		12	890	4000	white	166	18	151	1/30	A++→A
99LED972WW	**99LED972WWE**	C		12	890	2700	white	166	18	151	1/30	A++→A
99LED972CW	**99LED972CWE**	C		12	890	6400	white	166	18	151	1/30	A++→A
99LED973	**99LED973E**	C		18	1420	4000	white	225	18	205	1/20	A++→A
99LED973WW	**99LED973WWE**	C		18	1420	2700	white	225	18	205	1/20	A++→A
99LED973CW	**99LED973CWE**	C		18	1420	6400	white	225	18	205	1/20	A++→A
99LED617D	**99LED617DE**	C	Yes	21	1680	4000	white	225	21	205	1/20	A++→A
99LED974	**99LED974E**	C		24	1900	4000	white	296	13	275	1/20	A++→A
99LED974WW	**99LED974WWE**	C		24	1900	2700	white	296	13	275	1/20	A++→A
99LED974CW	**99LED974CWE**	C		24	1900	6400	white	296	13	275	1/20	A++→A

Emergency kit with a possibility for work in an emergency regime more than two hours.

Voltage: 185-240V | **Body:** aluminium | **Reflector:** policarbonate (pc) | **Light source:** Epistar SMD2835 | **Starting time:** <0.5s | **Power factor:** λ>0.8

Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PANEL ROUND

99LED621T
99LED620TCW
99LED618T

LED PANEL ROUND

99LED612T

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40

UNTIL SUPPLY LAST

LED PANEL ROUND

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/Box (pcs)	Energy class
99LED612T	F	9	720	2700-3000	white	142	24	132	1/50	A++⇨A
99LED618T	F	18	1440	2700-3000	white	225	24	207	1/20	A++⇨A
99LED621T	F	24	1920	2700-3000	white	297	24	277	1/20	A++⇨A
99LED620TCW	F	24	1920	6000-6400	white	297	24	277	1/20	A++⇨A

Body: aluminium | **Reflector:** policarbonate (pc) | **Light source:** Epistar SMD2835 | **Starting time:** <0.5s | **Power factor:** λ>0.8
Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

LED PANEL ECO

99LED962CW
99LED962
99LED962WW
99LED963CW
99LED963
99LED963WW
99LED964CW
99LED964
99LED964WW

LED PANEL ECO

99LED960CW
99LED960
99LED960WW
99LED961CW
99LED961
99LED961WW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

LED PANEL ROUND ECO SERIES

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/Box (pcs)	Energy class
99LED960CW	C	6	510	6000-6400	white	100	25	77	1/100	A++→A
99LED960	C	6	510	4000-4300	white	100	25	77	1/100	A++→A
99LED960WW	C	6	510	2700-3000	white	100	25	77	1/100	A++→A
99LED961CW	C	12	1020	6000-6400	white	141	25	117	1/60	A++→A
99LED961	C	12	1020	4000-4300	white	141	25	117	1/60	A++→A
99LED961WW	C	12	1020	2700-3000	white	141	25	117	1/60	A++→A
99LED962CW	C	18	1530	6000-6400	white	168	25	143	1/60	A++→A
99LED962	C	18	1530	4000-4300	white	168	25	143	1/60	A++→A
99LED962WW	C	18	1530	2700-3000	white	168	25	143	1/60	A++→A
99LED963CW	C	24	2040	6000-6400	white	200	25	168	1/30	A++→A
99LED963	C	24	2040	4000-4300	white	200	25	168	1/30	A++→A
99LED963WW	C	24	2040	2700-3000	white	200	25	168	1/30	A++→A
99LED964CW	F	28*	2500	6000-6400	white	220	25	190	1/20	A++→A
99LED964	F	28*	2500	4000-4300	white	220	25	190	1/20	A++→A
99LED964WW	F	28*	2500	2700-3000	white	220	25	190	1/20	A++→A

Body: PC | **Reflector:** policarbonate (pc) | **Light source:** Epistar SMD2835 | **Starting time:** <0.5s | **Power factor:** λ>0.8
Easy installation due to handy clips | Recessed mounted luminaire.

*Until Supply Last

~230V | 50/60 Hz | SMD | 160° | Ra≥80 | >25000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PANEL ROUND IP44
99LED609IP44
99LED609IP44CW

LED PANEL ROUND IP44
99LED611IP44
99LED611IP44CW

LED PANEL ROUND IP44
99LED617IP44
99LED617IP44CW

LED NEUTRAL WHITE 4000K COOL WHITE 6400K **IP44**

LED PANEL ROUND IP44

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED609IP44	**99LED609IP44E**	C	5	400	4000	white	90	21	40	A++→A
99LED609IP44CW	**99LED609IP44CWE**	C	5	400	6500	white	90	21	40	A++→A
99LED611IP44	**99LED611IP44E**	C	12	960	4000	white	175	21	20	A++→A
99LED611IP44CW	**99LED611IP44CWE**	C	12	960	6500	white	175	21	20	A++→A
99LED617IP44	**99LED617IP44E**	C	18	1440	4000	white	225	21	20	A++→A
99LED617IP44CW	**99LED617IP44CWE**	C	18	1440	6500	white	225	21	20	A++→A

Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: aluminium | **Light source:** SMD 2835 | **Recessed mounted luminaire** | **Beam angle:** 120°| **Driver:** Isolated
Easy installation due to handy clips | Recessed mounted luminaire.

~230V 50/60 Hz SMD 120° Ra≥80 >20000 INSTANT 100% 30000h Hg RoHS COMPLIANT EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PANEL ROUND WATERPROOF, DUSTPROOF AND OILY SMOKE
99LED607IP65
99LED607IP65CW

LED PANEL ROUND WATERPROOF, DUSTPROOF AND OILY SMOKE
99LED610IP65
99LED610IP65CW

LED PANEL ROUND WATERPROOF, DUSTPROOF AND OILY SMOKE
99LED616IP65
99LED616IP65CW

LED PANEL ROUND WATERPROOF, DUSTPROOF AND OILY SMOKE
99LED623IP65
99LED623IP65CW

LED NEUTRAL WHITE 4000K COOL WHITE 6400K **IP65**

LED PANEL ROUND WATERPROOF, DUSTPROOF AND OILY SMOKE

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Diameter1 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED607IP65	**99LED607IP65E**	C	7	660	4000	white	115	100-110	27	1/20	A++→A
99LED607IP65CW	**99LED607IP65CWE**	C	7	660	6500	white	115	100-110	27	1/20	A++→A
99LED610IP65	**99LED610IP65E**	C	10	770	4000	white	170	150-160	27	1/20	A++→A
99LED610IP65CW	**99LED610IP65CWE**	C	10	770	6500	white	170	150-160	27	1/20	A++→A
99LED616IP65	**99LED616IP65E**	C	16	1300	4000	white	220	200-210	27	1/20	A++→A
99LED616IP65CW	**99LED616IP65CWE**	C	16	1300	6500	white	220	200-210	27	1/20	A++→A
99LED623IP65	**99LED623IP65E**	C	23	1750	4000	white	240	220-230	39	1/20	A++→A
99LED623IP65CW	**99LED623IP65CWE**	C	23	1750	6500	white	240	220-230	39	1/20	A++→A

Emergency kit with a possibility for work in an emergency regime more than two hours.



Body: policarbonate (pc) | **Reflector:** policarbonate (pc) | Light source: SMD2835 | **Starting time:** <0.5s | Power factor: >0.9
Waterproof, dustproof and oily smoke|Milky white mask, soft light, not dazzling| Ultra-thin lamp body

~230V 50/60 Hz SMD 120° Ra≥80 >20000 INSTANT 100% 30000h Hg RoHS COMPLIANT EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

WATERPROOF LED PANEL ROUND
99LED609IP65
99LED609IP65CW

WATERPROOF LED PANEL ROUND
99LED611IP65
99LED611IP65CW

WATERPROOF LED PANEL ROUND
99LED617IP65
99LED617IP65CW

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP65

UNTIL SUPPLY LAST

WATERPROOF LED PANEL ROUND

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED609IP65	**99LED609IP65E**	F	5	400	4000	white	88	30	1/40	A++→A
99LED609IP65CW	**99LED609IP65CWE**	F	5	400	6500	white	88	30	1/40	A++→A
99LED611IP65	**99LED611IP65E**	F	10	800	4000	white	150	27	1/40	A++→A
99LED611IP65CW	**99LED611IP65CWE**	F	10	800	6500	white	150	27	1/40	A++→A
99LED617IP65	**99LED617IP65E**	F	18	1440	4000	white	225	27	1/20	A++→A
99LED617IP65CW	**99LED617IP65CWE**	F	18	1440	6500	white	225	27	1/20	A++→A

Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: policarbonate (pc) | **Reflector:** policarbonate (pc) | **Light source:** Epistar | **Starting time:** <0.5s | **Power factor:** λ>0.8

Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 65 | RoHS COMPLIANT | EMC | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SUPER SLIM LED PANELS
WITH SLIDABLE FIXING CLIPS

SUPER SLIM LED PANELS
WITH SLIDABLE FIXING CLIPS

LED NEUTRAL WHITE 4000K **IP40**

SUPER SLIM LED PANELS WITH SLIDABLE FIXING CLIPS

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter/ Length (mm)	Width (mm)	Height (mm)	Diameter1 (mm)	Packing/Box (pcs)	Energy class
99LED934/W	C	15	1000	4000	white	173		11	50-160	1/40	A++→A
99LED935/W	C	15	1000	4000	white	175	175	20	50-160	1/40	A++→A

Body: aluminium | **Light source:** San'an 2835SMD | 175-264V AC | Can by mounted in cut sizes from 50 to 160mm



~230V | 50/60 Hz | SMD 4014 | G13 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PANEL ROUND OM
99xLED628
99xLED627
99xLED627CW

LED PANEL ROUND OM
99XLED623
99XLED622
99XLED622CW

LED PANEL ROUND OM
99XLED626
99XLED625
99XLED625CW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

LED PANELS ROUND OM STELLAR

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99XLED626	-	C	12	840	2700	white	165	32	1/30	A++→A
99XLED625	-	C	12	840	4000	white	165	32	1/30	A++→A
99XLED625CW	-	C	12	840	6500	white	165	32	1/30	A++→A
99XLED623	**99XLED623E**	C	18	1350	2700	white	219	32	1/20	A++→A
99XLED622	**99XLED622E**	C	18	1350	4000	white	219	32	1/20	A++→A
99XLED622CW	**99XLED622CWE**	C	18	1350	6500	white	219	32	1/20	A++→A
99XLED628	**99XLED628E**	C	24	1800	2700	white	295	32	1/20	A++→A
99XLED627	**99XLED627E**	C	24	1800	4000	white	295	32	1/20	A++→A
99XLED627CW	**99XLED627CWE**	C	24	1800	6500	white	295	32	1/20	A++→A

Emergency kit with a possibility for work in an emergency regime more than two hours.

Voltage: 185-240V | **Body:** aluminium | **Starting time:** <0.5s | **Power factor:** λ>0.8

OM - surface mounted luminaire

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >10000 | INSTANT 100% | 15000h | Hg | IP 40 | RoHS COMPLIANT | EMC | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PANEL ROUND OM
99LED623T

LED PANEL ROUND OM
99LED625T

LED PANEL ROUND OM
99LED627

LED PANEL ROUND OM
99LED625

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40

UNTIL SUPPLY LAST

LED PANEL ROUND OM

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED625T	F	12	960	2700-3000	white	170	38	1/24	A++→A
99LED623T	F	18	1440	2700-3000	white	225	38	1/24	A++→A
99LED625	F	13	1040	2700-3000	satin nickel	170	38	1/40	A++→A
99LED627	F	21	1680	2700-3000	satin nickel	220	38	1/20	A++→A

Body: aluminium | **Light source:** Epistar SMD 2835 | **Starting time:** <0.5s | **Power factor:** λ>0.8 | **OM** - surface mounted luminaire

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

LED PANEL ROUND OM

99LED966CW
99LED966
99LED966WW

LED PANEL ROUND OM

99LED965CW
99LED965
99LED965WW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

LED PANEL ROUND OM

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED965CW	C	18	1530	6300-6500	white	175	33	1/60	A++→A
99LED965	C	18	1530	4000-4300	white	175	33	1/60	A++→A
99LED965WW	C	18	1530	2700-3000	white	175	33	1/60	A++→A
99LED966CW	C	28	2500	6300-6500	white	225	33	1/20	A++→A
99LED966	C	28	2500	4000-4300	white	225	33	1/20	A++→A
99LED966WW	C	28	2500	2700-3000	white	225	33	1/20	A++→A

Voltage: 185-240V | **Body:** Policarbonate (PC) | **Starting time:** <0.5s | **Power factor:** λ>0.8

OM - surface mounted luminaire

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED FIXTURES WITH ADJUSTABLE COLOUR TEMPERATURE

99DS406

LED | 3000 K | 4000 K | 6000 K | IP40

UNTIL SUPPLY LAST

LED FIXTURES WITH ADJUSTABLE COLOUR TEMPERATURE

Catalogue number	Product category	Sensor	Watt (W)	Whole fixture lumens (lm)	Colour body	Colour temp. (K)	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99DS406	F	No	18	1440	white	3000 / 4000 / 6000	220	18.8	1/40	A++→A

Input Voltage: 110-240 VAC | **Body:** Alluminium | **Light source:** Sanan SMD2835 | **Starting Time:** <0.5s | **Power factor:** λ>0.9

3 options of colour temperature:
1. Cool White 6000K
2. Neutral White 4000K
3. Warm White 3000K

50/60 Hz | SMD 2835 | 110° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

92DL840/WH

92DL1240/WH

LED NEUTRAL WHITE 4000K **IP40**

INDIRECT LED DOWNLIGHTS

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/Box (pcs)	Energy class
92DL840/WH	**92DL840/WHE**	C	8	320	4000K	white	111	35	92	1/1	A++→A
92DL1240/WH	**92DL1240/WHE**	C	12	480	4000K	white	149	45	130	1/1	A++→A

Body: aluminium

FRONT

BACK

Emergency kit with a possibility for work in an emergency regime more than two hours.

~230V | 50/60 Hz | SMD | 60° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PANEL STELLAR SQUARE

99XLED637
99XLED636
99XLED636CW

LED PANEL STELLAR SQUARE

99XLED635
99XLED634
99XLED634CW

LED PANEL STELLAR SQUARE

99XLED633
99XLED632
99XLED632CW

LED PANEL STELLAR SQUARE OM

99XLED969
99XLED970

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

LED PANELS STELLAR SQUARE

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Length1 (mm)	Width1 (mm)	Packing/Box (pcs)	Energy class
99XLED633	**99XLED633E**	C	12	840	2700	white	167	167	18	150	150	1/24	A++→A
99XLED632	**99XLED632E**	C	12	840	4000	white	167	167	18	150	150	1/24	A++→A
99XLED632CW	**99XLED632CWE**	C	12	840	6500	white	167	167	18	150	150	1/24	A++→A
99XLED635	**99XLED635E**	C	18	1350	2700	white	221	221	18	200	200	1/20	A++→A
99XLED634	**99XLED634E**	C	18	1350	4000	white	221	221	18	200	200	1/20	A++→A
99XLED634CW	**99XLED634CWE**	C	18	1350	6500	white	221	221	18	200	200	1/20	A++→A
99XLED637	**99XLED637E**	C	24	1800	2700	white	296	296	18	275	275	1/20	A++→A
99XLED636	**99XLED636E**	C	24	1800	4000	white	296	296	18	275	275	1/20	A++→A
99XLED636CW	**99XLED636CWE**	C	24	1800	6500	white	296	296	18	275	275	1/20	A++→A
99XLED969	**99XLED969E**	C	18	1350	4000	white	220	220	32	-	-	1/20	A++→A
99XLED970	**99XLED970E**	C	24	1800	4000	white	300	300	32	-	-	1/20	A++→A

Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: aluminium | **Light source:** SMD 2835 | **Starting time:** <0.5s | **Power factor:** 0.55 | Recessed mounted luminaire

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >10000 | INSTANT 100% | 15000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PANEL SQUARE
99LED968CW
99LED968
99LED968WW

LED PANEL SQUARE
99LED967CW
99LED967
99LED967WW

LED PANEL SQUARE OM
99LED969CW
99LED969
99LED969WW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

LED PANEL SQUARE

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Length1 (mm)	Width1 (mm)	Packing/Box (pcs)	Energy class
99LED967CW	**99LED967CWE**	C	12	890	6400	white	175	175	13	155	155	1/20	A++→A
99LED967	**99LED967E**	C	12	890	4000	white	175	175	13	155	155	1/20	A++→A
99LED967WW	**99LED967WWE**	C	12	890	2700	white	175	175	13	155	155	1/20	A++→A
99LED968CW	**99LED968CWE**	C	18	1420	6400	white	225	225	13	205	205	1/20	A++→A
99LED968	**99LED968E**	C	18	1420	4000	white	225	225	13	205	205	1/20	A++→A
99LED968WW	**99LED968WWE**	C	18	1420	2700	white	225	225	13	205	205	1/20	A++→A
99LED969CW	**99LED969CWE**	C	18	1420	6400	white	220	220	32			1/20	A++→A
99LED969	**99LED969E**	C	18	1420	4000	white	220	220	32			1/20	A++→A
99LED969WW	**99LED969WWE**	C	18	1420	2700	white	220	220	32			1/20	A++→A

Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: aluminium | **Light source:** Epistar SMD | **Starting time:** <0.5s | **Power factor:** λ>0.8

OM - surface mounted luminaire

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PANEL SQUARE
99LED635T

LED PANEL SQUARE
99LED633T
99LED633

LED PANEL SQUARE OM
99LED637T

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | **IP40**

UNTIL SUPPLY **LAST**

LED PANEL SQUARE

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Length1 (mm)	Width1 (mm)	Packing/Box (pcs)	Energy class
99LED633T	F	9	720	2700-3000	white	148	148	21	130	130	1/40	A++→A
99LED633	F	12	960	2700-3000	white	145	145	21	130	130	1/40	A++→A
99LED635T	F	18	1440	2700-3000	white	218	218	21	200	200	1/20	A++→A
99LED637T	F	18	1440	2700-3000	white	225	-	21	-	-	1/24	A++→A

Body: aluminium | **Light source:** Epistar SMD | **Starting time:** <0.5s | **Power factor:** λ>0.8

OM - surface mounted luminaire

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

LED GLASS PANEL SQUARE

99LED642
99LED643

LED GLASS PANEL SQUARE

99LED644
99LED645

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | **IP40**

LED GLASS PANELSSQUARE

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter/ Length (mm)	Height (mm)	Diameter1/ Length1 (mm)	Packing/Box (pcs)	Energy class
99LED642	**99LED642E**	C	6	480	4000	white	97	40	77	1/100	A++→A
99LED643	**99LED643E**	C	6	480	2700	white	97	40	77	1/100	A++→A
99LED644	**99LED644E**	C	18	1440	4000	white	200	40	180	1/20	A++→A
99LED645	**99LED645E**	C	18	1440	2700	white	200	40	180	1/20	A++→A

Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: aluminium | **Light source:** Epistar SMD2835 | **Starting time:** <0.5s | **Power factor:** λ>0.8

Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED GLASS PANEL ROUND

99LED638
99LED639

LED GLASS PANEL ROUND

99LED640
99LED641

LED WARM WHITE 2700K NEUTRAL WHITE 4000K **IP40**

LED GLASS PANELS ROUND

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter/ Length (mm)	Height (mm)	Diameter1/ Length1 (mm)	Packing/Box (pcs)	Energy class
99LED638	**99LED638E**	C	6	480	4000	white	100	35	60	1/100	A++→A
99LED639	**99LED639E**	C	6	480	2700	white	100	35	60	1/100	A++→A
99LED640	**99LED640E**	C	18	1440	4000	white	200	35	148	1/20	A++→A
99LED641	**99LED641E**	C	18	1440	2700	white	200	35	148	1/20	A++→A

Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: aluminium | **Light source:** Epistar SMD2835 | **Starting time:** <0.5s | **Power factor:** λ>0.8
Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

RECESSED LED CEILING LAMP ELLIS

95ELLISLEDR9/W
95ELLISLEDR18/W
95ELLISLEDR24/W

RECESSED LED CEILING LAMP ELLIS

95ELLISLEDS9/W
95ELLISLEDS18/W

LED COOL WHITE 6400K **IP20**

RECESSED LED CEILING LAMP ELLIS

Catalogue number	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter 1 (mm)	Packing/Box (pcs)	Energy class
95ELLISLEDR9/W	C	ROUND	9	760	4000	White	100	21	55-70	1/100	A++→A
95ELLISLEDS9/W	C	SQUARE	9	760	4000	White	101/101	21	55-70	1/100	A++→A
95ELLISLEDR18/W	C	ROUND	18	1520	4000	White	119	21	55-90	1/60	A++→A
95ELLISLEDS18/W	C	SQUARE	18	1520	4000	White	120/120	21	55-90	1/60	A++→A
95ELLISLEDR24/W	C	ROUND	24	2280	4000	White	168	21	55-135	1/40	A++→A

Body: Alluminium| **Reflector:** PP | **Light source:** Sanan SMD2835-MLS | **Driver isolated:** 180-265V

Easy installation due to handy clips | Recessed mounted luminaire.

~230V 50/60 Hz SMD 120° Ra≥80 >10000 INSTANT 100% 15000h Hg RoHS COMPLIANT EMC F CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

RECESSED LED FIXTURE GLOSS
95GLOSS24

RECESSED LED FIXTURE BRILLIANCE
95BRILLIANCE24

LED | COOL WHITE 6400K | **IP20**

UNTIL SUPPLY **LAST**

RECESSED LED FIXTURE GLOSS / BRILLIANCE

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter 1 (mm)	Packing/Box (pcs)	Energy class
95GLOSS24	F	24	1800	6500	White	220	20	205	1/20	A++→A
95BRILLIANCE24	F	24	1800	6500	White	220	20	205	1/20	A++→A

Gloss

Brilliance

Clips

Body: Alluminium| **Reflector:** policarbonate (pc) | **Light source:** Sanan SMD2835 | **Starting time:** <0.5s

Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD 2835 | 110° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 20 | RoHS COMPLIANT | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

IVOR
95IVOR22LED

ASIA
95ASIA24LED

LED NEUTRAL WHITE 4000K **IP40**

CEILING LAMPS IVOR/ ASIA

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95IVOR22LED	C	22	1800	4000	Black+gold	400	100	1/1	A++→A
95ASIA24LED	C	24	2200	4000	Chrome	350	55	1/1	A++→A

Body: Metal | **Surface mounted luminaire**

~230V · 50/60 Hz · SMD · 160° · Ra>80 · 30000h · Hg · RoHS COMPLIANT · EMC · F · CE · 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

NEOS
95NEOS18LED

REGO
95REGO18LED

LED IP40 DIMMABLE

CEILING LAMPS REGO / NEOS WITH REMOTE CONTROL

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95REGO18LED	C	18	1260	CCT - adjustable	White	410	90	1/5	A++→A
95NEOS18LED	C	18	2160	CCT - adjustable	White &Chrome	380	50	1/5	A++→A

Body: Metal and plastic | **Surface mounted luminaire** | **Beam angle:** Rego- 130°; Neos- 120° | **LED chip:** Rego- SANAN 5730; Neos- SANAN 2835 with LENS

~230V 50/60 Hz SMD Ra>80 30000h Hg RoHS EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LUCE
95LUCE24LED
95LUCE36LED

SELENA
95SELENA18LED

LED IP40 DIMMABLE

CEILING LAMPS SELENA / LUCE WITH REMOTE CONTROL

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95SELENA18LED	C	18	1170	CCT - adjustable	Chrome	400	60	1/5	A++→A
95LUCE24LED	C	24	1480	CCT - adjustable	Chrome	410	70	1/5	A++→A
95LUCE36LED	C	36	2150	CCT - adjustable	Chrome	510	80	1/5	A++→A

Body: Metal | **Surface mounted luminaire** | **Beam angle:** Luce- 130°; Selena- 120° | **LED chip:** Luce- SANAN 2835 with LENS; Selena- SANAN 5730

~230V 50/60 Hz SMD Ra>80 30000h Hg RoHS EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SHELLY
95SHELLY18LED/WH

SHELLY
95SHELLY18LED/GR

IP40 DIMMABLE

CEILING LAMPS SHELLY WITH REMOTE CONTROL

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95SHELLY18LED/WH	C	18	2160	CCT - adjustable	White	400	60	1/5	A++→A
95SHELLY18LED/GR	C	18	2160	CCT - adjustable	Black	400	60	1/5	A++→A

Body: Metal | **Surface mounted luminaire** | **Beam angle:** 120° | **LED chip:** SANAN 2835 with LENS

~230V 50/60 Hz SMD Ra>80 30000h Hg RoHS EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

CEILING LAMPS NIGHT SKY WITH REMOTE CONTROL

95NIGHTSKY60LED

LED IP40 DIMMABLE

CEILING LAMPS NIGHT SKY WITH REMOTE CONTROL

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95NIGHTSKY60LED	C	60	4800	CCT - ADJUSTABLE	Chrome	400	40	1/1	A++→A

Body: Steel | **Diffuser:** PMMA | **LED chip:** 2835 SMD SANAN | **Surface mounted luminaire**

~230V 50/60 Hz SMD Ra>80 30000h Hg RoHS EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ASTRA
95ASTRA24LED

LED NEUTRAL WHITE 4000K **IP40**

CEILING LAMPS ASTRA

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95ASTRA24LED	C	24	1440	4000	Chrome	410	90	1/1	A++→A

Body: Metal | **Surface mounted luminaire**

~230V | 50/60 Hz | SMD | 160° | Ra>80 | 30000h | Hg | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

NEIL
95NEIL14LED/WH

MALIA
95MALIA12LED/WH

MALIA
95MALIA24LED/BL

NEUTRAL WHITE 4000K **IP20**

LED FIXTURES NEIL/ MALIA

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length/ Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95NEIL14LED/WH	C	14	770	4200	white	240		60	1/30	A++→A
95MALIA12LED/WH	C	12	660	4200	white	120	130		1/30	A++→A
95MALIA12LED/BL	C	12	660	4200	black	120	130		1/30	A++→A
95MALIA24LED/WH	C	24	1320	4200	white	265	130	100	1/20	A++→A
95MALIA24LED/BL	C	24	1320	4200	black	265	130	100	1/20	A++→A

Body: Aluminium & acrylic | **Light source:** SANAN SMD2835 | **Flicker free** | **Driver:** isolated IC

~230V | 50/60 Hz | SMD | Ra>80 | 30000h | Hg | RoHS | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DONUT
95DONUT20LED

DONUT
95DONUT32LED

LED NEUTRAL WHITE 4000K **IP20**

ROUND CEILING LAMP DONUT

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95DONUT20LED	C	20	1300	4000	white	285	80	1	A++→A
95DONUT32LED	C	32	2000	4000	white	385	95	1	A++→A

Body: Metal+ MS | **Light source:** Nationstar SMD 2835 | **Surface mounted luminaire** | **Beam angle:** 120°

~230V 50/60 Hz SMD Ra>80 30000h Hg RoHS EMC CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

AMY SUPER SLIM
95AMYLEDS12/W

AMY SUPER SLIM
95AMYLEDS18/W

AMY SUPER SLIM
95AMYLEDS24/W

LED COOL WHITE 6400K **IP20**

AMY SUPER SLIM

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter 1 (mm)	Packing/Box (pcs)	Energy class
95AMYLEDS12/W	C	12	960	4000	White	276	276	55	1/100	A++→A
95AMYLEDS18/W	C	18	1440	4000	White	330	330	57	1/200	A++→A
95AMYLEDS24/W	C	24	1920	4000	White	375	375	60	1/200	A++→A

Body: Steel| **Reflector:** PMMA | Light source: Sanan SMD2835-Sanan | **Driver isolated:** 180-265V

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >10000 | INSTANT 100% | 15000h | Hg | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

TRACY SUPER SLIM

95TRACYLEDS20
95TRACYLEDS32

TRACY SUPER SLIM

95TRACYLED20
95TRACYLED32
95TRACYLED42

LED NEUTRAL WHITE 4000K **IP20**

TRACY SUPER SLIM

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	IP code	Length/Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95TRACYLED20	C	20	1400	4000	white	20	290	-	65	1/10	A++→A
95TRACYLED32	C	32	2400	4000	white	20	390	-	65	1/10	A++→A
95TRACYLED42	C	42	2950	4000	white	20	480	-	65	1/10	A++→A
95TRACYLEDS20	C	20	1400	4000	white	20	280	280	60	1/10	A++→A
95TRACYLEDS32	C	32	2400	4000	white	20	330	330	65	1/10	A++→A

Material: Metal bottom and MS cover | **LED driver:** mounted in the body | **Light source:** 2835 SMD

~230V 50/60 Hz SMD Ra>80 30000h Hg RoHS EMC 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LITE
95LITE12LED
95LITE24LED

SENSOR LIGHT
99DS401

SHINE
95SHINE16LED

SHINE
95SHINE36LED

LED NEUTRAL WHITE 4000K **IP40**

LITE / SHINE

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	IP code	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95LITE12LED	C	12	960	4000	white	40	250	250	100	1/20	A++→A
95LITE24LED	C	24	1920	4000	white	40	350	350	100	1/10	A++→A
99DS401	C	12	800	4000	white	40	290	290	80	1/10	A++→A
95SHINE16LED	C	16	1040	4000	white	40	330	330	107	1/10	A++→A
95SHINE36LED	C	36	2340	4000	white	40	480	480	115	1/5	A++→A

detail SHINE 16W / 36W

Body: polycarbonate | **LED driver:** mounted in the body | **Light source:** EPISTAR
95DS401 - Detection Distance: max. 6m (<24°), Time Delay: 10 sec ± 3 sec to 3 min ± 30 sec (adjustable), Ambient Light: < 3-2000LUX

~230V | 50/60 Hz | SMD | Ra>80 | 30000h | Hg | RoHS | EMC | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED WALL LIGHT
95LIGHTS6

LED WALL LIGHT
95LIGHTB6
95LIGHTB12

NEUTRAL WHITE 4000K **IP20**

LED WALL LIGHT

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95LIGHTS6	C	6W	480	4000	white	140	70	1/20	A++→A
95LIGHTB6	F*	6W	480	4000	white	135	45	1/36	A++→A
95LIGHTB12	F*	12W	960	4000	white	180	45	1/24	A++→A

95LIGHTS6

95LIGHTS6

95LIGHTB6 / 95LIGHTB12

95LIGHTB6 / 95LIGHTB12


95LIGHTB6 / 95LIGHTB12

Body material: Aluminium | **Light source:** 95LIGHTS6 - Epistar COB, 95LIGHTB6 & 95LIGHTB12 - Epistar SMD2835

* Until Supply Last

~230V 50/60 Hz Ra>80 30000h Hg RoHS EMC CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED WALL LIGHT
ROUND IP54
White / Black / Grey

LED WALL LIGHT
SQUARE IP54
White / Black / Grey

LED WALL LIGHT
ROUNDED IP65
White / Black / Grey

LED NEUTRAL WHITE 4000K **IP54** **IP65**

LED WALL LIGHT

Catalogue number	Product category	Watt (W)	Type	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
969LED100R/WH	C	2X5W	Round	900	4000	white	130	110	100	1/12	A++→A
969LED100R/BL	C	2X5W	Round	900	4000	black	130	110	100	1/12	A++→A
969LED100R/GR	C	2X5W	Round	900	4000	grey	130	110	100	1/12	A++→A
969LED100S/WH	C	2X5W	Square	900	4000	white	100	100	100	1/10	A++→A
969LED100S/BL	C	2X5W	Square	900	4000	black	100	100	100	1/10	A++→A
969LED100S/GR	C	2X5W	Square	900	4000	grey	100	100	100	1/10	A++→A
969LEDW12/WH	C	**2X6W**	Rounded	1080	4000	white	175	28	90	1/40	A++→A
969LEDW12/BL	C	**2X6W**	Rounded	1080	4000	black	175	28	90	1/40	A++→A
969LEDW12/GR	C	**2X6W**	Rounded	1080	4000	grey	175	28	90	1/40	A++→A

Body material: Aluminium | **Diffuser:** Glass | **Light source 969led100:** Epistar LED COB **Light source 969LEDW12:** Epistar SMD2835

~230V 50/60 Hz Ra>80 30000h Hg RoHS EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

CABINET LAMP WITH SENSOR
99DS408

LED NIGHT LAMP WITH USB
99USB2

CABINET HINGE LED LIGHT
9HINGE2

LED NEUTRAL WHITE 4000K **IP20**

CABINET LAMP WITH SENSOR / LED NIGHT LAMP WITH USB

Catalogue number	Product category	Watt (W)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99DS408	C	1.5	4000	white	88	26	1/50	A++→A
99USB2	C	0.5	4000	white	90	61	1/64	A++→A
9HINGE2	C	2	-	grey	20	48	1/300	A++→A

High-quality ABS material, environmental-friendly, sturdy and durable to use. Easy to install and convenient to use| Operated by 12V 23A battery (Not included) | When opening the cabinet,lamp will turns on automatically. When closing the cabinet, the light turns off

CABINET LAMP WITH SENSOR - **Mode:** ON/OF & auto | **Battery:** 3 X AAA | **Sensor distance:** max. 4m | **Duration:** 30s | **Sensors:** PIR sensor- workt when light intensity is less than 10lx

LED NIGHT LAMP with USB - **Mode:** ON/OF & auto | **Sensors:** PIR sensor- workt when light intensity is less than 10lx

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DOWNLIGHT

ELR627
92627/W

ELR627
92627/SN

IP44

ELR627 - BATHROOM, IP44

Catalogue number	Product category	Model	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
92627/W	C	ELR627	90	33	60	white	1/100	A++→E
92627/SN	C	ELR627	90	33	60	satin nickel	1/100	A++→E

Body: steel | **Diffuser:** glass

~230V | 12V | 50/60 Hz | max. 50W | IP 44 | RoHS COMPLIANT | III | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ELR627
92627/CH

ELR627
92627/AB

IP44

ELR627 - BATHROOM, IP44

Catalogue number	Product category	Model	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
92627/CH	C	ELR627	90	33	60	chrome	1/100	A++→E
92627/AB	C	ELR627	90	33	60	antique brass	1/100	A++→E

Body: steel | **Diffuser:** glass

~230V | 12V | 50/60 Hz | max. 50W | IP 44 | RoHS COMPLIANT | III | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SA-044
92044/G

SA-144
92144/RAB

IP44

UNTIL SUPPLY LAST

SA

Catalogue number	Product category	Model	Diameter (mm)	Length (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
92044/G	F	SA-044	80	-	37	71	gold	1/50	A++→E
92144/RAB	F	SA-144	-	85	48	72	red antique brass	1/50	A++→E

Body: steel | **Diffuser:** glass | **Ring:** aluminium alloy
With the purchase of additional lampholder GU10, spotlights can be used with 230V GU10 lamps.

12V | 50/60 Hz | MR-16 | GU5.3 | max. 50W | IP 20 IP 44 | RoHS COMPLIANT | F | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

CR-776
925776R/GD

CR-776
925776S/GD

IP20

UNTIL SUPPLY LAST

CR-776

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Cutting hole (mm)	Packing/Box (pcs)	Energy class
925776R/GD	F	Spotlight	Chrome and gold	90	-	25	60	1/50	A++→E
925776S/GD	F	Spotlight	Chrome and gold	90	90	25	60	1/50	A++→E

Material: Aluminium with glass and crystal, **Lamps Not Included**
*Untyl Supply Last

12V | MR-16 | GU5.3 | max. 50W | RoHS COMPLIANT | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

ELMARK

www.elmarkholding.eu

CR-773

925773R/CL

CR-773

925773S/CL

IP20

CR-773

Catalogue number	Product category	Width/ Diameter (mm)	Length (mm)	Height (mm)	Cutting hole (mm)	Packing/ Box (pcs)	Energy class
925773R/CL	C	100	-	50	60	1/50	A++→E
925773S/CL	C	105	105	50	60	1/50	A++→E

Material: Stainless steel with crystal, **Lamps Not Included**

12V | MR-16 | GU5.3 | max. 50W | RoHS COMPLIANT | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY



ELMARK

www.elmarkholding.eu

CR-771

925P771R/CL

CR-772

925772S/CL

CR-772

925772S/CF

IP20

CR-771 / CR-772

Catalogue number	Product category	Watt (W)	Diameter (mm)	Height (mm)	Cutting hole (mm)	Colour temp. (K)	Packing/ Box (pcs)	Energy class
925P771R/CL	C	3	95	22	60	4000K	1/50	A++→A
925772S/CL	C	3	100	22	60	4000K	1/50	A++→A
925772S/CF	C	3	100	22	60	4000K	1/50	A++→A

Material: Aluminium & polyester with decorative LED lighting 150lm, **Lamps Not Included,** 3W Driver for LED ring included

12V MR-16 LED GU5.3 RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

ELMARK

www.elmarkholding.eu

CR-774

925774S/CL



CR-775

925775S/CL

IP20

CR-774 / CR-775

Catalogue number	Product category	Watt (W)	Diameter (mm)	Height (mm)	Cutting hole (mm)	Colour temp. (K)	Packing/ Box (pcs)	Energy class
925774S/CL	C	3	100	22	60	4000	1/50	A++→A
925775S/CL	C	3	100	22	60	4000	1/50	A++→A

Material: Aluminium & polyester with decorative LED lighting 150lm, **Lamps Not Included,** 3W Driver for LED ring included

12V MR-16 LED GU53 RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

CR-777
925777R/BK

CR-777
925777S/BK

CR-778
925778R/CL

CR-778
925778S/CL

IP20

CR-777 / CR-778

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Cutting hole (mm)	Packing/Box (pcs)	Energy class
925777R/BK	C	Spotlight	Chrome and black	90	-	22	60	1/50	A++→E
925777S/BK	C	Spotlight	Chrome and black	90	90	22	60	1/50	A++→E
925778R/CL	C	Spotlight	Chrome and clear	90	-	32	60	1/50	A++→E
925778S/CL	C	Spotlight	Chrome and clear	90	90	32	60	1/50	A++→E

Material: Aluminium with glass, **Lamps Not Included**

12V | MR-16 | GU5.3 | max. 50W | RoHS COMPLIANT | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SA-045
92045R1/WHFR

SA-045
92045S1/WHFR

SA-045
92045R1/BLFR

SA-045
92045S1/BLFR

IP20

SA-045

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Cutting hole (mm)	Packing/Box (pcs)	Energy class
92045R1/WHFR	C	Downlight	white	98		45	70	1/50	A++→E
92045R1/BLFR	C	Downlight	black	98		45	70	1/50	A++→E
92045S1/WHFR	C	Downlight	white	92	92	45	70	1/50	A++→E
92045S1/BLFR	C	Downlight	black	92	92	45	70	1/50	A++→E

Material: Aluminium with acrylic, **Lamps Not Included. LED bulb only**

12V MR-16 GU5.3 RoHS CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SA-045
92045S2/WHFR

SA-045
92045S3/WHFR

SA-045
92045S4/WHFR

IP20

SA-045

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Cutting hole (mm)	Packing/Box (pcs)	Energy class
92045S2/WHFR	C	Downlight	white	92	182	45	165x70	1/50	A+→E
92045S3/WHFR	C	Downlight	white	95	275	45	240x70	1/20	A+→E
92045S4/WHFR	C	Downlight	white	180	180	45	150x150	1/20	A+→E

Material: Aluminium with acrylic, **Lamps Not Included. LED bulb only**

12V MR-16 GU5.3 RoHS CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SA-045
92045S2/BLFR

SA-045
92045S3/BLFR

SA-045
92045S4/BLFR

IP20

SA-045

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Cutting hole (mm)	Packing/Box (pcs)	Energy class
92045S2/BLFR	C	Downlight	black	92	182	45	165x70	1/50	A++→E
92045S3/BLFR	C	Downlight	black	95	275	45	240x70	1/20	A++→E
92045S4/BLFR	C	Downlight	black	180	180	45	150x150	1/20	A++→E

Material: Aluminium with acrylic, Lamps Not Included. LED bulb only

12V MR-16 GU5.3 RoHS CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

92GDL05R
92GDL09R

92GDL11R

92GDL06S
92GDL10S

92GDL06SGL

92GDL13S

92GDL14LEDS

IP20

GYPSUM DOWNLIGHTS

Catalogue number	Product category	Model	Lamp holder	Diameter/ Length (mm)	Diameter 1 (mm)	Width (mm)	Height (mm)	Colour body	Packing/Box (pcs)	Energy class
92GDL05R	C	round	GU10	100	90	-	40	white	1/20	A++→E
92GDL09R	C	round	GU10	128	108	-	43	white	1/20	A++→E
92GDL11R	C	round	GU10	131	116	-	72	white	1/20	A++→E
92GDL06S	C	square	GU10	122	107/107	122	57	white	1/20	A++→E
92GDL10S	C	square	GU10	122	107/107	122	60	white	1/20	A++→E
92GDL06SGL	C	square with diffuser	GU10	120	100/100	120	56	white	1/20	A++→E
92GDL13S	C	square	GU10	120	100/100	120	58	white	1/20	A++→E
92GDL14LEDS	C	square	LED CREE 1W	142	-	170	50	white	1/20	A++→E

92GDL06S

92GDL14LEDS: 70 lm/4000K/Beam angle 30°

Material: Plaster | Lamp not included
With the purchase of additional lampholder GU10/G9, spotlights can be used with 230V GU10/G9 lamps.

~230V | 50/60 Hz | max. 20W | IP 20 | RoHS | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

92GDL08W



92GDL07W

92GDL12W

92GDL15W

IP20

GYPSUM WALL FUXTURES

Catalogue number	Product category	Model	Lamp holder	Diameter/ Length (mm)	Width (mm)	Height (mm)	Colour body	Packing/Box (pcs)	Energy class
92GDL07W	C	square	G9	75	100	100	white	1/20	A++→E
92GDL08W	C	round	G9	70	100	100	white	1/20	A++→E
92GDL12W	C	round	G9	100	180	90	white	1/20	A++→E
92GDL15W	C	round	E27	300	165	120	white	1/12	A++→E

92GDL07W 92GDL08W 92GDL12W

Material: Plaster | Lamp not included
With the purchase of additional lampholder GU10/G9, spotlights can be used with 230V GU10/G9 lamps.

~230V | 50/60 Hz | max. 20W | IP 20 | RoHS | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



BOUTIQUES MINI LED DOWNLIGHTS
99JR1201WW/SN
99JR1201CW/SN

BOUTIQUES MINI LED DOWNLIGHTS
99JR1202WW/GL
99JR1202CW/GL



BOUTIQUES MINI LED DOWNLIGHTS
99JR1203WW/WH
99JR1203CW/WH

LED | WARM WHITE 2700K | COOL WHITE 6400K | IP20 | 12V DC

UNTIL SUPPLY LAST

BOUTIQUES MINI LED DOWNLIGHTS

Catalogue number	Product category	Wattage (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Colour body	Body material	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/Box (pcs)	Energy class
99JR1201WW/SN	F	3	150	2700-3000	30°	satin nickel	aluminium	48	22	32	1/100	A+
99JR1201CW/SN	F	3	150	6000-6400	30°	satin nickel	aluminium	48	22	32	1/100	A+
99JR1202WW/GL	F	3	150	2700-3000	30°	transparent	PMMA+ aluminium	45	41	32	1/100	A+
99JR1202CW/GL	F	3	150	6000-6400	30°	transparent	PMMA+ aluminium	45	41	32	1/100	A+
99JR1203WW/WH	F	3	150	2700-3000	30°	white	aluminium	50	43	32	1/100	A+
99JR1203CW/WH	F	3	150	6000-6400	30°	white	aluminium	50	43	32	1/100	A+



Residences, Jewelry, Showrooms, Hotels & Boutiques etc.
Light source: LED COB
Easy installation due to handy clips.

12V DC | 50/60 Hz | COB | Ra>80 | >15000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SA-71
9271/SN-CH

SA-71
9271/PCH-CH

SA-71
9271/GR-CH

SA-91
9291/SN-CH

SA-91
9291/GR-CH

SA-91
9291/PCH-CH

IP20

SA

Catalogue number	Product category	Model	Fitting	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
9271/SN-CH	C	SA-71	Fixed	78	25	58	satin nickel/chrome	1/100	A++→E
9271/PCH-CH	C	SA-71	Fixed	78	25	58	pearl chrome/chrome	1/100	A++→E
9271/GR-CH	C	SA-71	Fixed	78	25	58	graphite/chrome	1/100	A++→E
9291/SN-CH	C	SA-91	Movable	80	25	72	satin nickel/chrome	1/100	A++→E
9291/PCH-CH	C	SA-91	Movable	80	25	72	pearl chrome/chrome	1/100	A++→E
9291/GR-CH	C	SA-91	Movable	80	25	72	graphite/chrome	1/100	A++→E

Body: aluminium alloy
With the purchase of additional lampholder GU10, spotlights can be used with 230V GU10 lamps.

12V | 50/60 Hz | MR-16 | GU5.3 | max. 50W | IP 20 | RoHS COMPLIANT | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SA-70
9270/W

SA-70
9270/CH

SA-70
9270/SN

SA-70
9270/AB

SA-90
9290/W

SA-90
9290/CH

SA-90
9290/SN

SA-90
9290/AB

IP20

SA

Catalogue number	Product category	Model	Fitting	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
9270/W	C	SA-70	Fixed	78	25	58	white	1/100	A++→E
9270/CH	C	SA-70	Fixed	78	25	58	chrome	1/100	A++→E
9270/SN	C	SA-70	Fixed	78	25	58	satin nickel	1/100	A++→E
9270/AB	C	SA-70	Fixed	78	25	58	antique brass	1/100	A++→E
9290/W	C	SA-90	Movable	85	25	70	white	1/100	A++→E
9290/CH	C	SA-90	Movable	85	25	70	chrome	1/100	A++→E
9290/SN	C	SA-90	Movable	85	25	70	satin nickel	1/100	A++→E
9290/AB	C	SA-90	Movable	85	25	70	antique brass	1/100	A++→E

Body: aluminium alloy
With the purchase of additional lampholder GU10, spotlights can be used with 230V GU10 lamps.

12V | 50/60 Hz | MR-16 | GU5.3 | max. 50W | IP 20 | RoHS COMPLIANT | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SA-702
92702/CH

SA-702H
92702H/G

SA-702H
92702H/SN

IP20

UNTIL SUPPLY LAST

SA

Catalogue number	Product category	Model	Fitting	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
92702/CH	F	SA-702	Fixed	78	40	58	chrome	1/50	A++→E
92702H/SN	F	SA-702H	Movable	78	40	58	satin nickel	1/50	A++→E
92702H/G	F	SA-702H	Movable	78	40	58	gold	1/50	A++→E

Body: aluminium alloy
With the purchase of additional lampholder GU10, spotlights can be used with 230V GU10 lamps.

12V | 50/60 Hz | MR-16 | GU5.3 | max. 50W | IP 20 | RoHS COMPLIANT | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

SA-712
92712/CH

SA-712H
92712/SN



SA-712
92712/G



SA-712H
92712H/CH

SA-712H
92712H/SN

SA-712H
92712H/G

IP20

UNTIL SUPPLY LAST

SA

Catalogue number	Product category	Model	Fitting	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
92712/CH	F	SA-712	Fixed	78	40	56	chrome	1/50	A++→E
92712/SN	F	SA-712	Fixed	78	40	56	satin nickel	1/50	A++→E
92712/G	F	SA-712	Fixed	78	40	56	gold	1/50	A++→E
92712H/CH	F	SA-712H	Movable	78	40	56	chrome	1/50	A++→E
92712H/SN	F	SA-712H	Movable	78	40	56	satin nickel	1/50	A++→E
92712H/G	F	SA-712H	Movable	78	40	56	gold	1/50	A++→E

Body: aluminium alloy
With the purchase of additional lampholder GU10, spotlights can be used with 230V GU10 lamps.

12V | 50/60 Hz | MR-16 | GU5.3 | max. 50W | IP 20 | RoHS COMPLIANT | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

SA-710
9271/G

SA-910
9291/G

SIM-5
9205/G

SIM-55
9255/G

IP20

UNTIL SUPPLY LAST

SIM / SA

Catalogue number	Product category	Model	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
9205/G	F	SIM-5	70	20	56	gold	1/100	A++→E
9255/G	F	SIM-55	70	23	-	gold	1/100	A++→E
9271/G	F	SA-710	78	30	60	gold	1/100	A++→E
9291/G	F	SA-910	84	23	66	gold	1/100	A++→E

Body: aluminium alloy

12V | 50/60 Hz | JC | G4 | max. 20W | IP 20 | RoHS COMPLIANT | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

89144

89147

89151

89152

IP20

UNTIL SUPPLY LAST

PLASTIC DOWNLIGHTS

Catalogue number	Product category	Model	Diameter -Length (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
89151	F	PLM- 92W	90	32	70	white	1/1	A++→E
89152	F	PLS- 92W	90	30	70	white	1/1	A++→E
89147	F	PSQ- 92W	92/92	25	74	white	1/1	A++→E
89144	F	PLW- 92W	92/172	27	2X73	white	1/1	A++→E

Body: Plastic | **Lamp not included**

~230V | 12V | 50/60 Hz | max. 20W | IP 20 | RoHS COMPLIANT | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

89153

89145

89154

89156

89155

IP20

UNTIL SUPPLY LAST

DOWNLIGHTS

Catalogue number	Product category	Material	Model	Diameter -Length (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
89145	F	Plastic	PLQQ- 92W	93/93	30	70	white	1/1	A++→E
89153	F	Metal	MS- 92CH	85/85	26	70	chrome	1/1	
89155	F	Metal	MR- 92CH	79	33	69	chrome	1/1	
89154	F	Metal	MS- 92SN	85/85	27	70	satin nickel	1/1	
89156	F	Metal	MR- 92SN	80	30	70	satin nickel	1/1	

Lamp not included

~230V 12V 50/60 Hz max. 20W IP 20 RoHS F CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

SAS-11
9211/G

SAS-12
9212/G

SAS-12
9212/AB

IP20

UNTIL SUPPLY LAST

SAS

Catalogue number	Product category	Model	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
9211/G	F	SAS-11	32	33	25	gold	1/1	A++→E
9212/G	F	SAS-12	27	27	24	gold	1/1	A++→E
9212/AB	F	SAS-12	27	27	24	antique brass	1/1	A++→E

Body: aluminium alloy

12V | 50/60 Hz | JC | G4 | max. 20W | IP 20 | RoHS COMPLIANT | III | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

SA-914
92914WH/G
92914WW/G

SA-914
92914WH/GR
92914WW/GR



SA-913
92913WH/G
92913WW/G

SAS-14
9214WH/G
9214WW/G

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP40

UNTIL SUPPLY LAST

SAS

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/Box (pcs)	Energy class
9214WH/G	F	1	80	4000-4300	gold	60	21	50	1/100	A++>A
9214WW/G	F	1	80	2700-3000	gold	60	21	50	1/100	A++>A
92913WH/G	F	3	240	4000-4300	gold	88	40	65	1/100	A++>A
92913WW/G	F	3	240	2700-3000	gold	88	40	65	1/100	A++>A
92914WH/G	F	3	240	4000-4300	gold	90	41	70	1/100	A++>A
92914WW/G	F	3	240	2700-3000	gold	90	41	70	1/100	A++>A
92914WH/GR	F	3	240	4000-4300	graphite	90	41	70	1/100	A++>A
92914WW/GR	F	3	240	2700-3000	graphite	90	41	70	1/100	A++>A

Body: aluminium alloy | **Light source:** Epistar
LED recessed round spotlight. Easy installation due to handy clips.

~230V | 50/60 Hz | High power | 60° | Ra>80 | >15000 | INSTANT 100% | 30000h | Hg | IP 20 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

92DL840/WH

92DL1240/WH

LED NEUTRAL WHITE 4000K **IP40**

INDIRECT LED DOWNLIGHTS

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/Box (pcs)	Energy class
92DL840/WH	**92DL840/WHE**	C	8	320	4000K	white	111	35	92	1/1	A+⁺→A
92DL1240/WH	**92DL1240/WHE**	C	12	480	4000K	white	149	45	130	1/1	A+⁺→A

Body: aluminium

FRONT

BACK

Emergency kit with a possibility for work in an emergency regime more than two hours.

~230V 50/60 Hz SMD 60° Ra≥80 >20000 INSTANT 100% 30000h Hg RoHS EMC F CE 4+1 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

92FLD1530/WH
92FLD1540/WH
92FLD1565/WH

92FLD2530/WH
92FLD2540/WH
92FLD2565/WH

92FLD3530/WH
92FLD3540/WH
92FLD3565/WH

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP44**

DEEP RECESSED LED DOWNLIGHT, IP44

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/ Box (pcs)	Energy class
92FLD1530/WH	**92FLD1530/WHE**	C	15	1350	3000	white	128	70	108	1/40	A++→A
92FLD1540/WH	**92FLD1540/WHE**	C	15	1350	4000	white	128	70	108	1/40	A++→A
92FLD1565/WH	**92FLD1565/WHE**	C	15	1350	6500	white	128	70	108	1/40	A++→A
92FLD2530/WH	**92FLD2530/WHE**	C	25	2250	3000	white	183	97	165	1/20	A++→A
92FLD2540/WH	**92FLD2540/WHE**	C	25	2250	4000	white	183	97	165	1/20	A++→A
92FLD2565/WH	**92FLD2565/WHE**	C	25	2250	6500	white	183	97	165	1/20	A++→A
92FLD3530/WH	**92FLD3530/WHE**	C	35	3150	3000	white	220	100	195	1/20	A++→A
92FLD3540/WH	**92FLD3540/WHE**	C	35	3150	4000	white	220	100	195	1/20	A++→A
92FLD3565/WH	**92FLD3565/WHE**	C	35	3150	6500	white	220	100	195	1/20	A++→A

Body: aluminium | **Reflector:** plastic

FRONT

BACK

Emergency kit with a possibility for work in an emergency regime more than two hours.

~230V | 50/60 Hz | SMD | 100° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 44 | RoHS COMPLIANT | EMC | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SIM-1552

SIM-155

SIM-1553

SIM-255

IP20

UNTIL SUPPLY LAST

SIM

Catalogue number	Product category	Model	Length (mm)	Width (mm)	Height (mm)	Colour body	Packing/Box (pcs)	Energy class
92255/CH	F	SIM-255	130	130	40	chrome	1/50	A++→E
92255/AB	F	SIM-255	130	130	40	antique brass	1/50	A++→E
92255/G	F	SIM-255	130	130	40	gold	1/50	A++→E
92255K/G	F	SIM-255 with key	130	130	40	gold	1/50	A++→E
92155/CH	F	SIM-155	82	132	85	chrome	1/50	A++→E
92155/SN	F	SIM-155	82	132	85	satin nickel	1/50	A++→E
92155/AB	F	SIM-155	82	132	85	antique brass	1/50	A++→E
92155/G	F	SIM-155	82	132	85	gold	1/50	A++→E
92155K/SN	F	SIM-155 with key	82	132	85	satin nickel	1/50	A++→E
921552K/SN	F	SIM-1552 with key	450	130	80	satin nickel	1/50	A++→E
921553K/SN	F	SIM-1553 with key	600	130	80	satin nickel	1/50	A++→E

SIM-255 with key

SIM-155 with key

Body: stainless steel | **Model SIM-255K** - with switch

12V | 50/60 Hz | JC | G4 | max. 20W | IP 20 | RoHS | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

GL 222

GL 221

GL FILM

RDL60COB

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP40

UNTIL SUPPLY LAST

GL

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/ Box (pcs)	Energy class
92LED221WW	F	GL 221	12X1W	960	2700-3000	aluminium	135	66	120	1/20	A++→A
92LED222WW	F	GL 222	18X1W	1260	2700-3000	aluminium	160	95	145	1/12	A++→A
92LED215WH	F	GL FILM	5	375	4000-5000	white	125	70	110	1/20	A++→A
92LED215WW	F	GL FILM	5	375	2700-3000	white	125	70	110	1/20	A++→A
92LED216WH	F	GL FILM	10	750	4000-5000	white	165	70	140	1/20	A++→A
92DL62040	F	RDL 60 COB	20	1800	4000-4300	white	140	97	120	1/12	A++→A

Body: aluminium | **Diffuser:** glass | **Light source:** Epistar
Power factor: λ>0.9 | **Starting time:** <0.5s | LED recessed round downlight COB. Easy installation due to handy clips.

~230V | 50/60 Hz | COB | 90° | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

GL 201E
satin nickel / white

GL 202E
satin nickel / white

GL 203E
satin nickel / white

GL205E
satin nickel / white

GL 204E
satin nickel / white

GL103E
satin nickel / white

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP44

UNTIL SUPPLY LAST

DOWNLIGHT SET WITH LED STICK LAMPS

Catalogue number 4000K	Catalogue number 2700K	Product category	Type	Watt (W)	LED lamp lumens (lm)	Socket type	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/ Box (pcs)	Energy class
92201LEDW/SN	**92201LEDWW/SN**	F	GL201E	2X9	2x750	E27	satin nickel	226	110	210	1/12	A+ A++→A
92201LEDW/W	**92201LEDWW/W**	F	GL201E	2X9	2x750	E27	white	226	110	210	1/12	A+ A++→A
92202LEDW/SN	**92202LEDWW/SN**	F	GL202E	2X9	2x750	E27	satin nickel	226	110	210	1/12	A+ A++→A
92202LEDW/W	**92202LEDWW/W**	F	GL202E	2X9	2x750	E27	white	226	110	210	1/12	A+ A++→A
92203LEDW/SN	**92203LEDWW/SN**	F	GL203E	2X9	2x750	E27	satin nickel	235	110	210	1/12	A+ A++→A
92203LEDW/W	**92203LEDWW/W**	F	GL203E	2X9	2x750	E27	white	235	110	210	1/12	A+ A++→A
92204LEDW/SN	**92204LEDWW/SN**	F	GL204E	2X9	2x750	E27	satin nickel	230	110	210	1/12	A+ A++→A
92204LEDW/W	**92204LEDWW/W**	F	GL204E	2X9	2x750	E27	white	230	110	210	1/12	A+ A++→A
92205LEDW/SN	**92205LEDWW/SN**	F	GL205E	2X9	2x750	E27	satin nickel	225	110	210	1/12	A+ A++→A
92205LEDW/W	**92205LEDWW/W**	F	GL205E	2X9	2x750	E27	white	225	110	210	1/12	A+ A++→A
92103LEDW/TCH	**92103LEDWW/TCH**	F	GL103E	2X9	2x750	E27	satin nickel	190	100	170	1/12	A+ A++→A
92103LEDW/W	**92103LEDWW/W**	F	GL103E	2X9	2x750	E27	white	190	100	170	1/12	A+ A++→A

Downlight

LED STICKS LAMP

LED STICKS LAMP

White

Satin nickel

~230V | 50/60 Hz | Ra≥80 | >20000 | INSTANT 100% | 30000h | IP 44 | RoHS | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

GL 206E
satin nickel / white

GL 210E
satin nickel / white

GL 213E
satin nickel / white

GL 214E
satin nickel / white

GL 211E
satin nickel / white

GL 120E
satin nickel / white

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP44

UNTIL SUPPLY LAST

DOWNLIGHT SET WITH LED STICK LAMPS

Catalogue number 4000K	Catalogue number 2700K	Product category	Type	Watt (W)	LED lamp lumens (lm)	Socket type	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/ Box (pcs)	Energy class
92206LEDW/GH	**92206LEDWW/GH**	F	GL206E	2X9	2x750	E27	graphite/chrome	225	110	210	1/12	A+ A++→A
92206LEDW/SH	**92206LEDWW/SH**	F	GL206E	2X9	2x750	E27	satin nickel/chrome	225	110	210	1/12	A+ A++→A
92210LEDW/SN	**92210LEDWW/SN**	F	GL210E	2X9	2x750	E27	satin nickel	228	110	210	1/12	A+ A++→A
92210LEDW/W	**92210LEDWW/W**	F	GL210E	2X9	2x750	E27	white	228	110	210	1/12	A+ A++→A
92211LEDW/SN	**92211LEDWW/SN**	F	GL211E	2X9	2x750	E27	white	230	110	210	1/12	A+ A++→A
92211LEDW/W	**92211LEDWW/W**	F	GL211E	2X9	2x750	E27	satin nickel	230	110	210	1/12	A+ A++→A
92213LEDW/SN	**92213LEDWW/SN**	F	GL213E*	2X9	2x750	E27	satin nickel	266	65	-	1/12	A+ A++→A
92213LEDW/W	**92213LEDWW/W**	F	GL213E*	2X9	2x750	E27	white	266	65	-	1/12	A+ A++→A
92214LEDW/SN	**92214LEDWW/SN**	F	GL214E*	2X9	2x750	E27	satin nickel	240	60	-	1/12	A+ A++→A
92214LEDW/W	**92214LEDWW/W**	F	GL214E*	2X9	2x750	E27	white	240	60	-	1/12	A+ A++→A
92120LED6W/TCH	**92120LED6WW/TCH**	F	GL120E	1X9	750	E27	satin nickel	190	200	170	1/12	A+ A++→A
92120LED6W/W	**92120LED6WW/W**	F	GL120E	1X9	750	E27	white	190	200	170	1/12	A+ A++→A
92120LED4W/TCH	**92120LED4WW/TCH**	F	GL120E	1X9	750	E27	satin nickel	140	160	120	1/12	A+ A++→A
92120LED4W/W	**92120LED4WW/W**	F	GL120E	1X9	750	E27	white	140	160	120	1/12	A+ A++→A

Downlight

LED STICKS LAMP

LED STICKS LAMP

White

Satin nickel

*surface mounting

~230V | 50/60 Hz | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 44 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

QUAD612
92Q61240WH
92Q61227WH
92Q61240DGR
92Q61227DGR

QUAD312
92Q31240WH
92Q31227WH

QUAD412
92Q41240WH
92Q41227WH
92Q41240DGR
92Q41227DGR

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20

UNTIL SUPPLY LAST

QUAD

Catalogue number	Product category	Watt	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
92Q31240WH	F	3X15W	3825	4000K	white	490	192	143		A+ A++→A
92Q31227WH	F	3X15W	3825	2700K	white	490	192	143		A+ A++→A
92Q41240WH	F	4X15W	5100	4000K	white	342	342	160		A+ A++→A
92Q41227WH	F	4X15W	5100	2700K	white	342	342	160		A+ A++→A
92Q41240DGR	F	4X15W	5100	4000K	dark grey	342	342	160		A+ A++→A
92Q41227DGR	F	4X15W	5100	2700K	dark grey	342	342	160		A+ A++→A
92Q61240WH	F	6X15W	7650	4000K	white	490	340	140		A+ A++→A
92Q61227WH	F	6X15W	7650	2700K	white	490	340	140		A+ A++→A
92Q61240DGR	F	6X15W	7650	4000K	dark grey	490	340	140		A+ A++→A
92Q61227DGR	F	6X15W	7650	2700K	dark grey	490	340	140		A+ A++→A

white

dark grey

Body: aluminium | **Light source:** LED lamp PAR30 LED recessed downlight. Easy installation due to handy clips.

~230V | 50/60 Hz | LED PAR30 | E27 | 38° | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 20 | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

SKY TLOM

SKY TLR

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

UNTIL SUPPLY **LAST**

SKY TLR / SKY TLOM

Catalogue number WHITE	Catalogue number BLACK	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Body material	Diameter (mm)	Height (mm)	Beam angle	Packing/Box (pcs)	Energy class
	93TLOM180W/BL	**93TLOM180W/GR**	F	20	1800	4000	aluminium	130	98	24°	1/24	A++→A
93TLOM180WW/WH		**93TLOM180WW/GR**	F	20	1800	2700	aluminium	130	98	24°	1/24	A++→A
93TLOM180CW/WH	**93TLOM180CW/BL**	**93TLOM180CW/GR**	F	20	1800	6400	aluminium	130	98	24°	1/24	A++→A
93TLOM190W/WH	**93TLOM190W/BL**	**93TLOM190W/GR**	F	30	2700	4000	aluminium	163	145	24°	1/12	A++→A
93TLOM190WW/WH		**93TLOM190WW/GR**	F	30	2700	2700	aluminium	163	145	24°	1/12	A++→A
93TLOM190CW/WH	**93TLOM190CW/BL**	**93TLOM190CW/GR**	F	30	2700	6400	aluminium	163	145	24°	1/12	A++→A
93TLR503W/WH			F	10	900	4000	aluminium	142	105	24°	1/12	A++→A
93TLR503CW/WH	**93TLR503CW/BL**	**93TLR503CW/GR**	F	10	900	6400	aluminium	142	105	24°	1/12	A++→A
93TLR504W/WH		**93TLR504W/GR**	F	15	1350	4000	aluminium	142	105	24°	1/12	A++→A
93TLR504WW/WH		**93TLR504WW/GR**	F	15	1350	2700	aluminium	142	105	24°	1/12	A++→A
93TLR504CW/WH	**93TLR504CW/BL**	**93TLR504CW/GR**	F	15	1350	6400	aluminium	142	105	24°	1/12	A++→A

SKY TLOM

SKY TLOM

SKY TLR

SKY TLR

white colour

black colour

grey colour

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DL-044 SQUARE
92DL044S1/BL

DL-044 SQUARE
92DL044S1/BLWH

DL-044 SQUARE
92DL044S1/GDWH

DL-044 SQUARE
92DL044S1/GDBL

IP20

DL-044 SQUARE

Catalogue number	Product category	Description	Colour	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
92DL044S1/BL	C	Downlight	black	110	110	110	1/30	A++→E
92DL044S1/BLWH	C	Downlight	black & white	110	110	110	1/30	A++→E
92DL044S1/GDWH	C	Downlight	gold & white	110	110	110	1/30	A++→E
92DL044S1/GDBL	C	Downlight	gold & black	110	110	110	1/30	A++→E

Body: Aluminium | **Lamps Not Included** | **Lamp holder:** GU10

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DL-044 SQUARE
92DL044S2/BL

DL-044 SQUARE
92DL044S2/BLWH

DL-044 SQUARE
92DL044S2/GDWH



DL-044 SQUARE
92DL044S2/GDBL

IP20

DL-044 SQUARE

Catalogue number	Product category	Description	Colour	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
92DL044S2/BL	C	Downlight	black	210	110	110	1/10	A++→E
92DL044S2/BLWH	C	Downlight	black & white	210	110	110	1/10	A++→E
92DL044S2/GDWH	C	Downlight	gold & white	210	110	110	1/10	A++→E
92DL044S2/GDBL	C	Downlight	gold & black	210	110	110	1/10	A++→E

Body: Aluminium | **Lamps Not Included** | **Lamp holder:** GU10

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DL-044 ROUND
92DL044R1/WH

DL-044 ROUND
92DL044R1/BL

IP20

DL-044 ROUND

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
92DL044R1/WH	C	Downlight	white	100	125	1/20	A++→E
92DL044R1/BL	C	Downlight	black	100	125	1/20	A++→E

Body: Aluminium | **Lamps Not Included** | **Lamp holder:** GU10

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

FLCOM COB
White

FLCOM COB
Black

LED NEUTRAL WHITE 4000K **IP44**

FLCOM COB

Catalogue number WHITE	Catalogue number BLACK	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
92FLCOM1040/WH	**92FLCOM1040/BL**	C	10	800	4000	90	90	1/8	A++→A
92FLCOM2040/WH	**92FLCOM2040/BL**	C	20	1600	4000	110	125	1/8	A++→A
92FLCOM3040/WH	**92FLCOM3040/BL**	C	30	2400	4000	130	155	1/8	A++→A
92FLCOM4040/WH	**92FLCOM4040/BL**	C	40	3200	4000	170	185	1/8	A++→A

Voltage: 85-265V AC| **Body:** Aluminium | **Beam angle:** 60°| **Mounting:** surface

~230V | 50/60 Hz | COB | 60° | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

RECESED FIXTURES GLOM 222
92GLOM222WW

RDLOMCOB
92DLOM1040/S
92DLOM1027/S

RDLOMCOB
92DLOM2040/S
92DLOM2027/S

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP40

UNTIL SUPPLY LAST

RDLOMCOB / RECESED FIXTURES GLOM

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Length (mm)	Packing/Box (pcs)	Energy class
92DLOM1040/S	F	10	800	4000-4300	silver	95	70	1/24	A++→A
92DLOM1027/S	F	10	800	2700-3000	silver	95	70	1/24	A++→A
92DLOM2040/S	F	20	1600	4000-4300	silver	95	110	1/12	A++→A
92DLOM2027/S	F	20	1600	2700-3000	silver	95	110	1/12	A++→A
92GLOM222WW	F	18X1	1260	2700-3000K		165	115	1/1	A++→A





Body: aluminium | **Light source:** Epistar | **Power factor:** λ>0.9 | **Starting time:** <0.5s
LED surface round downlight COB.

~230V | 50/60 Hz | COB | 60° | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

FRANCA 90
96FRANCA90/GR

FRANCA 90
96FRANCA90/BL

LED IP55 Resin

FRANCA

Catalogue number BLACK body	Product category	Description	Colour	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96FRANCA90/BL	C	Ceiling fixtures	black	3.5	400	4000	95	115	1xGU10	1/30	A+ A++→A
96FRANCA90/GR	C	Ceiling fixtures	gray	3.5	400	4000	95	115	1xGU10	1/30	A+ A++→A

Body material: Resin| UV resistant | Lamp included

The product is accomplished with a LED bulb which parameters are noted in the chart. If you need any other color temperature or power, we suggest you to purchase the variants compatible to this fixtures separately as follows:

99XLED727 GU10 LED SMD 3.5W 4000K | **99XLED728** GU10 LED SMD 3.5W 2700K | **99XLED731** GU10 LED SMD 3.5W 6400K

99LED729 GU10 LED SMD 6.5W 4000K | **99LED730** GU10 LED SMD 6.5W 2700K | **99LED796** GU10 LED SMD 6.5W 6400K

~230V 50/60 Hz 1.5mm² RoHS 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 60 days.

TRACK LIGHTING

NOT FOLDING LED FLOODLIGHT, MINI SERIES

93MFL2230/BL
93MFL2240/BL

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20 | Ra≥85 | 48V DC

FOUR POLES MAGNETIC LED FLOODLIGHT, MINI SERIES

Catalogue number WHITE	Product category Type		Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
93MFL2230/BL	C	Not folding	22	1672	3000	120°	585	118	1	A++→A
93MFL2240/BL	C	Not folding	22	1672	4000	120°	585	118	1	A++→A

Input Voltage: 48V | PF≥ 0.9 | **LED Source:** OSRAM | **Body material:** Aluminium | **Diffuser material:** PC | **Body colour:** Black

COB | 30000h | >20000 | INSTANT 100% | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

FOLDING LED FLOODLIGHT, MINI SERIES

93MFFL1230/BL
93MFFL1240/BL
93MFFL1830/BL
93MFFL1840/BL

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | **IP20** | **Ra≥85** | **48V DC**

FOUR POLES MAGNETIC LED FLOODLIGHT, MINI SERIES

Catalogue number WHITE	Product category Type		Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
93MFFL1230/BL	C	Folding	12	856	3000	120°	200	118	1	A++→A
93MFFL1240/BL	C	Folding	12	856	4000	120°	200	118	1	A++→A
93MFFL1830/BL	C	Folding	18	1317	3000	120°	305	118	1	A++→A
93MFFL1840/BL	C	Folding	18	1317	4000	120°	305	118	1	A++→A

Input Voltage: 48V | PF≥ 0.9 | **LED Source:** OSRAM | **Body material:** Aluminium | **Diffuser material:** PC | **Body colour:** Black

COB | 30000h | >20000 | INSTANT 100% | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

FOUR POLES MAGNETIC LED GRILL LIGHT, MINI SERIES

93MFGL1230/BL
93MFGL1240/BL

FOUR POLES MAGNETIC LED GRILL LIGHT, MINI SERIES

93MFGL1830/BL
93MFGL1840/BL

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20 | Ra≥85 | 48V DC

FOUR POLES MAGNETIC LED GRILL LIGHT, MINI SERIES

Catalogue number WHITE	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
93MFGL1230/BL	C	Folding	12	835	3000	30°	200	118	1	A++→A
93MFGL1240/BL	C	Folding	12	835	4000	30°	200	118	1	A++→A
93MFGL1830/BL	C	Folding	18	1507	3000	30°	305	118	1	A++→A
93MFGL1840/BL	C	Folding	18	1507	4000	30°	305	118	1	A++→A

Input Voltage: 48V | **LED Source:** OSRAM | **Body material:** Aluminium | **Body colour:** Black

COB | 30000h | >20000 | INSTANT 100% | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

FOUR POLES MAGNETIC LED LIGHT, MINI SERIES
93MTL0530/BL
93MTL0540/BL

FOUR POLES MAGNETIC LED LIGHT, MINI SERIES
93MTL1030/BL
93MTL1040/BL

FOUR POLES MAGNETIC LED LIGHT, MINI SERIES
93MTL1530/BL
93MTL1540/BL

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20 | Ra≥85 | 48V DC

FOUR POLES MAGNETIC LED LIGHT, MINI SERIES

Catalogue number WHITE	Product category Type		Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
93MTL0530/BL	C	Folding	5	286	3000	38°	125	26	1	A++→A
93MTL0540/BL	C	Folding	5	286	4000	38°	125	26	1	A++→A
93MTL1030/BL	C	Folding	10	1230	3000	38°	160	55	1	A++→A
93MTL1040/BL	C	Folding	10	1230	4000	38°	160	55	1	A++→A
93MTL1530/BL	C	Folding	15	1692	3000	38°	200	45	1	A++→A
93MTL1540/BL	C	Folding	15	1692	4000	38°	200	45	1	A++→A

Input Voltage: 48V | PF≥ 0.9 | **LED Source:** CREE | **Body material:** Aluminium | **Body colour:** Black

COB | 30000h | >20000 | INSTANT 100% | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

FOUR POLES MAGNETIC LED HANGING LIGHT, MINI SERIES

93MPL1530/BL
93MPL1540/BL

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20 | Ra≥85 | 48V DC

FOUR POLES MAGNETIC LED HANGING LIGHT, MINI SERIES

Catalogue number WHITE	Product category Type		Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
93MPL1530/BL	C	Hanging	15	1894	3000	38°	200	45	1	A++→A
93MPL1540/BL	C	Hanging	15	1894	4000	38°	200	45	1	A++→A

Input Voltage: 48V | PF≥ 0.9 | **LED Source:** CREE | **Body material:** Aluminium | **Body colour:** Black

COB | 30000h | >20000 | INSTANT 100% | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

93MRBM1/BL

93MROM1/BL

93MA015
93MA011

93MA001

93MA002

93MA003

FOUR POLES 48V TRACK RAILS AND ACCESSORIES FOR MAGNETIC LIGHTS MINI SERIES

Catalogue number WHITE	Product category	Type	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
93MROM1/BL	C	track rail OM	1000	30	53	1
93MRBM1/BL	C	track rail BM	1000	30	53	1
93MA015	C	end cap for MRBM				1
93MA011	C	end cap for MROM				1
93MA001	C	L ceiling corner BM				1
93MA002	C	L wall ceiling corner BM				1
93MA003	C	L ceiling corner OM				1
93MA004	C	L wall ceiling corner OM				1
93MA013	C	T ceiling connector BM				1
93MA014	C	T ceiling connector OM				1

RoHS COMPLIANT CE

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

93MA006

93MA007

93MA008

93MA005

93MA010

93MA012

93MA009

FOUR POLES ACCESSORIES FOR MAGNETIC LIGHTS MINI SERIES

Catalogue number WHITE	Product category Type		Packing/Box (pcs)
93MA005	C	I-flexible connector	1
93MA007	C	I-connector	1
93MA006	C	rail power adapter with cable 2x1.5mm²/0.5m	1
93MA008	C	fixture adaptor	1
93MA009	C	Inside connector	1
93MA010	C	mouting plate	1
93MA012	C	hanging wire 2m	1

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

TWO & FOUR LINES TRACK LIGHTS SKY TLS

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

UNTIL SUPPLY **LAST**

TWO & FOUR LINES TRACK LIGHTS SKY TLS

Catalogue number WHITE	Catalogue number BLACK	Catalogue number GREY	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Body material	Diameter (mm)	Height (mm)	Beam angle	Packing/ Box (pcs)	Energy class
93TLS503W/WH			F	2 LINES	10	900	4000	aluminium	142	105	24°	1/12	A++→A
93TLS503CW/WH	**93TLS503CW/BL**	**93TLS503CW/GR**	F	2 LINES	10	900	6400	aluminium	142	105	24°	1/12	A++→A
93TLS504W/WH	**93TLS504W/BL**	**93TLS504W/GR**	F	2 LINES	15	1350	4000	aluminium	142	105	24°	1/12	A++→A
93TLS504WW/WH		**93TLS504WW/GR**	F	2 LINES	15	1350	2700	aluminium	142	105	24°	1/12	A++→A
93TLS504CW/WH	**93TLS504CW/BL**	**93TLS504CW/GR**	F	2 LINES	15	1350	6400	aluminium	142	105	24°	1/12	A++→A
934TLS503W/WH	**934TLS503W/BL**		F	4 LINES	10	900	4000	aluminium	142	105	24°	1/12	A++→A
	934TLS503WW/BL		F	4 LINES	10	900	2700	aluminium	142	105	24°	1/12	A++→A
934TLS503CW/WH	**934TLS503CW/BL**		F	4 LINES	10	900	6400	aluminium	142	105	24°	1/12	A++→A
934TLS504W/WH			F	4 LINES	15	1350	4000	aluminium	142	105	24°	1/12	A++→A
934TLS504WW/WH			F	4 LINES	15	1350	2700	aluminium	142	105	24°	1/12	A++→A
934TLS504CW/WH	**934TLS504CW/BL**		F	4 LINES	15	1350	6400	aluminium	142	105	24°	1/12	A++→A

SKY TLR

SKY TLR

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 40 | RoHS | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

TWO & FOUR LINES SKY TL5

White / Black

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP40

TWO & FOUR LINES SKY TL5

Catalogue number WHITE	Catalogue number BLACK	Product category	Watt (W)	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Beam angle	Packing/Box (pcs)	Energy class
93TL5LEDW/WH	**93TL5LEDW/BL**	C	2 LINES	6,5	500	4000	57	147	40°	1/100	A+ A++→E
93TL5LEDWW/WH	**93TL5LEDWW/BL**	C	2 LINES	6,5	500	2700	57	147	40°	1/100	A+ A++→E
93TL5	**93TL5LEDBL**	C	Empty				57	147		1/100	A++→E
94TL5LEDW/WH	**94TL5LEDW/BL**	C	4 LINES	6,5	500	4000	57	147	40°	1/100	A+ A++→E
94TL5LEDWW/WH	**94TL5LEDWW/BL**	C	4 LINES	6,5	500	2700	57	147	40°	1/100	A+ A++→E
94TL5	**94TL5LEDBL**	C	Empty				57	147		1/100	A++→E

Body: aluminium

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

TWO LINES SKY TL5016

White / Black / Grey

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40

UNTIL SUPPLY LAST

TWO LINES SKY TL5016

Catalogue number WHITE	Catalogue number BLACK	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Beam angle	Packing/Box (pcs)	Energy class
93TL5016CW/WH	**93TL5016CW/BL**	F	30	2400	6400	120	140	36°	1/34	A++→A

Body: aluminium

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

TWO & FOUR LINES SKY FTL
black

TWO & FOUR LINES SKY FTL
white

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40

TWO AND FOUR LINES SKY FTL

Catalogue number WHITE	Catalogue number BLACK	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Length (mm)	Height (mm)	Beam angle	Packing/Box (pcs)	Energy class
93FTL25WW/WH	**93FTL25WW/BL**	C	2 LINES	25	2250	3000K	100	140	235	38°	1/20	A++→A
93FTL25W/WH	**93FTL25W/BL**	C	2 LINES	25	2250	4000K	100	140	235	38°	1/20	A++→A
93FTL25CW/WH	**93FTL25CW/BL**	C	2 LINES	25	2250	6000K	100	140	235	38°	1/20	A++→A
93FTL35WW/WH	**93FTL35WW/BL**	C	2 LINES	35	3150	3000K	100	140	235	38°	1/20	A++→A
93FTL35W/WH	**93FTL35W/BL**	C	2 LINES	35	3150	4000K	100	140	235	38°	1/20	A++→A
93FTL35CW/WH	**93FTL35CW/BL**	C	2 LINES	35	3150	6000K	100	140	235	38°	1/20	A++→A
934FTL25WW/WH	**934FTL25WW/BL**	C	4 LINES	25	2250	3000K	100	140	235	38°	1/20	A++→A
934FTL25W/WH	**934FTL25W/BL**	C	4 LINES	25	2250	4000K	100	140	235	38°	1/20	A++→A
934FTL25CW/WH	**934FTL25CW/BL**	C	4 LINES	25	2250	6000K	100	140	235	38°	1/20	A++→A
934FTL35WW/WH	**934FTL35WW/BL**	C	4 LINES	35	3150	3000K	100	140	235	38°	1/20	A++→A
934FTL35W/WH	**934FTL35W/BL**	C	4 LINES	35	3150	4000K	100	140	235	38°	1/20	A++→A
934FTL35CW/WH	**934FTL35CW/BL**	C	4 LINES	35	3150	6000K	100	140	235	38°	1/20	A++→A

Body: aluminium

side view black

back view black

side view white

back view white

93SKY01/W

CONNECTOR
TWO LINES RAILS
White: 93SKY01/W
Black: 93SKY01/BL
Grey: 93SKY01/G

93SKY03/W

CONNECTOR
FOUR LINES RAILS
White: 93SKY03/W
Black: 93SKY03/BL

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

TWO LINES SKY TL5030
White / Black / Grey

TWO LINES SKY TL5020
White / Black / Grey

LED WARM WHITE 2700K NEUTRAL WHITE 4000K COOL WHITE 6400K **IP40**

TWO LINES SKY TL 20W

Catalogue number WHITE	Catalogue number BLACK	Catalogue number GREY*	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Beam angle	Packing/ Box (pcs)	Energy class
93TL5020W/WH	**93TL5020W/BL**		C	20	1800	4000	93	125	36°	1/20	A++→A
93TL5020WW/WH	**93TL5020WW/BL**	**93TL5020WW/GR**	C	20	1800	2700	93	125	36°	1/20	A++→A
93TL5020CW/WH	**93TL5020CW/BL**	**93TL5020CW/GR**	C	20	1800	6400	93	125	36°	1/20	A++→A

* Until Supply Last

LED WARM WHITE 2700K NEUTRAL WHITE 4000K COOL WHITE 6400K **IP40**

UNTIL SUPPLY LAST

TWO LINES SKY TL 30W

Catalogue number WHITE	Catalogue number BLACK	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Beam angle	Packing/Box (pcs)	Energy class
	93TL5030W/BL	F	30	2700	4000	93	125	36°	1/20	A++→A
	93TL5030WW/BL	F	30	2700	2700	93	125	36°	1/20	A++→A
93TL5030CW/WH	**93TL5030CW/BL**	F	30	2700	6400	93	125	36°	1/20	A++→A

Body: aluminium

~230V 50/60 Hz COB Ra>80 30000h >20000 INSTANT 100% Hg IP40 RoHS COMPLIANT EMC F CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SKY TL809
White / Black / Grey

SKY TL808
White / Black / Grey

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40

TWO AND FOUR LINES SKY TL

Catalogue number WHITE	Catalogue number BLACK	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Diameter (mm)	Height (mm)	Beam angle	Packing/Box (pcs)	Energy class
93TL809/WH	**93TL809/BL**	C	2L TL809			empty fixture	130	95	180		1/1	A++→E
93SKY1540		C	2L TL809	15	1275	4000	130	95	180	90°	1/1	A+ A++→E
93SKY1527		C	2L TL809	15	1275	2700	130	95	180	90°	1/1	A+ A++→E
93SKY1564		C	2L TL809	15	1275	6400	130	95	180	90°	1/1	A+ A++→E
93SKY3540	**93SKY4540**	C	2L TL808	15	1275	4000	150	100	210	90°	1/1	A+ A++→E
93SKY3527	**93SKY4527**	C	2L TL808	15	1275	2700	150	100	210	90°	1/1	A+ A++→E
93SKY3564	**93SKY4564**	C	2L TL808	15	1275	6400	150	100	210	90°	1/1	A+ A++→E
94SKY1540		C	4L TL809	15	1275	4000	130	95	180	90°	1/1	A+ A++→E
94SKY1527		C	4L TL809	15	1275	2700	130	95	180	90°	1/1	A+ A++→E
94SKY1564		C	4L TL809	15	1275	6400	130	95	180	90°	1/1	A+ A++→E
94SKY3540	**94SKY4540**	C	4L TL808	15	1275	4000	150	100	210	90°	1/1	A+ A++→E
94SKY3527	**94SKY4527**	C	4L TL808	15	1275	2700	150	100	210	90°	1/1	A+ A++→E
94SKY3564	**94SKY4564**	C	4L TL808	15	1275	6400	150	100	210	90°	1/1	A+ A++→E

15 W Lamp

white colour

black colour

Body: aluminium | **Light source:** LED lamp PAR30 | **Power factor:** λ>0.9 | **Starting time:** <1s

* Until Supply Last

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 40 | RoHS COMPLIANT | EMC | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

TWO & FOUR LINES CINEMA SKY
White / Black / Grey

TWO & FOUR LINES CINEMA SKY
White / Black / Grey

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40

TWO AND FOUR LINES CINEMA SKY

Catalogue number WHITE	Catalogue number BLACK	Catalogue number GREY	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Beam angle	Packing/ Box	Energy class
955CINEMA15W/WH	**955CINEMA15W/BL**	**955CINEMA15W/GR**	C	2L extendible	15	1275	4000	145	220	90°	1/6	A+ A++→E
955CINEMA15WW/WH	**955CINEMA15WW/BL**	**955CINEMA15WW/GR**	C	2L extendible	15	1275	2700	145	220	90°	1/6	A+ A++→E
955CINEMA15CW/WH	**955CINEMA15CW/BL**	**955CINEMA15CW/GR**	C	2L extendible	15	1275	6400	145	220	90°	1/6	A+ A++→E
955CINEMA115W/WH	**955CINEMA115W/BL**	**955CINEMA115W/GR**	C	2L fixed	15	1275	4000	145	220	90°	1/6	A+ A++→E
955CINEMA115WW/WH	**955CINEMA115WW/BL**	**955CINEMA115WW/GR**	C	2L fixed	15	1275	2700	145	220	90°	1/6	A+ A++→E
955CINEMA115CW/WH	**955CINEMA115CW/BL**	**955CINEMA115CW/GR**	C	2L fixed	15	1275	6400	145	220	90°	1/6	A+ A++→E
94CINEMA15W/WH	**94CINEMA15W/BL**		C	4L extendible	15	1275	4000	145	220	90°	1/6	A+ A++→E
94CINEMA15WW/WH	**94CINEMA15WW/BL**		C	4L extendible	15	1275	2700	145	220	90°	1/6	A+ A++→E
94CINEMA15CW/WH	**94CINEMA15CW/BL**		C	4L extendible	15	1275	6400	145	220	90°	1/6	A+ A++→E
94CINEMA115W/WH	**94CINEMA115W/BL**		C	4L fixed	15	1275	4000	145	220	90°	1/6	A+ A++→E
94CINEMA115WW/WH	**94CINEMA115WW/BL**		C	4L fixed	15	1275	2700	145	220	90°	1/6	A+ A++→E
94CINEMA115CW/WH	**94CINEMA115CW/BL**		C	4L fixed	15	1275	6400	145	220	90°	1/6	A+ A++→E

15 W Lamp

white colour

grey colour

black colour

Body: aluminium | **Light source:** LED lamp PAR30 | **Power factor:** λ>0.9 | **Starting time:** <1s | * Until Supply Last

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 40 | RoHS | EMC | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

TWO & FOUR LINES SKY
TL 2211
White / Black

TWO & FOUR LINES SKY
TL 2211
White / Black

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

TWO AND FOUR LINES SKY TL 2211

Catalogue number WHITE	Catalogue number BLACK	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Diameter (mm)	Height (mm)	Beam angle	Packing/ Box	Energy class
93SKY2215WW/WH	**93SKY2215WW/BL**	C	2 LINES	15	1275	2700	235	100	160	90°	1/6	A+ A++→E
93SKY2215W/WH	**93SKY2215W/BL**	C	2 LINES	15	1275	4000	235	100	160	90°	1/6	A+ A++→E
93SKY2215CW/WH	**93SKY2215CW/BL**	C	2 LINES	15	1275	6400	235	100	160	90°	1/6	A+ A++→E
94SKY2215WW/WH	**94SKY2215WW/BL**	C	4 LINES	15	1275	2700	230	100	160	90°	1/1	A+ A++→E
94SKY2215W/WH	**94SKY2215W/BL**	C	4 LINES	15	1275	4000	230	100	160	90°	1/1	A+ A++→E
94SKY2215CW/WH	**94SKY2215CW/BL**	C	4 LINES	15	1275	6400	230	100	160	90°	1/1	A+ A++→E

15 W Lamp

93SKY01/W

CONNECTOR
TWO LINES RAILS
White: 93SKY01/W
Black: 93SKY01/BL
Grey: 93SKY01/G

93SKY03/W

CONNECTOR
FOUR LINES RAILS
White: 93SKY03/W
Black: 93SKY03/BL

Body: aluminium | **Light source:** LED lamp PAR30 | **Power factor:** λ>0.9 | **Starting time:** <1s | *Until Supply Last

~230V | 50/60 Hz | SMD 2835 | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 40 | RoHS | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SKY FIXTURES TLOM
White / Black

SKY FIXTURES TLBM
White / Black

LED NEUTRAL WHITE 4000K **IP40**

SKY FIXTURES TLOM / TLBM

Catalogue number WHITE	Catalogue number BLACK	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Body material	Diameter (mm)	Height (mm)	Beam angle	Packing/Box (pcs)	Energy class
93TLOM1540/WH	**93TLOM1540/BL**	C	15	1350	4000K	Aluminum	55	145	24°	1/24	A++→A
93TLOM3040/WH	**93TLOM3040/BL**	C	30	2700	4000K	Aluminum	90	240	24°	1/15	A++→A
93TLBM1540/WH	**93TLBM1540/BL**	C	15	1350	4000K	Aluminum	73	118	30°	1/50	A++→A

TLBM



TLBM

~230V 50/60 Hz COB Ra>80 30000h >20000 INSTANT 100% Hg IP 40 RoHS COMPLIANT EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MH 2000
982000150

MH 2001
98200170
98200170FSCH

IP21

UNTIL SUPPLY LAST

MH 2000/2001

Catalogue number	Product category	Model	Watt (W)	Lamp	Colour body	Length (mm)	Width (mm)	Diameter/Height (mm)	Energy class
982000150	F	MH 2000	-	-	white	370	185	190	A++→C
98200170	F	MH 2001	-	-	white	190	215	240	A++→C
98200170FSCH	F	MH 2001	70	MHL	white	190	215	240	A++→C

Body: aluminium casting | **Ambient Temperature:** -30°C÷ +65°C | **Diffuser:** Tempered glass | Lamp not included

~230V | 50/60 Hz | Rx7s | IP 21 | RoHS | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY



SINGLE-PHASE RAILS

ADAPTER POWER SUPPLY



I - TYPE

L - TYPE

T - TYPE

X - TYPE

IP20

TWO LINES TRACK RAILS AND ADAPTERS

Catalogue number WHITE	Catalogue number BLACK	Catalogue number GREY*	Product category	Type	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
93101	**93301**	**93501**	C	SKYWAY 101 track rails	1000	40	20	1/20
93102	**93302**		C	SKYWAY 102 track rails	2000	40	20	1/20
93110	**93310**		C	SKYWAY 110 I-type adapter	80	40	20	1/100
93120	**93320**	**93520**	C	SKYWAY 120 L-type adapter	70	40	20	1/100
93130	**93330**	**93530**	C	SKYWAY 130 T-type adapter	106	40	20	1/100
93140	**93340**	**93540**	C	SKYWAY 140 X-type adapter	106	40	20	1/100

Body material: aluminium
* Until Supply Last: Product category F

~230V | 50/60 Hz | max. 10A | IP 20 | RoHS COMPLIANT | F | CE

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

POWER SUPPLY

I - TYPE

L - TYPE

SOFT L - TYPE

FOUR LINES TRACK RAILS

T - TYPE



X - TYPE

IP20

FOUR LINES TRACK RAILS AND ADAPTERS

Catalogue number WHITE	Catalogue number BLACK	Product category	Type	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
94101	**94301**	C	four lines track rails*	1000	33.5	42	1/10
94102	**94302**	C	four lines track rails*	2000	33.5	42	1/10
94110	**94310**	C	four line I-type connector	160	30	42	1/50
94120	**94320**	C	four line L-type connector	100	30	100	1/70
94120M	**94320M**	C	four line soft L-type connector	100	30	100	1/70
94130	**94330**	C	four line T-type connector	160	30	100	1/50
94140	**94340**	C	four line X-type connector	160	30	160	1/25
94150	**94350**	C	four line power supply	160	30	42	1/100
94160	**94360**	C	end cap				1/100

Material: track rails- aluminium | **Accessories:** ABS antiflaming + cooper sheet

*four lines track rails come without power supply

~230V | 50/60 Hz | max. 10A | IP 20 | RoHS COMPLIANT | F | CE

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

NEUTRAL WHITE 4000K **IP44**

COMERCIAL LED FIXTURES TRITON

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99TR602640/GR	C	26	3120	4000	90°	grey	600	90	57,6	1/1	A++→A
99TR903840/GR	C	38	4560	4000	90°	grey	900	90	57,6	1/1	A++→A
99TR1205040/GR	C	50	6000	4000	90°	grey	1200	90	57,6	1/1	A++→A
99TR1506440/GR	C	64	7680	4000	90°	grey	1500	90	57,6	1/1	A++→A

INSTALATION ACCESSORIES FOR LED PROFILES
Suspension wire
Catalogue number: **99ACC54**

As per personal request, COMERCIAL LED FIXTURES TRITON can be produced with beam angle of 30°, 60° , 25°/25°.



Sharp distribution apply to focusing on objects with tight gap.
Mount up to 20 meters



Narrow distribution apply to narrow passageway.
Mount up to 10 meters



Wide distribution apply to wider passageway.
Mount up to 6 meters



Double asymmetric distribution apply to large gap between shelves.
Mount up to 3 meters



Body: aluminium | **Reflector:** polycarbonate (PC)

~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | INSTANT 100% | 50000h | Hg | IP 44 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.

COMMERCIAL LED FIXTURES
95204518

COMMERCIAL LED FIXTURES
95204609
95204550

LED NEUTRAL WHITE 4000K **IP40**

COMMERCIAL LED FIXTURES

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Beam angle	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95204609	F	9*	820	4000	aluminium	90°	610	65	40	1/10	A++→A
95204518	F	18*	1640	4000	aluminium	120°	605	100	43	1/10	A++→A
95204550	C	50	4800	4000	aluminium	120°	1200	75	35	1/10	A++→A

Body: Alu+PC | **Light source:** SMD2835| **Input voltage:** 220-240V | **Mounting:** Surface

* Until Supply Last - 3 year standard + extended warranty



Wire and fittings for hanging mounting 2,5m
2 pcs/ pack
92ACC03

Body: Alu+PC | **Light source:** SMD2835| **Input voltage:** 220-240V | **Mounting:** Surface

~230V | 50/60 Hz | SMD | Ra≥80 | >20000 | INSTANT 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED MOD FIXTURE
9MOD18W
9MOD36W

CONNECTOR 90° L-TYPE
9MODL

COUPLING 180° I-TYPE
9MODI

T-JOINT
9MODT

LED NEUTRAL WHITE 4000K **IP40**

MOD FIXTURE

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9MOD18W	C	18	1100	4000	white	615	54	34	1/20	A++→A
9MOD36W	C	36	2200	4000	white	1215	54	34	1/20	A++→A

Connector 90° L-type

Catalogue number
9MODL
135x135x45mm

Coupling 180° I-type

Catalogue number
9MODI
210x58x45mm

T-joint

Catalogue number
9MODT
210x135x45mm

Body: PC+Iron | **Clips:** inox | **Light source:** Sanan 2835 SMD| **Starting time:** <1s

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

NEDA



NINA

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP21**

UNTIL SUPPLY **LAST**

NEDA / NINA Luminaire with LED Tubes T8 STELLAR

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95LED209CW	F	Neda	2X9	1170	6400	white	740	160	55	1/6	A+ A++→A
95LED209W	F	Neda	2X9	1170	4000	white	740	160	55	1/6	A+ A++→A
920118LED	F	Nina	1X9	585	4000	white	740	118	48	1/12	A+ A++→A
920118LEDCW	F	Nina	1X9	585	6400	white	740	118	48	1/12	A+ A++→A

with LED tubes STELLAR

Body: white powder painted steel | **Reflector:** plastic cover (Neda); ABS plastic grid (Nina) | **Light source:** LED tubes

~230V | 50/60 Hz | LED T8 | G13 | Ra≥80 | >20000 | INSTANT 100% | 15000h | Hg | IP 21 | RoHS COMPLIANT | EMC | 2+0 standard +extended 2 YEAR TOTAL WARRANTY

REMY STELLAR

9XREMY18LED
9XREMY36LED

LED NEUTRAL WHITE 4000K **IP40**

REMY LUMINAIRE STELLAR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9XREMY18LED	C	18	1650	4000K	white	600	75	46	1/20	A++↦A
9XREMY36LED	C	36	3300	4000K	white	1200	75	46	1/20	A++↦A

Body: PP+PC | **LED driver:** mounted in the body | **Light source:** SMD2835 | **Input voltage:** 220-240V | **Beam angle:** 115°

~230V | 50/60 Hz | SMD | Ra≥80 | >20000 | INSTANT 100% | 15000h | Hg | IP 40 | RoHS COMPLIANT | EMC | 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ACOUSTIC BAFFLES

Catalogue number	Product category	Colour	Material	Acoustic rating	Length (mm)	Height (mm)	Depth (mm)
99ACOUSTIC1200/BL	C	Black	Polyester	0.85 NRC	1200	200	9
99ACOUSTIC1200/WH	C	White	Polyester	0.85 NRC	1200	200	9
99ACOUSTIC1200/GR	C	Grey	Polyester	0.85 NRC	1200	200	9
99ACOUSTIC2400/BL	C	Black	Polyester	0.85 NRC	2400	200	9
99ACOUSTIC2400/WH	C	White	Polyester	0.85 NRC	2400	200	9
99ACOUSTIC2400/GR	C	Grey	Polyester	0.85 NRC	2400	200	9

Acoustic sound baffle find application in many work and office spaces, conference and presentation halls, meeting rooms, retails, institutional and more. They significantly reduce noise pollution, minimizing reverberation and echo in the room, absorbing any reflect sounds from other surfaces, thereby increasing speech intelligibility and communication. They are mounted on the ceiling in rows or columns.

Features: High quality and easy mounting | Lightweight | Safe and non-toxic | Available in three colours | Possibilty to create custom design

Mounting: Hanging. Attach one piece of wire/cord onto each of the 2 eye hooks on the baffle.Then attach the other end of the wire to two equally-spaced hooks in the ceiling

RoHS COMPLIANT CE

The products are not held on stock and are supplied only by a customer`s request.

LED NEUTRAL WHITE 4000K **IP40** **HIGH POWER**

ACOUSTIC HIGH POWER LED PROFILES S36 SERIES FOR HANGING MOUNTING

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
99SM36S4020A/BL	**99SM36S4020A/WH**	**99SM36S4020A/GR**	C	20	1600	4000	600	200	55	1/1	A++→A
99SM36S4040A/BL	**99SM36S4040A/WH**	**99SM36S4040A/GR**	C	40	3200	4000	1200	200	55	1/1	A++→A
99SM36S4050A/BL	**99SM36S4050A/WH**	**99SM36S4050A/GR**	C	50	4000	4000	1500	200	55	1/1	A++→A



INSTALATION ACCESSORIES FOR LED PROFILES
Suspension wire
Catalogue number: **99ACC51**
Suspension wire with console
Catalogue number: **99ACC52**

Body: aluminium | **Reflector:** polycarbonate (PC) | **Driver:** 42V SELV driver | **Light Source:** SAMSUNG

~230V 50/60 Hz SMD 90° Ra≥80 >15000 INSTANT 100% 20000h Hg IP 40 RoHS COMPLIANT EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

The products are not held on stock and are supplied only by a customer`s request.

LED NEUTRAL WHITE 4000K **IP40**

ACOUSTIC LED RINGS

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99RING6004035A/BL	**99RING6004035A/WH**	**99RING6004035A/GR**	C	35	3500	4000	600	25	1/1	A++→A
99RING8004060A/BL	**99RING8004060A/WH**	**99RING8004060A/GR**	C	42	4200	4000	800	25	1/1	A++→A
99RING10004075A/BL	**99RING10004075A/WH**	**99RING10004075A/GR**	C	50	5000	4000	1000	25	1/1	A++→A
99RING11504096A/BL	**99RING11504096A/WH**	**99RING11504096A/GR**	C	63	6300	4000	1150	25	1/1	A++→A

99ACC52 99ACC51

Body: aluminium | **Reflector:** polycarbonate (PC) | **Driver:** 42V SELV driver

~230V 50/60 Hz SMD 90° Ra≥80 >15000 INSTANT 100% 20000h Hg IP 40 RoHS COMPLIANT EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

The products are not held on stock and are supplied only by a customer`s request.

LED RINGS
99RING8004060/GR

LED RINGS
99RING6004035/BL

NEUTRAL WHITE 4000K

IP40

LED RINGS

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99RING6004035/BL	**99RING6004035/WH**	**99RING6004035/GR**	C	35	3500	4000	600	25	1/1	A++→A
99RING8004060/BL	**99RING8004060/WH**	**99RING8004060/GR**	C	42	4200	4000	800	25	1/1	A++→A
99RING10004075/BL	**99RING10004075/WH**	**99RING10004075/GR**	C	50	5000	4000	1000	25	1/1	A++→A
99RING11504096/BL	**99RING11504096/WH**	**99RING11504096/GR**	C	63	6300	4000	1150	25	1/1	A++→A

Body: aluminium | **Reflector:** polycarbonate (PC) | **Driver:** 42V SELV driver

99ACC52 99ACC51

~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | INSTANT 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



LED | NEUTRAL WHITE 4000K | **IP40** | **ULTRA THIN**

ULTRA THIN LED PROFILES S36 SERIES, RECESSED MOUNTING

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Width 1 (mm)	Width 2 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99FM36S4009/BL	**99FM36S4009/WH**	**99FM36S4009/GR**	C	9	630	4000	600	47.74	35.33	13.5	1/1	A++→A
99FM36S4018/BL	**99FM36S4018/WH**	**99FM36S4018/GR**	C	18	1260	4000	1200	47.74	35.33	13.5	1/1	A++→A
99FM36S40225/BL	**99FM36S40225/WH**	**99FM36S40225/GR**	C	22.5	1575	4000	1500	47.74	35.33	13.5	1/1	A++→A



Body: aluminium | **Reflector:** polycarbonate (PC) | **Clamps:** inox | **Driver:** 24V | **Light Source:** SAMSUNG

~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | INSTANT 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



LED NEUTRAL WHITE 4000K **IP40**

LED PROFILES S48 SERIES RECESSED MOUNTING WITH EMERGENCY KIT

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Width 1 (mm)	Width 2 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99FM604012/BLE	**99FM604012/WHE**	**99FM604012/GRE**	C	12	1140	4000	600	70	47.8	22.4	1/1	A++→A
99FM1204024/BLE	**99FM1204024/WHE**	**99FM1204024/GRE**	C	24	2280	4000	1200	70	47.8	22.4	1/1	A++→A
99FM1504032/BLE	**99FM1504032/WHE**	**99FM1504032/GRE**	C	32	3040	4000	1500	70	47.8	22.4	1/1	A++→A

LED NEUTRAL WHITE 4000K **IP40**

LED PROFILES S48 SERIES RECESSED MOUNTING

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Width 1 (mm)	Width 2 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99FM604012/BL	**99FM604012/WH**	**99FM604012/GR**	C	12	1140	4000	600	70	47.8	22.4	1/1	A++→A
99FM1204024/BL	**99FM1204024/WH**	**99FM1204024/GR**	C	24	2280	4000	1200	70	47.8	22.4	1/1	A++→A
99FM1504032/BL	**99FM1504032/WH**	**99FM1504032/GR**	C	32	3040	4000	1500	70	47.8	22.4	1/1	A++→A





L-corner for LED profiles S48series recessed
White: **99FML/WH**
Black: **99FML/BL**
Grey: **99FML/GR**
size: 420x420mm

Inside corner for LED profiles S48 series recessed
White: **99FMI/WH**
Black: **99FMI/BL**
Grey: **99FMI/GR**
size: 420x420mm

Body: aluminium | **Reflector:** polycarbonate (PC) | **Clamps:** inox | **Driver:** 42V SELV driver | **Light Source:** SAMSUNG

L- corner and Inside corners are ordered within 30 days term, after a preliminary specification of power and colour temperature of LED profiles.

~230V 50/60 Hz SMD 90° Ra≥80 >15000 INSTANT 100% 20000h Hg IP 40 RoHS COMPLIANT EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



NEUTRAL WHITE 4000K **IP40** **HIGH POWER**

HIGH POWER LED PROFILES S48 SERIES FOR RECESSED MOUNTING WITH EMERGENCY KIT

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Width 1 (mm)	Width 2 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99FM604020/BLE	**99FM604020/WHE**	**99FM604020/GRE**	C	20	1600	4000	600	70	47.8	22.4	1/1	A++→A
99FM1204040/BLE	**99FM1204040/WHE**	**99FM1204040/GRE**	C	40	3200	4000	1200	70	47.8	22.4	1/1	A++→A

NEUTRAL WHITE 4000K **IP40** **HIGH POWER**

HIGH POWER LED PROFILES S48 SERIES FOR RECESSED MOUNTING WITH EMERGENCY KIT

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Width 1 (mm)	Width 2 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99FM604020/BL	**99FM604020/WH**	**99FM604020/GR**	C	20	1600	4000	600	70	47.8	22.4	1/1	A++→A
99FM1204040/BL	**99FM1204040/WH**	**99FM1204040/GR**	C	40	3200	4000	1200	70	47.8	22.4	1/1	A++→A
99FM1504050/BL	**99FM1504050/WH**	**99FM1504050/GR**	C	50	4000	4000	1500	70	47.8	22.4	1/1	A++→A



Body: aluminium | **Reflector:** polycarbonate (PC) | **Clamps:** inox | **Driver:** 42V SELV driver | **Light Source:** SAMSUNG

~230V 50/60 Hz SMD 90° Ra≥80 >15000 INSTANT 100% 20000h Hg IP 40 RoHS EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



LED NEUTRAL WHITE 4000K **IP40**

LED PROFILES S77 SERIES RECESSED MOUNTING WITH EMERGENCY KIT

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Width 1 (mm)	Width 2 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99BM604024/BLE	**99BM604024/WHE**	**99BM604024/GRE**	C	24	2280	4000	600	98.5	77.5	27	1/1	A++→A
99BM1204048/BLE	**99BM1204048/WHE**	**99BM1204048/GRE**	C	48	4560	4000	1200	98.5	77.5	27	1/1	A++→A

LED NEUTRAL WHITE 4000K **IP40**

LED PROFILES S77 SERIES RECESSED MOUNTING

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Width 1 (mm)	Width 2 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99BM604024/BL	**99BM604024/WH**	**99BM604024/GR**	C	24	2280	4000	600	98.5	77.5	27	1/1	A++→A
99BM1204048/BL	**99BM1204048/WH**	**99BM1204048/GR**	C	48	4560	4000	1200	98.5	77.5	27	1/1	A++→A
99BM1504064/BL	**99BM1504064/WH**	**99BM1504064/GR**	C	64	6080	4000	1500	98.5	77.5	27	1/1	A++→A





L-corner for LED profiles S77series recessed
White: **99BML/WH**
Black: **99BML/BL**
Grey: **99BML/GR**
size: 450x450mm

Inside corner for LED profiles S77 series recessed
White: **99BMI/WH**
Black: **99BMI/BL**
Grey: **99BMI/GR**
size: 450x450mm

Body: aluminium | **Reflector:** polycarbonate (PC) | **Clamps:** inox | **Driver:** 42V SELV driver

L- corner and Inside corners are ordered within 30 days term, after a preliminary specification of power and colour temperature of LED profiles.

~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | INSTANT 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



LED NEUTRAL WHITE 4000K **IP40** **HIGH POWER**

HIGH POWER LED PROFILES S36 SERIES FOR SURFACE MOUNTING

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
99SM36S4020/BL	**99SM36S4020/WH**	**99SM36S4020/GR**	C	20	1600	4000	600	65.64	35.6	1/1	A++→A
99SM36S4040/BL	**99SM36S4040/WH**	**99SM36S4040/GR**	C	40	3200	4000	1200	65.64	35.6	1/1	A++→A
99SM36S4050/BL	**99SM36S4050/WH**	**99SM36S4050/GR**	C	50	4000	4000	1500	65.64	35.6	1/1	A++→A



INSTALATION ACCESSORIES FOR LED PROFILES
Connector
Catalogue number: **99ACC50**
Suspension wire
Catalogue number: **99ACC51**
Suspension wire with console
Catalogue number: **99ACC52**

Body: aluminium | **Reflector:** polycarbonate (PC) | **Driver:** 42V SELV driver | **Light Source:** SAMSUNG

~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | INSTANT 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



LED NEUTRAL WHITE 4000K **IP40** **HIGH POWER**

HIGH POWER LED PROFILES S48 SERIES FOR SURFACE MOUNTING

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
99SM604020/BL	**99SM604020/WH**	**99SM604020/GR**	C	20	1600	4000	600	70	47.8	1/1	A++→A
99SM1204040/BL	**99SM1204040/WH**	**99SM1204040/GR**	C	40	3200	4000	1200	70	47.8	1/1	A++→A
99SM1504050/BL	**99SM1504050/WH**	**99SM1504050/GR**	C	50	4000	4000	1500	70	47.8	1/1	A++→A

LED NEUTRAL WHITE 4000K **IP40**

LED PROFILES S48 SERIES FOR SURFACE MOUNTING

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
99SM604012/BL	**99SM604012/WH**	**99SM604012/GR**	C	12	1140	4000	600	70	47.8	1/1	A++→A
99SM1204024/BL	**99SM1204024/WH**	**99SM1204024/GR**	C	24	2280	4000	1200	70	47.8	1/1	A++→A
99SM1504032/BL	**99SM1504032/WH**	**99SM1504032/GR**	C	32	3040	4000	1500	70	47.8	1/1	A++→A



L-corner for LED profiles
S48series surface
White: **99SML/WH**
Black: **99SML/BL**
Grey: **99SML/GR**
size: 420x420mm



99ACC50

99ACC52

99ACC51

INSTALATION ACCESSORIES FOR LED PROFILES
Connector
Catalogue number: **99ACC50**
Suspension wire
Catalogue number: **99ACC51**
Suspension wire with console
Catalogue number: **99ACC52**

Body: aluminium | **Reflector:** polycarbonate (PC) | **Driver:** 42V SELV driver | **Light Source:** SAMSUNG

L- corner and Inside corners are ordered within 30 days term, after a preliminary specification of power and colour temperature of LED profiles.

~230V 50/60 Hz SMD 90° Ra≥80 >15000 INSTANT 100% 20000h Hg IP 40 RoHS COMPLIANT EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



LED NEUTRAL WHITE 4000K **IP40**

LED PROFILES S77 SERIES FOR SURFACE MOUNTING WITH EMERGENCY KIT

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
99OM604024/BLE	**99OM604024/WHE**	**99OM604024/GRE**	C	24	2280	4000	600	100	77	1/1	A++→A
99OM1204048/BLE	**99OM1204048/WHE**	**99OM1204048/GRE**	C	48	4560	4000	1200	100	77	1/1	A++→A

LED NEUTRAL WHITE 4000K **IP40**

LED PROFILES S77 SERIES FOR SURFACE MOUNTING

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
99OM604024/BL	**99OM604024/WH**	**99OM604024/GR**	C	24	2280	4000	600	100	77	1/1	A++→A
99OM1204048/BL	**99OM1204048/WH**	**99OM1204048/GR**	C	48	4560	4000	1200	100	77	1/1	A++→A
99OM1504064/BL	**99OM1504064/WH**	**99OM1504064/GR**	C	64	6080	4000	1500	100	77	1/1	A++→A



L-corner for LED profiles S77series surface
White: **99OML/WH**
Black: **99OML/BL**
Grey: **99OML/GR**
size: 450x450mm

99ACC55

99ACC52

99ACC51

INSTALATION ACCESSORIES FOR LED PROFILES
Connector
Catalogue number: **99ACC55**
Suspension wire
Catalogue number: **99ACC51**
Suspension wire with console
Catalogue number: **99ACC52**

Body: aluminium | **Reflector:** polycarbonate (PC) | **Driver:** 42V SELV driver | **Light Source:** SAMSUNG

L- corner and Inside corners are ordered within 30 days term, after a preliminary specification of power and colour temperature of LED profiles.

~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | INSTANT 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.

LED **IP20**

RAINBOW LED SMD

Catalogue number	Product category	Watt (W)	Colou	LED lamp lumens (lm)	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9RT5300/WH	C	5	White	400	320	22	35	1/25	A++>A
9RT5300/WW	C	5	Warm white	400	320	22	35	1/25	A++>A
9RT5300/R	F	5	Red*	-	320	22	35	1/25	A++>A
9RT5300/G	F	5	Green*	-	320	22	35	1/25	A++>A
9RT5300/B	F	5	Blue*	-	320	22	35	1/25	A++>A
9RT5600/WH	C	9	White	720	555	22	35	1/25	A++>A
9RT5600/WW	C	9	Warm white	720	555	22	35	1/25	A++>A
9RT5600/R	F	9	Red*	-	555	22	35	1/25	A++>A
9RT5600/G	F	9	Green*	-	555	22	35	1/25	A++>A
9RT5900/WH	C	14	White	1120	860	22	35	1/25	A++>A
9RT5900/WW	C	14	Warm white	1120	860	22	35	1/25	A++>A
9RT5900/R	F	14	Red*	-	860	22	35	1/25	A++>A
9RT5900/G	F	14	Green*	-	860	22	35	1/25	A++>A
9RT51200/WH	C	18	White	1440	1165	22	35	1/25	A++>A
9RT51200/WW	C	18	Warm white	1440	1165	22	35	1/25	A++>A
9RT51200/R	F	18	Red*	-	1165	22	35	1/25	A++>A
9RT51200/G	F	18	Green*	-	1165	22	35	1/25	A++>A

9RT505

Body: PVC | **Diffuser:** Glass | **Light source:** SMD 2835 | ***Until Supply Last**

~230V | 50/60 Hz | SMD 2835 | 270° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 20 | RoHS COMPLIANT | EMC | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

Light is one of the most important space-shaping elements. Therefore it is worth to consider the quality of the selected lighting fittings.

The SMD LED series of modern fittings is an innovative solution of lighting that is functional and decorative at the same time. The fittings emit high quality light and their compact form, matching contemporary furniture, enables a multitude of arrangements. The fittings can be connected in order to achieve the lighting line of the desired length, and the energy-efficient LED light makes it possible to achieve a spectacular effect in any interior.

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



IP20

UNTIL SUPPLY LAST

FLUORESCENT LIGHT FIXTURES RAINBOW

Catalogue number	Product category	Type	Watt (W)	Colour body	Ballast	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9RT513/W	F	RAINBOW	13	white	electronic	545	24	35	1/30	B
9RT521/W	F	RAINBOW	21	white	electronic	875	24	35	1/30	B
9RT508/B	F	RAINBOW	8	blue	electronic	315	24	35	1/30	B
9RT513/B	F	RAINBOW	13	blue	electronic	545	24	35	1/30	B
9RT521/B	F	RAINBOW	21	blue	electronic	875	24	35	1/30	B
9RT528/B	F	RAINBOW	28	blue	electronic	1174	24	35	1/30	B
9RT508/G	F	RAINBOW	8	green	electronic	315	24	35	1/30	B
9RT513/G	F	RAINBOW	13	green	electronic	545	24	35	1/30	B
9RT521/G	F	RAINBOW	21	green	electronic	875	24	35	1/30	B
9RT528/G	F	RAINBOW	28	green	electronic	1174	24	35	1/30	B
9RT513/Y	F	RAINBOW	13	yellow	electronic	545	24	35	1/30	B
9RT521/Y	F	RAINBOW	21	yellow	electronic	875	24	35	1/30	B
9RT528/Y	F	RAINBOW	28	yellow	electronic	1174	24	35	1/30	B
9RT508/R	F	RAINBOW	8	red	electronic	315	24	35	1/30	B
9RT513/R	F	RAINBOW	13	red	electronic	545	24	35	1/30	B
9RT521/R	F	RAINBOW	21	red	electronic	875	24	35	1/30	B
9RT528/R	F	RAINBOW	28	red	electronic	1174	24	35	1/30	B

This lighting fixture is compatible with lamps from energy classes: B A A+ A++.

This lighting fixture comes with lamp from energy class: B

~230V | 50/60 Hz | G5 | 270° | >20000 | INSTANT 100% | 30000h | Hg | IP 20 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended 2 YEAR TOTAL WARRANTY



IP20

UNTIL SUPPLY LAST

COLOUR LIGHTING TUBES T5

Catalogue number	Product category	Type	Watt (W)	Colour	Length (mm)	Packing/Box (pcs)	Energy class
99217177	F	FLUORESCENT TUBE	8	blue	303	1/100	B
99217181	F	FLUORESCENT TUBE	8	green	303	1/100	B
99217182	F	FLUORESCENT TUBE	13	green	531	1/100	B
99217183	F	FLUORESCENT TUBE	21	green	863	1/100	B
99217184	F	FLUORESCENT TUBE	28	green	1160	1/100	B
99217185	F	FLUORESCENT TUBE	8	yellow	303	1/100	B
99217187	F	FLUORESCENT TUBE	21	yellow	863	1/100	B
99217188	F	FLUORESCENT TUBE	28	yellow	1160	1/100	B
99217190	F	FLUORESCENT TUBE	13	red	531	1/100	B
99217191	F	FLUORESCENT TUBE	21	red	863	1/100	B
99217192	F	FLUORESCENT TUBE	28	red	1160	1/100	B

~230V | 50/60 Hz | G5 | 270° | >20000 | INSTANT 100% | 30000h | Hg | IP 20 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended 2 YEAR TOTAL WARRANTY

SHINA WITH LED TUBE

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP21

Shina with LED tubes T8 STELLAR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
910109LCW	C	9	630	6400	white	612	33	44	1/12	A A++→A
910109LW	C	9	630	4000	white	612	33	44	1/12	A A++→A
910118LCW	C	18	1260	6400	white	1218	33	44	1/8	A A++→A
910118LW	C	18	1260	4000	white	1218	33	44	1/8	A A++→A

with LED tubes STELLAR

~230V | 50/60 Hz | LED T8 | G13 | Ra≥80 | Hg | IP 21 | RoHS COMPLIANT | EMC | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SHINA
910218

IP20

UNTIL SUPPLY LAST

SHINA

Catalogue number	Product category	Watt (W)	Colour body	Length (mm)	Width (mm)	Height (mm)	Ballast	Packing/Box (pcs)	Energy class
910218	F	2X18	white	618	89	70	magnetic	1/8	A++→B

~230V | 50/60 Hz | G13 | IP 20 | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

LENA-V OM
9LOM260LEDCW
9LOM260LED
9LOM460LEDCW
9LOM460LED
9LOM2120LEDCW
9LOM2120LED

LENA-V BM
9LBM260LEDCW
9LBM260LED
9LBM460LEDCW
9LBM460LED
9LBM2120LEDCW
9LBM2120LED

LED NEUTRAL WHITE 4000K COOL WHITE 6400K **IP21**

LENA-V BM/OM with LED Tubes T8 STELLAR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9LBM260LEDCW	C	2X9	1170	6400	white	595	295	70	1/1	A+ A++→A
9LBM260LED	C	2X9	1170	4000	white	595	295	70	1/1	A+ A++→A
9LBM460LEDCW	C	4X9	2340	6400	white	595	595	70	1/1	A+ A++→A
9LBM460LED	C	4X9	2340	4000	white	595	595	70	1/1	A+ A++→A
9LBM2120LEDCW	C	2X18	2340	6400	white	1195	295	70	1/1	A+ A++→A
9LBM2120LED	C	2X18	2340	4000	white	1195	295	70	1/1	A+ A++→A
9LOM260LEDCW	C	2X9	1170	6400	white	630	330	70	1/1	A+ A++→A
9LOM260LED	C	2X9	1170	4000	white	630	330	70	1/1	A+ A++→A
9LOM460LEDCW	C	4X9	2340	6400	white	630	630	70	1/1	A+ A++→A
9LOM460LED	C	4X9	2340	4000	white	630	630	70	1/1	A+ A++→A
9LOM2120LEDCW	C	2X18	2340	6400	white	1230	330	70	1/1	A+ A++→A
9LOM2120LED	C	2X18	2340	4000	white	1230	330	70	1/1	A+ A++→A

with LED tubes STELLAR

Body: white powder painted steel | **Reflector:** aluminium mirror double parabolic grid - type V | **BM** - recessed mounted luminaire | **OM** - surface mounted luminaire | **Light source:** LED tubes

~230V | 50/60 Hz | LED T8 | G13 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 21 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.

LENA-V OM

9LOM260LEDCWE
9LOM260LEDWE
9LOM460LEDCWE
9LOM460LEDWE
9LOM2120LEDCWE
9LOM2120LEDWE

LENA-V BM

9LBM260LEDCWE
9LBM260LEDWE
9LBM460LEDCWE
9LBM460LEDWE
9LBM2120LEDCWE
9LBM2120LEDWE

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP21**

LENA-V BM/OM with LED Tubes T8 and emergency kit

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9LBM260LEDCWE	C	2X9	1170	6400K	white	595	295	70	1/1	A+ A++→A
9LBM260LEDWE	C	2X9	1170	4000K	white	595	295	70	1/1	A+ A++→A
9LBM460LEDCWE	C	4X9	2340	6400K	white	595	595	70	1/1	A+ A++→A
9LBM460LEDWE	C	4X9	2340	4000K	white	595	595	70	1/1	A+ A++→A
9LBM2120LEDCWE	C	2X18	2340	6400K	white	1195	295	70	1/1	A+ A++→A
9LBM2120LEDWE	C	2X18	2340	4000K	white	1195	295	70	1/1	A+ A++→A
9LOM260LEDCWE	C	2X9	1170	6400K	white	630	330	70	1/1	A+ A++→A
9LOM260LEDWE	C	2X9	1170	4000K	white	630	330	70	1/1	A+ A++→A
9LOM460LEDCWE	C	4X9	2340	6400K	white	630	630	70	1/1	A+ A++→A
9LOM460LEDWE	C	4X9	2340	4000K	white	630	630	70	1/1	A+ A++→A
9LOM2120LEDCWE	C	2X18	2340	6400K	white	1230	330	70	1/1	A+ A++→A
9LOM2120LEDWE	C	2X18	2340	4000K	white	1230	330	70	1/1	A+ A++→A

with LED tubes STELLAR

We offer the fixtures as per personal request with a fixed block and battery with a possibility for work in an emergency regime 60-180min

Body: white powder painted steel | **Reflector:** aluminium mirror double parabolic grid - type V | **BM** - recessed mounted luminaire | **OM** - surface mounted luminaire | **Light source:** LED tubes

~230V | 50/60 Hz | LED T8 | G13 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 21 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VIKI

9VBM214LEDW
9VOM214LEDW

LED | NEUTRAL WHITE 4000K | **IP21**

UNTIL SUPPLY LAST

VIKI luminaire with LED tubes T5 ELMARK

Catalogue number	Product category	Watt (W)	Mounting type	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9VBM214LEDW	F	2X10	recessed	1800	4000	white	595	295	55	1/1	A++→A
9VOM214LEDW	F	2X10	surface	1800	4000	white	600	300	55	1/1	A++→A

Body: white powder painted steel | **Reflector:** prismatic lens | **Ballast:** fixed inside the body | **BM** - recessed fixture for mounting in suspended ceiling Armstrong type | **OM** - surface mounted fixture

with LED tubes ELMARK

~230V | 50/60 Hz | LED T5 | G5 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 21 | RoHS COMPLIANT | EMC | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

POLA
9PBME255LEDCW

POLA
9PMBME255LEDCW

LED COOL WHITE 6400K **IP21**

UNTIL SUPPLY LAST

POLA luminaire with LED PLL ELMARK

Catalogue number	Product category	Watt (W)	Mounting type	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9PMBME255LEDCW	F	recessed	2x20	3600	5500	white	595	595	80	1/1	A++→A
9PBME255LEDCW	F	recessed	2x20	3700	5500	white	595	595	80	1/1	A++→A

with LED PLL ELMARK

~230V | 50/60 Hz | PLL | 2G11 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 21 | RoHS COMPLIANT | EMC | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

PRISMATIC T5

IP21

UNTIL SUPPLY LAST

PRISMATIC T5

Catalogue number	Product category	Watt (W)	Colour body	Ballast	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9PROM235	F	2X35	white	electronic	1500	300	70	1/1	A++→B
9PROM249	F	2X49	white	electronic	1500	300	70	1/1	A++→B

Body: white powder painted steel | **Reflector:** prismatic lens | **Ballast:** fixed inside the body | **BM** - recessed fixture for mounting in suspended ceiling Armstrong type | **OM** - surface mounted fixture

~230V | 50/60 Hz | T5 | RoHS | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

PRISMATIC
9PROM214LEDW
9PROM414LEDW

PRISMATIC
9PRBME214LEDW

UNTIL SUPPLY LAST

PRISMATIC luminaire with LED tubes T5 ELMARK

Catalogue number	Product category	Watt (W)	Mounting type	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9PRBME214LEDW	F	2X10	recessed	1700	4000	white	595	295	70	1/1	A++→A
9PROM214LEDW	F	2X10	surface	1700	4000	white	608	308	70	1/1	A++→A
9PROM414LEDW	F	4X10	surface	3400	4000	white	595	595	70	1/1	A++→A

with LED tubes ELMARK

~230V | 50/60 Hz | LED T5 | G5 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 21 | RoHS COMPLIANT | EMC | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

PRISMATIC
9PROME209LEDW
9PROME209LEDCW

PRISMATIC
9PRBME209LEDW
9PRBME209LEDCW
9PRBME218LEDW
9PRBME218LEDCW

UNTIL SUPPLY LAST

PRISMATIC luminaire with LED tubes T8 STELLAR

Catalogue number	Product category	Watt (W)	Mounting type	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9PRBME209LEDW	F	2X9	RECESSED	1080	4000K	white	595	295	70	1/1	A+ A++→A
9PRBME209LEDCW	F	2X9	RECESSED	1080	6400K	white	595	295	70	1/1	A+ A++→A
9PRBME218LEDW	F	2X18	RECESSED	2160	4000K	white	1195	295	70	1/1	A+ A++→A
9PRBME218LEDCW	F	2X18	RECESSED	2160	6400K	white	1195	295	70	1/1	A+ A++→A
9PROME209LEDW	F	2X9	SURFACE	1080	4000K	white	608	308	70	1/1	A+ A++→A
9PROME209LEDCW	F	2X9	SURFACE	1080	6400K	white	608	308	70	1/1	A+ A++→A

with LED tubes STELLAR

~230V | 50/60 Hz | LED T8 | G13 | Ra≥80 | >20000 | INSTANT 100% | 15000h | Hg | IP 21 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

CAB-20
920LED011
920LED111

CAB-19
919LED010
919LED110

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20

UNTIL SUPPLY LAST

CAB

Catalogue number	Product category	Watt (W)	Lumen (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
920LED011	F	12	1050	4000	grey	500	42	15	1/60	A++→A
920LED111	F	12	1050	2700	grey	500	42	15	1/60	A++→A
919LED010	F	2,8	185	4000	grey	160	50	9	1/10	A++→A
919LED110	F	2,8	185	2700	grey	160	50	9	1/10	A++→A

Body: Aluminium | **Diffuser:** PMMA | **Sensor:** NO | w/o driver | **Light source:** Epistar | **Assemble:** Surface Mounted

Starting time: <0.01s | **With integrated door sensor(CAB-19)** - The lamp will switch on when the door is open and switch off when the door is closed. Reaction distance is 50mm - 100mm. | w/o driver

12V DC | SMD 5050 | 120° | Ra≥80 | >10000 | INSTANT 100% | 30000h | Hg | IP 20 | RoHS COMPLIANT | EMC | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

CAB-11
911LED04
911LED14



CAB-12
912LED06
912LED16

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20

UNTIL SUPPLY LAST

CAB

Catalogue number	Product category	Watt (W)	Lumen (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
911LED04	F	3,5	270	4000	grey	450	23	7	1/10	A++→A
911LED14	F	3,5	270	2700	grey	450	23	7	1/10	A++→A
912LED06	F	7	480	4000	grey	450	50	9	1/10	A++→A
912LED16	F	7	480	2700	grey	450	50	9	1/10	A++→A

Body: Aluminium | **Diffuser:** PMMA | **With integrated motion sensor** - The lamp will switch on when you move your hand in front of the sensor, and switch off when you move your hands again. | w/o driver | **Light source:** Epistar | **Assemble:** Surface Mounted | **Starting time:** <0.01s

12V DC | SMD 5050 | 120° | Ra≥80 | >10000 | INSTANT 100% | 30000h | Hg | IP 20 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY



CAB-13
913LED11

CAB-14
914LED02
914LED12

CAB-15
915LED03
915LED13

CAB-16
916LED05
916LED15

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20

UNTIL SUPPLY LAST

CAB

Catalogue number	Product category	Watt (W)	Voltage (V)	Lumen (lm)	Colour temp. (K)	Colour body	Beam angle	Length (mm)	Width (mm)	Height (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
914LED12	F	2,4	12 DC	210	2700	silver	120°	57	57	10	-	1/100	A++→A
915LED03	F	1,8	12 DC	160	4000	silver	120°	57	57	10	-	1/100	A++→A
915LED13	F	1,8	12 DC	160	2700	silver	120°	57	57	10	-	1/100	A++→A
916LED05	F	1	12 DC	90	4000	chrome	120°	52	52	10	-	1/100	A++→A
916LED15	F	1	12 DC	90	2700	chrome	120°	52	52	10	-	1/100	A++→A

JUNCTION BOX FOR CAB-18
3 mouths with 10 cm wire - **99LED456**
6 mouths with 10 cm wire - **99LED457**
12 mouths with 10 cm wire - **99LED458**

Body: ABS | **Diffuser:** PC | **Sensor:** NO | w/o driver | **Light source:** Epistar | **Assemble:** Surface Mounted | **Starting time:** <0.01s

12V DC | Ra≥80 | >10000 | INSTANT 100% | 30000h | Hg | IP 20 | RoHS | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

CAB-08
908508
908521

CAB-01A
9A01506

IP21

UNTIL SUPPLY LAST

CAB

Catalogue number	Product category	Model	Watt (W)	Colour body	Body	Length (mm)	Width (mm)	Height (mm)	Ballast	Packing/Box (pcs)	Energy class
9A01506	F	CAB-01A	6	white	PVC	268	23	44	electronic	1/40	B A++→B
908508	F	CAB-08	8	grey	Aluminium	365	58	70	electronic	1/16	B A++→B
908521	F	CAB-08	21	grey	Aluminium	935	58	70	electronic	1/12	B A++→B

~230V | 50/60 Hz | T5 | G5 | 6500K | Ra≥80 | IP 21 | RoHS | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

CAB-07
907521

CAB-03
903508
903513
903521

IP21

UNTIL SUPPLY LAST

CAB

Catalogue number	Product category	Model	Watt (W)	Colour body	Body	Length (mm)	Width (mm)	Height (mm)	Ballast	Packing/Box (pcs)	Energy class
903508	F	CAB-03	8	grey	Aluminium	363	88	45	electronic	1/20	B A++→B
903513	F	CAB-03	13	grey	Aluminium	592	88	45	electronic	1/20	B A++→B
903521	F	CAB-03	21	grey	Aluminium	925	88	45	electronic	1/20	B A++→B
903528	F	CAB-03	28	grey	Aluminium	1225	88	45	electronic	1/20	B A++→B
907521	F	CAB-07	21	grey	Aluminium	895	70	135	electronic	1/12	B A++→B

~230V · 50/60 Hz · T5 · G5 · 6500K · Ra≥80 · IP 21 · RoHS · F · CE · 2+0 standard +extended · 2 YEAR TOTAL WARRANTY

EXIT

EL3LED
92EL3LED

XL102
9XL102LED

LED COOL WHITE 6400K **IP21**

EMERGENCY FIXTURE XL102 / EL3LED

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Discharge time (h)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
92EL3LED	C	EL3LED	5 W	150	6000	3	white	140	140	20	1/1	A++→A
9XL102LED	C	XL102LED	30X0,067W	100	6000	5	white	200	54	32	1/60	A++→A

XL102LED - **Voltage:** 127-220V/50HZ | **Battery:** Lithium 3.7V/1000mAh | **Charging:** 220V- 12h; 120V- 24h | **Light source:** SMD 2835 | Two files dimming | Over charge protection | **Body:** PVC

~230V | 50/60 Hz | 20000h | IP 21 | RoHS COMPLIANT | EMC | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock for EL3LED, the delivery time after order confirmation will be 45 days, and for XL102 will be 90 days.

XL101
9XL101BLED
9XL101CLED

LED COOL WHITE 6400K **IP21**

XL101

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9XL101BLED	C	XL101BLED	18X0,1W	60	6200-6500	white	246	76	41	1/10	A++→A
9XL101CLED	C	XL101CLED	24X0,1W	75	6200-6500	white	327	76	43	1/10	A++→A

Body: PVC | **Diffuser:** PVC | Duration time approx 4 hours | **Battery:** 3,6V / 800mAh Ni-Cd

Note: with stickers

~230V | 50/60 Hz | Ra>70 | 20000h | Hg | IP 21 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

XL88
9XL88 LED

XL88
9XL88A LED

LED IP21

XL88

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Lamp	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9XL88LED	C	XL88 LED / DOUBLE FACE	3	35	LED	360	150	25	1/10	A++→A
9XL88A LED	C	XL88A LED / ONE FACE ONLY	3	35	LED	360	150	25	1/10	A++→A

Frame: aluminium | **Diffuser:** glass | Duration time approx 3 hours | **battery:** 2,4V / 800mAh Ni-Cd

~230V | 50/60 Hz | IP 21 | RoHS | EMC | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

9XL3114

9XL5113

9XL3115

9XL5114

9AL3116
Plasterboard Mounting

9AL3117
Plasterboard Mounting

LED **IP21**

XL/AL EMERGENCY LIGHT

Catalogue number	Product category	Model	LED Type	Discharge time (h)	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9XL5113	C	XL5113	6 super bright SMD LED	3	220	260	22	1/20	A++→A
9XL5114	C	XL5114	6 super bright SMD LED	3	220	260	22	1/20	A++→A
9XL3114	C	XL3114	6 super bright SMD LED	3	220	260	22	1/20	A++→A
9XL3115	C	XL3115	6 super bright SMD LED	3	220	260	22	1/20	A++→A
9AL3116	C	AL3116 Plasterboard	6 pieces D5 LED	3	380	210	50	1/20	A++→A
9AL3117	C	AL3117 Plasterboard	6 pieces D5 LED	3	380	210	50	1/20	A++→A

XL Models
Frame: PVC | **Diffuser:** PVC | **Battery:** 3,6V/300mAh | **Charge time:** 8-12h | **Conversion time:** <0.2sek | **Ambient temperature:** -10+40°C | With test button

AL Model
Frame: Aluminium alloy | **Power:** 1,5W | **Battery:** 1,2V/800mAh | **Conversion time:** <0.2sek | **Ambient temperature:** -10+40°C | **Mounting:** Plasterboard

~230V | 50/60 Hz | 20000h | Hg | IP 21 | RoHS | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

BATHROOM

POSEIDON
955POSEIDON12
955POSEIDON18
955POSEIDON24

TRITON
955TRITON7

LED NEUTRAL WHITE 4000K **IP44**

POSEIDON / TRITON

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955TRITON7	C	7	576	4000	Chrome	60	480	125	1/20	A++→A
955POSEIDON12	C	12	960	4000	Chrome	60	420	40	1/10	A++→A
955POSEIDON18	C	18	1440	4000	Chrome	60	655	40	1/10	A++→A
955POSEIDON24	C	24	1920	4000	Chrome	60	965	40	1/10	A++→A

Body: aluminium alloy | LED Bath Light.

~230V 50/60 Hz SMD 30° Ra>80 >50000 INSTANT 100% 30000h Hg IP 44 RoHS COMPLIANT EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MIRROR LIGHT
95IP4411/2
over cabinet

MIRROR LIGHT
95IP4411
95IP4414

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP44

LED MIRROR LIGHT

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95IP4411	C	8	504	4000	120°	400	106	42	1/20	A++→A
95IP4414	C	8	504	2700	120°	400	106	42	1/20	A++→A
95IP4411/2	C	8	504	4000	120°	400	106	42	1/20	A++→A

Body: Aluminium + PC | **Light source:** SMD 2835

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 44 | RoHS COMPLIANT | EMC | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MIRROR LIGHT
95IP4412

MIRROR LIGHT
95IP4413

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP44

LED MIRROR LIGHT

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95IP4412	C	15	1200	4000	133°	600	65	53	1/12	A++→A
95IP4413	C	20	1600	4000	133°	900	65	53	1/12	A++→A

Body: Aluminium + PC | **Light source:** SMD 2835

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | IP 44 | RoHS COMPLIANT | EMC | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

RODA
95IP4403

NILOS
95IP4405

OCEAN
95IP4409

OCEAN
95IP4410

IP44

UNTIL SUPPLY LAST

MIRROR LIGHT

Catalogue number	Product category	Description	Body	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
95IP4403	F	Wall lamp	Metal and glass	Satin nickel	275	70	120	1 x E14	1/1	A++→A
95IP4405	F	Wall lamp	Metal and glass	Chrome	310	80	80	1 x E14	1/1	A++→A
95IP4409	F	Wall lamp	Metal and glass	Chrome	55	421	67	1 x T5 / 8W	1/1	A++→A
95IP4410	F	Wall lamp	Metal and glass	Chrome	55	650	67	1 x T5 / 14W	1/1	A++→A

~230V | 50/60 Hz | IP 44 | RoHS | 2+0 standard +extended 2 YEAR TOTAL WARRANTY

LED PANEL ROUND IP44
99LED609IP44
99LED609IP44CW

LED PANEL ROUND IP44
99LED611IP44
99LED611IP44CW

LED PANEL ROUND IP44
99LED617IP44
99LED617IP44CW

LED NEUTRAL WHITE 4000K COOL WHITE 6400K **IP44**

LED PANEL ROUND IP44

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED609IP44	**99LED609IP44E**	C	5	400	4000	white	90	21	40	A++→A
99LED609IP44CW	**99LED609IP44CWE**	C	5	400	6500	white	90	21	40	A++→A
99LED611IP44	**99LED611IP44E**	C	12	960	4000	white	175	21	20	A++→A
99LED611IP44CW	**99LED611IP44CWE**	C	12	960	6500	white	175	21	20	A++→A
99LED617IP44	**99LED617IP44E**	C	18	1440	4000	white	225	21	20	A++→A
99LED617IP44CW	**99LED617IP44CWE**	C	18	1440	6500	white	225	21	20	A++→A

Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: aluminium | **Light source:** SMD 2835 | **Recessed mounted luminaire** | **Beam angle:** 120°| **Driver:** Isolated
Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PANEL ROUND WATERPROOF, DUSTPROOF AND OILY SMOKE
99LED607IP65
99LED607IP65CW

LED PANEL ROUND WATERPROOF, DUSTPROOF AND OILY SMOKE
99LED610IP65
99LED610IP65CW

LED PANEL ROUND WATERPROOF, DUSTPROOF AND OILY SMOKE
99LED616IP65
99LED616IP65CW

LED PANEL ROUND WATERPROOF, DUSTPROOF AND OILY SMOKE
99LED623IP65
99LED623IP65CW

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP65

LED PANEL ROUND WATERPROOF, DUSTPROOF AND OILY SMOKE

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Diameter1 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED607IP65	**99LED607IP65E**	C	7	660	4000	white	115	100-110	27	1/20	A++→A
99LED607IP65CW	**99LED607IP65CWE**	C	7	660	6500	white	115	100-110	27	1/20	A++→A
99LED610IP65	**99LED610IP65E**	C	10	770	4000	white	170	150-160	27	1/20	A++→A
99LED610IP65CW	**99LED610IP65CWE**	C	10	770	6500	white	170	150-160	27	1/20	A++→A
99LED616IP65	**99LED616IP65E**	C	16	1300	4000	white	220	200-210	27	1/20	A++→A
99LED616IP65CW	**99LED616IP65CWE**	C	16	1300	6500	white	220	200-210	27	1/20	A++→A
99LED623IP65	**99LED623IP65E**	C	23	1750	4000	white	240	220-230	39	1/20	A++→A
99LED623IP65CW	**99LED623IP65CWE**	C	23	1750	6500	white	240	220-230	39	1/20	A++→A

Emergency kit with a possibility for work in an emergency regime more than two hours.



Body: policarbonate (pc) | **Reflector:** policarbonate (pc) | Light source: SMD2835 | **Starting time:** <0.5s | Power factor: >0.9
Waterproof, dustproof and oily smoke|Milky white mask, soft light, not dazzling| Ultra-thin lamp body

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

WATERPROOF LED PANEL ROUND
99LED609IP65
99LED609IP65CW

WATERPROOF LED PANEL ROUND
99LED611IP65
99LED611IP65CW

WATERPROOF LED PANEL ROUND
99LED617IP65
99LED617IP65CW

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP65**

UNTIL SUPPLY **LAST**

WATERPROOF LED PANEL ROUND

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED609IP65	**99LED609IP65E**	F	5	400	4000	white	90	27	1/40	A++→A
99LED609IP65CW	**99LED609IP65CWE**	F	5	400	6500	white	90	27	1/40	A++→A
99LED611IP65	**99LED611IP65E**	F	10	800	4000	white	150	27	1/40	A++→A
99LED611IP65CW	**99LED611IP65CWE**	F	10	800	6500	white	150	27	1/40	A++→A
99LED617IP65	**99LED617IP65E**	F	18	1440	4000	white	225	27	1/20	A++→A
99LED617IP65CW	**99LED617IP65CWE**	F	18	1440	6500	white	225	27	1/20	A++→A

Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: policarbonate (pc) | **Reflector:** policarbonate (pc) | **Light source:** Epistar | **Starting time:** <0.5s | **Power factor:** λ>0.8

Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 65 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ELR627
92627/W

ELR627
92627/SN

IP44

ELR627 - BATHROOM, IP44

Catalogue number	Product category	Model	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
92627/W	C	ELR627	90	33	60	white	1/100	A++→E
92627/SN	C	ELR627	90	33	60	satin nickel	1/100	A++→E

Body: steel | **Diffuser:** glass

~230V | 12V | 50/60 Hz | max. 50W | IP 44 | RoHS COMPLIANT | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ELR627
92627/CH

ELR627
92627/AB

IP44

ELR627 - BATHROOM, IP44

Catalogue number	Product category	Model	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
92627/CH	C	ELR627	90	33	60	chrome	1/100	A++→E
92627/AB	C	ELR627	90	33	60	antique brass	1/100	A++→E

Body: steel | **Diffuser:** glass

~230V | 12V | 50/60 Hz | max. 50W | IP 44 | RoHS COMPLIANT | III | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SA-044
92044/G

SA-144
92144/RAB

IP44

UNTIL SUPPLY LAST

SA

Catalogue number	Product category	Model	Diameter (mm)	Length (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
92144/RAB	F	SA-144	-	85	48	72	red antique brass	1/50	A++→E
92044/G	F	SA-044	80	-	37	71	gold	1/50	A++→E

Body: steel | **Diffuser:** glass | **Ring:** aluminium alloy

With the purchase of additional lampholder GU10, spotlights can be used with 230V GU10 lamps.

12V | 50/60 Hz | MR-16 | GU5.3 | max. 50W | IP 20 IP 44 | RoHS COMPLIANT | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

OUTDOOR

BELT LIGHT

961527

IP44

BELT LIGHT

Catalogue number	Product category	Cable length (m)	Cable specification	Lamp holder	QTY of lamp holder	IP	Packing/Box (pcs)	Energy class
961527	C	5	H05RN-F 2x1.0mm²	E27	15	44	1/5	A++→E

Length 5m / 15 lamps holders

Voltage: 220-240V AC | **Conectors type:** 3 pcs male/female | **Lamps not included**

IP 44 RoHS COMPLIANT CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

JOSH
96402WD/BK

JOSH
96403P/BK

JOSH
96404MF/BK

JOSH
96405MF/BK

IP44

JOSH

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96402WD/BK	C	Wall lantern	Matt black	185	240	450	1 x E27	1/6	A++→E
96403P/BK	C	Hanging lantern	Matt black	185	-	290	1 x E27	1/6	A++→E
96404MF/BK	C	Lantern floor post	Matt black	185	-	460	1 x E27	1/6	A++→E
96405MF/BK	C	Lantern floor post	Matt black	185	-	2000	1 x E27	1/20	A++→E

SP60 METAL POLE
Colour: black
Size (mm):
Diameter 60 x Base Ø 145
Product category: G
Height: 600 - **93SP60BL**
Height: 800 - **93SP80BL**
Height: 1000 - **93SP100BL**
Height: 1200 - **93SP120BL**

Body: Aluminium with glass

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

JOSH
96402WD/AB

JOSH
96403P/AB

JOSH
96404MF/AB

JOSH
96405MF/AB

IP44

JOSH

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96402WD/AB	C	Wall lantern	Antique brass	185	240	450	1 x E27	1/6	A++→E
96403P/AB	C	Hanging lantern	Antique brass	185	-	290	1 x E27	1/6	A++→E
96404MF/AB	C	Lantern floor post	Antique brass	185	-	460	1 x E27	1/6	A++→E
96405MF/AB	C	Lantern floor post	Antique brass	185	-	2000	1 x E27	1/20	A++→E

SP60 METAL POLE
Colour: black
Size (mm):
Diameter 60 x Base Ø 145
Product category: G
Height: 600 - **93SP60BL**
Height: 800 - **93SP80BL**
Height: 1000 - **93SP100BL**
Height: 1200 - **93SP120BL**

Body: Aluminium with glass

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ALEK
96301WD/BK

ALEK
96301WU/BK

ALEK
96305F/BK

ALEK
96303P/BK

ALEK
96304MF/BK

IP44

ALEK

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96301WD/BK	C	Wall lantern	Matt black	150	175	295	1 x E27	1/6	A++→E
96301WU/BK	C	Wall lantern	Matt black	150	175	365	1 x E27	1/6	A++→E
96303P/BK	C	Hanging lantern	Matt black	150	150	230	1 x E27	1/6	A++→E
96304MF/BK	C	Lantern floor post	Matt black	150	150	370	1 x E27	1/6	A++→E
96305F/BK	C	Lantern floor post	Matt black	150	150	830	1 x E27	1/6	A++→E

Body: Aluminium with glass

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS COMPLIANT | 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ALEK
96301WD/BRB

ALEK
96301WU/BRB

ALEK
96305F/BRB

ALEK
96303P/BRB

ALEK
96304MF/BR

IP44

ALEK

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96301WD/BRB	C	Wall lantern	Antique copper	150	175	295	1 x E27	1/6	A++→E
96301WU/BRB	C	Wall lantern	Antique copper	150	175	365	1 x E27	1/6	A++→E
96303P/BRB	C	Hanging lantern	Antique copper	150	150	230	1 x E27	1/6	A++→E
96304MF/BRB	C	Lantern floor post	Antique copper	150	150	370	1 x E27	1/6	A++→E
96305F/BRB	C	Lantern floor post	Antique copper	150	150	830	1 x E27	1/6	A++→E

Body: Aluminium with glass

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ERIK
96101WU/BK

ERIK
96102WD/BK

ERIK
96105F/BK

ERIK
96103P/BK

ERIK
96104MF/BK

IP44

ERIK

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96101WU/BK	C	Wall lantern	Matt black	155	170	325	1 x E27	1/6	A++→E
96102WD/BK	C	Wall lantern	Matt black	155	170	285	1 x E27	1/6	A++→E
96103P/BK	C	Hanging lantern	Matt black	155	-	300	1 x E27	1/6	A++→E
96104MF/BK	C	Lantern floor post	Matt black	155	-	370	1 x E27	1/6	A++→E
96105F/BK	C	Lantern floor post	Matt black	155	-	775	1 x E27	1/6	A++→E

Body: Aluminium with glass

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ERIK
96101WU/AB

ERIK
96102WD/AB

ERIK
96105F/AB

ERIK
96103P/AB

ERIK
96104MF/AB

IP44

ERIK

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96101WU/AB	C	Wall lantern	Antique brass	155	170	325	1 x E27	1/6	A++→E
96102WD/AB	C	Wall lantern	Antique brass	155	170	285	1 x E27	1/6	A++→E
96103P/AB	C	Hanging lantern	Antique brass	155	-	300	1 x E27	1/6	A++→E
96104MF/AB	C	Lantern floor post	Antique brass	155	-	370	1 x E27	1/6	A++→E
96105F/AB	C	Lantern floor post	Antique brass	155	-	775	1 x E27	1/6	A++→E

Body: Aluminium with glass

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

NICK
96501WU/BK

NICK
96504MF/BK

NICK
96503P/BK

NICK
96505F/BK

IP44

NICK

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96501WU/BK	C	Wall lantern	Matt black	210	175	230	1 x E27	1/12	A++→E
96503P/BK	C	Hanging lantern	Matt black	175	175	220	1 x E27	1/12	A++→E
96504MF/BK	C	Lantern floor post	Matt black	175	175	240	1 x E27	1/12	A++→E
96505F/BK	C	Lantern floor post	Matt black	175	175	720	1 x E27	1/6	A++→E

Body: Aluminium with PVC

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

NICK
96501WU/AB

NICK
96504MF/AB

NICK
96503P/AB

NICK
96505F/AB

IP44

NICK

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96501WU/AB	C	Wall lantern	Antique brass	210	175	230	1 x E27	1/12	A++→E
96503P/AB	C	Hanging lantern	Antique brass	175	175	220	1 x E27	1/12	A++→E
96504MF/AB	C	Lantern floor post	Antique brass	175	175	240	1 x E27	1/12	A++→E
96505F/AB	C	Lantern floor post	Antique brass	175	175	720	1 x E27	1/6	A++→E

Body: Aluminium with PVC

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MARK
96202WD/BK

MARK
96201WU/BRB

MARK
96201WU/BK

IP44

UNTIL SUPPLY LAST

MARK

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96201WU/BRB	F	Wall lantern	Antique copper	200	230	420	1 x E27	1/6	A++→E
96202WD/BK	F	Wall lantern	Matt black	200	230	420	1 x E27	1/6	A++→E
96201WU/BK	F	Wall lantern	Matt black	200	230	420	1 x E27	1/6	A++→E

Body: Aluminium with glass | **Lamps not included**

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

50073
9350073WH

50313
9350313AC

IP44

UNTIL SUPPLY LAST

LANTERN

Catalogue number	Product category	Model	Colour	Width (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9350073WH	F	50073 HANGING	white	165	340	200	1/12	A++→E
9350313AC	F	50313 HANGING	oxidated copper	195	330	195	1/12	A++→E

Body: aluminium | **Diffuser:** glass | **Colour:** white - 93SO63WH | **Colour:** oxidized copper - 93SO63AC | **Lamps not included**

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS COMPLIANT | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

IESSE
96IESSEWL/BL

GOLIA
96GOLIAP/BL

GOLIA
96GOLIAWL/BL

GOLIA
96GOLIAMF/BL

IP55 **Resin**

MEDIUM SIZE GOLIA/ IESSE

Catalogue number	Product category	Description	Colour	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96GOLIAWL/BL	C	Wall lantern	Black	300	450	1xE27	1/12	A++→E
96GOLIAP/BL	C	Hanging lantern	Black	230	800	1xE27	1/12	A++→E
96GOLIAMF/BL	C	Lantern floor post	Black	230	470	1xE27	1/12	A++→E
96IESSEWL/BL	C	Wall half lantern	Black	220	350	1xE27	1/16	A++→E

Lantern body: Resin with clear glass| UV resistant | Lamp not included

Recommended bulbs:

99LED588 LED PEAR A60 12W 4000K | **99LED587** LED PEAR A60 12W 2700K | **99LED821** LED PEAR A60 12W 6400K

99LED773D LED Vintage 8W 2700K

~230V | 50/60 Hz | E27 | RoHS | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.



GOLIA
96GOLIAGG/BL

GOLIA
96GOLIAMG/BL

LED NEUTRAL WHITE 4000K | IP55 | Resin

GOLIA

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Width/ Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96GOLIAMG/BL	C	8	800	4000	Black	230	1100	1	A++→E
96GOLIAGG/BL	C	8	800	4000	Black	230	2110	1	A++→E

Body: Resin with clear glass | UV resistant | **Lampholder:** E27 | **Lamp included**

~230V | 50/60 Hz | E27 | RoHS COMPLIANT | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

ANNA
96120WU/BL

ANNA
96120MF/BL

ANNA
96120P/BL

IP55 **Resin**

SMALL SIZES GARDEN LANTERN ANNA

Catalogue number	Product category	Model	Lamp included	Colour	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96120WU/BL	C	Wall lantern- UP	no	black	275	450	E27	1/18	A++→E
96120P/BL	C	Wall lantern- Hanging	no	black	220	800	E27	1/18	A++→E
96120MF/BL	C	Lantern floor post	no	black	130	385	E27	1/18	A++→E

Lantern body: Resin with glass | UV resistant | Lamp not included

Post lantern body: steel+resin | Anticorrosion | UV-rays stabilized| Not affected by chenical fertilizes

Recommended bulbs:
99LED588 LED PEAR A60 12W 4000K | **99LED587** LED PEAR A60 12W 2700K | **99LED821** LED PEAR A60 12W 6400K
99LED773D LED Vintage 8W 2700K

~230V | 50/60 Hz | E27 | RoHS | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

ANNA 2x6W
96120GB2L/BL



ANNA 6W
96120F/BL

LED NEUTRAL WHITE 4000K **IP55** **Resin**

SMALL SIZES GARDEN LANTERN ANNA

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Width/ Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96120F/BL	C	6	800	4000	Black	220	1100	1	A++→E
96120GB2L/BL	C	2x6	1600	4000	Black	610	2090	1	A++→E

Body: Resin with clear glass | UV resistant | **Lampholder:** E27 | Lamp included

~230V 50/60 Hz E27 RoHS F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

GLOBE 250
96G250WL/BL

GLOBE 250
96G250P/BL

GLOBE 250
96G250MF/BL

IP55 **Resin**

GLOBE 250

Catalogue number	Product category	Description	Colour	Width/ Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96G250WL/BL	C	Wall lamp	Black	300	360	1xE27	1/36	A++→E
96G250MF/BL	C	Floor lamp	Black	250	350	1xE27	1/36	A++→E
96G250P/BL	C	Hanging lamp	Black	250	700	1xE27	1/36	A++→E

Lantern body: Resin with clear glass| UV resistant | Lamp not included

Recommended bulbs:

99LED588 LED PEAR A60 12W 4000K | **99LED587** LED PEAR A60 12W 2700K | **99LED821** LED PEAR A60 12W 6400K

99LED773D LED Vintage 8W 2700K

~230V | 50/60 Hz | E27 | RoHS | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

GLOBE 250
96G250M/BL

GLOBE 250
96G250GB2L/BL

LED NEUTRAL WHITE 4000K | IP55 | Resin

GLOBE 250

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Width/ Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96G250M/BL	C	6	800	4000	Black	250	1000	1	A+ A++→A
96G250GB2L/BL	C	2x6	1600	4000	Black	250	2050	1	A+ A++→A

Body: Resin with clear glass| UV resistant | Lampholder: E27 | Lamp included

~230V | 50/60 Hz | E27 | RoHS COMPLIANT | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

GRF157 LED
96LEDW157

GRF157 LED
96LEDP15780

GRF968 LED
968LEDP500

LED NEUTRAL WHITE 4000K **IP54**

UNTIL SUPPLY LAST

GRF157 LED / GRF968 LED

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96LEDW157	F	10	800	4000	dark gray	250	90	80	1/9	A++→A
96LEDP15780	F	10	800	4000	dark gray	800		100	1/9	A++→A
968LEDP500	F	6	480	4000-4300	dark grey	500	186	183	1/4	A++→A

Material: Alu+PC | **Chip:** 8 pcs Osram SMD3030

~230V | 50/60 Hz | SMD 2835 | 30000h | >20000 | IP 54 | Ra>80 | Hg | RoHS | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

GRF206 LED
96LEDW206
96LEDW206W

GRF206 LED
96LEDP20678
96LEDP20678W

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP54

GRF206 LED

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96LEDW206	C	10	800	4000	graphite black	164	80	263	1/16	A++→A
96LEDP20678	C	10	800	4000	graphite black	154	110	780	1/6	A++→A
96LEDW206WW	C	10	800	3000	graphite black	164	80	263	1/16	A++→A
96LEDP20678WW	C	10	800	3000	graphite black	154	110	780	1/6	A++→A

Material: Alu+PC | **Chip:** Epistar 2835 SMD | 45PCS 2835 SMD, 10W, 800lm

~230V | 50/60 Hz | SMD 2835 | 30000h | >20000 | IP 54 | Ra>80 | Hg | RoHS COMPLIANT | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



GRF302 LED
96LEDW302

GRF302 LED
96LEDP30278

LED NEUTRAL WHITE 4000K **IP54**

GRF302 LED

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96LEDW302	C	10	800	4000	graphite black	82	284	126	1/12	A++→A
96LEDP30278	C	10	800	4000	graphite black	82	284	780	1/6	A++→A

Material: Alu+PC | **Chip:** Epistar 2835 SMD | 45PCS 2835 SMD, 10W, 800lm

~230V | 50/60 Hz | SMD 2835 | 30000h | >20000 | IP 54 | Ra>80 | Hg | RoHS COMPLIANT | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

GRF506 LED
96LEDW506

GRF506 LED
96LEDP50678

LED NEUTRAL WHITE 4000K **IP54**

GRF506 LED

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96LEDW506	C	10	800	4000	graphite black	157	92	83	1/16	A++→A
96LEDP50678	C	10	800	4000	graphite black	157	92	787	1/6	A++→A

Material: Alu+PC | **Chip:** Epistar 2835 SMD | 45PCS 2835 SMD, 10W, 800lm

~230V | 50/60 Hz | SMD 2835 | 30000h | >20000 | IP 54 | Ra>80 | Hg | RoHS COMPLIANT | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

GRF507 LED
96LEDW507

GRF507 LED
96LEDP50778

LED NEUTRAL WHITE 4000K **IP54**

UNTIL SUPPLY LAST

GRF507 LED

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96LEDW507	F	10	800	4000	graphite black	160	112	170	1/12	A++>A
96LEDP50778	F	10	800	4000	graphite black	160	82	780	1/6	A++>A

Material: Alu+PC | **Chip:** Epistar 2835 SMD | 45PCS 2835 SMD, 10W, 800lm

~230V | 50/60 Hz | SMD 2835 | 30000h | >20000 | IP 54 | Ra>80 | Hg | RoHS COMPLIANT | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

LUCIA
95LUCIA/BL

GABRI
96GABRI/BL

BEPPE 50W
96BEPPE40/BL

IP66 **IP65** **Resin**

GABRI / LUCIA / BEPPE 50W

Catalogue number	Product category	Model	Lamp included	Colour body	Body material	IP Rating	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96GABRI/BL	C	Bollard	no	black	Resin	IP 66	750		750	1/24	A++→C
95LUCIA/BL	C	Bulkhead	no	black	Resin	IP 66	300	175	255	1/16	A++→C
96BEPPE40/BL	C	Post	yes	black	Resin	IP 65	3065		3065	1/1	A++→C

96GABRI/BL: UV resistant | Lamp not included

96BEPPE40/BL: UV resistant | Lamp included 50 W / 5000 lm / 4000K

Recommended bulbs for **96GABRI/BL** and **95LUCIA/BL**:

99LED588 LED PEAR A60 12W 4000K | **99LED587** LED PEAR A60 12W 2700K | **99LED821** LED PEAR A60 12W 6400K

~230V | 50/60 Hz | E27 | 1,5mm² | RoHS COMPLIANT | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

MIRELLA
955MIRELLAWL/GR

SAURO
95SAURO500L/GR

SAURO
95SAURO800L/BL

SAURO
95SAURO1100L/BL

IP55 **Resin**

SAURO/MIRELLA

Catalogue number	Product category	Model	Colour body	Length/ Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
95SAURO500L/BL	C	SAURO 500	Black	150	500	1xE27	1	A++→C
95SAURO500L/GR	C	SAURO 500	Grey	150	500	1xE27	1	A++→C
95SAURO800L/BL	C	SAURO 800	Black	150	800	1xE27	1	A++→C
95SAURO800L/GR	C	SAURO 800	Grey	150	800	1xE27	1	A++→C
95SAURO1100L/BL	C	SAURO 1100	Black	150	1100	1xE27	1	A++→C
95SAURO1100L/GR	C	SAURO 1100	Grey	150	1100	1xE27	1	A++→C
955MIRELLAWL/BL	C	MIRELLA	Black	240	520	1xE27	1	A++→C
955MIRELLAWL/GR	C	MIRELLA	Grey	240	520	1xE27	1	A++→C

Body: Resin with white resin louvre | UV resistant | Lamp not included

Recommended bulbs:
99LED588 LED PEAR A60 12W 4000K | 99LED587 LED PEAR A60 12W 2700K | 99LED821 LED PEAR A60 12W 6400K

~230V | 50/60 Hz | 1,5mm² | RoHS COMPLIANT | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

CARLO DECO
95CARLOWLDFS/BL

CARLO DECO
95CARLOWLD/BL

CARLO DECO
95CARLO800D/BL

CARLO DECO
95CARLO400D/BL

LED 3000 K 4000 K **IP55** **Resin**

CARLO DECO

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Width / Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95CARLO800D/BL	C	6	600	2700/4000 settable	Black	100	800	1/6	A+ A++→A
95CARLO400D/BL	C	6	600	2700/4000 settable	Black	100	400	1/12	A+ A++→A
95CARLOWLD/BL	C	6	600	2700/4000 settable	Black	110	260	1/20	A+ A++→A
95CARLOWLDFS/BL	C	6	600	2700/4000 settable	Black	170	340	1/20	A+ A++→A

Body: Resin with clear glass | UV resistant | **Lamp holder:** G10 | **Lamp included**

The product CARLO is accomplished with a LED bulb which parameters are noted in the chart. If you need any other color temperature or power, we suggest you to purchase the variants compatible to this fixtures separately as follows:

99XLED729 GU10 LED SMD 7W 4000K | **99XLED730** GU10 LED SMD 7W 2700K | **99XLED796** GU10 LED SMD 7W 6400K

~230V 50/60 Hz 1,5mm² RoHS 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

CARLO DECO
95CARLOWLFS/BL

CARLO
95CARLOWL/BL

CARLO
95CARLO800/BL

CARLO
95CARLO400/BL

LED 3000 K 4000 K **IP55** **Resin**

CARLO

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Width / Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95CARLO800/BL	C	6	600	2700/4000 settable	Black	100	800	1/6	A+ A++→A
95CARLO400/BL	C	6	600	2700/4000 settable	Black	100	400	1/12	A+ A++→A
95CARLOWL/BL	C	6	600	2700/4000 settable	Black	110	260	1/20	A+ A++→A
95CARLOWLFS/BL	C	6	600	2700/4000 settable	Black	170	340	1/20	A+ A++→A

Body: Resin with clear glass | UV resistant | **Lamp holder:** G10 | **Lamp included**

The product CARLO is accomplished with a LED bulb which parameters are noted in the chart. If you need any other color temperature or power, we suggest you to purchase the variants compatible to this fixtures separately as follows:

99XLED729 GU10 LED SMD 7W 4000K | **99XLED730** GU10 LED SMD 7W 2700K | **99XLED796** GU10 LED SMD 7W 6400K

~230V | 50/60 Hz | 1,5mm² | RoHS COMPLIANT | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

CARLO DECO
95CARLOWLFS/GR

CARLO
95CARLOWL/GR

CARLO
95CARLO800/GR

CARLO
95CARLO400/GR

LED 3000 K 4000 K **IP55** **Resin**

CARLO

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Width / Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95CARLO800/GR	C	6	600	2700/4000 settable	Grey	100	800	1/6	A+ A++→A
95CARLO400/GR	C	6	600	2700/4000 settable	Grey	100	400	1/12	A+ A++→A
95CARLOWL/GR	C	6	600	2700/4000 settable	Grey	110	260	1/20	A+ A++→A
95CARLOWLFS/GR	C	6	600	2700/4000 settable	Black	170	340	1/20	A+ A++→A

Body: Resin with clear glass | UV resistant | **Lamp holder:** G10 | **Lamp included**

The product CARLO is accomplished with a LED bulb which parameters are noted in the chart. If you need any other color temperature or power, we suggest you to purchase the variants compatible to this fixtures separately as follows:

99XLED729 GU10 LED SMD 7W 4000K | **99XLED730** GU10 LED SMD 7W 2700K | **99XLED796** GU10 LED SMD 7W 6400K

~230V | 50/60 Hz | 1,5mm² | RoHS COMPLIANT | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

ESTER
95ESTER800/BL

ESTER
95ESTER500/BL

ESTER
95ESTERWL/BL

SAURO
95SAURO800/BL

LED | 3000 K | 4000 K | 6000 K | IP55 | Resin

ESTER/ SAURO

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length/ Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95ESTER800/BL	C	10	1200	3000/4000/6500- settable	Black	126	126	800	1/6	A+ A++→A
95ESTER500/BL	C	10	1200	3000/4000/6500- settable	Black	126	126	480	1/12	A+ A++→A
95ESTERWL/BL	C	10	1200	3000/4000/6500- settable	Black	126	165	126	1/18	A+ A++→A
95SAURO800/BL	C	10	1200	3000/4000/6500- settable	Black	150		800	1/6	A+ A++→A

Body: Resin with clear glass | UV resistant | **Lamp holder:** GX53 | **Lamp included**

~230V | 50/60 Hz | 1,5mm² | RoHS COMPLIANT | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

ESTER
95ESTER800/GR

ESTER
95ESTER500/GR

ESTER
95ESTERWL/GR

LED 3000 K 4000 K 6000 K **IP55** **Resin**

ESTER

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length/ Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95ESTER800/GR	C	10	1200	3000/4000/6500- settable	Grey	126	126	800	1/6	A+ A++→A
95ESTER500/GR	C	10	1200	3000/4000/6500- settable	Grey	126	126	480	1/12	A+ A++→A
95ESTERWL/GR	C	10	1200	3000/4000/6500- settable	Grey	126	165	126	1/18	A+ A++→A

Body: Resin with clear glass | UV resistant | **Lamp holder:** GX53 | **Lamp included**

~230V 50/60 Hz 1,5mm² RoHS COMPLIANT 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

GRF966
966W250

GRF966
966P300

GRF966
966P500

GRF966
966P800

IP65

GRF966

Catalogue number	Product category	Model	Watt (W)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
966W250	C	GRF966-W	MAX 18W	dark grey	250	72	107	1/16	A++→C
966P300	C	GRF966-30	MAX 18W	dark grey	300	72	72	1/9	A++→C
966P500	C	GRF966-50	MAX 18W	dark grey	500	72	72	1/9	A++→C
966P800	C	GRF966-80	MAX 18W	dark grey	800	72	72	1/9	A++→C

Body: aluminium | **Diffuser:** polycarbonate (PC) | **Operating temperature:** -20°C÷+65°C

~230V | 50/60 Hz | CFL | E27 | 1,5mm² | IP 65 | RoHS | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

GRF965
965W200

GRF965
965P500

GRF965
965P300

GRF965
965P800

IP65

GRF965

Catalogue number	Product category	Model	Watt (W)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
965W200	C	GRF965	MAX 23W	dark grey	200	175	190	1/8	A++→C
965P300	C	GRF965-30	MAX 23W	dark grey	300	175	-	1/8	A++→C
965P500	C	GRF965-50	MAX 23W	dark grey	500	175	-	1/4	A++→C
965P800	C	GRF965-80	MAX 23W	dark grey	800	175	-	1/4	A++→C

Body: aluminium | Diffuser: polycarbonate (PC) | Operating temperature: -20°C÷+65°C

~230V | 50/60 Hz | CFL | E27 | 1,5mm² | IP 65 | RoHS | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

HECTORW1
96100006

HECTORW2
96100010

IP44

UNTIL SUPPLY LAST

HECTOR / TARA

Catalogue number	Product category	Model	Watt (W)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96100006	F	Wall	max 11W	satin nickel	377	80	-	1/20	A++→A
96100010	F	Wall	max 11W	satin nickel	390	80	145	1/12	A++→A

Body: stainless steel | **Diffuser:** ABS

~230V | 50/60 Hz | E27 | 2,5mm² | IP 44 | RoHS COMPLIANT | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

PMMA CLEAR
96400023A60LED

PMMA CLEAR
96400024G95LED
96400025G95LED

PMMA CLEAR
9640002730LED
9640002740LED

LED NEUTRAL WHITE 4000K **IP65**

PMMA CLEAR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour aluminium ring	Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96400023A60LED	C	18	1700	4000	clear	200	100	210	1/16	A+ A++→A
96400024G95LED	C	20	1800	4000	clear	250	125	260	1/12	A+ A++→A
96400025G95LED	C	20	1800	4000	clear	300	145	310	1/6	A+ A++→A
9640002730LED	C	30	2700	4000	clear	400	220	410	1/2	A+ A++→A
9640002740LED	C	40	3600	4000	clear	400	220	410	1/2	A+ A++→A

Diffuser: PMMA (polymethil methacrilate) | **Lamp holder:** E27 | **Mounting:** Metal pole ϕ60

SP60 METAL POLE
Colour: black
Size (mm):
Diameter 60 x Base Ø 145
Product category: G
Height: 600 - **93SP60BL**
Height: 800 - **93SP80BL**
Height: 1000 - **93SP100BL**
Height: 1200 - **93SP120BL**

~230V | E27 | Ra>80 | >15000 | INSTANT 100% | 30000h | Hg | IP 65 | RoHS COMPLIANT | F | CE | 2+1 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

PMMA OPAL
96300016
96300017
96300018
96300019

PMMA CLEAR
96400023
96400024
96400025
96400027

IP65

PMMA OPAL / CLEAR

Catalogue number	Product category	Watt (W)	Colour	Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96300016	C	max 11W	opal	200	100	210	1/16	A++→B
96300017	C	max 15W	opal	250	125	260	1/12	A++→B
96300018	C	max 20W	opal	300	145	310	1/6	A++→B
96300019	C	max 40W	opal	400	220	410	1/2	A++→B
96400023	C	max 11W	clear	200	100	210	1/16	A++→B
96400024	C	max 15W	clear	250	125	260	1/12	A++→B
96400025	C	max 20W	clear	300	145	310	1/6	A++→B
96400027	C	max 40W	clear	400	220	410	1/2	A++→B

Diffuser: PMMA (polymethil methacrilate) | **Lamp holder:** E27 | **Mounting:** Metal pole ϕ60 | Lamps not included

SP60 METAL POLE
Colour: black
Size (mm):
Diameter 60 x Base Ø 145
Product category: G
Height: 600 - **93SP60BL**
Height: 800 - **93SP80BL**
Height: 1000 - **93SP100BL**
Height: 1200 - **93SP120BL**

~230V | E27 | IP 65 | RoHS | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

NINA 150
96NINA150/BL

NINA 150
96NINA150/GR

NINA 190
96NINA190/BL



NINA 190
96NINA190/GR

LED | 3000 K | 4000 K | 6000 K | IP55 | Resin

NINA 150 / NINA 190

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96NINA150/BL	C	3,2	400	3000/4000/6500- SETTABLE	black	145	50	50	1	A+ A+→A
96NINA150/GR	C	3,2	400	3000/4000/6500- SETTABLE	grey	145	50	50	1	A+ A+→A
96NINA190/BL	C	7,5	850	3000/4000/6500- SETTABLE	black	185	50	50	1/50	A+ A+→A
96NINA190/GR	C	7,5	850	3000/4000/6500- SETTABLE	grey	185	50	50	1/50	A+ A+→A

Body: Resin | **Lamp holder:** R7s | Lamp included





~230V | 50/60 Hz | Ra>80 | >15000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days. .

LETI 100
96LETI100/BL
96LETI100/GR

LETI 100GR
96LETI100GR/BL
96LETI100GR/GR

LETI 100EL
96LETI100EL/BL
96LETI100EL/GR

LED | 3000 K | 4000 K | 6000 K | IP66 | Resin

LETI 100

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Diameter 1 (mm)	Width (mm)	Packing/Box (pcs)	Energy class
96LETI100/BL	C	LETI 100	3	350	3000/4000/6500- settable	Black	134	96	80	1/48	A+ A++→A
96LETI100/GR	C	LETI 100	3	350	3000/4000/6500- settable	Grey	134	96	80	1/48	A+ A++→A
96LETI100GR/BL	C	LETI 100GR	3	350	3000/4000/6500- settable	Black	134	96	80	1/48	A+ A++→A
96LETI100GR/GR	C	LETI 100GR	3	350	3000/4000/6500- settable	Grey	134	96	80	1/48	A+ A++→A
96LETI100EL/BL	C	LETI 100EL	3	350	3000/4000/6500- settable	Black	134	96	80	1/48	A+ A++→A
96LETI100EL/GR	C	LETI 100EL	3	350	3000/4000/6500- settable	Grey	134	96	80	1/48	A+ A++→A

Body: Resin with opal glass | **UV resistant** | **Lamp holder:** GX53 | Lamp included

~230V | 50/60 Hz | Ra>80 | >15000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days. .

EXTRALETI 100EL
96LETI100REL/BL
96LETI100REL/GR

EXTRALETI 100GR
96ELETI100RGR/BL
96ELETI100RGR/GR

LED 3000 K 4000 K 6000 K **IP66** **Resin**

EXTRALETI 100

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96ELETI100RGR/BL	C	EXTRALETI 100GR	3	350	2700/4000/6500 SETTABLE	Black	140	67	1/48	A+ A++→A
96ELETI100RGR/GR	C	EXTRALETI 100GR	3	350	2700/4000/6500 SETTABLE	Grey	140	67	1/48	A+ A++→A
96LETI100REL/BL	C	EXTRALETI 100EL	3	350	2700/4000/6500 SETTABLE	Black	140	67	1/48	A+ A++→A
96LETI100REL/GR	C	EXTRALETI 100EL	3	350	2700/4000/6500 SETTABLE	Grey	140	67	1/48	A+ A++→A

Body: Resin with opal glass | **UV resistant** | **Lamp holder:** GX53 | Lamp included

~230V 50/60 Hz Ra>80 >15000 INSTANT 100% 30000h Hg RoHS COMPLIANT F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days. .

LETI 300HVP
96LETI300HVP/BL



LETI 300GL
96LETI300GL/BL

LETI 300VP
96LETI300VP/BL
96LETI300VP/GR

LETI 300
96LETI300/BL
96LETI300/GR

IP66 **Resin**

LETI 300

Catalogue number	Product category	Model	Colour body	Length (mm)	Height (mm)	Width (mm)	Lampholder	Packing/Box (pcs)	Energy class
96LETI300/BL	C	LETI 300	Black	293	113	98	1xE27	1/24	A++→E
96LETI300/GR	C	LETI 300	Grey	293	113	98	1xE27	1/24	A++→E
96LETI300GL/BL	C	LETI 300GL	Black	293	113	98	1xE27	1/24	A++→E
96LETI300VP/BL	C	LETI 300HS	Black	293	113	98	1xE27	1/24	A++→E
96LETI300VP/GR	C	LETI 300HS	Grey	293	113	98	1xE27	1/24	A++→E
96LETI300HVP/BL	C	LETI 300VP	Black	113	293	98	1xE27	1/24	A++→E
96LETI300HVP/GR	C	LETI 300VP	Grey	113	293	98	1xE27	1/24	A++→E

Body: Resin with opal glass | **UV resistant** | Lamp not included

3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days. .

LED WALL FIXTURE 1.5W
96GRFLED52/DGR

LED WALL FIXTURES 1.8W
96GRFLED02/WH

LED NEUTRAL WHITE 4000K **IP65**

GRF LED WALL FIXTURES

Catalogue number WHITE	Catalogue number GREY	Catalogue number DARK GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
96GRFLED52/WH	**96GRFLED52/GR**	**96GRFLED52/DGR**	C	1.5	60	4000	125	125	20.5	1/40	A++→A
96GRFLED02/WH	**96GRFLED02/GR**	**96GRFLED02/DGR**	C	1.8	90	4000	230	80	16.5	1/24	A++→A

Body material: ABS | **Diffuser:** PVC | **Light source:** 2835 SMD
Light source: LED type Φ5mm recessed fixture | **Operating temperature:** -20°C÷+65°C

~230V | 50/60 Hz | Ra>80 | >15000 | INSTANT 100% | 30000h | Hg | IP 65 | RoHS COMPLIANT | EMC | CE | 2+1 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LORENZA 150
95LORENZA150/BL

LORENZA 150
95LORENZA150/GR

LORENZA 190
95LORENZA190/BL

LORENZA 190
95LORENZA190/GR

LED | 3000 K | 4000 K | 6000 K | IP55 | Resin

LORENZA

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
95LORENZA150/BL	C	LORENZA 150	3.2	3000/4000/6500 - settable	4000	Black	150	150	45	1/24	A+ A++→A
95LORENZA150/GR	C	LORENZA 150	3.2	3000/4000/6500 - settable	4000	Grey	150	150	45	1/24	A+ A++→A
95LORENZA190/BL	C	LORENZA 190	7.5	3000/4000/6500 - settable	4000	Black	190	150	45	1/24	A+ A++→A
95LORENZA190/GR	C	LORENZA 190	7.5	3000/4000/6500 - settable	4000	Grey	190	150	45	1/24	A+ A++→A

Body material: Resin with clear glass | **UV resistant** | **Lamp holder:** R7s | **Lamp included**

~230V | 50/60 Hz | Ra>80 | >15000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LORENZA 270
95LORENZA270/BL

LORENZA 270
95LORENZA270/GR

LED 3000 K 4000 K 6000 K **IP55** **Resin**

LORENZA 270

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
95LORENZA270/BL	C	LORENZA 270	10,5	1100	3000/4000/6500 - settable	Black	260	150	45	1/14	A+ A++→A
95LORENZA270/GR	C	LORENZA 270	10,5	1100	3000/4000/6500 - settable	Grey	260	150	45	1/14	A+ A++→A

Body material: Resin with clear glass | **UV resistant** | **Lamp holder:** R7s | **Lamp included**

~230V | 50/60 Hz | Ra>80 | >15000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ABRAM 150
95ABRAM150/BL

ABRAM 150
95ABRAM150/GR

ABRAM 190
95ABRAM190/BL

ABRAM 190
95ABRAM190/GR

LED | 3000 K | 4000 K | 6000 K | IP55 | Resin

ABRAM

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
95ABRAM150/BL	C	ABRAM 150	3.2	400	3000/4000/6500 - settable	Black	155	60	120	1/30	A+ A++→A
95ABRAM150/GR	C	ABRAM 150	3.2	400	3000/4000/6500 - settable	Grey	155	60	120	1/30	A+ A++→A
95ABRAM190/BL	C	ABRAM 190	7.5	850	3000/4000/6500 - settable	Black	195	60	120	1/30	A+ A++→A
95ABRAM190/GR	C	ABRAM 190	7.5	850	3000/4000/6500 - settable	Grey	195	60	120	1/30	A+ A++→A

Body material: Resin with clear glass | **UV resistant** | **Lamp holder:** R7s | **Lamp included**

~230V | 50/60 Hz | Ra>80 | >15000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

GRF
96GRFLED0041
96GRFLED0031

GRF
96GRFLED010

GRF
96GRFLED0091

LED COOL WHITE 6400K **IP65**

GRF LED RECESSED FIXTURES

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Light angle	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96GRFLED0031	C	1,5	55/32	6000-6500	30°	120	53	61	1/50	A++→A
96GRFLED0091	C	1,5	75/42	6000-6500	30°	80	80	61	1/50	A++→A
96GRFLED0041	C	3,5	187/165	6000-6500	30°	205	95	65	1/27	A++→A
96GRFLED010	F	2W*	35	6000-6500	105	105	57	1/50	1/27	A++→A

Body: Stainless steel +Aluminium | **Cable:** 3G0.75mm2-10cm | **Light source:** SMD2835 | **LED driver:** mounted in the body
Operating temperature: -20°C÷+65°C

*Until Supply Last

Each of the models comes with additional decorative grid, shown in the picture.

~230V 50/60 Hz Ra>80 >15000 INSTANT 100% 30000h Hg IP 65 RoHS COMPLIANT EMC F CE 2+1 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

GRF9617 LED
9617LEDW

GRF9617 LED
9619LEDW

GRF9617 LED
9618LEDW

LED NEUTRAL WHITE 4000K **IP54**

GRF9617 LED

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9617LEDW	C	3X3W	480	4000-4300	dark grey	44	138	143	1/24	A++→A
9618LEDW	C	3X3W	480	4000-4300	dark grey	44	138	143	1/24	A++→A
9619LEDW	C	2X3W	380	4000-4300	dark grey	44	138	143	1/24	A++→A



Body: aluminium | **Diffuser:** tempered glass | **LED driver:** mounted in the body | **Light source:** CREE LED
Operating temperature: -20°C÷+65°C

~230V 50/60 Hz Ra>80 >15000 INSTANT 100% 30000h Hg IP 54 RoHS COMPLIANT EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

WALL LAMP
95WL001/BL

WALL LAMP
95WL001/WH

IP44

GARDEN WALL LAMP E27

Catalogue number	Product category	Description	Colour	Widthr (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
95WL001/BL	C	Wall lamp	Black	245	180	100	1 x E27	1/10	A++→E
95WL001/WH	C	Wall lamp	White	245	180	100	1 x E27	1/10	A++→E

Voltage: 220-240V AC | **Lamps not included**

IP 44 RoHS COMPLIANT CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED WALL LIGHT
ROUND IP54
White / Black / Grey

LED WALL LIGHT
SQUARE IP54
White / Black / Grey

LED WALL LIGHT
ROUNDED IP65
White / Black / Grey

LED NEUTRAL WHITE 4000K **IP54** **IP65**

LED WALL LIGHT

Catalogue number	Product category	Watt (W)	Type	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
969LED100R/WH	C	2X5W	Round	900	4000	white	130	110	100	1/12	A++→A
969LED100R/BL	C	2X5W	Round	900	4000	black	130	110	100	1/12	A++→A
969LED100R/GR	C	2X5W	Round	900	4000	grey	130	110	100	1/12	A++→A
969LED100S/WH	C	2X5W	Square	900	4000	white	100	100	100	1/10	A++→A
969LED100S/BL	C	2X5W	Square	900	4000	black	100	100	100	1/10	A++→A
969LED100S/GR	C	2X5W	Square	900	4000	grey	100	100	100	1/10	A++→A
969LEDW12/WH	C	**2X6W**	Rounded	1080	4000	white	175	28	90	1/40	A++→A
969LEDW12/BL	C	**2X6W**	Rounded	1080	4000	black	175	28	90	1/40	A++→A
969LEDW12/GR	C	**2X6W**	Rounded	1080	4000	grey	175	28	90	1/40	A++→A

Body material: Aluminium | **Diffuser:** Glass | **Light source 969led100:** Epistar LED COB **Light source 969LEDW12:** Epistar SMD2835

~230V 50/60 Hz Ra>80 30000h RoHS EMC 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

TINA IP65
95TINA12/BL

LED WALL FIXTURE 6W IP65
96GRFLED05/GR

FRANCY IP66
95FRANCY/BL

LED | NEUTRAL WHITE 4000K | **IP65** | **IP66** | **Resin**

FRANCY / GRF LED / TINA

Catalogue number BLACK body	Catalogue number WHITE body	Catalogue number GREY body	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length / diameter (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
95FRANCY/BL	**95FRANCY/WH**		C	6	800	4000	300	85	130	1xE27	1/24	A+ A++→A
96GRFLED05/DGR	**96GRFLED05/WH**	**96GRFLED05/GR**	C	6	480	4000	220	28	113		1/20	A++→A
95TINA12/BL			C	12	1080	4000	230	72	105		1	A+ A++→A

FANCY, TINA: Body material: Resin | UV resistant
GRF LED: Body material: ABS | **Diffuser:** PVC | **Light source:** 2835 SMD

The product is accomplished with a LED bulb which parameters are noted in the chart. If you need any other color temperature or power, we suggest you to purchase the variants compatible to this fixtures separately as follows:

99LED583 LED PEAR A60 8W 2700K | **99LED584** LED PEAR A60 8W 6400K | **99LED794** LED PEAR A60 8W 6400K

99LED588 LED PEAR A60 12W 4000K | **99LED587** LED PEAR A60 12W 2700K | **99LED821** LED PEAR A60 12W 6400K

~230V | 50/60 Hz | 1,5mm² | RoHS COMPLIANT | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of FRANCY IP66 the delivery time after order confirmation will be 45 days, and for others products 90 days.

STUCCHI
95STUCCHI/BL

BERTA
95BERTA/BL

IP66 **Resin**

BERTA / STUCCHI

Catalogue number BLACK body	Catalogue number WHITE body	Product category	Description	Length / diameter (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
95BERTA/BL	**95BERTA/WH**	C	BULKHEAD	275	80	275	1xE27	1/16	A++→E
95STUCCHI/BL	**95STUCCHI/WH**	C	BULKHEAD WITH BACKLIGHT	310	90	338	1xE27+ backlights	1/16	A++→E

Body material: Resin| UV resistant | Lamp not included

Recommended bulbs:

99LED588 LED PEAR A60 12W 4000K | **99LED587** LED PEAR A60 12W 2700K | **99LED821** LED PEAR A60 12W 6400K

~230V | 50/60 Hz | E27 | Ra>80 | 30000h | Hg | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

UMBERTA
95UMBERTA/BL
95UMBERTAS/BL

UMBERTA
95UMBERTA/WH
95UMBERTAS/WH

IP66 **Resin**

UMBERTA

Catalogue number	Product category	Model	Colour body	Lampholder	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95UMBERTA/BL	C	BULKHEAD	Black	2xE27	350	94	1/12	A++→C
95UMBERTA/WH	C	BULKHEAD	White	2xE27	350	94	1/12	A++→C
95UMBERTAS/BL	C	BULKHEAD WITH SENSOR	Black	2xE27	350	94	1/12	A++→C
95UMBERTAS/WH	C	BULKHEAD WITH SENSOR	White	2xE27	350	94	1/12	A++→C

Body: Resin with opal diffuser | **UV resistant** | Sensor: Motion & daylight | **Detection angle:** 30° - 150° | **Fields of detection:** from 1 up to 5 mt (adjustable) | **Lamp holder:** E27 | Lamp not included

Recommended bulbs:

99LED588 LED PEAR A60 12W 4000K | **99LED587** LED PEAR A60 12W 2700K | **99LED821** LED PEAR A60 12W 6400K

~230V | 50/60 Hz | E27 | RoHS COMPLIANT | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

LUCIA
95LUCIA/BL

LUCIA EL
95LUCIAEL/BL

IP66 **Resin**

LUCIA / LUCIA EL

Catalogue number	Product category	Colour	Diameter (mm)	Width (mm)	Lampholder	Packing/Box (pcs)	Energy class
95LUCIA/BL	C	Black	300	175	1xE27	1/16	A++→E
95LUCIAEL/BL	C	Black	300	90	1xE27	1/16	A++→E
95LUCIAEL/GR	C	Grey	300	90	1xE27	1/16	A++→E

Body: Resin with opal glass | **UV resistant** | **Lamp not included**

Recommended bulbs:
99LED588 LED PEAR A60 12W 4000K
99LED587 LED PEAR A60 12W 2700K
99LED821 LED PEAR A60 12W 6400K

~230V | 50/60 Hz | E27 | Ra>80 | 30000h | Hg | RoHS | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

FRANCY OP IP66
95FRANCYOP/WH

BRLED ROUND
95BRLED6WH
95BRLED6BL
95BRLED12WH
95BRLED12BL

BRLED OVAL
95BELED6WH
95BELED6BL
95BELED12WH
95BELED12BL

LED NEUTRAL WHITE 4000K **IP54** **IP66**

BRLED / FRANCY OP

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	IP code	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95BRLED6WH	F	6*	540	4000	white	54	170	170	100	1/24	A++→A
95BRLED6BL	F	6*	540	4000	black	54	170	170	100	1/24	A++→A
95BRLED12WH	F	12*	1080	4000	white	54	220	220	100	1/24	A++→A
95BRLED12BL	F	12*	1080	4000	black	54	220	220	100	1/24	A++→A
95BELED6WH	F	6*	540	4000	white	54	187	127	100	1/24	A++→A
95BELED6BL	F	6*	540	4000	black	54	187	127	100	1/24	A++→A
95BELED12WH	F	12*	1080	4000	white	54	239	162	100	1/24	A++→A
95BELED12BL	F	12*	1080	4000	black	54	239	162	100	1/24	A++→A
95FRANCYOP/BL	C	empty			black	66	300	85	130	1/24	A++→E
95FRANCYOP/WH	C	empty			white	66	300	85	130	1/24	A++→E

BRLED: Body: polycarbonate | **LED driver:** mounted in the body | **Light source:** EPISTAR | *Until supply last
FRANCY OP: Body material: Resin | UV resistant | Lamp not included

Recommended bulbs:
99LED588 LED PEAR A60 12W 4000K
99LED587 LED PEAR A60 12W 2700K
99LED821 LED PEAR A60 12W 6400K

~230V | 50/60 Hz | E27 | Ra>80 | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

BRICE
95BRICE12LED

BRICE
95BRICE24LED

LED NEUTRAL WHITE 4000K **IP44**

BRICE

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	IP code	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95BRICE12LED	C	12	1080	4000	white	44	260	260	90	1/16	A++→A
95BRICE24LED	C	24	2160	4000	white	44	380	380	110	1/10	A++→A

Body: polycarbonate | **LED driver:** mounted in the body | **Light source:** EPISTAR

~230V 50/60 Hz SMD Ra>80 30000h Hg RoHS EMC CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED BULKHEAD LAMP BLACK / WHITE

95BLN1540/WH
95BLN1540/BK
95BLN2040/WH
95BLN2040/BK

LED BULKHEAD LAMP

95BSLED12WH

LED BULKHEAD LAMP BLACK / WHITE

95BLN1540S/WH
95BLN1540S/BK

LED NEUTRAL WHITE 4000K **IP54**

LED BULKHEAD LAMP

Catalogue number	Product category	Watt (W)	Whole fixtures lumens (lm)	Colour temp. (K)	Colour of body	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
95BSLED12WH	F*	12	1080	4500	white	220	78	143	143	A++→A
95BLN1540/WH	C	15	1350	4000	white	175	52	175	1/40	A++→A
95BLN1540/BK	C	15	1350	4000	black	175	52	175	1/40	A++→A
95BLN2040/WH	C	20	1800	4000	white	210	52	210	1/20	A++→A
95BLN2040/BK	C	20	1800	4000	black	210	52	210	1/20	A++→A
95BLN1540S/WH	C	15	1350	4000	white	200	46	98	1/40	A++→A
95BLN1540S/BK	C	15	1350	4000	black	200	46	98	1/40	A++→A

Body: polycarbonate | **LED driver:** linear I C driver | **Light source:** 2835SMD | * Until Supply Last

ULTRA THIN



EASY INSTALLATION

BACK HIDDEN CABLE

~230V | 50/60 Hz | SMD | Ra>80 | 30000h | Hg | IP 54 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ARIA
91AT5201
91AT5202

LINIA4
91AT6126
91AT6127

LINIA1
91AT6117
91AT6119

SIRIUS
91AT1210
91AT1280
91AT1209
91AT1289

IP54

SIRIUS / ARIA / LINIA

Catalogue number	Product category	Model	Watt (W)	Colour	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
91AT1210	C	SIRIUS1	MAX 20W	white	230	-	110	1/21	A++→C
91AT1280	F	SIRIUS1	MAX 20W	grey*	230	-	110	1/21	A++→C
91AT1209	C	SIRIUS2	MAX 20W	white	280	-	115	1/14	A++→C
91AT1289	F	SIRIUS2	MAX 20W	grey*	280	-	115	1/14	A++→C
91AT5201	C	ARIA	MAX 23W	white	350	120	80	1/12	A++→C
91AT5202	F	ARIA	MAX 23W	grey*	350	120	80	1/12	A++→C
91AT6117	C	LINIA1	MAX 20W	white	320	137	110	1/26	A++→C
91AT6119	F	LINIA1	MAX 20W	grey*	320	137	110	1/26	A++→C
91AT6126	C	LINIA4	MAX 20W	white	320	200	110	1/18	A++→C
91AT6127	F	LINIA4	MAX 20W	grey*	320	200	110	1/18	A++→C

Body: polycarbonate (PC) | **Diffuser:** polycarbonate (PC)

*Until Supply Last

~230V | 50/60 Hz | CFL | E27 | IP 54 | RoHS | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.

TERESA
96TERESA/BL

TERESA
96TERESA/GR

TERESA2L
96TERESA2L/BL

TERESA2L
96TERESA2L/GR

LED NEUTRAL WHITE 4000K **IP67** **Resin**

TERESA

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96TERESA/BL	C	1,7	170	4000	Black	50	75	1/75	A+ A++→A
96TERESA/GR	C	1,7	170	4000	Grey	50	75	1/75	A+ A++→A
96TERESA2L/BL	C	1,7	170	4000	Black	50	75	1/75	A+ A++→A
96TERESA2L/GR	C	1,7	170	4000	Grey	50	75	1/75	A+ A++→A

Body: Resin with frosted diffuser | **UV resistant** | **Lamp holder:** G9 | Lamp included

50/60 Hz | IP 67 | RoHS | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of 96GRFLED068 the delivery time after order confirmation will be 90 days, and for others products 45 days.

LIVIA 90
95LIVIA90/BL

LIVIA 90
95LIVIA90/GR

LIVIA 90
95LIVIA90/WH

LED 3000 K 4000 K **IP55** **Resin**

LIVIA 90

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95LIVIA90/BL	C	6	600	2700/4000 settable	Black	96	105	1/75	A+ A++→A
95LIVIA90/GR	C	6	600	2700/4000 settable	Grey	96	105	1/75	A+ A++→A
95LIVIA90/WH	C	6	600	2700/4000 settable	White	96	105	1/75	A+ A++→A

Body: Resin with frosted glass | **UV resistant** | **Lamp holder:** GU10 | Lamp included

~230V 50/60 Hz 1,5mm² RoHS F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

LIVIA 160
95LIVIA160/BL

LIVIA 160
95LIVIA160/GR

LIVIA 160
95LIVIA160/WH

LED | 3000 K | 4000 K | 6000 K | IP55 | Resin

LIVIA 160

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95LIVIA160/BL	C	10	1200	3000/4000/6500- settable	Black	160	100	1/18	A+ A++→A
95LIVIA160/GR	C	10	1200	3000/4000/6500- settable	Grey	160	100	1/18	A+ A++→A
95LIVIA160/WH	C	10	1200	3000/4000/6500- settable	White	160	100	1/18	A+ A++→A

Body: Resin with frosted glass | **UV resistant** | **Lamp holder:** GX53 | Lamp included

~230V | 50/60 Hz | 1,5mm² | RoHS | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

LIVIA 180
95LIVIA180/BL

LIVIA 180
95LIVIA160/WH

LED NEUTRAL WHITE 4000K **IP43** **Resin**

LIVIA 180

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95LIVIA180/BL	C	15	1800	4000	Black	180	200	1/12	A+ A++→A
95LIVIA180/GR	C	15	1800	4000	Grey	180	200	1/12	A+ A++→A
95LIVIA180/WH	C	15	1800	4000	White	180	200	1/12	A+ A++→A

Body: Resin with frosted glass | **UV resistant** | **Lamp holder:** E27 | Lamp included

~230V 50/60 Hz 1,5mm² RoHS F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

GRF
96GRF1482

IP65

GRF

Catalogue number	Product category	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96GRF1482	C	254	498.5	1482.6	1 x E27	1/2	A++→E

Body: aluminium, antique bronze

220-240V | 50/60 Hz | CFL | E27 | 1,5mm² | IP 65 | RoHS COMPLIANT | F | CE

3+0 standard +extended 3 YEAR TOTAL WARRANTY

MARTA 90-1
96MARTA901L/BL

MARTA 90-2
96MARTA902L/BL

LED IP55 Resin

MARTA

Catalogue number	Product category	Description	Colour	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Width (mm)	Height (mm)	Lampholder	Packing/ Box (pcs)	Energy class
96MARTA901L/BL	C	Facade lighting	black	1x6	600	2700/4000 settable	92	80	170	1xGU10	1/36	A+ A++→A
96MARTA901L/GR	C	Facade lighting	gray	1x6	600	2700/4000 settable	92	80	170	1xGU10	1/36	A+ A++→A
96MARTA902L/BL	C	Facade lighting	black	2x6	1200	2700/4000 settable	92	80	170	2xGU10	1/36	A+ A++→A
96MARTA902L/GR	C	Facade lighting	gray	2x6	1200	2700/4000 settable	92	80	170	2xGU10	1/36	A+ A++→A

Body material: Resin| UV resistant | **Lamp included** | **Lamp holder:** GU10

The product is accomplished with a LED bulb which parameters are noted in the chart. If you need any other color temperature or power, we suggest you to purchase the variants compatible to this fixtures separately as follows:

99XLED727 GU10 LED SMD 3.5W 4000K | **99XLED728** GU10 LED SMD 3.5W 2700K | **99XLED731** GU10 LED SMD 3.5W 6400K

99LED729 GU10 LED SMD 6.5W 4000K | **99LED730** GU10 LED SMD 6.5W 2700K | **99LED796** GU10 LED SMD 6.5W 6400K

~230V 50/60 Hz 1,5mm² RoHS 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

FRANCA 90
96FRANCA90/GR

FRANCA 90-1
96FRANCA901L/BL



FRANCA 90-2
96FRANCA902L/GR

LED **IP55** **Resin**

FRANCA

Catalogue number	Product category	Description	Colour	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Width (mm)	Height (mm)	Lampholder	Packing/ Box (pcs)	Energy class
96FRANCA90/BL	C	Ceiling fixtures	black	6	600	2700/4000 settable	95		115	1xGU10	1/30	A+ A++→A
96FRANCA90/GR	C	Ceiling fixtures	gray	6	600	2700/4000 settable	95		115	1xGU10	1/30	A+ A++→A
96FRANCA901L/BL	C	Facade lighting	black	6	600	2700/4000 settable	95	110	128	1xGU10	1/30	A+ A++→A
96FRANCA901L/GR	C	Facade lighting	gray	6	600	2700/4000 settable	95	110	128	1xGU10	1/30	A+ A++→A
96FRANCA902L/BL	C	Facade lighting	black	2x6	1200	2700/4000 settable	95	110	240	2xGU10	1/20	A+ A++→A
96FRANCA902L/GR	C	Facade lighting	gray	2x6	1200	2700/4000 settable	95	110	240	2xGU10	1/20	A+ A++→A

Body material: Resin| UV resistant | Lamp included | **Lamp holder:** GU10

The product is accomplished with a LED bulb which parameters are noted in the chart. If you need any other color temperature or power, we suggest you to purchase the variants compatible to this fixtures separately as follows:

99XLED727 GU10 LED SMD 3.5W 4000K | **99XLED728** GU10 LED SMD 3.5W 2700K | **99XLED731** GU10 LED SMD 3.5W 6400K

99LED729 GU10 LED SMD 6.5W 4000K | **99LED730** GU10 LED SMD 6.5W 2700K | **99LED796** GU10 LED SMD 6.5W 6400K

~230V 50/60 Hz 1.5mm² RoHS CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

OL9612-W1 LED
9612LEDW1

OL9611-W1 LED
9611LEDW1

OL9612-W2 LED
9612LEDW2

OL9611-W2 LED
9611LEDW2

LED NEUTRAL WHITE 4000K **IP54**

OL9611 / OL9612

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9611LEDW1	C	3	210	4000-4300	dark grey	153	72.6	106.4	1/16	A++→A
9611LEDW2	C	2X3W	320	4000-4300	dark grey	231.6	72.6	106.4	1/16	A++→A
9612LEDW1	C	3	210	4000-4300	dark grey	170	92	65	1/12	A++→A
9612LEDW2	C	2X3W	320	4000-4300	dark grey	200	92	65	1/12	A++→A



Body: aluminium | **Diffuser:** tempered glass | **LED driver:** mounted in the body | **Light source:** CREE LED
Operating temperature: -20°C÷+65°C

~230V 50/60 Hz Ra>80 >15000 INSTANT 100% 30000h Hg IP 54 RoHS COMPLIANT EMC CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

GRF
96GRF98C/AB

GRF
96GRF76-1/AB

IP65

UNTIL SUPPLY LAST

GRF98 / GRF76

Catalogue number	Product category	Description	Voltage (V)	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Material	Packing/Box (pcs)	Energy class
96GRF98C/AB	F	Facade lighting	12	Antique bronze	98	-	41	1 x G4	Brass	1/24	A++→E
96GRF76-1/AB	F	Facade lighting	220-240	Antique bronze	76	60	76	1 x GU10	Brass	1/18	A++→E

Lamps not included

50/60 Hz · 1,5mm² · IP 65 · RoHS COMPLIANT · 3+0 standard +extended 3 YEAR TOTAL WARRANTY



98LINEAR24
98LINEAR30

LED IP67

UNTIL SUPPLY LAST

LINEAR

Catalogue number	Product category	Model	Watt (W)	Whole lamp lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98LINEAR24	F	LINEAR24	24	2160	4000		1000	25	33	1/15	A++>A
98LINEAR30	F	LINEAR30	30	2700	4000		1000	30	48	1/15	A++>A

Body: aluminium casting | **Light source:** SMD2835| **Input voltage:** LinearRGB DC24V; **Linear 4000K:** 220-240V | Rubber cable 300mm

~230V | 50/60 Hz | High power | Ra>70 | 25000h | Hg | IP 67 | RoHS | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY



98STREAM9
98STREAM9RGB



98STREAM36
98STREAM36RGB

LED **IP65**

STREAM STELLAR

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98STREAM9	C	STREAM9	9	720	5500	grey	300	50	56	1/9	A++→A
98STREAM18	C	STREAM18	18	1440	5500	grey	600	50	56	1/9	A++→A
98STREAM36	C	STREAM36	36	2880	5500	grey	1000	50	56	1/9	A++→A
98STREAM9RGB	C	STREAM9 RGB	9	-	RGB	grey	300	50	56	1/9	A++→A
98STREAM18RGB	C	STREAM18 RGB	18	-	RGB	grey	500	55	60	1/9	A++→A
98STREAM36RGB	C	STREAM36 RGB	36	-	RGB	grey	1000	50	56	1/9	A++→A

Body: aluminium casting | **LED driver:** mounted in the body | **Light source:** Epistar | **Ambient Temperature:** -25°C÷ +55°C

~230V | 50/60 Hz | High power | Ra>70 | 20000h | Hg | IP 65 | RoHS | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SOLAR LED WALL LIGHTS WITH SENSOR
98SOL200

SOLAR LED WALL LIGHTS WITH SENSOR
98SOL201

LED IP54 Solar

SOLAR LED WALL LIGHTS WITH SENSOR

Catalogue number	Product category	LED QTY	Power (W)	Whole fixtures lumens (lm)	Solar panel (Wp)	Sensor range (m)	Colour of body	Length (mm)	Height (mm)	Width (mm)	Packing/ Box (pcs)	Energy class
98SOL200	C	14 (FRONT 14+BACK 2PCS)	7	200	0.7- POLY CRISTALLINE	6	white	144.5	96	79	1	A++→A
98SOL201	C	17 (FRONT 16+BACK 1PCS)	10	240	0.7- POLY CRISTALLINE	6	white	200	105	90	1	A++→A

Material: ABS + PC, anti UV and glossy | **LED&Lens:** LM-80 LEDs 2835SMD; high transmittance PC optical lens | Detection angle: 120° | **Installation height:** ≤ 4meters | **Battery:** 3.7V/ 1200mAh

98SOL200 Auto on at night; Full brightnessby motion activated. Weak brightness when no motion | **Time delay:** 10 sek | **Modes:** A- Full brightness+Weak brightness (front and back lights ON); B- Full brightness+Weak brightness (front light OFF, back lights ON) | Auto on at night; Full brightnes

98SOL201 Auto on at night; Full brightnessby motion activated. Weak brightness when no motion | **Time delay:** 10 sek | Battery >30%: Full brightness+Weak brightness (front and back lights ON); Battery<30%: Full brightness+Weak brightness (front light OFF, back lights ON) | Auto on at night; Full brightnes

98SOL200



98SOL201

SMD 30000h IP 54 RoHS CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SOLAR FIXTURE SOL WITH SENSOR
98SOL300

SOLAR FIXTURE SOL WITH SENSOR
98SOL302

SOLAR FIXTURE SOL WITH SENSOR
98SOL301

LED IP65 Solar

SOLAR LED FLOOD LIGHT WITH SENSOR

Catalogue number	Product category	LED QTY	Power (W)	Whole fixture lumens (lm)	Battery (V/mAh)	Sensor range (m)	Colour body	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
98SOL300	C	30	30	500	3.7V/ 2X1500mAh	6	black	217.4	149.3	33.7	1	A++→A
98SOL301	C	72	50	1080	3.7V/7200mAh	6	black	300	215	35	1	A++→A
98SOL302	C	55	50	1100	3.7V/ 7200mAh	6	black	-	165	35	1	A++→A

Material: ABS + PC, anti UV and glossy | **3working mode** | **98SOL302:** Portable solar panel.Can use as portable power bank

SMD Ra>80 Hg RoHS CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

GRF
96GRF190B/AB

IP68

UNTIL SUPPLY LAST

GRF

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Material	Packing/Box (pcs)	Energy class
96GRF190B/AB	F	Ground recessed fixtures	Antique bronze	98	190	1 x GU5.3	Composite material	1/12	A++→E

Lamps not included. The fixtures are with 6m cable.

12V | 50/60 Hz | MR-16 | GU5.3 | 1,5mm² | IP68 | RoHS | III | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

UNDERWATER LED
98LED012SW

UNDERWATER LED
98LED007SW

UNDERWATER LED
98LED003SW

LED **IP68**

UNDERWATER LED LIGHTS, IP68

Catalogue number	Product category	Voltage (V)	Watt (W)	Whole lamp lumens (lm)	Colour temp. (K)	Colour body	Packing/Box (pcs)	Energy class
98LED003SW	C	12V AC	3 X 1	150	4000	silver	1/30	A++→A
98LED007SW	C	12V AC	7 X 1	350	4000	silver	1/1	A++→A
98LED012SW	C	24V AC	12 X 1	600	4000	silver	1/1	A++→A
98LED006RGB	C	12V AC	6 X 1	-	RGB	silver	1/1	A++→A



Body: Stainless steel | **Light source:** Epistar | **Beam angle:** 90° | **without driver**

Ra>70 IP68 >15000 INSTANT 100% 20000h RoHS COMPLIANT F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MINI TOMMY ELSP
96TOMMYELSP/BL

MINI TOMMY EL
96TOMMYEL/BL

IP66 **Resin**

MINI TOMMY EL / MINI TOMMY ELSP

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Diameter (mm)	Width (mm)	Height (mm)	Lampholder	Packing/ Box (pcs)	Energy class
96TOMMYEL/BL	C	Ground/Wall fixture	6	600	2700/4000K settable	black	122	118	127	1xGU10	1/30	A++→A
96TOMMYEL/GR	C	Ground/Wall fixture	6	600	2700/4000K settable	gray	122	118	127	1xGU10	1/30	A++→A
96TOMMYELSP/BL	C	Spike ground fixture	6	600	2700/4000K settable	black	122	118	310	1xGU10	1/30	A++→A
96TOMMYELSP/GR	C	Spike ground fixture	6	600	2700/4000K settable	gray	122	118	310	1xGU10	1/30	A++→A

Body material: Resin | **UV resistant** | **Lamp not included** | **Fully adjustable position** | **Lamp holder:** GU10

The product is accomplished with a LED bulb which parameters are noted in the chart. If you need any other color temperature or power, we suggest you to purchase the variants compatible to this fixtures separately as follows:

99LED729 GU 10 LED SMD 6.5W 4000K | **99LED730** GU 10 LED SMD 6.5W 2700K | **99LED796** GU 10 LED SMD 6.5W 6400K
99LED733 GU 10 LED SMD RED | **99LED734** GU 10 LED SMD BLUE | **99LED735** GU 10 LED SMD GREEN

~230V | 50/60 Hz | Ra>80 | >15000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

GRF 9615 LED
9615LEDP

GRF 9616 LED
9616LEDW

GRF 9617 LED
9617LEDP

LED NEUTRAL WHITE 4000K COOL WHITE 6400K **IP65**

GRF 9615 / 9616 / 9617

Catalogue number	Product category	Watt (W)	Body	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9615LEDP	C	3	aluminium	210	4000-4300	dark grey	279	73	112	1/16	A++→A
9616LEDW	C	3	aluminium	210	4000-4300	dark grey		73	110	1/16	A++→A
9617LEDP	C	5	PP+PC	360	5500-6000	dark grey	265	25	130	1/16	A++→A

Diffuser: tempered glass | **LED driver:** mounted in the body | **Operating temperature:** -20°C÷+65°C

Terminal box IP44

Material: PC
Voltage: 450V
Rated current: 6A
Wiring Capacity: 0.5-4.0mm2

Cat. Number: 31071

Terminal box IP65

Material: Polypropylene 94-V2 grade
Sunscreen Rating:Sun Protection(UV)
Voltage: 450V
Rated current: 10A
Terminal Blocks: 3p screw type
Metal Part:Plated Brass/Steel Spring
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31070

Cable connector IP68

Rated operational voltage:AC250V
Rated operational Ampere(A):≤30A
Material: flame retardant/Anti UV nylon(PA66)
Crimping terminals:Nickle-plated brass
Withstand voltage(normal temperature):3KV
Operating remperature range: -40°C~+105°C
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31072

~230V | 50/60 Hz | Ra>80 | >15000 | INSTANT 100% | 30000h | Hg | IP 65 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

GRF
96GRF187/CU

GRF
96GRF457LSP/AB

GRF
96GRF76B/AB

GRF
96GRF70B/AB

IP65

UNTIL SUPPLY LAST

GRF

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Material	Packing/Box (pcs)	Energy class
96GRF187/CU	F	Ground recessed fixtures	Copper	54	187	1 x GU10	Copper	1/12	A++→E

~230V 50/60 Hz IP 65 RoHS 3+0 standard +extended 3 YEAR TOTAL WARRANTY

UNTIL SUPPLY LAST

GRF

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Material	Packing/Box (pcs)
96GRF70B/AB	F	Connector for wall recessed fixtures	Antique bronze	70	28	Brass	1/50
96GRF76B/AB	F	connector for pole D50-70 mm	Antique bronze	76	73	Brass	1/60
96GRF457LSP/AB	F	riser type for ground recessed fixtures	Antique bronze	25	457	Brass	1/30

SOLAR TORCH LIGHT

98SOL96

LED WARM WHITE 2700K | IP54 | Solar

SOLAR TORCH LIGHT

Catalogue number	Product category	LED qty	Power (W)	Colour temp. (K)	Whole fixture lumens (lm)	Solar panel (V/mA)	Battery (V/mAh)	Colour body	Diameter (mm)	Length (mm)	Packing/Box (pcs)	Energy class
98SOL96	C	51	max 1W	1500-1800	20	5.5V/0.66W	3.7V/1200mAh	black	120	770	1/10	A++→A

Material: ABS+PC | **Charge time (h):** 8h | **Working Time:** 8h | **Light souce:** 2835 | **Mode:** Dark On>Off | **Beam angle:** 360° | **Battery:** Included

RoHS COMPLIANT | CE | 1+0 standard +extended | 1 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

PATHWAY LIGHTS

98SOL11128

LED IP44 Solar

SOLAR WALL & PATHWAY LIGHTS

Catalogue number	Product category	Power (W)	Whole fixture lumens (lm)	Solar panel	Battery (V/mAh)	Working time	Material	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98SOL11128	C	0,32	10	mono	Ni-Mh AA battery	8h	metal & glass	black	127	127	456	1/24	A++→A

RoHS COMPLIANT CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SOLAR GROUND LIGHT
98SOL5420

SOLAR GROUND LIGHT
98SOL5520

SOLAR GROUND LIGHT
98SOL9620

SOLAR GROUND LIGHT
98SOL23310

LED IP44 Solar

SOLAR GROUND LIGHT

Catalogue number	Product category	Power (W)	Whole fixture lumens (lm)	Solar panel	Battery (V/mAh)	Working time	Material	Colour body	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
98SOL5420	C	0,06	1	amorphous	Ni-Mh/100mAh AA 1.2V	8h	plastic	black	370	75/75	1/12	A++→A
98SOL5520	C	0,06	1	amorphous	Ni-Mh/100mAh AAA 1.2V	8h	plastic	black	365	85/85	9/8	A++→A
98SOL9620	C	0,06	1	amorphous	Ni-Mh/100mAh AAA 1.2V	8h	plastic	black	380	64	1/24	A++→A
98SOL23310	C	0.08	2	amorphous	Ni-Mh AAA 2V	8h	plastic	black	373	57/57	1/24	A++→A

RoHS COMPLIANT CE 1+0 standard +extended 1 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SOLAR GROUND LIGHT
98SOL4320

SOLAR GROUND LIGHT
98SOL8120

SOLAR GROUND LIGHT
98SOL5821

LED IP44 Solar

SOLAR GROUND LIGHT

Catalogue number	Product category	Power (W)	Whole fixture lumens (lm)	Solar panel	Battery (V/mAh)	Working time	Material	Colour body	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
98SOL4320	C	0,5	15	polycrystal	NI-MH AA 300mAh 1.2V	8h	plastic	black	425	130/110	1/12	A++→A
98SOL8120	C	0,06	1	amorphous	Ni-Mh/40mAh button battery 1.2V	8h	plastic	black	340	100	1/16	A++→A
98SOL5821	C	0,24	4	amorphous	Ni-Mh/200mAh AA 1.2V	8h	plastic	silver	510	200	1/8	A++→A

RoHS COMPLIANT CE 1+0 standard +extended 1 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SOLAR GROUND LIGHT
98SOL6721



SOLAR GROUND LIGHT
98SOL3122

SOLAR GROUND LIGHT
98SOL6921

LED IP44 Solar

SOLAR GROUND LIGHT

Catalogue number	Product category	Power (W)	Whole fixture lumens (lm)	Solar panel	Battery (V/mAh)	Working time	Material	Colour body	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
98SOL3122	C	0,06	1	amorphous	Ni-Mh/100mAh AAA 1.2V	8h	stainless steel+plastic	brass	390	85	4/12	A++→A
98SOL6721	C	0,06	1	amorphous	Ni-Mh/200mAh AA 1.2V	8h	stainless steel+plastic	silver	370	128	1/6	A++→A
98SOL6921	C	0,06	1	amorphous	Ni-Mh/100mAh AAA 1.2V	8h	stainless steel + plastic	black	355	72	1/12	A++→A

RoHS COMPLIANT CE 1+0 standard +extended 1 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SOLAR WALL
98SOL23423



SOLAR WALL
98SOL23428

DRIVEWAY LIGHTS
98SOL41029

LED IP44 Solar

SOLAR WALL & DRIVEWAY LIGHTS

Catalogue number	Product category	Power (W)	Whole fixture lumens (lm)	Solar panel	Battery (V/mAh)	Working time	Material	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98SOL23423	C	0,8	30	mono	LiFePO4/800mAh 18500 4.5V	8h	plastic	black	100	100	100	1/24	A++→A
98SOL23428	C	0,3	10	mono	Ni-Mh/ 900mAh 2V	8h	plastic	black	145	145	55	1/24	A++→A
98SOL41029	C	0,24	6	poly	Ni-Mh/ 600mAh	8h	aluminium	grey	69	26	100	1/24	A++→A

RoHS CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ALDO 2L
96ALDO2L/BL

ALDO
96ALDO/GR

LED | NEUTRAL WHITE 4000K | IP67 | DRIVE OVER | Resin

ALDO

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Diameter 1 (mm)	Beam angle	Packing/Box (pcs)	Energy class
96ALDO/BL	C	ALDO	1.7	170	4000	Black	50	47	110	1/50	A++→A
96ALDO/GR	C	ALDO	1.7	170	4000	Grey	50	47	110	1/50	A++→A
96ALDO2L/BL	C	ALDO 2L	1.7	170	4000	Black	50	47	110	1/50	A++→A
96ALDO2L/GR	C	ALDO 2L	1.7	170	4000	Grey	50	47	110	1/50	A++→A

Body: Resin with opal glass | **UV resistant** | **Lamp holder:** G9 | **Lamp included**

The product ALDO is accomplished with a LED bulb which parameters are noted in the chart. If you need any other color temperature or power, we suggest you to purchase the variants compatible to this fixtures separately as follows:

99LED933 G9 LED 7W 3000K | **99LED933W** G9 LED 7W 4000K | **99LED933CW** G9 LED 7W 6400K

50/60 Hz | IP 67 | RoHS | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of 96GRFLED068 the delivery time after order confirmation will be 90 days, and for others products 45 days.

CECI 90 SQUARE
96CECI90SQ/GR

CECI 90 SQUARE
96CECI90SQ/BL

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP67 | DRIVE OVER

CECI 90 SQUARE

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length/ Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96CECI90SQ/BL	C	6	600	2700/4000 settable	BLACK	90/92	127	1/40	A++→A
96CECI90SQ/GR	C	6	600	2700/4000 settable	GREY	90/92	127	1/40	A++→A

Body: Resin with frosted diffuser | **UV resistant** | Drive-over | **Lamp holder:** GU10 | Lamp included

50/60 Hz | IP 67 | RoHS COMPLIANT | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of 96GRFLED068 the delivery time after order confirmation will be 90 days, and for others products 45 days.

CECI 160 ROUND
96CECI160/GR

CECI 160 ROUND
96CECI160/BL

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP67 | DRIVE OVER

CECI 160 ROUND

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96CECI160/BL	C	10	1200	2700/4000/6500 settable	BLACK	160	111	1/18	A++→A
96CECI160/GR	C	10	1200	2700/4000/6500 settable	GREY	160	111	1/18	A++→A

Body: Resin with frosted diffuser | **UV resistant** | Drive-over | **Lamp holder:** GX53 | Lamp included

50/60 Hz | IP 67 | RoHS COMPLIANT | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of 96GRFLED068 the delivery time after order confirmation will be 90 days, and for others products 45 days.

CECI 90 3L
96CECI3L/BL

CECI 90
96CECI90/GR

GRF
96GRFLED068

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP67 | DRIVE OVER

GRF068 / CECI 90 ROUND

Catalogue number	Product category	Model	Colour	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Beam angle	Packing/Box (pcs)	Energy class
96CECI90/BL	C	CECI 90	Black	3.5	400	2700/4000K settable	95	127	45°	1/40	A++→A
96CECI90/GR	C	CECI 90	Gray	3.5	400	2700/4000K settable	95	127	45°	1/40	A++→A
96CECI3L/BL	C	CECI 90 3L	Black	3.5	400	2700/4000K settable	95	127	45°	1/40	A++→A
96CECI3L/GR	C	CECI 90 3L	Gray	3.5	400	2700/4000K settable	95	127	45°	1/40	A++→A
96GRFLED068	C	GRF	Gray	1	60	6000-6500	100	61	45°	1/40	A++→A

GRF067: Material: 304 Stainless steel | **Voltage:** 100-240V | **LED** source: Integrated SMD Epistar | IK10 | Corrosion proof
CECI: Material: Resin | UV resistant | Lamp included | **Lamp holder:** GU10

The product CECI 90 and CECI 90 3L are accomplished with a LED bulb which parameters are noted in the chart. If you need any other color temperature or power, we suggest you to purchase the variants compatible to this fixtures separately as follows:

99LED729 GU 10 LED SMD 6.5W 4000K | **99LED730** GU 10 LED SMD 6.5W 2700K | **99LED796** GU 10 LED SMD 6.5W 6400K
99LED733 GU 10 LED SMD RED | **99LED734** GU 10 LED SMD BLUE | **99LED735** GU 10 LED SMD GREEN

50/60 Hz | IP 67 | RoHS | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of 96GRFLED068 the delivery time after order confirmation will be 90 days, and for others products 45 days.

GRF109 IP67

IP67

UNTIL SUPPLY LAST

EMPTY FIXTURE GRF 109, IP67

Catalogue number	Product category	Watt (W)	Voltage (V)	Lamp	Colour	Current (A)	Balast	Diameter (mm)	Length (mm)	Height (mm)	Energy class
96GRF109/150	F		230	MHL	satin nickel		empty	260	280	185	A++→E

Body: PVC | **Diffuser:** aluminium ring and tempered glass | Lamp not included
Load capacity is 3 ton. | w/o driver

2+0 standard +extended 2 YEAR TOTAL WARRANTY

GRF105 IP65
96GRF105

GRF106 IP65
96GRF106

IP65

EMPTY FIXTURE GRF, IP65

Catalogue number	Product category	Watt (W)	Voltage (V)	Lamp holder	Colour	Diameter (mm)	Length (mm)	Packing/Box (pcs)	Energy class
96GRF105	F	max.50W	12	1 x GU5.3	satin nickel	107	145	1/20	A++→A
96GRF106	F	max.50W	220	1 x GU10	satin nickel	107	145	1/20	A++→A

Body: PVC | **Diffuser:** aluminium ring and tempered glass | Lamp not included
Load capacity is 3 ton. | w/o driver

2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

RAY
96RAY40

RAY
96RAY30

RAY
96RAY20

RAY
96RAY10

LED COOL WHITE 6400K **IP67**

RAY

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour aluminium ring	Diameter (mm)	Diameter 1 (mm)	Length (mm)	Packing/Box (pcs)	Energy class
96RAY10	C	10	900	5500	satin nickel	160	150	100	1/12	A++→A
96RAY20	C	20	1800	5500	satin nickel	180	160	123	1/8	A++→A
96RAY30	C	30	2700	5500	satin nickel	230	210	135	1/6	A++→A
96RAY40	C	40	3600	5500	satin nickel	230	215	135	1/6	A++→A

Body: aluminium | **Diffuser:** aluminium ring and tempered glass | Load capacity is 2.5 ton | **LED driver:** mounted in the body
Light source: Epistar LED

~230V | 50/60 Hz | Ra>80 | >15000 | INSTANT 100% | 30000h | IP 67 | RoHS COMPLIANT | EMC | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

WADE FIXTURE IP65

LED COOL WHITE 6400K **IP65**

WADE FIXTURE IP65

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9WF18CW	C	18	1600	6500	white	700	55	35	1/20	A++→A
9WF36CW	C	36	3500	6500	white	1230	55	35	1/12	A++→A
9WF45CW	C	45	4300	6500	white	1530	53	35	1/12	A++→A

Body: polycarbonate (PC) | **Diffuser:** polycarbonate (PC) | **Clamps:** inox | **Light source:** Sanan 2835 SMD| **Power factor:** λ>0.9 | **Starting time:** <1s | **Beam angle:** 120°
Cable gland, metal clips for wall fixing.

~230V | 50/60 Hz | SMD | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 65 | RoHS COMPLIANT | EMC | CE | 2+1 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

BELLA STELLAR SMD2835

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP65

BELLA STELLAR SMD2835

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9XBR18LED	C	18	1620	4000	Grey	610	75	62	1/8	A++→A
9XBR18LEDCW	C	18	1620	6500	Grey	610	75	62	1/8	A++→A
9XBR36LED	C	36	3240	4000	Grey	1210	75	62	1/8	A++→A
9XBR36LEDCW	C	36	3240	6500	Grey	1210	75	62	1/8	A++→A
9XBR54LED	C	54	4860	4000	Grey	1510	75	62	1/8	A++→A
9XBR54LEDCW	C	54	4860	6500	Grey	1510	75	62	1/8	A++→A

Body: PC | **Diffuser:** PC Opal | **Clips:** polycarbonate | **Cable gland, metal clips for wall fixing** | **Light source:** Sanan 2835SMD

~230V | 50/60 Hz | SMD | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 65 | RoHS COMPLIANT | EMC | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

BELLA SMD2835

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP65**

BELLA LUMINAIRE SMD2835

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9BR20LED	-	C	20	1800	4000	grey	600	80	70	1/16	A++→A
9BR20LEDCW	-	C	20	1800	6500	grey	600	80	70	1/16	A++→A
9BR40LED	**9BR40LEDE**	C	40	3800	4000	grey	1200	80	70	1/12	A++→A
9BR40LEDCW	**9BR40LEDCWE**	C	40	3800	6500	grey	1200	80	70	1/12	A++→A
9BR55LED	**9BR55LEDE**	C	55	5000	4000	grey	1476	80	70	1/9	A++→A
9BR55LEDCW	**9BR55LEDCWE**	C	55	5000	6500	grey	1476	80	70	1/9	A++→A

Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: polycarbonate (PC), grey | **Diffuser:** polycarbonate (PC), Opal cover | **Reflector:** steel white | **Light source:** Epistar | Cable gland.

~230V | 50/60 Hz | SMD | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 65 | RoHS COMPLIANT | EMC | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

BELLA with LED Tubes T8 STELLAR

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP65**

BELLA with LED Tubes T8 STELLAR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9BR109LEDCW	C	1X9	585	6200-6500	grey	655	68	58	1/8	A+ A++>A
9BR109LED	C	1X9	585	4000-4300	grey	655	68	58	1/8	A+ A++>A
9BR209LEDCW	C	2X9	1170	6200-6500	grey	655	113	58	1/6	A+ A++>A
9BR209LED	C	2X9	1170	4000-4300	grey	655	113	58	1/6	A+ A++>A
9BR118LEDCW	C	1X18	1170	6200-6500	grey	1270	68	58	1/8	A+ A++>A
9BR118LED	C	1X18	1170	4000-4300	grey	1270	68	58	1/8	A+ A++>A
9BR218LEDCW	C	2X18	2340	6200-6500	grey	1270	113	58	1/8	A+ A++>A
9BR218LED	C	2X18	2340	4000-4300	grey	1270	113	58	1/8	A+ A++>A
9BR122LEDCW	C	1X24	1430	6200-6500	grey	1565	68	58	1/8	A+ A++>A
9BR122LED	C	1X24	1430	4000-4300	grey	1565	68	58	1/8	A+ A++>A
9BR222LEDCW	C	2X24	2860	6200-6500	grey	1565	113	58	1/6	A+ A++>A
9BR222LED	C	2X24	2860	4000-4300	grey	1565	113	58	1/6	A+ A++>A

with LED tubes STELLAR



Body: ABC | **Diffuser:** polycarbonate (PC) | **Reflector:** without | **Clips:** polycarbonate | Cable gland, metal clips for wall fixing. | **Light source:** LED tubes

~230V | 50/60 Hz | LED T8 | G13 | Ra≥80 | >10000 | INSTANT 100% | 15000h | Hg | IP 65 | RoHS COMPLIANT | EMC | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP65**

BELLA with LED Tubes T8 ELMARK

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9BM110LEDCW	-	C	1X10	800	6500	grey	670	86	100	1/12	A+ A++→A
9BM110LED	-	C	1X10	800	4000	grey	670	86	100	1/12	A+ A++→A
9BM118LEDCW	-	C	1X18	1440	6500	grey	1270	86	100	1/9	A+ A++→A
9BM118LED	-	C	1X18	1440	4000	grey	1270	86	100	1/9	A+ A++→A
9BM124LEDCW	-	C	1X24	1920	6500	grey	1570	106	110	1/6	A+ A++→A
9BM124LED	-	C	1X24	1920	4000	grey	1570	106	110	1/6	A+ A++→A
9BM210LEDCW	-	C	2X10	1600	6500	grey	670	131	100	1/9	A+ A++→A
9BM210LED	-	C	2X10	1600	4000	grey	670	131	100	1/9	A+ A++→A
9BM218LEDCW	**9BM218LEDCWE**	C	2X18	2880	6500	grey	1270	131	100	1/6	A+ A++→A
9BM218LED	**9BM218LEDE**	C	2X18	2880	4000	grey	1270	131	100	1/6	A+ A++→A
9BM224LEDCW	**9BM224LEDCWE**	C	2X24	3840	6500	grey	1570	166	110	1/4	A+ A++→A
9BM224LED	**9BM224LEDE**	C	2X24	3840	4000	grey	1570	166	110	1/4	A+ A++→A

with LED tubes ELMARK

We offer the fixtures as per personal request with a fixed block and battery with a possibility for work in an emergency regime 60-180min

Wire and fittings for hanging mounting 2,5m
2 pcs/ pack
92ACC03

Body: polycarbonate (PC) | **Diffuser:** polycarbonate (PC) | **Reflector:** steel white | Ballast: fixed inside the body | **Clamps:** polycarbonate | Cable gland, metal clips for wall fixing.

~230V | 50/60 Hz | LED T8 | G13 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 65 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP65**

UNTIL SUPPLY LAST

BELLA luminaire with LED tubes T5 ELMARK

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9BE114LEDW	F	1X10	1000	4000	grey	670	74	80	1/12	A+ A++→A
9BE128LEDW	F	1X20	2000	4000	grey	1210	64	85	1/9	A+ A++→A
9BE214LEDW	F	2X10	2000	4000	grey	670	106	80	1/9	A+ A++→A
9BE114LEDCW	F	1X10	1000	6400	grey	670	74	80	1/12	A+ A++→A
9BE128LEDCW	F	1X20	2000	6400	grey	1210	64	85	1/9	A+ A++→A
9BE214LEDCW	F	2X10	2000	6400	grey	670	106	80	1/9	A+ A++→A

with LED tubes ELMARK

Body: polycarbonate (PC) | **Diffuser:** polycarbonate (PC) | **Reflector:** steel white | **Clamps:** inox | Cable gland, metal clips for wall fixing.

~230V | 50/60 Hz | LED T5 | G5 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 65 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

IP65

EMPTY FIXTURES BELLA FOR SINGLE ENDED LED TUBES T8

Catalogue number	Variant	Product category	Led tube size	Colour	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
89084	Slim	C	1x600mm	grey	670	86	100	1/12	A++→B
89085	Slim	C	2x600mm	grey	670	131	100	1/9	A++→B
89086	Slim	C	1x1200mm	grey	1270	86	100	1/9	A++→B
89087	Slim	C	2x1200mm	grey	1270	131	100	1/6	A++→B
89088	Slim	C	1x1500mm	grey	1570	86	100	1/6	A++→B
89089	Slim	C	2x1500mm	grey	1570	131	100	1/4	A++→B

Body: polycarbonate (PC) | **Diffuser:** polycarbonate (PC) | **Reflector:** steel white | **Clips:** polycarbonate | Cable gland, metal clips for wall fixing. | Lamp not included

~230V | 50/60 Hz | G13 | IP 65 | RoHS COMPLIANT | EMC | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

GERMANA
95GERMANA/BL

GERMANA
95GERMANA/GR

GERMANA G
95GERMANAG/BL

GERMANA G
95GERMANAG/GR

IP66 **Resin**

GERMANA

Catalogue number	Product category	Colour body	Lampholder	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95GERMANA/BL	C	Black	1xE27	180	160	250	1/18	A++→C
95GERMANA/GR	C	Grey	1xE27	180	160	250	1/18	A++→C
95GERMANAG/BL	C	Black	1xE27	180	300	250	1/18	A++→C
95GERMANAG/GR	C	Grey	1xE27	180	300	250	1/18	A++→C

Body: Resin with opal diffuser | **UV resistant** | **Lamp holder:** E27 | **Lamp not included**

Recommended bulbs:
99LED588 LED PEAR A60 12W 4000K |
99LED587 LED PEAR A60 12W 2700K |
99LED821 LED PEAR A60 12W 6400K

~230V | 50/60 Hz | E27 | RoHS COMPLIANT | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

LED COOL WHITE 6400K **IP65**

HELIOS SMD

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98HELIOS10	C	HELIOS10	10	800	5000-5500	black	105	25	85	1/40	A++→A
98HELIOS20	C	HELIOS20	20	1600	5000-5500	black	128	25	88	1/40	A++→A
98HELIOS30	C	HELIOS30	30	2400	5000-5500	black	153	25	111	1/20	A++→A
98HELIOS50	C	HELIOS50	50	4000	5000-5500	black	205	30	160	1/20	A++→A
98HELIOS100	C	HELIOS100	100	8000	5000-5500	black	300	30	205	1/10	A++→A
98HELIOS150	C	HELIOS150	150	10000	5000-5500	black	333	40	254	1/10	A++→A
98HELIOS200	C	HELIOS200	200	12000	5000-5500	black	360	42	280	1/10	A++→A
98HELIOS20SEN	C	HELIOS20SEN	20	1600	5000-5500	black	134	35	109	1/20	A++→A
98HELIOS30SEN	C	HELIOS30SEN	30	2400	5000-5500	black	173	35	136	1/10	A++→A
98HELIOS50SEN	C	HELIOS50SEN	50	4000	5000-5500	black	210	35	163	1/10	A++→A

Body: Aluminium casting | **LED driver:** mounted in the body | **Light source:** Epistar SMD2835 | **Input voltage:** 176 - 264V | **Ambient Temperature:** -20°C÷ +55°C
Sensor: detection range:120° | **Detection distance:** MAX 8 m(±2 m) | **Time setting:** 140±20 s | **Ambient light:** 25±10 lux

Terminal box IP44

Material: PC
Voltage: 450V
Rated current: 6A
Wiring Capacity: 0.5-4.0mm2

Cat. Number: 31071

Terminal box IP65

Material: Polypropylene 94-V2 grade
Sunscreen Rating:Sun Protection(UV)
Voltage: 450V
Rated current: 10A
Terminal Blocks: 3p screw type
Metal Part:Plated Brass/Steel Spring
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31070

Cable connector IP68

Rated operational voltage:AC250V
Rated operational Ampere(A):≤30A
Material: flame retardant/Anti UV nylon(PA66)
Crimping terminals:Nickle-plated brass
Withstand voltage(normal temperature):3KV
Operating remperature range: -40°C~+105°C
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31072

~230V | 50/60 Hz | 120° | Ra>70 | 15000h | Hg | IP 65 | RoHS COMPLIANT | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED NEUTRAL WHITE 4000K **IP65**

HELIOS SMD

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98HELIOS10/WH	C	HELIOS10	10	800	4000	white	105	25	85	1/50	A++⇨A
98HELIOS20/WH	C	HELIOS20	20	1600	4000	white	128	25	88	1/50	A++⇨A
98HELIOS30/WH	C	HELIOS30	30	2400	4000	white	153	25	111	1/30	A++⇨A
98HELIOS50/WH	C	HELIOS50	50	4000	4000	white	205	30	160	1/20	A++⇨A
98HELIOS100/WH	C	HELIOS100	100	8000	4000	white	300	30	205	1/10	A++⇨A

Body: Aluminium casting | **LED driver:** mounted in the body | **Light source:** Epistar SMD2835 | **Input voltage:** 176 - 264V | **Ambient Temperature:** -20°C÷ +55°C

Side View

Terminal box IP44

Material: PC
Voltage: 450V
Rated current: 6A
Wiring Capacity: 0.5-4.0mm2

Cat. Number: 31071

Terminal box IP65

Material: Polypropylene 94-V2 grade
Sunscreen Rating:Sun Protection(UV)
Voltage: 450V
Rated current: 10A
Terminal Blocks: 3p screw type
Metal Part:Plated Brass/Steel Spring
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31070

Cable connector IP68

Rated operational voltage:AC250V
Rated operational Ampere(A):≤30A
Material: flame retardant/Anti UV nylon(PA66)
Crimping terminals:Nickle-plated brass
Withstand voltage(normal temperature):3KV
Operating remperature range: -40°C~+105°C
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31072

~230V | 50/60 Hz | 120° | Ra>70 | 15000h | Hg | IP 65 | RoHS COMPLIANT | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VEGA SLIM
98VEGA10SLIM
98VEGA20SLIM
98VEGA30SLIM
98VEGA50SLIM
98VEGA100SLIM

VEGA SLIM WITH SENSOR
98VEGA10SENSLIM
98VEGA20SENSLIM
98VEGA30SENSLIM
98VEGA50SENSLIM

LED | COOL WHITE 6400K | IP65 | INDUSTRIAL

VEGA SLIM / VEGA SLIM WITH SENSOR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98VEGA10SLIM	C	10	900	5500	black	66	90	18	1/40	A+ A++→A
98VEGA20SLIM	C	20	1800	5500	black	75	110	21	1/40	A+ A++→A
98VEGA30SLIM	C	30	2700	5500	black	95	130	22	1/20	A+ A++→A
98VEGA50SLIM	C	50	4500	5500	black	132	186	25	1/20	A+ A++→A
98VEGA100SLIM	C	100	9000	5500	black	190	280	28	1/10	A+ A++→A
98VEGA10SENSLIM	C	10	900	5500	black	90	120	25	1/50	A+ A++→A
98VEGA20SENSLIM	C	20	1800	5500	black	91	121	25	1/30	A+ A++→A
98VEGA30SENSLIM	C	30	2700	5500	black	118	158	25	1/20	A+ A++→A
98VEGA50SENSLIM	C	50	4500	5500	black	145	200	26	1/10	A+ A++→A

Body: Plastic+Aluminium | **LED driver:** linear | **Light source:** SANAN | **Input voltage:** 220V-240V AC | **Cable length:** 300 mm | **Ambient Temperature:** -30°C÷ +65°C
Sensor: | **Detection Range:**110° | **Detection Distance:** MAX 8m | **Ambient Light:** 50lux | **Detection Motion Speed:** 0.6-1.5m/s;

Terminal box IP44

Material: PC
Voltage: 450V
Rated current: 6A
Wiring Capacity: 0.5-4.0mm2

Cat. Number: 31071

Terminal box IP65

Material: Polypropylene 94-V2 grade
Sunscreen Rating:Sun Protection(UV)
Voltage: 450V
Rated current: 10A
Terminal Blocks: 3p screw type
Metal Part:Plated Brass/Steel Spring
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31070

Cable connector IP68

Rated operational voltage:AC250V
Rated operational Ampere(A):≤30A
Material: flame retardant/Anti UV nylon(PA66)
Crimping terminals:Nickle-plated brass
Withstand voltage(normal temperature):3KV
Operating remperature range: -40°C~+105°C
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31072

~230V | 50/60 Hz | SMD | 110° | Ra>70 | 20000h | Hg | IP 65 | RoHS | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VEGA SLIM

98VEGA10SLIM/WH
98VEGA20SLIM/WH
98VEGA30SLIM/WH
98VEGA50SLIM/WH
98VEGA100SLIM/WH

LED | NEUTRAL WHITE 4000K | IP65 | INDUSTRIAL

VEGA SLIM / VEGA SLIM WITH SENSOR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98VEGA10SLIM/WH	C	10	900	4000	white	66	90	18	1/40	A+ A++→A
98VEGA20SLIM/WH	C	20	1800	4000	white	75	110	21	1/40	A+ A++→A
98VEGA30SLIM/WH	C	30	2700	4000	white	95	130	22	1/20	A+ A++→A
98VEGA50SLIM/WH	C	50	4500	4000	white	132	186	25	1/20	A+ A++→A
98VEGA100SLIM/WH	C	100	9000	4000	white	190	280	28	1/10	A+ A++→A
98VEGA20SENSLIM/WH	C	20	1800	4000	white	91	121	25	1/30	A+ A++→A
98VEGA30SENSLIM/WH	C	30	2700	4000	white	118	158	25	1/20	A+ A++→A
98VEGA50SENSLIM/WH	C	50	4500	4000	white	145	200	26	1/10	A+ A++→A

Body: Plastic+Aluminium | **LED driver:** linear | **Light source:** SANAN | **Input voltage:** 220V-240V AC | **Cable length:** 300 mm | **Ambient Temperature:** -30°C÷ +65°C
Sensor: | **Detection Range:**110° | **Detection Distance:** MAX 8m | **Ambient Light:** 50lx | **Detection Motion Speed:** 0.6-1.5m/s;

Terminal box IP44

Material: PC
Voltage: 450V
Rated current: 6A
Wiring Capacity: 0.5-4.0mm2

Cat. Number: 31071

Terminal box IP65

Material: Polypropylene 94-V2 grade
Sunscreen Rating:Sun Protection(UV)
Voltage: 450V
Rated current: 10A
Terminal Blocks: 3p screw type
Metal Part:Plated Brass/Steel Spring
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31070

Cable connector IP68

Rated operational voltage:AC250V
Rated operational Ampere(A):≤30A
Material: flame retardant/Anti UV nylon(PA66)
Crimping terminals:Nickle-plated brass
Withstand voltage(normal temperature):3KV
Operating remperature range: -40°C~+105°C
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31072

~230V | 50/60 Hz | SMD | 110° | Ra>70 | 20000h | Hg | IP 65 | RoHS | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VEGA SLIM

98VEGA150SLIM
98VEGA200SLIM

LED | COOL WHITE 6400K | IP65 | INDUSTRIAL

VEGA SLIM

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98VEGA150SLIM	C	150	15000	5500	black	226	315	35	1/1	A+ A++→A
98VEGA200SLIM	C	200	20000	5500	black	320	400	85	1/1	A+ A++→A

Body: Plastic+Aluminium | **LED driver:** linear | **Light source:** SANAN | **Input voltage:** 220V-240V AC | **Cable length:** 300 mm | **Ambient Temperature:** -30°C÷ +65°C

Terminal box IP44

Material: PC
Voltage: 450V
Rated current: 6A
Wiring Capacity: 0.5-4.0mm2

Cat. Number: 31071

Terminal box IP65

Material: Polypropylene 94-V2 grade
Sunscreen Rating:Sun Protection(UV)
Voltage: 450V
Rated current: 10A
Terminal Blocks: 3p screw type
Metal Part:Plated Brass/Steel Spring
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31070

Cable connector IP68

Rated operational voltage:AC250V
Rated operational Ampere(A):≤30A
Material: flame retardant/Anti UV nylon(PA66)
Crimping terminals:Nickle-plated brass
Withstand voltage(normal temperature):3KV
Operating remperature range: -40°C~+105°C
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31072

~230V | 50/60 Hz | SMD | 110° | Ra>70 | 20000h | Hg | IP 65 | RoHS | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LYRA RGB
98LYRA15RGB

LYRA RGB
98LYRA50RGB

LYRA RGB
98LYRA30RGB

LED IP65 INDUSTRIAL

LYRA RGB

Catalogue number	Product category	Model	Watt (W)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98LYRA15RGB	C	LYRA15	15	RGB	black	140	195	50	1/20	A++→A
98LYRA30RGB	C	LYRA30	30	RGB	black	184	254	57	1/10	A++→A
98LYRA50RGB	C	LYRA50	50	RGB	black	233	300	67	1/5	A++→A

Body: Aluminium casting | **LED driver:** mounted in the body | **Light source:** Epistar SMD2835 | **Input voltage:** 200-240V | **Remote-controlled distance:** 6-8M
Ambient Temperature: - 30°C÷ +55°C | **Diffuser:** Tempered glass

Terminal box IP44

Material: PC
Voltage: 450V
Rated current: 6A
Wiring Capacity: 0.5-4.0mm2

Cat. Number: 31071

Terminal box IP65

Material: Polypropylene 94-V2 grade
Sunscreen Rating:Sun Protection(UV)
Voltage: 450V
Rated current: 10A
Terminal Blocks: 3p screw type
Metal Part:Plated Brass/Steel Spring
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31070

Cable connector IP68

Rated operational voltage:AC250V
Rated operational Ampere(A):≤30A
Material: flame retardant/Anti UV nylon(PA66)
Crimping terminals:Nickle-plated brass
Withstand voltage(normal temperature):3KV
Operating remperature range: -40°C~+105°C
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31072

~230V | 50/60 Hz | 120° | Ra>70 | 20000h | Hg | IP 65 | RoHS COMPLIANT | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

STADIUM FLOOD LIGHTS PHOENIX
98PHOENIX720CW/BL

STADIUM FLOOD LIGHTS PHOENIX
98PHOENIX960CW/BL

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP67 | INDUSTRIAL

STADIUM FLOOD LIGHTS PHOENIX

Catalogue number	Product category	Watt (W)	Lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98PHOENIX720CW/BL	C	720	86400	5500K	30°	833,4	442	201	1/1	A++→A
98PHOENIX960CW/BL	C	960	115200	5500K	30°	1090	442	201	1/1	A++→A




Body: Aluminium | **LED driver:** MEANWELL| **Light source:** PHILIPS | **Input voltage:** 230V AC | **Ambient Temperature:** -20°C÷ +65°C

~230V | 50000h | >20000 | Hg | IP 67 | RoHS | EMC | CE | 5+0 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

STADIUM FLOOD LIGHTS PHOENIX
98PHOENIX240CW/BL

STADIUM FLOOD LIGHTS PHOENIX
98PHOENIX480CW/BL

STADIUM FLOOD LIGHTS PHOENIX
98PHOENIX360CW/BL

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP67 | INDUSTRIAL

STADIUM FLOOD LIGHTS PHOENIX

Catalogue number	Product category	Watt (W)	Lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98PHOENIX240CW/BL	C	240	28800	5500K	30°	435,4	341	190	1/1	A++→A
98PHOENIX360CW/BL	C	360	43200	5500K	30°	618,4	341	200	1/1	A++→A
98PHOENIX480CW/BL	C	480	57600	5500K	30°	579,4	442	201	1/1	A++→A



Body: Aluminium | **LED driver:** MEANWELL| **Light source:** PHILIPS | **Input voltage:** 230V AC | **Ambient Temperature:** -20°C÷ +65°C

~230V | 50000h | >20000 | Hg | IP 67 | RoHS COMPLIANT | EMC | CE | 5+0 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED | COOL WHITE 6400K | IP65 | 110° | INDUSTRIAL

UNTIL SUPPLY LAST

SIRIUS SMD

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98SIRIUS50SMD	F	SIRIUS50SMD	50	5000	6500	black	137	35	170	1/10	A++→A
98SIRIUS100SMD	F	SIRIUS100SMD	100	10000	5500	black	310	80	430	1/10	A++→A
98SIRIUS150SMD	F	SIRIUS150SMD	150	15000	5500	black	310	80	430	1/10	A++→A
98SIRIUS200SMD	F	SIRIUS200SMD	200	20000	5500	black	386	106	560	1/10	A++→A
98SIRIUS250SMD	F	SIRIUS250SMD	250	25000	5500	black	386	106	560	1/10	A++→A
98SIRIUS300SMD	F	SIRIUS300SMD	300	30000	5500	black	386	106	560	1/10	A++→A





Body: Aluminium | **LED driver:** mounted in the body | **Light source:** 2835SMT Epistar | **Input voltage:** 100V-240V AC | **Ambient Temperature:** -30°C÷ +65°C

Material: PC
Voltage: 450V
Rated current: 6A
Wiring Capacity: 0.5-4.0mm2

Cat. Number: 31071

Terminal box IP44

Material: Polypropylene 94-V2 grade
Sunscreen Rating:Sun Protection(UV)
Voltage: 450V
Rated current: 10A
Terminal Blocks: 3p screw type
Metal Part:Plated Brass/Steel Spring
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31070

Terminal box IP65

Rated operational voltage:AC250V
Rated operational Ampere(A):≤30A
Material: flame retardant/Anti UV nylon(PA66)
Crimping terminals:Nickle-plated brass
Withstand voltage(normal temperature):3KV
Operating remperature range: -40°C~+105°C
Wiring Capacity: 0.5-2.5mm2

Cat. Number: 31072

Cable connector IP68

~230V | 50/60 Hz | SMD | 110° | Ra>70 | 30000h | Hg | IP 65 | RoHS | F | CE | 5+0 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

RECHARGEABLE WORKLAMP SMD

98FLOOD10

LED NEUTRAL WHITE 4000K **IP44**

UNTIL SUPPLY LAST

LED WORKLAMP SMD

Catalogue number	Product category	Model	Watt (W)	Whole lamp lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98FLOOD10	F	FLOOD10	10	1000	4000	orange	170	41	125	1/20	A++→A

98FLOOD10: 5V input &output with 220V adaptor and 1m USB charging cable | Ultra bright led | **Materials:** ABS | **Beam angle:** 120° | **Battery:** 18650 lithium 3.7V 4.4Ah | **Run time:** 4 hrs in 100% light/ 8hrs in 50% light | **Fully charge time:** 5-6hrs | **Lighting Mode:** 100%-50%-SOS-FLASH-OFF

~230V | 50/60 Hz | 110° | 20000h | IP 44 | RoHS | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

RECHARGEABLE WORKLAMP SMD

98FLOOD10Y

UNTIL SUPPLY LAST

LED NEUTRAL WHITE 4000K **IP44**

RECHARGEABLE WORKLAMP SMD

Catalogue number	Product category	Model	Watt (W)	Whole lamp lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98FLOOD10Y	F	FLOOD10Y	10	600	4000	yellow	242	25	215	1/10	A++→A

Body: Aluminium | **Light source:** SMD2835| **Input voltage:** 100V-240V | All-round rotation 360° | Any angle hover | With adaptor and car charge
Time of battery work: 100% light-2h; 50% light-4h

~230V | 50/60 Hz | 110° | 20000h | IP 44 | RoHS | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

LED WORK FLOODLIGHTS

98FLOOD30S
98FLOOD50S

LED | IP65 | 220V

LED WORK FLOODLIGHTS

Catalogue number	Product category	Model	Watt (W)	Whole lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
98FLOOD30S	C	FLOOD30S	30	2700	5500	110°	163.5	210	30.5	1/20	A++→A
98FLOOD50S	C	FLOOD50S	50	4500	5500	110°	171	227	32	1/20	A++→A

Material: Aluminium | **Color body:** Yellow | **Working Temperature:** -20°C +45°C |Two meters 3*1.0mm2 rubber cable with plug

~230V | 50/60 Hz | 110° | 20000h | RoHS | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ATLAS 45
98ATLAS45/BL2

ATLAS Sim
98ATLASSIM/1
98ATLASSIM/2

ATLAS Ring
98ATR107
98ATLASRING/1
98ATLASRING/2

IP65 INDUSTRIAL

UNTIL SUPPLY LAST

ATLAS

Catalogue number	Product category	Watt (W)	Lampholder	Colour	Length1 (mm)	Length2 (mm)	Width (mm)	Width2 (mm)	Height (mm)	Current (A)	Control gear	Packing/Box (pcs)	Energy class
98ATLAS45/BL1	F	70	Rx7s	black	435	350	232	-	85	-	empty fixture	1/4	A++→C
98ATLAS45/W1	F	70	Rx7s	white	435	350	232	-	85	-	empty fixture	1/4	A++→C
98ATLASSIM/1	F	70	Rx7s	black	232	210	280	220	170	-	empty fixture	1/6	A++→C
98ATLASSIM/2	F	150	Rx7s	black	232	210	280	220	170	-	empty fixture	1/6	A++→C
98ATR107	F	70	Rx7s	black	325	280	230	210	93	0,95	magnetic	1/6	A++→C
98ATLASRING/1	F	70	Rx7s	black	325	280	230	210	93	-	empty fixture	1/6	A++→C
98ATLASRING/2	F	150	Rx7s	black	325	280	230	210	93	-	empty fixture	1/6	A++→C







Body: aluminium | **Diffuser:** tempered glass | **Control gear:** mounted in the body
Ambient Temperature: -20°C ÷ +65°C

~230V | 50/60 Hz | MH-7 | Rx7s | 2,5mm² | IP 65 | RoHS | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

VEGA IP44
989009LED
989012LED
989008LED



VEGA IP65
98VEGA20

VEGA WITH SENSOR IP44
989019LED

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP44 | IP65

UNTIL SUPPLY LAST

VEGA

Catalogue number	Product category	Model	Watt (W)	Lamp	Whole fixture lumens (lm)	Colour temp. (K)	Socket	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
989009LED	F	VEGAJ-78	5.5	LED	440	4000	R7s	grey	200	145	120	1/20	A+ A++→A
989012LED	F	VEGA J-118	7.5	LED	700	4000	R7s	grey	260	210	230	1/10	A+ A++→A
989008LED	F	VEGAJ-78	5.5	LED	440	4000	R7s	black	200	145	120	1/20	A+ A++→A
989019LED	F	VEGA J-118 with sensor	7.5	LED	700	4000	R7s	white	260	210	230	1/10	A+ A++→A
989020LED	F	VEGA J-118 with sensor	7.5	LED	700	4000	R7s	black	260	210	230	1/10	A+ A++→A
98VEGA20	F	VEGA 20	20	COB	1400	5500	-	grey	140/150	180	100	1/12	A+ A++→A

Body: aluminium casting | **Ambient Temperature:** -30°C÷ +65°C | **Diffuser:** Tempered glass

~230V | 50/60 Hz | 120° | Ra>70 | 20000h | Hg | IP 65 | IP 44 | RoHS | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

MADRID SMD

98MADRID30SMD

LED | COOL WHITE 6400K | IP65 | INDUSTRIAL

MADRID SMD, LED CHIP PHILIPS

Catalogue number	Product category	Watt (W)	LED chip lumens (lm)	Colour temp (K)	Beam angle	Colour body	Diameter of the pole (mm)	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98MADRID30SMD	C	30	3600	5500	90°	Grey	38	362	54	143	1/10	A++→A
98MADRID50SMD	C	50	6000	5500	90°	Grey	60	476	74	194	1/5	A++→A
98MADRID100SMD	C	100	12000	5500	90°	Grey	60	567	87	233	1/4	A++→A
98MADRID150SMD	C	150	18000	5500	90°	Grey	60	673	101	395	1/4	A++→A
98MADRID200SMD	C	200	24000	5500	90°	Grey	60	742	114	337	1/2	A++→A
98MADRID250SMD	C	250	28800	5500	90°	Grey	60	742	114	337	1/2	A++→A

WALL MOUNTING ACCESSORIES
Diam.: 38mm
Suitable: for 98MADRID30SMD
Catalogue number: 98POLE38
Diam.: 60mm
Suitable: for road fixtures Madrid from 50W to 250W
Catalogue number: 98POLE60

POLE MOUNTING ACCESSORIES
Diam.: 38mm
Suitable: for 98MADRID30SMD
Catalogue number: 98POLE38P
Diam.: 60mm
Suitable: for road fixtures Madrid from 50W to 250W
Catalogue number: 98POLE60P

Body: Alu+PC cover | **LED driver:** Isolated driver | **Light source:** Philips | **Input voltage:** 180V-265V AC | **Ambient temperature:** -25°C÷ +45°

~230V | 50/60 Hz | SMD | 90° | Ra>80 | 35000h | Hg | IP 65 | RoHS COMPLIANT | F | CE | 5+0 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

STREET 300 SMD

98STREET300SMD

LED | COOL WHITE 6400K | IP65 | DIMMABLE | INDUSTRIAL

STREET SMD, LED CHIP SAMSUNG

Catalogue number	Product category	Dimmable	Watt (W)	LED chip lumens (lm)	Colour temp (K)	Beam angle	Colour body	Diameter of the pole (mm)	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98STREET150SMD	F*	-	150	18000	5500	85°x135°	Silver aluminium	60	501	290	87	1/1	A++→A
98STREET200SMD	F*	-	200	24000	5500	85°x135°	Silver aluminium	60	582	290	87	1/1	A++→A
98STREET250SMD	F*	Yes	250	30000	5500	85°x135°	Silver aluminium	60	662	290	87	1/1	A++→A
98STREET300SMD	C	Yes	300	36000	5500	85°x135°	Silver aluminium	60	796	347	142	1/1	A++→A





WALL MOUNTING ACCESSORIES
Diam.: 60mm
Colour body: grey
Size (mm): Diameter 60 / Width 150 / Height 250
Catalogue number: 98POLE60
Packing (pcs): 1

POLE MOUNTING ACCESSORIES
Diam.: 60mm
Colour body: grey
Size (mm): Diameter 60 / Width 150 / Height 250
Catalogue number: 98POLE60P
Packing (pcs): 1

Body: Silver aluminium | **LED driver:** mounted in the body | **Light source:** Samsung 3030SMD | **Input voltage:** 100V-240V AC | **Ambient temperature:** -30°C÷ +65°C

*Until supply last

~230V | 50/60 Hz | SMD | 135° | Ra>80 | 30000h | Hg | IP 65 | RoHS | F | CE | 5+2 standard +extended | 7 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ROUTE SMD STELLAR

98ROUTE30SMD
98ROUTE50SMD
98ROUTE100SMD
98ROUTE150SMD

LED COOL WHITE 6400K **IP65**

ROUTE SMD STELLAR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp (K)	Beam angle	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98ROUTE30SMD	C	30	3000	5000-5500	90°	130	57	316	1/20	A++→A
98ROUTE50SMD	C	50	5000	5000-5500	90°	155	57	355	1/10	A++→A
98ROUTE100SMD	C	100	10000	5000-5500	90°	160	67	420	1/10	A++→A
98ROUTE150SMD	C	150	15000	5000-5500	90°	170	67	546	1/5	A++→A

Ultra thin design

WALL MOUNTING ACCESSORIES
Diam.: 45mm
Suitable: for 98ROUTE30SMD, 98ROUTE50SMD and 98ROUTE100SMD
Catalogue number: 98POLE45
Diam.: 60mm
Suitable: 98ROUTE150SMD
Catalogue number: 98POLE60

POLE MOUNTING ACCESSORIES
Diam.: 45mm
Suitable: for 98ROUTE30SMD, 98ROUTE50SMD and 98ROUTE100SMD
Catalogue number: 98POLE45P
Diam.: 60mm
Suitable: for 98ROUTE150SMD
Catalogue number: 98POLE60P

Body: Aluminium | **Cover:** PC | **Voltage:** 100-265 VAC | **Light source:** Focus | **Ambient temperature:** -35°C÷ +45°C

~230V | 50/60 Hz | Ra>80 | 20000h | Hg | RoHS COMPLIANT | EMC | CE | 2+1 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

AVENUE 100 SMD
98AVENUE100SMD

AVENUE 50 SMD
98AVENUE50SMD

AVENUE 30 SMD
98AVENUE30SMD

LED COOL WHITE 6400K **IP67**

UNTIL SUPPLY LAST

AVENUE SMD, LED CHIP PHILIPS

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp (K)	Beam angle	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98AVENUE30SMD	F	30	3000	5500	70°x150°	365	18	90	1/1	A++→A
98AVENUE50SMD	F	50	5000	5500	70°x150°	420	15	234	1/1	A++→A
98AVENUE100SMD	F	100	10000	5500	120°x65°	605	15	295	1/1	A++→A

Ultra thin design

WALL MOUNTING ACCESSORIES
Diam.: 60mm
Colour body: grey
Size (mm): Diameter 60 / Width 150 / Height 250
Catalogue number: 98POLE60
Packing (pcs): 1

POLE MOUNTING ACCESSORIES
Diam.: 60mm
Colour body: grey
Size (mm): Diameter 60 / Width 150 / Height 250
Catalogue number: 98POLE60P
Packing (pcs): 1

Body: Aluminium casting | **LED driver:** mounted in the body | **Light source:** SMD3030 | **Input voltage:** 220-240V | **Working temperature:** -25+55°C

~230V | 50/60 Hz | Ra>80 | 35000h | Hg | IP 67 | RoHS | EMC | F | CE | 5+0 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SOLAR LED STREET LIGHTS WITH SENSOR

98SOL100
98SOL101
98SOL102

LED | COOL WHITE 6400K | IP65 | Solar

SOLAR LED STREET LIGHTS WITH SENSOR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Solar panel (Wp)	Battery (V/mAh)	Sensor range (m)	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
98SOL100	C	20	400	6000	2.3	3.7V/2400mAh	2-6	137	224.4	41.5	1/1	A++→A
98SOL101	C	40	850	6000	7	3.7V/6000mAh	3-8	193.7	351.4	50.8	1/1	A++→A
98SOL102	C	80	1600	6000	9.5	7.4V/5400mAh	3-8	232	413	58	1/1	A++→A

Material: ABS + PC, anti UV and glossy, V0 fireproof | **Colour body:** Black | **Detection angle:** 120° | **Beam angle:** 140°x 70° | **Installation height 98SOL100:** 2-4meters, other models: 3-5m | Posibility to mounting on Wall or Lamp-post | **First 5 hours lighting:** Full brightness+ Weak brightness | After 5 hours or battery capacity<30%: Full brightness+ Weak brightnes+ OFF | **Solar panels:** Poly-cristalline silicone; Frosted surface- scratch resistant | **LED&Lens:** LM-80 LEDs 2835SMD; high transmittance PC optical lens | Accessory for wall mounted installation: included

Accessory for wall mounted installation

SMD | Ra>80 | Hg | RoHS COMPLIANT | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DUBLIN SMD STELLAR

98DUBLIN100SMD
98DUBLIN150SMD
98DUBLIN200SMD

LED | COOL WHITE 6400K | **IP65**

DUBLIN SMD STELLAR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98DUBLIN100SMD	C	100	10000	5500	100°	Grey	237	90	1/10	A++→A
98DUBLIN150SMD	C	150	15000	5500	100°	Grey	302	96	1/5	A++→A
98DUBLIN200SMD	C	200	20000	5500	100°	Grey	360	96	1/5	A++→A



Gear box: Alu+Glass | **LED driver:** Linear | **Light source:** Sanan | **Input voltage:** 220V-240V AC | **Ambient temperature:** -25°C÷ +45°C

~230V | 50/60 Hz | Ra>80 | 20000h | IP 65 | RoHS COMPLIANT | EMC | CE | 2+1 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

FESTA SMD STELLAR

98FESTA100SMD
98FESTA150SMD
98FESTA200SMD

LED | COOL WHITE 6400K | **IP65**

UNTIL SUPPLY LAST

FESTA SMD STELLAR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98FESTA100SMD	F	100	10000	5000-5500	120°	black	270	151	1/1	A++→A
98FESTA150SMD	F	150	15000	5000-5500	120°	black	320	159	1/1	A++→A
98FESTA200SMD	F	200	20000	5000-5500	120°	black	380	166	1/1	A++→A



Gear box: Aluminium + Graphene | **Cover:** PC | **Voltage:** 180-265 VAC | **Light source:** Sanan| **Ambient temperature:** -25°C÷ +45°C

~230V | 50/60 Hz | Ra>80 | 25000h | Hg | IP 65 | RoHS COMPLIANT | EMC | F | CE | 2+1 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VIENA SMD

98VIENA100SMD
98VIENA150SMD
98VIENA200SMD
98VIENA250SMD

LED | COOL WHITE 6400K | **IP65**

VIENA SMD

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98VIENA100SMD	C	100	13000	5500	90°	Black	290	140	1/1	A++→A
98VIENA150SMD	C	150	19500	5500	90°	Black	350	140	1/1	A++→A
98VIENA200SMD	C	200	26000	5500	90°	Black	400	140	1/1	A++→A
98VIENA250SMD	C	250	31200	5500	90°	Black	400	140	1/1	A++→A

Gear box: Alu+PC | **LED driver:** Isolated | **Input voltage:** 180-265 VAC | **Light source:** Sanan| **Ambient temperature:** -25°C÷ +45°C

~230V | 50/60 Hz | Ra>80 | 35000h | Hg | IP 65 | RoHS COMPLIANT | EMC | F | CE | 5+0 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VECA SMD
98VECA150SMD

VECA SMD
98VECA120SMD

VECA SMD
98VECA200SMD
(98VECA200SMDDGR)
98VECA250SMD
(98VECA250SMDDGR)

LED COOL WHITE 6400K **IP65**

UNTIL SUPPLY LAST

VECA SMD, LED CHIP PHILIPS

Catalogue number	Variant	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
98VECA120SMD		F	120	12000	5500	120°	grey	400	120.3	1/1	A++→A
98VECA150SMD		F	150	15000	5500	120°	grey	382	60	1/1	A++→A
98VECA200SMD	DGR	F	200	20000	5500	120°	black	460	170.3	1/1	A++→A
98VECA250SMD	DGR	F	250	25000	5500	120°	black	500	180	1/1	A++→A

Gear box: Aluminium | **LED driver:** mounted in the gear box | **Light source:** Philips | **Ambient temperature:** -25°C÷ +55°C

~230V | 50/60 Hz | Ra>80 | 25000h | Hg | IP 65 | RoHS | EMC | F | CE | 5+0 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MINICOLOR
98MINICOL-BL

MINICOLOR
98MINICOL-WT

MINICOLOR
98MINICOL-R

MINICOLOR
98MINICOL-G

MINICOLOR
98MINICOL-B

LED | COOL WHITE 6400K | **IP20**

UNTIL SUPPLY LAST

MINICOLOR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Diameter1 (mm)	Height (mm)	Height1 (mm)	Packing/Box (pcs)	Energy class
98MINICOL-BL	F	30	2400	5500	black	220	115	280	120	1/1	A++→A
98MINICOL-WT	F	30	2400	5500	white	220	115	280	120	1/1	A++→A
98MINICOL-R	F	30	2400	5500	red	220	115	280	120	1/1	A++→A
98MINICOL-G	F	30	2400	5500	green	220	115	280	120	1/1	A++→A
98MINICOL-B	F	30	2400	5500	blue	220	115	280	120	1/1	A++→A



Reflector: aluminium | **Gear box:** aluminium casting | **LED driver:** mounted in the gear box | **Light source:** Epistar | **Ambient Temperature:** - 30°C÷ +65°C

~230V | 50/60 Hz | COB | 90° | Ra>80 | 30000h | Hg | IP 20 | RoHS | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

LAMPS AND COMPONENTS

A60
99LED773D

ST64
99LED769D

C35
99LED772D

LED WARM WHITE 2700K IP20 DIMMABLE

LED FILAMENT VINTAGE C35 / A60 / ST64

Catalogue number	Product category	Dimmable	Watt (W)	Socket type	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED772D	C	yes	4	E14	360	2800-3200K	360°	99	35	1/100	A+
99LED773D	C	yes	8	E27	580	2800-3200K	360°	106	60	1/100	A+
99LED769D	C	yes	8	E27	580	2800-3200K	360°	145	64	1/100	A+

Material: Golden glass

~230V | 50/60 Hz | 360° | >15000 | INSTANT 100% | 25000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

G125
99LED771D

G95
99LED770D

G80
99LED975D

LED WARM WHITE 2700K IP20 DIMMABLE

LED FILAMENT VINTAGE G80 / G95 / G125

Catalogue number	Product category	Dimmable	Watt (W)	Socket type	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED975D	C	yes	8	E27	580	2700	360°	120	80	1/100	A+
99LED770D	C	yes	8	E27	580	2800-3200K	360°	135	95	1/50	A+
99LED771D	C	yes	8	E27	580	2800-3200K	360°	165	125	1/20	A+

Material: Golden glass

~230V 50/60 Hz 360° >15000 INSTANT 100% 25000h Hg RoHS COMPLIANT EMC CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VINTAGE LAMP
99LED863G
99LED863S

VINTAGE LAMP
99LED858G
99LED858S

LED | WARM WHITE 2700K | DIMMABLE

UNTIL SUPPLY LAST

VINTAGE LAMPS

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Material	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED863G	F	8	E27	800	2800-3200K	Golden glass	250	125	1/1	A+
99LED858G	F	8	E27	800	2800-3200K	Golden glass	295	160	1/1	A+
99LED863S	F	8	E27	800	2800-3200K	Smoked glass	250	125	1/1	A+
99LED858S	F	8	E27	800	2800-3200K	Smoked glass	295	160	1/1	A+

~230V | 50/60 Hz | 360° | >15000 | INSTANT 100% | 25000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VINTAGE LAMP
99LED857G
99LED857S

VINTAGE LAMP
99LED856G

LED | WARM WHITE 2700K | DIMMABLE

UNTIL SUPPLY LAST

VINTAGE LAMPS

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Material	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED857G	F	8	E27	800	2800-3200K	Golden glass	210	110	1/1	A+
99LED856G	F	8	E27	800	2800-3200K	Golden glass	245	130	1/1	A+
99LED857S	F	8	E27	800	2800-3200K	Smoked glass	210	110	1/1	A+

~230V | 50/60 Hz | 360° | >15000 | INSTANT 100% | 25000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VINTAGE LAMP
99LED888G

VINTAGE LAMP
99LED889G

LED | WARM WHITE 2700K | DIMMABLE

UNTIL SUPPLY LAST

VINTAGE LAMPS

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Material	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED888G	F	**8**	E27	**800**	**2800-3200K**	Golden glass	390	200	1/1	A+
99LED889G	F	**8**	E27	**800**	**2800-3200K**	Golden glass	400	200	1/1	A+

~230V | 50/60 Hz | 360° | >15000 | INSTANT 100% | 25000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VINTAGE LAMP
99LED888S

VINTAGE LAMP
99LED889S

LED | WARM WHITE 2700K | DIMMABLE

UNTIL SUPPLY LAST

VINTAGE LAMPS

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Material	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED888S	F	**8**	E27	**800**	**2800-3200K**	Smoked glass	390	200	1/1	A+
99LED889S	F	**8**	E27	**800**	**2800-3200K**	Smoked glass	400	200	1/1	A+

~230V | 50/60 Hz | 360° | >15000 | INSTANT 100% | 25000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VINTAGE LAMP
99LED859G
99LED859S

VINTAGE LAMP
99LED860G
99LED860S

LED | WARM WHITE 2700K | DIMMABLE

UNTIL SUPPLY LAST

VINTAGE LAMPS

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Material	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED859G	F	8	E27	800	2800-3200K	Golden glass	310	185	1/1	A+
99LED860G	F	8	E27	800	2800-3200K	Golden glass	280	120	1/1	A+
99LED859S	F	8	E27	800	2800-3200K	Smoked glass	310	185	1/1	A+
99LED860S	F	8	E27	800	2800-3200K	Smoked glass	280	120	1/1	A+

~230V | 50/60 Hz | 360° | >15000 | INSTANT 100% | 25000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VINTAGE LAMP
99LED861G
99LED861S

VINTAGE LAMP
99LED862G
99LED862S

LED | WARM WHITE 2700K | DIMMABLE

UNTIL SUPPLY LAST

VINTAGE LAMPS

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Material	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED861G	F	8	E27	800	2800-3200K	Golden glass	255	150	1/1	A+
99LED862G	F	8	E27	800	2800-3200K	Golden glass	305	200	1/1	A+
99LED861S	F	8	E27	800	2800-3200K	Smoked glass	255	150	1/1	A+
99LED862S	F	8	E27	800	2800-3200K	Smoked glass	305	200	1/1	A+

~230V | 50/60 Hz | 360° | >15000 | INSTANT 100% | 25000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VINTAGE LAMP
99LED100G

VINTAGE LAMP
99LED979G

VINTAGE LAMP
99LED101G

LED | WARM WHITE 2700K | DIMMABLE

UNTIL SUPPLY LAST

VINTAGE LAMPS

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Material	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED100G	F	**4**	E27	**250**	**2000**	Golden glass	265	220	1	A+
99LED101G	F	**8**	E27	**500**	**2000**	Golden glass	300	200	1	A+
99LED979G	F	**4**	E27	**270**	**2200**	Golden glass	330	120	1/15	A+

~230V | 50/60 Hz | 360° | >15000 | INSTANT 100% | 25000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VINTAGE LAMP
99LED100S

VINTAGE LAMP
99LED101S

VINTAGE LAMP
99LED104G

LED | WARM WHITE 2700K | DIMMABLE

UNTIL SUPPLY LAST

VINTAGE LAMPS

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Material	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED100S	F	**4**	E27	**150**	**2000**	Smoked glass	265	220	1	A+
99LED101S	F	**8**	E27	**300**	**2000**	Smoked glass	300	200	1	A+
99LED104G	F	8	E27	**500**	**2000**	Golden glass	240	200	1	A+

~230V | 50/60 Hz | 360° | >15000 | INSTANT 100% | 25000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

VINTAGE LAMP
99LED102S

VINTAGE LAMP
99LED103S

LED | WARM WHITE 2700K | DIMMABLE

UNTIL SUPPLY LAST

VINTAGE LAMPS

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Material	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED102S	F	**8**	E27	**300**	**2000**	Smoked glass	250	180	1	A+
99LED103S	F	**8**	E27	**300**	**2000**	Smoked glass	295	180	1	A+

~230V | 50/60 Hz | 360° | >15000 | INSTANT 100% | 25000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

99783

99787

IP20 DIMMABLE

UNTIL SUPPLY LAST

VINTAGE LAMPS

Catalogue number	Product category	Watt (W)	Socket type	Lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99783	F	60	E27	250	2200-2700	360°	115	60	1/100	D
99787	F	**40**	E14	**210**	**2700**	360°	98	35	1/100	D

Material brass+ golden glass

~230V | 50/60 Hz | 360° | 3000h | Hg | EMC | CE | SPECIAL purpose lamp | 3 MONTHS WARRANTY

LED GLOBE P45 FILAMENT
99LED664D

LED GLOBE G45 FILAMENT
99LED665D

LED CANDLE C35 FILAMENT
99LED662D

LED A60 FILAMENT
99LED663

LED | WARM WHITE 2700K | IP20 | DIMMABLE

LED FILAMENT

Catalogue number	Product category	Dimmable	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Colour body	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED662D	C	yes	4	E14	400	2700	360°	mat	100	35	1/100	A+
99LED664D	C	yes	4	E14	400	2700	360°	mat	76	45	1/100	A+
99LED665D	C	yes	4	E27	400	2700	360°	mat	72	45	1/100	A+
99LED660	C	no	4	E27	400	2700	360°	mat	104	60	1/100	A+

~230V | 50/60 Hz | 360° | Ra≥80 | >25000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED CANDLE C37
99LED914
99LED915

LED FLAME
99LED753
99LED754
99LED820

LED CANDLE C37
99LED916
99LED917
99LED917CW

LED CANDLE C37
DIMMABLE
99LED855

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP20 | DIMMABLE

LED CANDLE C37 / LED FLAME

Catalogue number	Product category	Dimmable	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED855	C	Yes	5	E14	500	3000	180°	100	37	1/100	A+
99LED914	C	-	8	E27	800	4000	180°	110	37	1/100	A+
99LED915	C	-	8	E27	800	2700	180°	110	37	1/100	A+
99LED916	C	-	8	E14	800	4000	180°	110	37	1/100	A+
99LED917	C	-	8	E14	800	2700	180°	110	37	1/100	A+
99LED917CW	C	-	8	E14	800	6400	180°	110	37	1/100	A+
99LED753	C	-	6	E14	500	4000	220°	100	37	1/100	A+
99LED754	C	-	6	E14	500	2700	220°	100	37	1/100	A+
99LED820	C	-	6	E14	500	6400	220°	100	37	1/100	A+

~230V | 50/60 Hz | SMD 2835 | Ra≥80 | >25000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED GLOBE P45
99LED912
99LED913
99LED925

LED GLOBE P45
99LED746
99LED747
99LED800

LED GLOBE G45
99LED910
99LED911
99LED911CW

LED GLOBE G45
99LED744
99LED745
99LED801

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP20

LED GLOBE P45 / GLOBE G45

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED746	C	6	E14	540	4000	240°	80	45	1/100	A+
99LED747	C	6	E14	540	2700	240°	80	45	1/100	A+
99LED800	C	6	E14	540	6400	240°	80	45	1/100	A+
99LED744	C	6	E27	540	4000	240°	80	45	1/100	A+
99LED745	C	6	E27	540	2700	240°	80	45	1/100	A+
99LED801	C	6	E27	540	6400	240°	80	45	1/100	A+
99LED910	C	8	E27	800	4000	180°	80	45	1/100	A+
99LED911	C	8	E27	800	2700	180°	80	45	1/100	A+
99LED911CW	C	8	E27	800	6400	180°	80	45	1/100	A+
99LED912	C	8	E14	800	4000	180°	80	45	1/100	A+
99LED913	C	8	E14	800	2700	180°	80	45	1/100	A+
99LED925	C	8	E14	800	6400	180°	80	45	1/100	A+

~230V | 50/60 Hz | SMD 2835 | Ra≥80 | >25000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DIMMABLE LED CORN BULBS
99LED976

DIMMABLE LED CORN BULBS
99LED977WW
99LED977CW

DIMMABLE LED CORN BULBS
99LED978WW
99LED978CW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP20 | DIMMABLE

DIMMABLE LED CORN BULBS

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED976	C	7	E14	420	4000	360°	65	16	1/100	A+
99LED977WW	F	6*	E14	500	3000	360°	98	35	1/100	A+
99LED977CW	F	6*	E14	500	5500	360°	98	35	1/100	A+
99LED978WW	F	6*	E27	500	3000	360°	98	35	1/100	A+
99LED978CW	F	6*	E27	500	5500	360°	98	35	1/100	A+

*Until supplay last

~230V | 50/60 Hz | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PEAR A60 STELLAR
99XLED583

LED PEAR A60 STELLAR
99XLED795
99XLED586
99XLED585

LED PEAR A60 STELLAR
99LED742
99LED743

LED PEAR A60 STELLAR
99XLED588
99XLED587

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP20

LED PEAR STELLAR

Catalogue number	Product category	Watt (W)	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99XLED583	F	8*	580	2700	240°	110	60	1/100	A+
99XLED795	C	10	720	6400	240°	110	60	1/100	A+
99XLED586	C	10	720	4000	240°	110	60	1/100	A+
99XLED585	C	10	720	2700	240°	110	60	1/100	A+
99XLED821	C	12	860	6400	240°	110	60	1/100	A+
99XLED588	C	12	860	4000	240°	110	60	1/100	A+
99XLED587	C	12	860	2700	240°	110	60	1/100	A+
99LED742	C	15	1080	4000	240°	110	60	1/100	A+
99LED743	C	15	1080	2700	240°	110	60	1/100	A+

*Until supplay last

~230V | 50/60 Hz | SMD 2835 | E27 | 240° | Ra≥80 | >20000 | INSTANT 100% | 15000h | Hg | RoHS COMPLIANT | EMC | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PEAR A60
99LED794
99LED584
99LED583

LED PEAR A60
99LED795
99LED586
99LED585

LED PEAR A60
+ RADAR SENSOR
99LED852

LED PEAR DIMMABLE
99LED425
99LED426

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP20

LED PEAR

Catalogue number	Product category	Dimmable	Watt (W)	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED794	F	-	8*	720	6400	240°	110	60	1/100	A+
99LED584	F	-	8*	720	4000	240°	110	60	1/100	A+
99LED583	F	-	8*	720	2700	240°	110	60	1/100	A+
99LED795	C	-	10	900	6400	240°	110	60	1/100	A+
99LED586	C	-	10	900	4000	240°	110	60	1/100	A+
99LED585	C	-	10	900	2700	240°	110	60	1/100	A+
99LED852	C	-	10	900	4000	240°	110	60	1/100	A+
99LED425	F	Yes	10*	800	4000	240°	114	60	1/100	A+
99LED426	F	Yes	10*	800	2700	240°	114	60	1/100	A+

*Until supplay last

~230V | 50/60 Hz | SMD 2835 | E27 | Ra≥80 | >30000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PEAR A60
99LED818
99LED819
99LED797

LED PEAR A65
99LED850WW
99LED850W
99LED850CW

LED PEAR A80
99LED909
99LED722

LED PEAR A60
99LED588
99LED587
99LED821

LED PEAR A60 DIMMABLE
99LED582
99LED581

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP20 | DIMMABLE

LED PEAR

Catalogue number	Product category	Dimmable	Watt (W)	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED588	C	-	12	1080	4000	240°	127	60	1/100	A+
99LED587	C	-	12	1080	2700	240°	127	60	1/100	A+
99LED821	C	-	12	1080	6400	240°	127	60	1/100	A+
99LED582	C	Yes	12	1080	4000	180°	127	60	1/60	A+
99LED581	C	Yes	12	1080	2700	180°	127	60	1/60	A+
99LED818	C		15	1500	4000	180°	115	60	1/100	A+
99LED819	C		15	1500	2700	180°	115	60	1/100	A+
99LED797	C		15	1500	6400	180°	115	60	1/100	A+
99LED722	F		15*	1200	2700	160°	153	80	1/100	A+
99LED850WW	C	-	18	1700	2700	180°	133	65	1/100	A+
99LED850W	C	-	18	1700	4000	180°	133	65	1/100	A+
99LED850CW	C	-	18	1700	6400	180°	133	65	1/100	A+
99LED909	F	-	20*	1800	2700	180°	153	80	1/50	A+

*Until supplay last -3 year standard+0 year extended warranty

~230V | 50/60 Hz | SMD 2835 | E27 | Ra≥80 | >25000 | INSTANT 100% | 30000h | Hg | RoHS | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MOSQUITO LED 8W IP20
99LED8M

MOSQUITO LED 6W IP20
99LED6KM

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20 | DIMMABLE

MOSQUITO LED PEAR IP20

Catalogue number	Product category	Type	Watt (W)	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED8M	C	Mosquito repellent	8	780	3500	180°	105	60	1/50	A+
99LED6KM	C	Mosquito killer	6	400	4000	200°	113	60	1/50	A+

MOSQUITO LED PEAR: No smell | No noise | No flicker | No UV | Frendly to eyes | Produced with a large amount of light (530-580nm), that repel mosquitoes, thus to achieve the special repellet effect.

~230V | 50/60 Hz | SMD 2835 | E27 | >20000 | INSTANT 100% | 25000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED GLOBE G95
99LED694
99LED695

LED GLOBE G120
99LED748
99LED749

LED FLAME
99LED851

LED WARM WHITE 2700K NEUTRAL WHITE 4000K **IP20**

LED GLOBE / LED FLAME

Catalogue number	Product category	Watt (W)	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED694	C	15	1350	4000	240°	130	95	1/20	A+
99LED695	C	15	1350	2700	240°	130	95	1/20	A+
99LED748	C	20	1650	4000	240°	157	120	1/20	A+
99LED749	C	20	1650	2700	240°	157	120	1/20	A+
99LED851	C	1.5-5	200	1500-1800	360°	138	65	1/100	A+

LED Flame effect
99LED851

~230V | 50/60 Hz | SMD 2835 | E27 | 240° | Ra≥80 | >25000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED STICKS
99LED902
99LED903
99LED903CW
99LED900
99LED901
99LED901CW

LED R50
99LED439
99LED440
99LED827W
99LED827CW

LED SMD E27
99LED736
99LED736CW
99LED737
99LED737CW
99LED812
99LED812CW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP20**

LED SMD E27 / LED STICK / LED R50 / LED R80

Catalogue number	Product category	Type	Watt (W)	Lamp holder	LED lamp lumens (lm)	Beam angle	Colour temp. (K)	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED736	C	LED SMD	30	E27	2700	200°	4000	190	100	1/20	A+
99LED736CW	C	LED SMD	30	E27	2700	200°	6000	190	100	1/20	A+
99LED737	C	LED SMD	40	E27	3600	200°	4000	220	120	1/20	A+
99LED737CW	C	LED SMD	40	E27	3600	200°	6000	220	120	1/20	A+
99LED812	C	LED SMD	50	E27	4500	200°	4000	255	140	1/20	A+
99LED812CW	C	LED SMD	50	E27	4500	200°	6000	255	140	1/20	A+
99LED902	C	LED STICKS	9	E27	720	180°	4000	122	37	1/100	A+
99LED903	C	LED STICKS	9	E27	720	180°	2700	122	37	1/100	A+
99LED903CW	C	LED STICKS	9	E27	720	180°	6400	122	37	1/100	A+
99LED900	C	LED STICKS	15	E27	1350	180°	4000	140	45	1/100	A+
99LED901	C	LED STICKS	15	E27	1350	180°	2700	140	45	1/100	A+
99LED901CW	C	LED STICKS	15	E27	1350	180°	6400	140	45	1/100	A+
99LED439	C	LED R50	5,5	E14	500	180°	4000	85	50	1/100	A+
99LED440	C	LED R50	5,5	E14	500	180°	2700	85	50	1/120	A+
99LED827W	C	LED R80	11	E27	950	180°	4000	112	80	1/100	A+
99LED827CW	C	LED R80	11	E27	950	180°	6400	112	80	1/100	A+

~230V | 50/60 Hz | SMD 2835 | Ra≥80 | >25000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

HIGH POWER LED LAMP
99LED854
99LED854CW

HIGH POWER LED LAMP
99LED853
99LED853CW

LED NEUTRAL WHITE 4000K COOL WHITE 6400K **IP20**

HIGH POWER LED LAMP

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED853	C	40	E27	3600	4000	360°	235	87	1/30	A+
99LED853CW	C	40	E27	3600	6500	360°	235	87	1/30	A+
99LED854	C	60	E27	5400	4000	360°	274	98	1/20	A+
99LED854CW	C	60	E27	5400	6500	360°	274	98	1/20	A+

Material: Thermal conductive plastic and aluminium & PC milky white cover

~230V | 50/60 Hz | SMD 2835 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED FLYING SAUCER U95
99LED906

LED FLYING SAUCER U95
99LED776

LED FLYING SAUCER U95
99LED778

LED FLYING SAUCER U95
99LED780

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20

UNTIL SUPPLY LAST

LED FLYING SAUCER U95

Catalogue number	Product category	Watt (W)	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED776	F	18	1620	3000	120°	81	150	1/50	A+
99LED778	F	24	2160	3000	120°	81	150	1/50	A+
99LED780	F	32	2880	3000	120°	81	235	1/30	A+
99LED906	F	50	4500	3000	180°	100	160	1/12	A+

~230V | 50/60 Hz | SMD 5730 | 120° | E27 | Ra≥80 | >25000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

99LED766
99LED791
99LED766T

99LED767
99LED792
99LED767T

99LED768
99LED793

LED WARM WHITE 2700K NEUTRAL WHITE 4000K **IP20**

LED MOULD FOR CELLING LAMP

Catalogue number	Product category	Rated voltage	Watt (W)	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED766	C	230V AC	9W	900	4000K	120°	160	27	1/40	A+
99LED791	C	230V AC	9W	900	2700K	120°	160	25	1/40	A+
99LED766T	C	12V DC	9W	900	4000K	120°	160	27	1/40	A+
99LED767	C	230V AC	18W	1800	4000K	120°	220	25	1/40	A+
99LED792	C	230V AC	18W	1800	2700K	120°	220	27	1/40	A+
99LED767T	C	12V DC	18W	1800	4000K	120°	220	25	1/40	A+
99LED768	C	230V AC	22W	2200	4000K	120°	270	25	1/40	A+
99LED793	C	230V AC	22W	2200	2700K	120°	270	25	1/40	A+

Body: epoxy board+PC

50/60 Hz · Ra≥80 · SMD 5730 · IP 20 · 120° · >25000 · INSTANT 100% · 30000h · Hg · RoHS COMPLIANT · EMC · CE · 3+0 standard +extended · 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED COLOR
99LED825

LED COLOR
99LED826

LED COLOR
99LED822

LED COLOR
99LED823

LED COLOR
99LED824

IP20

LED COLOR

Catalogue number	Product category	Watt (W)	Colour of light	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED825	C	3	red	360°	84	60	1/200	A+
99LED826	C	3	yellow	360°	84	60	1/200	A+
99LED822	C	3	blue	360°	84	60	1/200	A+
99LED823	C	3	green	360°	84	60	1/200	A+
99LED824	C	3	white	360°	84	60	1/200	A+

~230V | 50/60 Hz | SMD 2835 | E27 | INSTANT 100% | 20000h | RoHS COMPLIANT | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

PAR30 IP65
99LED932WW
99LED932W
99LED932CW

PAR30
99LED931

PAR30
99LED936W
99LED936WW
99LED936CW

LEDT25
99LED445
99LED446

LED AR111 DIMMABLE
99LED904
99LED905

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP20 | IP65 | DIMMABLE

PAR30 / LED AR111 / LEDT25

Catalogue number	Product category	Dimmable	Watt (W)	Lamp holder	LED type	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter/Width (mm)	Packing/Box (pcs)	Energy class
99LED931	F		12*	E27	SMD 2835	1080	6400	38⁰	93	95	1/20	A+
99LED936W	C		15	E27	SMD 2835	1350	4000	38°	93	95	1/50	A+
99LED936WW	C		15	E27	SMD 2835	1350	2700	38°	93	95	1/50	A+
99LED936CW	C		15	E27	SMD 2835	1350	6500	38°	93	95	1/50	A+
99LED932CW	F		15*	E27	SMD 2835	1275	6400	90⁰	93	95	1/50	A+
99LED932WW	F		15*	E27	SMD 2835	1275	2700	90⁰	93	95	1/50	A+
99LED904	C	yes	11	G53	high power	990	4000	36⁰	58	111	1/100	A+
99LED905	C	yes	11	G53	high power	990	2700	36⁰	58	111	1/100	A+
99LED445	C		1	E14	SMD 2835	90	4000	180⁰	63	25	1/500	A+
99LED446	C		1	E14	SMD 2835	90	2700	180⁰	63	25	1/500	A+

* Until Supply Last

~230V | 50/60 Hz | Ra≥80 | >25000 | INSTANT 100% | 30000h | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED7 HIGH POWER PAR16
99LED524
99LED525

LED7 HIGH POWER PAR16
99LED526
99LED527

LEDCOB
99LED376

LEDCOB
99LED378
99LED379
99LED380
99LED381

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20

UNTIL SUPPLY LAST

LED7 HIGH POWER / LEDCOB

Catalogue number	Product category	Watt (W)	Voltage	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED524	F	6	~230V	E14	480	4000	36°	74	50	1/100	A+
99LED525	F	6	~230V	E14	480	2700	36°	74	50	1/100	A+
99LED526	F	6	~230V	E27	480	4000	36°	64	50	1/100	A+
99LED527	F	6	~230V	E27	480	2700	36°	64	50	1/100	A+
99LED376	F	5	~230V	GU10	350	4000	120°	85	50	1/100	A+
99LED378	F	5	~230V	E14	350	4000	120°	85	50	1/100	A+
99LED379	F	5	~230V	E27	350	2700	120°	85	50	1/100	A+
99LED380	F	5	~230V	E14	350	4000	120°	85	50	1/100	A+
99LED381	F	5	~230V	E27	350	2700	120°	85	50	1/100	A+

50/60 Hz | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

STELLAR LEDSMD GU10

99XLED727
99XLED728
99XLED729
99XLED730
99XLED796
99XLED731

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP20

LEDSMD

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99XLED727	C	3.5	GU10	250	4000	120°	53	50	1/100	A+
99XLED728	C	3.5	GU10	250	2700	120°	53	50	1/100	A+
99XLED731	C	3.5	GU10	250	6400	120°	53	50	1/100	A+
99XLED729	C	7	GU10	500	4000	120°	53	50	1/100	A+
99XLED730	C	7	GU10	500	2700	120°	53	50	1/100	A+
99XLED796	C	7	GU10	500	6400	120°	53	50	1/100	A+

~230V | 50/60 Hz | Ra≥80 | >25000 | INSTANT 100% | 15000h | Hg | RoHS COMPLIANT | EMC | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LEDSMD GU10
99LED725

LEDSMD GU10
99LED727
99LED728
99LED796
99LED729
99LED730
99LED733
99LED734
99LED735

LEDSMD GU10 DIMMABLE
99LED731
99LED732

LEDSMD GU5.3 12V
99LED880
99LED880WW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP20 | DIMMABLE

LEDSMD / LEDSMD DIMMABLE

Catalogue number	Product category	Dimmable	Voltage (V)	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED725	F	-	230 V	6	GU10*	540	4000	40°	53	50	1/100	A+
99LED727	C	-	230 V	3	GU10	270	4000	120°	53	50	1/100	A+
99LED728	C	-	230 V	3	GU10	270	2700	120°	53	50	1/100	A+
99LED796	C	-	230 V	6.5	GU10	585	6400	120°	53	50	1/100	A+
99LED729	C	-	230 V	6.5	GU10	585	4000	120°	53	50	1/100	A+
99LED730	C	-	230 V	6.5	GU10	585	2700	120°	53	50	1/100	A+
99LED733	C	-	230 V	6	GU10	-	red	120°	53	50	1/100	A+
99LED734	C	-	230 V	6	GU10	-	blue	120°	53	50	1/100	A+
99LED735	C	-	230 V	6	GU10	-	green	120°	53	50	1/100	A+
99LED731	C	Yes	230 V	6.5	GU10	585	4000	120°	53	50	1/100	A+
99LED732	C	Yes	230 V	6.5	GU10	585	2700	120°	53	50	1/100	A+
99LED880	C	-	12V	6	GU5.3	480	4000	120°	54	50	1/100	A+
99LED880WW	C	-	12V	6	GU5.3	480	2700	120°	54	50	1/100	A+

* Until Supply Last

~230V | 50/60 Hz | Ra≥80 | >25000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LEDSMD PAR16
99LED606
99LED605

LEDSMD PAR16
99LED608
99LED607

LED48SMD
99LED365

LED48SMD
99LED363

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20

UNTIL SUPPLY LAST

LEDSMD

Catalogue number	Product category	Voltage (V)	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED606	F	230	3	E14	240	4000	120°	75	50	1/100	A+
99LED605	F	230	3	E14	240	2700	120°	75	50	1/100	A+
99LED608	F	230	3	E27	240	4000	120°	75	50	1/100	A+
99LED607	F	230	3	E27	240	2700	120°	75	50	1/100	A+
99LED363	F	230	3,5	E14	250	2700	120°	76	50	1/100	A
99LED365	F	230	3,5	E27	250	2700	120°	76	50	1/100	A

50/60 Hz | SMD 2835 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

LED60SMD
99LED414

LEDCOB
99LED374
99LED375
99LED562
99LED563

LED3X2 230VAC
99LED296

LED3X2 230VAC
99LED297

LED3X2 230VAC
99LED300

LED WARM WHITE 2700K COOL WHITE 6400K **IP20**

UNTIL SUPPLY LAST

LED60SMD / LED3X2 / LEDCOB

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Voltage (V)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED414	F	3	E27	250	230	2700-3000	120°	76	50	1/100	A+
99LED296	F	6	E14	420	230	2700-3000	60°	65	50	1/100	A
99LED297	F	6	E27	420	230	6000-6400	60°	72	50	1/100	A
99LED300	F	6	GU10	360	230	2700-3000	60°	85	50	1/100	A
99LED374	F	5	GU5.3	350	12	4000-4300	120°	75	50	1/100	A
99LED375	F	5	GU5.3	350	12	2700-3000	120°	75	50	1/100	A
99LED562	F	7	GU5.3	400	12	4000-4300	120°	75	50	1/100	A
99LED563	F	5	GU5.3	400	12	4000-4300	120°	75	50	1/100	A

50/60 Hz · Ra≥80 · >20000 · INSTANT 100% · 30000h · Hg · RoHS COMPLIANT · EMC · CE · 2+0 standard +extended · 2 YEAR TOTAL WARRANTY

LEDG4
99LED813
99LED814

LEDG9
99LED815
99LED816
99LED817

LEDG9
99LED933
99LED933W
99LED933CW

LED DECORATIVE CANDLE
99CANDLE

CABINET HINGE LED LIGHT
9HINGE2

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP20**

LEDG4 / LEDG9 / CABINET HINGE LED LIGHT / LED DECORATIVE CANDLE WITH REMOTE

Catalogue number	Product category	Description	Lamp holder	Watt (W)	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED813	C	LED G4-12V	G4	1,2	100	3000	300°	38	12	1/500	A
99LED814	F	LED G4-12V*	G4	1,2	100	4000	300°	38	12	1/500	A
99LED815	C	LED G9-230V	G9	4	350	3000	300°	51	15	1/500	A
99LED816	C	LED G9-230V	G9	4	350	4000	300°	51	15	1/500	A
99LED817	C	LED G9-230V	G9	4	350	6500	300°	51	15	1/500	A
99LED933	C	LED G9-230V	G9	7	630	3000	300°	65	19	1/500	A
99LED933W	C	LED G9-230V	G9	7	630	4000	300°	65	19	1/500	A
99LED933CW	C	LED G9-230V	G9	7	630	6400	300°	65	19	1/500	A
9HINGE2	C	CABINET HINGE LED LIGHT	-	2	-	-	-	48	20	0/300	A
99CANDLE	F	LED CANDLE WITH REMOTE*	-	-	-	-	-	2.25	1.45	1/120	A

*Until Supply Last

High-quality ABS material, environmental-friendly, sturdy and durable to use. Easy to install and convenient to use| Operated by 12V 23A battery (Not included) | When opening the cabinet,lamp will turns on automatically. When closing the cabinet, the light turns off

LED DECORATIVE CANDLE WITH REMOTE
Power supply:DC3.7V/200MAH(Rechargable Polymer Li-battery)
4hours to recharge,12hours working
LED lights identify the charging state
With ON/OFF and dimmer function
Time funtion 2H/4H/6H/8H
1set = 1 Candle + 1 charge + 1 remote

Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

2U
99200029

3U
99216165

ESL WARM WHITE 2700K NEUTRAL WHITE 4000K COOL WHITE 6400K **IP20**

UNTIL SUPPLY LAST

2U / 3U

Catalogue number	Product category	Model	Watt (W)	Lamp holder	Lumen (lm)	Colour temp. (K)	Diameter (mm)	Length (mm)	Ø (mm)	Packing/Box (pcs)	Energy class
99200028	F	2U/T3	5	E14	175	2700K	37	110	9	1/100	A
99200029	F	2U/T3	5	E27	175	2700K	37	110	9	1/100	A
99200030	F	2U/T3	9	E14	405	2700K	37	130	9	1/100	A
99200032	F	2U/T3	11	E14	530	2700K	37	140	9	1/100	A
99200033	F	2U/T3	11	E14	530	6400K	37	140	9	1/100	A
99216166	F	3U/T2	7	E14	285	4000K	33	100	7	1/100	A
99216165	F	3U/T2	7	E27	285	4000K	33	100	7	1/100	A
99216168	F	3U/T2	11	E14	530	4000K	33	110	7	1/100	A
99216170	F	4U/T2	15	E14	800	4000K	40	115	7	1/100	A

~230V 50/60 Hz Ra≥82 >10000 < 2 s 8000h Hg < 2 mg RoHS COMPLIANT EMC CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

FULL SPIRAL
99210046
99210048

FULL SPIRAL
99210047

HALF SPIRAL
99210144

HALF SPIRAL
99210145
99210147

ESL WARM WHITE 2700K NEUTRAL WHITE 4000K **IP20**

UNTIL SUPPLY LAST

FULL SPIRAL / HALF SPIRAL

Catalogue number	Product category	Model	Watt (W)	Lamp holder	Lumen (lm)	Colour temp. (K)	Diameter (mm)	Length (mm)	Ø (mm)	Packing/Box (pcs)	Energy class
99210046	F	FULL SPIRAL	5	E14	175	2700K	32	78	7	1/100	A
99210048	F	FULL SPIRAL	9	E14	405	2700K	32	96	7	1/100	A
99210047	F	FULL SPIRAL	5	E27	175	2700K	32	78	7	1/100	A
99210145	F	HALF SPIRAL/T2	9	E14	405	4000K	40	96	8	1/100	A
99210147	F	HALF SPIRAL/T2	11	E14	530	4000K	40	100	8	1/100	A
99210144	F	HALF SPIRAL/T2	9	E27	405	4000K	40	90	8	1/100	A

~230V 50/60 Hz Ra≥82 >10000 <2s 8000h Hg <2mg RoHS EMC CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

SPIRAL G9
99211152
99211418
99211419
99211153

ESLJ
99217304

GU10/SPIRAL
99212156
99212422

ESL | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP20

UNTIL SUPPLY LAST

G9 / GU10 / ESLJ

Catalogue number	Product category	Model	Watt (W)	Lamp holder	Lumen (lm)	Colour temp. (K)	Diameter (mm)	Length (mm)	Ø (mm)	Packing/Box (pcs)	Energy class
99211152	F	G9/SPIRAL	5	G9	175	4000K	31	66	7	1/100	A
99211418	F	G9/SPIRAL	5	G9	175	2700K	31	66	7	1/100	A
99211419	F	G9/SPIRAL	7	G9	285	2700K	31	76	7	1/100	A
99211153	F	G9/SPIRAL	7	G9	285	4000K	31	76	7	1/100	A
99212156	F	GU10/SPIRAL	5	GU10	175	4000K	31	68	7	1/100	A
99212422	F	GU10/SPIRAL	5	GU10	175	2700K	31	68	7	1/100	A
99217304	F	ESLJ78	9	R7s	370	6400K	60	78	-	1/100	A

~230V | 50/60 Hz | Ra≥82 | >10000 | <2s | 8000h | Hg <2mg | RoHS COMPLIANT | EMC | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

GLOBE
99280093

PEAR
99290100
99290101
99290102
99290103
99290104
99290105
99290106

ESL WARM WHITE 2700K COOL WHITE 6400K **IP20**

UNTIL SUPPLY LAST

GLOBE / PEAR

Catalogue number	Product category	Watt (W)	Lumen (lm)	Colour temp. (K)	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99280093	F	15	800	6400	80	115	1/20	A
99290100	F	9	405	2700	100	55	1/100	A
99290101	F	9	405	6400	100	55	1/100	A
99290102	F	11	530	2700	106	55	1/100	A
99290103	F	11	530	6400	106	55	1/100	A
99290104	F	15	800	2700	140	65	1/100	A
99290105	F	15	800	6400	140	65	1/100	A
99290106	F	20	1150	2700	150	65	1/100	A

~230V 50/60 Hz E27 Ra≥82 >10000 <2 s 8000h Hg <2 mg RoHS EMC CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

CANDLE
99213159
99213160

G45
9918305
9918356

G45
9918357

GU10
99214358
99214161
99214359
99214162
99214163

ESL | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20

UNTIL SUPPLY LAST

CANDLE / G45 / GU10

Catalogue number	Product category	Watt (W)	Lamp holder	Lumen (lm)	Colour temp. (K)	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99213159	F	7	E14	285	4000	100	38	1/100	A
9918305	F	7	E14	285	2700	85	45	1/100	A
9918356	F	7	E14	285	4000	85	45	1/100	A
9918357	F	7	E27	285	4000	85	45	1/100	A
99214358	F	7	GU10	285	2700	58	50	1/100	A
99214161	F	7	GU10	285	4000	58	50	1/100	A
99214359	F	9	GU10	405	2700	58	50	1/100	A
99214162	F	9	GU10	405	4000	58	50	1/100	A
99214360	F	11	GU10	530	2700	58	50	1/100	A
99214163	F	11	GU10	530	4000	58	50	1/100	A

~230V | 50/60 Hz | Ra≥82 | >10000 | <2 s | 8000h | Hg <2 mg | RoHS COMPLIANT | EMC | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

R50
99215351

T45
9918307
9918352

T45
9918308
9918353

ESL WARM WHITE 2700K NEUTRAL WHITE 4000K **IP20**

UNTIL SUPPLY LAST

R50 / T45

Catalogue number	Product category	Model	Watt (W)	Lamp holder	Lumen (lm)	Colour temp. (K)	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99215351	F	R50	9	E14	405	2700	88	50	1/100	A
99215164	F	R50	9	E14	405	4000	88	50	1/100	A
9918307	F	T45	8	E27	380	2700	92	45	1/100	A
9918352	F	T45	8	E27	380	4000	92	45	1/100	A
9918308	F	T45	8	E27	380	2700	92	45	1/100	A
9918353	F	T45	8	E27	380	4000	92	45	1/100	A

~230V 50/60 Hz Ra≥82 >10000 <2s 8000h Hg <2mg RoHS EMC CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

R7s
99LED444/CCT

R7s
99LED443/CCT

LED PLL
99LED930

GX53
99LED445/CCT

GX53
99LED446/CCT

LED COOL WHITE 6400K **IP20**

LED PLL / R7s / GX53

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter/ (mm)	Packing/Box (pcs)	Energy class
99LED930	C	20	2G11	2000	5500	170°	530	43	1/50	A+
99LED443/CCT	C	3,2	R7S	400	2700/4000/6500 settable	360°	78	22	1/50	A+
99LED444/CCT	C	7,5	R7S	850	2700/4000/6500 settable	360°	118	22	1/50	A+
99LED445/CCT	C	3	GX53	250	2700/4000/6500 settable	120°	20	75	1/50	A+
99LED446/CCT	C	10	GX53	1200	2700/4000/6500 settable	120°	37	100	1/50	A+

~230V 50/60 Hz Ra≥80 >20000 INSTANT 100% 30000h Hg RoHS COMPLIANT EMC CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

LED PLC

99LED553

LED WARM WHITE 2700K **IP20**

UNTIL SUPPLY LAST

LED PLC

Catalogue number	Product category	Watt (W)	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Width (mm)	Height (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED553	F	15	G24d	1350	2700	120°	193	-	-	38	1/10	A+

~230V | 50/60 Hz | SMD 2835 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

PLC2P
99250367

PLC4P
99270375
99270376
99270089

ESL | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP20

UNTIL SUPPLY LAST

PLC / PLL

Catalogue number	Product category	Model	Watt (W)	Lamp holder	Lumen (lm)	Colour temp. (K)	Length (mm)	Width (mm)	Height (mm)	Ø (mm)	Packing/Box (pcs)	Energy class
99250367	F	PLC2P	10	G24d	530	2700	35	35	110	12	1/100	A
99270375	F	PLC4P	13	G24d	780	2700	35	35	136	12	1/100	A
99270376	F	PLC4P	13	G24d	780	4000	35	35	136	12	1/100	A
99270089	F	PLC4P	13	G24d	780	6400	35	35	136	12	1/100	A

~230V | 50/60 Hz | Ra≥82 | >10000 | <2s | 8000h | Hg <2mg | RoHS COMPLIANT | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

LED TUBE T5
99LED929
99LED927

LED TUBE T5
99LED928
99LED926

ROTATING T5

LED NEUTRAL WHITE 4000K COOL WHITE 6400K IP20

LED TUBE T5

Catalogue number	Product category	Watt (W)	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED928	C	10W	1100	4000	170°	549	16	1/100	A+
99LED926	C	10W	1100	6400	170°	549	16	1/100	A+
99LED929	C	20W	2200	4000	170°	1149	16	1/100	A+
99LED927	C	20W	2200	6400	170°	1149	16	1/100	A+

~230V 50/60 Hz SMD 2835 LED T5 G5 Ra≥80 >20000 INSTANT 100% 30000h RoHS COMPLIANT EMC CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MEAT FRESH LIGHT LED TUBE T8

99LED960M
99LED962M

VEGETABLES FRESH LIGHT LED TUBE T8

99LED963F
99LED965F

BREAD FRESH LIGHT LED TUBE T8

99LED966B
99LED968B

FOOD

LED IP20

FRESH LIGHT LED TUBE T8

Catalogue number	Product category	Watt (W)	Colour temp. (K)	LED lamp lumens (lm)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED960M	C	9	6000+red (660nm)	585	300°	600	26	1/25	A+
99LED962M	C	18	6000+red (660nm)	1170	300°	1200	26	1/25	A+
99LED963F	C	9	6000+green (470nm)	720	300°	600	26	1/25	A+
99LED965F	C	18	6000+green (470nm)	1440	300°	1200	26	1/25	A+
99LED966B	C	9	3000	810	300°	600	26	1/25	A+
99LED968B	C	18	3000	1620	300°	1200	26	1/25	A+

This special lighting mostly use for meat, fruit, vegetable, bread and so on in supermarket. Through the colour mixing technology to achieve unparalleled lighting effect and effectively improve the fresh food area to attract customer different occasions, green for vegetable and fruit departament. Red in generally used for meat lighting to show the delicios meat and you could always find the lighting that you need. Application- supermarket, shelves, freezer stores, departament stores counters.

~230V | 50/60 Hz | SMD 4014 | G13 | Ra≥80 | >25000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED TUBE T8 STELLAR
99XLED447
99XLED448

LED TUBE T8 STELLAR
99XLED354
99XLED355

LED TUBE T8 STELLAR
99XLED351
99XLED352

ROTATING

LED NEUTRAL WHITE 4000K COOL WHITE 6400K **IP20**

LED TUBE T8 STELLAR

Catalogue number	Product category	Watt (W)	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99XLED351	C	9	630	6400	270°	603	26	1/25	A+
99XLED352	C	9	630	4000	270°	603	26	1/25	A+
99XLED354	C	18	1260	6400	270°	1213	26	1/25	A+
99XLED355	C	18	1260	4000	270°	1213	26	1/25	A+
99XLED447	C	24	1680	6400	270°	1513	26	1/25	A+
99XLED448	C	24	1680	4000	270°	1513	26	1/25	A+

~230V · 50/60 Hz · SMD 2835 · LED T8 · G13 · 270° · Ra≥80 · >20000 · INSTANT 100% · 15000h · Hg · RoHS COMPLIANT · EMC · CE · 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED TUBE T8
99LED447M
99LED448M

LED TUBE T8
99LED354M
99LED355M

LED TUBE T8
99LED351M
99LED352M

ROTATING

NEUTRAL WHITE 4000K
COOL WHITE 6400K
IP20

LED TUBE T8

Catalogue number	Product category	Watt (W)	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
99LED351M	C	10	900	6400	300°	604	28	1/25	A+
99LED352M	C	10	900	4000	300°	604	28	1/25	A+
99LED354M	C	18	1850	6400	300°	1213	28	1/25	A+
99LED355M	C	18	1850	4000	300°	1213	28	1/25	A+
99LED447M	C	24	2400	6400	300°	1514	28	1/25	A+
99LED448M	C	24	2400	4000	300°	1514	28	1/25	A+

~230V · 50/60 Hz · SMD 4014 · G13 · 120° · Ra≥80 · >25000 · INSTANT 100% · 30000h · Hg · RoHS COMPLIANT · EMC · CE · 3+0 standard +extended · 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

EST3F-T8

EST-T5

ESL | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP20

UNTIL SUPPLY LAST

EST3F-T8 & T5 TRIPHOSPHOR

Catalogue number	Product category	Model	Watt (W)	Lumen (lm)	Colour temp. (K)	Length 1 (mm)	Length 2 (mm)	Packing/Box (pcs)	Energy class
992304163F	F	EST3F-T8	58	4450	2700	1500	1515	1/25	A
992304173F	F	EST3F-T8	58	4450	4000	1500	1515	1/25	A
99230407	F	EST-T8	58	4080	4000	1500	1515	1/25	B
99220383	F	EST-T5	4	195	2700	144	150	1/100	A
99220384	F	EST-T5	4	195	4000	144	150	1/100	A
99220063	F	EST-T5	4	195	6400	144	150	1/100	A
99220385	F	EST-T5	6	380	2700	210	220	1/100	A
99220393	F	EST-T5	21	1850	2700	847	863	1/100	A
99220394	F	EST-T5	21	1850	4000	847	863	1/100	A
99220395	F	EST-T5	28	2550	2700	1148	1200	1/100	A
99220397	F	EST-T5	35	3250	2700	1445	1500	1/100	A
99220399	F	EST-T5	35	3250	6400	1445	1500	1/100	A
99220400	F	EST-T5	49	3850	2700	1445	1500	1/100	A
99220425	F	EST-T5	54	4250	2700	1148	1200	1/100	A

~230V | 50/60 Hz | Ra≥82 | >10000 | <2 s | 8000h | Hg <2mg | RoHS COMPLIANT | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

MHL
99410129

MHL GR
99410132
99410133

IP20

UNTIL SUPPLY LAST

MHL / MHL GR

Catalogue number	Product category	Watt (W)	Lamp holder	Lumen (lm)	Colour temp. (K)	Colour	Length 1 (mm)	Length 2 (mm)	Width (mm)	Packing/Box (pcs)	Energy class
99410129	F	150	G12	12000	4200	transparent	79	110	23	1/240	A+
99410132	F	70	Rx7s	-	-	green	104	117	20	1/20	A+
99410133	F	150	Rx7s	-	-	green	121	134	24	1/20	A+

~230V | 50/60 Hz | Rx7s | Ra≥82 | 10000h | RoHS COMPLIANT | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

LED STRIPS AND ALUMINIUM PROFILES

LED 150 RGB 12V DC STELLAR IP20
99XLED311

LED 300 12V DC STELLAR IP65
99XLED312
99XLED313

LED | WARM WHITE 2700K | COOL WHITE 6400K | **IP20** | **IP65** | **12V DC**

LED 150 RGB / 300 STELLAR

Catalogue number	Product category	Model	LEDs (pcs/m)	Watts / meter	Colour temp. (K)	Colour of light	Protection rating	Packing/Box (pcs)	Energy class
99XLED311	C	LED- 5050 *	30pcs/m	7.2 W/M	-	RGB	IP 20	5/20	A++→A
99XLED316	C	LED- 5050*	30pcs/m	7.2W/M		RGB	IP65	5/20	A++→A
99XLED306	C	LED- 3528-60WW ***	60pcs/m	4.8W/M	2700-3000K	warm white	IP 20	5/20	A++→A
99XLED305	C	LED- 3528-60CW ***	60pcs/m	4.8W/M	6000-6500K	cold white	IP 20	5/20	A++→A
99XLED312	C	LED- 3528-60CW ***	60pcs/m	4.8W/M	6000-6500	cold white	IP65	5/20	A++→A
99XLED313	C	LED- 3528-60WW ***	60pcs/m	4.8W/M	2700-3000	warm white	IP65	5/20	A++→A

* Flex white FCB, 10mm, double layer, mark cut
** Luminous efficiency: 10-12 lm/LED, 10mm Flex white FCB, double layer, mark cut
*** Luminous efficiency: 3-4 lm/LED, 8mm Flex yellow PCB, single layer, mark cut
**** Luminous efficiency: 3-4 lm/LED, 8mm Flex white FCB, double layer, mark cut

12V DC | SMD 5050 | REEL 5m | 120° | 15000h | Hg | RoHS COMPLIANT | III | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED 300 12V DC IP20

99LED670
99LED671
99LED672
99LED673
99LED674
99LED675
99LED676

LED 300 12V DC IP65

99LED677
99LED678
99LED679
99LED680
99LED681
99LED682
99LED683

LED | WARM WHITE 2700K | COOL WHITE 6400K | **IP20** | **IP65** | **12V DC**

LED 300

Catalogue number	Product category	Model	LEDs (pcs/m)	Watts / meter	Colour temp. (K)	Colour of light	Protection rating	Packing/Box (pcs)	Energy class
99LED670	C	LED-5050-60-WW	60pcs/m	14.4W/M	2700~3000	warm white	IP 20	5/20	A++→A
99LED671	C	LED-5050-60-CW	60pcs/m	14.4W/M	6200~6500	cold white	IP 20	5/20	A++→A
99LED672	C	LED-5050-60-Y	60pcs/m	14.4W/M	587-592	yellow	IP 20	5/20	A++→A
99LED673	C	LED-5050-60-G	60pcs/m	14.4W/M	520-525	green	IP 20	5/20	A++→A
99LED674	C	LED-5050-60-B	60pcs/m	14.4W/M	465-470	blue	IP 20	5/20	A++→A
99LED675	C	LED-5050-60-R	60pcs/m	14.4W/M	620-630	red	IP 20	5/20	A++→A
99LED676	C	LED-5050-60-RGB*	60pcs/m	14.4W/M	-	RGB	IP 20	5/20	A++→A
99LED677	C	LED-5050-60-WW	60pcs/m	14.4W/M	2700~3000	warm white	IP 65	5/20	A++→A
99LED678	C	LED-5050-60-CW	60pcs/m	14.4W/M	6200~6500	cold white	IP 65	5/20	A++→A
99LED679	C	LED-5050-60-Y	60pcs/m	14.4W/M	587-592	yellow	IP 65	5/20	A++→A
99LED680	C	LED-5050-60-G	60pcs/m	14.4W/M	520-525	green	IP 65	5/20	A++→A
99LED681	C	LED-5050-60-B	60pcs/m	14.4W/M	465-470	blue	IP 65	5/20	A++→A
99LED682	C	LED-5050-60-R	60pcs/m	14.4W/M	620-630	red	IP 65	5/20	A++→A
99LED683	C	LED-5050-60-RGB*	60pcs/m	14.4W/M	-	RGB	IP 65	5/20	A++→A

Luminous efficiency: 20-22Lm/LED, 10mm Flex white PCB, with 3M adhere attached, mark cut.

12V DC | SMD 5050 | REEL 5m | 120° | 30000h | Hg | RoHS COMPLIANT | III | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED 600 12V DC STELLAR IP20

99XLED308
99XLED307
99XLED321

LED 300 12V DC STELLAR IP65

99XLED317
99XLED318
99XLED319

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP20 | IP65 | 12V DC

LED 600 / 300 STELLAR

Catalogue number	Product category	Model	LEDs (pcs/m)	Watts / meter	Colour temp. (K)	Colour of light	Protection rating	Packing/Box (pcs)	Energy class
99XLED308	C	LED- 3528-120WW ****	120pcs/m	9.6W/M	2700-3000	warm white	IP 20	5/20	A++→A
99XLED321	C	LED- 3528-120W ****	120pcs/m	9.6W/M	4000-4300	neutral white	IP 20	5/20	A++→A
99XLED307	C	LED- 3528-120CW ****	120pcs/m	9.6W/M	6000-6500	cold white	IP 20	5/20	A++→A
99XLED315	C	LED- 3528-120WW ****	120pcs/m	9.6W/M	2700-3000	warm white	IP65	5/20	A++→A
99XLED320	C	LED- 3528-120W ****	120pcs/m	9.6W/M	4000-4300	neutral white	IP65	5/20	A++→A
99XLED314	C	LED- 3528-120CW ****	120pcs/m	9.6W/M	6000-6500	cold white	IP65	5/20	A++→A
99XLED310	C	LED- 5050-60WW **	60pcs/m	14.4W/M	2700-3000	warm white	IP 20	5/20	A++→A
99XLED322	C	LED- 5050-60W **	60pcs/m	14.4W/M	4000-4300	neutral white	IP 20	5/20	A++→A
99XLED309	C	LED- 5050-60CW **	60pcs/m	14.4W/M	6000-6500	cold white	IP 20	5/20	A++→A
99XLED318	C	LED- 5050-60WW **	60pcs/m	14.4W/M	2700-3000	warm white	IP65	5/20	A++→A
99XLED319	C	LED- 5050-60W **	60pcs/m	14.4W/M	4000-4300	neutral white	IP65	5/20	A++→A
99XLED317	C	LED- 5050-60CW **	60pcs/m	14.4W/M	6000-6500	cold white	IP65	5/20	A++→A

* Flex white FCB, 10mm, double layer, mark cut
** Luminous efficiency: 10-12 lm/LED, 10mm Flex white FCB, double layer, mark cut
*** Luminous efficiency: 3-4 lm/LED, 8mm Flex yellow PCB, single layer, mark cut
**** Luminous efficiency: 3-4 lm/LED, 8mm Flex white FCB, double layer, mark cut

12V DC | SMD 5050 | REEL 5m | 120° | 15000h | Hg | RoHS COMPLIANT | III | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED 600 12V DC IP20
99LED666
99LED667

LED 600 12V DC IP65
99LED668
99LED669

LED | WARM WHITE 2700K | COOL WHITE 6400K | IP20 | IP65 | 12V DC

LED 600

Catalogue number	Product category	Model	LEDs (pcs/m)	Watts / meter	Colour temp. (K)	Colour of light	Protection rating	Packing/Box (pcs)	Energy class
99LED666	C	LED-3528-120-WW	120pcs/m	9,6W/M	2700-3000	warm white	IP20	5/20	A++→A
99LED667	C	LED-3528-120-CW	120pcs/m	9,6W/M	6200-6500	cold white	IP20	5/20	A++→A
99LED668	C	LED-3528-120-WW	120pcs/m	9,6W/M	2700-3000	warm white	IP65	5/20	A++→A
99LED669	C	LED-3528-120-CW	120pcs/m	9,6W/M	6200-6500	cold white	IP65	5/20	A++→A

Luminous efficiency: 20-22Lm/LED, with 3M adhere attached, mark cut.

12V DC | SMD 5050 | REEL 5m | 120° | 30000h | Hg | RoHS COMPLIANT | III | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED 1200 12V DC IP20
99LED684
99LED685

LED 1200 12V DC IP65
99LED686
99LED687

LED 600 12V DC IP20
99LED688
99LED689
99LED690

LED 600 12V DC IP65
99LED691
99LED692
99LED693

LED WARM WHITE 2700K COOL WHITE 6400K **IP20** **IP65** **12V DC**

LED 1200 / 600

Catalogue number	Product category	Model	LEDs (pcs/m)	Watts / meter	Colour temp. (K)	Colour of light	Protection Raiting	Packing/Box (pcs)	Energy class
99LED684	C	LED-3528-2X120-WW	2X120pcs/m	20W/M	2700-3000	warm white	IP20	5/20	A++→A
99LED685	C	LED-3528-2X120-CW	2X120pcs/m	20W/M	6200-6500	cold white	IP20	5/20	A++→A
99LED686	C	LED-3528-2X120-WW	2X120pcs/m	20W/M	2700-3000	warm white	IP65	5/20	A++→A
99LED687	C	LED-3528-2X120-CW	2X120pcs/m	20W/M	6200-6500	cold white	IP65	5/20	A++→A
99LED688	C	LED-5050-2X60-WW	2X60pcs/m	29W/M	2700-3000	warm white	IP 20	5/20	A++→A
99LED689	C	LED-5050-2X60-CW	2X60pcs/m	29W/M	6200-6500	cold white	IP 20	5/20	A++→A
99LED690	C	LED-5050-2X60-RGB	2X60pcs/m	29W/M	-	RGB	IP 20	5/20	A++→A
99LED691	C	LED-5050-2X60-WW	2X60pcs/m	29W/M	2700-3000	warm white	IP 65	5/20	A++→A
99LED692	C	LED-5050-2X60-CW	2X60pcs/m	29W/M	6200-6500	cold white	IP 65	5/20	A++→A
99LED693	C	LED-5050-2X60-RGB	2X60pcs/m	29W/M	-	RGB	IP 65	5/20	A++→A

Luminous efficiency: 6-7Lm/LED, 15mm Flex white PCB, with 3M adhere attached, mark cut.
Luminous efficiency: 6-7Lm/LED, 17mm Flex white PCB hollow tube waterproof IP65, with 3M adhere attached, mark cut.

12V DC | SMD 3528 | REEL 5m | 120° | 30000h | Hg | RoHS COMPLIANT | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED 300 RGBW

99LED884

WARM WHITE 2700K | NEUTRAL WHITE 4000K | **IP20** | **12V DC**

LED 300 RGBW

Catalogue number	Product category	Model	LEDs (pcs/m)	Watts / meter	Colour of light	Protection rating	Packing/Box (pcs)	Energy class
99LED884	C	LED-5050-RGBW	60pcs/m	14.4W/M	RGB+WHITE	IP 20	5/50	A++→A

Dimensions: 5000 x 10 x 1mm

12V DC | SMD 5050 | REEL 5m | 120° | 30000h | Hg | RoHS COMPLIANT | III | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED 300 24V DC - IP20

99LED866
99LED867

LED 300 24V DC - IP65

99LED874
99LED875

WARM WHITE 2700K | COOL WHITE 6400K | **IP20** | **IP65** | **24V DC**

LED 300

Catalogue number	Product category	Model	LEDs (pcs/m)	Watts / meter	Colour temp. (K)	Colour of light	Protection rating	Packing/Box (pcs)	Energy class
99LED866	C	LED-5050-60-WW **	60pcs/m	14.4W/M	2700-3000	warm white	IP 20	5/100	A++→A
99LED867	C	LED-5050-60-CW **	60pcs/m	14.4W/M	6200-6500	cold white	IP 20	5/100	A++→A
99LED874	C	LED-5050-60-WW **	60pcs/m	14.4W/M	2700-3000	warm white	IP 65	5/100	A++→A
99LED875	C	LED-5050-60-CW **	60pcs/m	14.4W/M	6200-6500	cold white	IP 65	5/100	A++→A

* Luminous efficiency: 20-22 lm/LED, with 3M adhere attached, mark cut.
** Luminous efficiency: 20-22 lm/LED, with 3M adhere attached, mark cut.

24V DC | SMD 5050 | SMD 3528 | REEL 5m | 120° | 30000h | Hg | RoHS COMPLIANT | III | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED 600 24V DC - IP20

99LED864
99LED865
99LED868
99LED869
99LED870
99LED871

LED 600 24V DC - IP65

99LED872
99LED873
99LED876
99LED877
99LED878
99LED879

LED | WARM WHITE 2700K | COOL WHITE 6400K | IP20 | IP65 | 24V DC

LED 600

Catalogue number	Product category	Model	LEDs (pcs/m)	Watts / meter	Colour temp. (K)	Colour of light	Protection rating	Packing/Box (pcs)	Energy class
99LED864	C	LED-3528-120-WW *	120pcs/m	9.6W/M	2700-3000	warm white	IP 20	5/100	A++→A
99LED865	C	LED-3528-120-CW *	120pcs/m	9.6W/M	6200-6500	cold white	IP 20	5/100	A++→A
99LED868	C	LED-3528-120-Y *	120pcs/m	9.6W/M	587-592	yellow	IP 20	5/100	A++→A
99LED869	C	LED-3528-120-G *	120pcs/m	9.6W/M	520-525	green	IP 20	5/100	A++→A
99LED870	C	LED-3528-120-B *	120pcs/m	9.6W/M	465-470	blue	IP 20	5/100	A++→A
99LED871	C	LED-3528-120-R *	120pcs/m	9.6W/M	620-630	red	IP 20	5/100	A++→A
99LED872	C	LED-3528-120-WW *	120pcs/m	9.6W/M	2700-3000	warm white	IP 65	5/100	A++→A
99LED873	C	LED-3528-120-CW *	120pcs/m	9.6W/M	6200-6500	cold white	IP 65	5/100	A++→A
99LED876	C	LED-3528-120-Y *	120pcs/m	9.6W/M	587-592	yellow	IP 65	5/50	A++→A
99LED877	C	LED-3528-120-G *	120pcs/m	9.6W/M	520-525	green	IP 65	5/50	A++→A
99LED878	C	LED-3528-120-B *	120pcs/m	9.6W/M	465-470	blue	IP 65	5/50	A++→A
99LED879	C	LED-3528-120-R *	120pcs/m	9.6W/M	620-630	red	IP 65	5/50	A++→A

* Luminous efficiency: 22-24 lm/LED, with 3M adhere attached, mark cut.
** Luminous efficiency: 22-24 lm/LED, with 3M adhere attached, mark cut.

24V DC | SMD 5050 | SMD 3528 | REEL 5m | 120° | 30000h | Hg | RoHS COMPLIANT | III | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED 960 24V DC - IP20

99LED881WW
99LED881
99LED881CW



LED 960 24V DC - IP65

99LED882WW
99LED882
99LED882CW

WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP20** | **IP65** | **24V DC**

LED 960

Catalogue number	Product category	Model	LEDs (pcs/m)	Watts / meter	Colour temp. (K)	Colour of light	Protection Raiting	Packing/Box (pcs)	Energy class
99LED881WW	C	LED-3528-192-WW	192pcs/m	20W/M	2700-3000	warm white	IP20	5/50	A++→A
99LED881	C	LED-3528-192-W	192pcs/m	20W/M	4000-4300	neutral white	IP20	5/50	A++→A
99LED881CW	C	LED-3528-192-CW	192pcs/m	20W/M	6000-6500	cold white	IP20	5/50	A++→A
99LED882WW	C	LED-3528-192-WW	192pcs/m	20W/M	2700-3000	warm white	IP65	5/50	A++→A
99LED882	C	LED-3528-192-W	192pcs/m	20W/M	4000-4300	neutral white	IP65	5/50	A++→A
99LED882CW	C	LED-3528-192-CW	192pcs/m	20W/M	6000-6500	cold white	IP65	5/50	A++→A

Luminous efficiency: 22-24 lm/LED, 8mm Flex white PCB, with 3M adhere attached, mark cut.

24V DC | SMD 3528 | REEL 5m | 120° | 30000h | Hg | RoHS COMPLIANT | III | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

HIGH EFFICIENCY LED STRIP- 200lm/W

99LED982WW
99LED982
99LED982CW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP20** | **24V DC** | **HIGH EFFICIENCY**

HIGH EFFICIENCY LED STRIP- 200lm/W

Catalogue number	Product category	Model	LEDs (pcs/m)	Watts / meter	Colour temp. (K)	Colour of light	Protection Raiting	Packing/Box (pcs)	Energy class
99LED982WW	C	LED-5630-WW	72pcs/m	9.6W/M	3000	warm white	IP20	5/100	A++→A
99LED982	C	LED-5630-W	72pcs/m	9.6W/M	4000	neutral white	IP20	5/100	A++→A
99LED982CW	C	LED-5630-CW	72pcs/m	9.6W/M	6500	cold white	IP20	5/100	A++→A

Luminous efficiency: 1920 lm/m, 200lm/W, 10mm, self adhesive, mark cut.

24V DC | SMD 3528 | REEL 5m | 120° | Ra≥80 | 30000h | Hg | RoHS COMPLIANT | III | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

COB LED STRIP

99LED980WW
99LED980
99LED980CW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP20** | **IP67** | **24V DC**

COB LED STRIP

Catalogue number	Product category	Model	Watts / meter	Colour temp. (K)	Colour of light	Protection Raiting	Packing/Box (pcs)	Energy class
99LED980WW	C	LED-COB-WW	10W/M	3000	warm white	IP20	5/100	A++→A
99LED980	C	LED-COB-W	10W/M	4000	neutral white	IP20	5/100	A++→A
99LED980CW	C	LED-COB-CW	10W/M	6500	cold white	IP20	5/100	A++→A
99LED981CW	C	LED-COB-CW	10W/M	6500	cold white	IP67	5/100	A++→A

Luminous efficiency: 1000 lm/m, 10mm, self adhesive, mark cut.

24V DC | REEL 5m | 120° | Ra≥90 | 30000h | Hg | RoHS COMPLIANT | III | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

BENDABLE LED STRIP

99LED983WW
99LED983
99LED983CW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP20** | **24V DC**

S-TYPE BENDABLE LED STRIP

Catalogue number	Product category	Model	Watts / meter	Colour temp. (K)	Colour of light	Protection Raiting	Packing/Box (pcs)	Energy class
99LED983WW	C	LED-SMD2835	12W/M	3000	warm white	IP20	5/100	A++→A
99LED983	C	LED-SMD2835	12W/M	4000	neutral white	IP20	5/100	A++→A
99LED983CW	C	LED-SMD2835	12W/M	6500	cold white	IP20	5/100	A++→A

Luminous efficiency: 700 lm/m, 8mm, self adhesive, mark cut.

24V DC | SMD 3528 | REEL 5m | 120° | Ra≥90 | 30000h | Hg | RoHS COMPLIANT | III | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

USB RGB LED STRIP AND CONTROLLER

99LED984RGB
99LEDDIMMER5V2

IP20 **5V DC**

USB RGB LED STRIP

Catalogue number	Product category	Model	LEDs (pcs/m)	Colour temp. (K)	Colour of light	Protection Raiting	Packing/Box (pcs)	Energy class
99LED984RGB	C	LED-2835-RGB	30pcs/m	RGB	RGB	IP20	5/100	A++→A

Driven by any devices with output 5V USB port- computer, desktop, laptop, TV, USB socket. In order to connect the LED strip to the USB port, it is necessary to buy a controller additionally.

Width: 8mm, self adhesive, mark cut.

5V DC · SMD 3528 · REEL 5m · 120° · Ra≥80 · Hg · RoHS · III · F · CE · 2+0 standard +extended · 2 YEAR TOTAL WARRANTY

IP20

CONTROLLER FOR LED STRIP 5V WITH REMOTE CONTROL

Catalogue number	Product category	Current (A)	Voltage (V)	Remote distance (m)	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LEDDIMMER5V2	C	3x2A	5V DC	15	40	12	5	5/100	A++→A

Remote controller battery: 3V: 1xCR2025- included

IP 20 · RoHS · EMC · CE · 3+0 standard +extended · 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED MODULES

99LEDMOD2430
99LEDMOD2440
99LEDMOD2460



LED MODULES

99LEDMOD1230
99LEDMOD1240
99LEDMOD1260

L5050 LED MODULE

99LED360

LED COOL WHITE 6400K **IP65**

UNTIL SUPPLY LAST

LED MODULE

Catalogue number	Product category	Watt (W)	LEDs (pcs)	LED Type	Colour temp. (K)	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED360	F	0,72	3	SMD5050	5500	78	14	7.5	1/2000	A++→A

Body: aluminium alloy | **Light source:** Epistar | LED recessed round spotlight COB. Easy installation due to handy clips.

12V DC | Ra>80 | 120° | 30000h | IP 67 | RoHS | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

LED WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K **IP20** **230V AC**

LED MODULES EPISTAR

Catalogue number	Product category	Watt (W)	Lumen (lm)	Colour temp. (K)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LEDMOD1230	C	12	1140	3000	63	63	1/100	A++→A
99LEDMOD1240	C	12	1140	4000	63	63	1/100	A++→A
99LEDMOD1260	C	12	1140	6000	63	63	1/100	A++→A
99LEDMOD2430	C	24	2280	3000	120	63	1/80	A++→A
99LEDMOD2440	C	24	2280	4000	120	63	1/80	A++→A
99LEDMOD2460	C	24	2280	6000	120	63	1/80	A++→A

LED Chip: Epistar | Lens angle: 160°| Mounting: With magnet, for the lamps with iron plates, the modules have magnets that can be attached to the installation.
For the plastic lamps, the modules have double-sided conductive adhesive tape, which can be pasted and installed.
Aplication: Suitable for ceiling lamp, wall lamp ,Bulkhead light etc.

Ra>80 | 160° | 30000h | RoHS | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

RGBW BASE 120 + LENS
97LED120LRGB

BASE 120
97LED120WW
97LED120CW
97LED120RGB

RGBW BASE 65
97LED65RGB

LED WARM WHITE 2700K COOL WHITE 6400K

RECHARGEABLE LED BASES

Catalogue number	Product category	Type	Battery type	LEDs (qty)	Colour temp. (K)	Diameter (mm)	Diameter1 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
97LED65RGB	C	RGBW BASE 65	LI- 3.7V/ 800MAH	1+1	RGBW	85	68	65	1/50	A++→A
97LED120LRGB	C	RGBW BASE 120 + LENS	LI- 3.7V/ 5200MAH	7+7	RGBW	120	95	58	1/36	A++→A
97LED120WW	C	WW BASE 120	LI- 3.7V/ 5200MAH	12	3000	120	102	73	1/36	A++→A
97LED120CW	C	CW BASE 120	LI- 3.7V/ 5200MAH	12	5500	120	102	73	1/36	A++→A
97LED120RGB	C	RGBW BASE 120	LI- 3.7V/ 5200MAH	9+9	RGBW	120	102	73	1/36	A++→A

Remote control

Charger

Imput Voltage: 100-240VAC, 50/60Hz | **Output Voltage:** 5V 1A | **Charging time:** 6h | **Discharging time:** 10-12h

All LED bases are equipped with remote control and charger German type

RoHS COMPLIANT CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED NEON FLEX

99LED950
99LED951

LED NEON FLEX

Catalogue number	Product category	Watts / meter	Colour temp. (K)	Colour of light	Protection rating	Packing (m)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED950	C	12W/M	2700-3000	warm white	IP 65	10	10	16	10/500	A++→A
99LED951	C	12W/M	6000-6500	cold white	IP 65	10	10	16	10/500	A++→A
99LED952	C	12W/M	-	pink	IP 65	10	10	16	10/500	A++→A
99LED953	C	12W/M	380-440	violet	IP 65	10	10	16	10/500	A++→A
99LED954	C	12W/M	520-525	green	IP 65	10	10	16	10/500	A++→A
99LED955	C	12W/M	465-470	blue	IP 65	10	10	16	10/500	A++→A
99LED956	C	12W/M	620-630	red	IP 65	10	10	16	10/500	A++→A
99LED957	C	12W/M	587-592	yellow	IP 65	10	10	16	10/500	A++→A
99LED958	C	12W/M	-	RGB	IP 65	10	10	19.5	10/500	A++→A

Luminous efficiency: 18-20 lm/LED, mark cut 1m.

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

CAPS FOR LED NEON FLEX
99ACC73

POWER CABLE FOR LED RGB NEON FLEX
99ACC77

FIXING BRACKED FOR LED NEON FLEX
99ACC72

POWER CABLE FOR LED NEON FLEX
99ACC76



CONNECTOR FOR RGB COLOR LED NEON FLEX
99ACC75

CONNECTOR FOR SINGLE COLOR LED NEON FLEX
99ACC74

ACCESSORIES FOR LED NEON FLEX

Catalogue number	Product category	Model	Packing/Box (pcs)
99ACC72	C	Fixing bracked for Led Neon Flex	0/500
99ACC73	C	Caps for Led Neon Flex	1/500
99ACC74	C	Connector for single color Led Neon Flex	0/500
99ACC75	C	Connector for RGB color Led Neon Flex	0/500
99ACC76	C	Power cable for Led Neon Flex	0/500
99ACC77	C	Power cable for Led RGB Neon Flex	0/500

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



FLEXIBLE ALUMINIUM PROFILE
99ACC07FL

IP20

FLEXIBLE ALUMINIUM PROFILE FOR LED STRIPS & ACCESSORIES

Catalogue number	Product category	Model	Description	Length (m)	Dimension A (mm)	Dimension B (mm)	Dimension C (mm)	Packing/Box (pcs)
99ACC07FL	C	ELM6063/1-1000	LED profile	2	13.8	19	5	1/1
99ACC78	C	ELM6063/1-connector	Fixing bracket					1/1
99ACC51	C	Suspension wire	Suspension wire without console					1/1







99ACC51

99ACC78

RoHS COMPLIANT CE

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DP61
99ACC61

DP62
99ACC62

DP63
99ACC63



DP64
99ACC64

DP65
99ACC65

IP20

LED PROFILES FOR DRYWALL

Catalogue number	Product category	Model	Description	Length (m)	Dimension A (mm)	Dimension B (mm)	Dimension C (mm)	Packing/Box (pcs)
99ACC61	C	DP61	Inside corner aluminum LED profile for recessed mounting in drywal	2	9.7	12.1	10	1/50
99ACC62	C	DP62	Outside corner aluminum LED profile for recessed mounting in drywal	2	9.7	-	10	1/20
99ACC63	C	DP63	Aluminum LED profile for recessed mounting in drywall	2	19.04	27.76	12.2	1/25
99ACC65	C	DP65	Aluminum LED profile for recessed mounting in drywall	2	28.58	36.91	12.2	1/21
99ACC64	C	DP64	Connectors for aluminum LED profiles DP63 and DP65	-	-	-	-	1/21

Frosted PC cover with high light transparency | Aluminium Extrusion 2mm with Acid Sand Oxidation treatment on the surface | No mechanical line



Montage



99ACC61



99ACC62



99ACC63



99ACC65



RoHS COMPLIANT CE

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

DP67
99ACC67

DP66
99ACC66



DP70
99ACC70

DP68
99ACC68

DP69
99ACC69

OUTSIDE CLIP
99ACC71



SUSPENSION WIRE
99ACC54

IP20

LED PROFILES

Catalogue number	Product category	Model	Description	Length (m)	Dimension A (mm)	Dimension B (mm)	Dimension C (mm)	Packing/Box (pcs)
99ACC66	C	DP66	Base profile	2	40.1	50	35	1/32
99ACC67	C	DP67	Replaceable profile for mounting on DP66 or DP70	2	19.04	17.74	40	1/132
99ACC68	C	DP68	End cap	-	-	-	-	1/200
99ACC69	C	DP69	Connectors for aluminum LED profiles DP66 and DP70	-	-	-	-	1/50
99ACC70	C	DP70	Fixing bracket for aluminum LED profiles DP67	-	-	-	-	1/25
99ACC71	C	DP71	Outside Clip for suspension wire and LED profiles DP66 and DP70	-	-	-	-	1/50
99ACC54	C		Installation Suspension Wire for LED profile	-	-	-	-	1/1

Frosted PC cover with high light transparency | Aluminium Extrusion 2mm with Acid Sand Oxidation treatment on the surface | No mechanical line

99ACC67



99ACC66





In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ACC01 Silicone clips for LED strip.
99ACC01



ACC02 One colour LED strip connector, 150mm cable
99ACC02



ACC021 CONNECTOR FOR 8mm ONE COLOR LED STRIP, 150mm cable
99ACC021

ACC02 One colour LED strip connector, 150mm cable
99ACC03

ACC05 One colour LED strip connector.
99ACC05

ACC051 CONNECTOR FOR 8mm ONE COLOR LED STRIP.
99ACC051

ACC06 RGB LED strip connector.
99ACC06

Female connector with cable 15cm, white D-5.5
99ACC19

4pin connector with cable 20cm, white
99ACC20

FRONT CAPS for LED strip
SMD3528 IP65
99LED450

FRONT CAPS for LED strip
SMD5050 IP65
99LED452

FRONT CAPS for RGB LED strip
SMD5050 IP65
99LED454

END CAPS for LED strip
SMD3528 IP65
99LED451

END CAPS for LED strip
SMD5050 IP65
99LED453

END CAPS for RGB LED strip
SMD5050 IP65
99LED455

RoHS CE

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ELM718/1
99ACC07
99ACC08

ELM718/2
99ACC11
99ACC12

ELM9012
99ACC14
99ACC15

PVC END CAP
99ACC16

FIXING BRACKET
99ACC17

PVC END CAP
99ACC13

PVC END CAP
99ACC09

FIXING BRACKET
99ACC10

IP20

PROFILES AND ACCESSOIRES FOR LED STRIP

Catalogue number	Product category	Model		Width (mm)	Height (mm)	Packing/Box (pcs)
99ACC07	C	ELM718/1-1000	Aluminium profile for LED strip with matt PVC cover-1m	15	6	1/50
99ACC08	C	ELM718/1-2000	Aluminium profile for LED strip with matt PVC cover-2m	15	6	1/50
99ACC09	C	ELM718/1-end cap	PVC end cap	-	-	1/400
99ACC10	C	ELM718/1-connector	Fixing bracket	-	-	1/1000
99ACC11	C	ELM718/2-1000	Aluminium profile for LED strip with matt PVC cover-1m	15	6	1/50
99ACC12	C	ELM718/2-2000	Aluminium profile for LED strip with matt PVC cover-2m	15	6	1/50
99ACC13	C	ELM718/2-end cap	PVC end cap	-	-	1/1000
99ACC14	C	ELM9012/2-1000	Aluminium profile for LED strip with matt PVC cover-1m	16	16	1/50
99ACC15	C	ELM9012/2-2000	Aluminium profile for LED strip with matt PVC cover-2m	16	16	1/50
99ACC16	C	ELM9012/2-end cap	PVC end cap	-	-	1/1000
99ACC17	C	ELM9012/1-connector	Fixing bracket	-	-	1/1500

RoHS COMPLIANT CE

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ELM6220/1
99ACC23

ELM6220/2
99ACC26

ELM950/1
99ACC28

ELM950/2
99ACC31

PVC END CAP
99ACC24
99ACC27

PVC END CAP
99ACC32
99ACC29

FIXING BRACKET
99ACC30

FIXING BRACKET
99ACC25

IP20

PROFILES AND ACCESSOIRES FOR LED STRIP

Catalogue number	Product category	Model		Width (mm)	Height (mm)	Packing/Box (pcs)
99ACC23	C	ELM6220/1-1000	Aluminium profile for LED strip with matt PVC cover-1m	23,8	6	1/50
99ACC24	C	ELM6220/1-end cap	PVC end cap	-	-	1/500
99ACC25	C	ELM6220/1-connector	Fixing bracket	-	-	400
99ACC26	C	ELM6220/2-1000	Aluminium profile for LED strip with matt PVC cover-1m	23,8	6	1/50
99ACC27	C	ELM6220/2-end cap	PVC end cap	-	-	1/500
99ACC31	C	ELM950/2-1000	Aluminium profile for LED strip with matt PVC cover-1m	49,2	6	1/1
99ACC32	C	ELM950/2-end cap	PVC end cap	-	-	1/500
99ACC28	C	ELM950/1-1000	Aluminium profile for LED strip with matt PVC cover-1m	56,6	6	1/20
99ACC29	C	ELM950/1-end cap	PVC end cap	-	-	1/500
99ACC30	C	ELM950/1-connector	Fixing bracket	-	-	1/150

RoHS COMPLIANT CE

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

24 KEY
IR CONTROLLER
99RGBCR3

4 KEY
RF CONTROLLER
99RGBCONTROL

24 KEY
IR CONTROLLER
99RGBCONTROL1

RGBW 4 WAYS
CONTROLER
99RGB4W

IP20

CONTROLLERS FOR RGB/RGBW STRIPS

Catalogue number	Product category	Model	Current (A)	Voltage (V)	Length (mm)	Width (mm)	Height (mm)	Packing/ Box (pcs)
99RGBCONTROL	C	RGB controller 7 stationary colours and 4 dynamic modes with regulation	4A (each channel)	12-24V DC	128	64	25	1/100
99RGB4W	C	RGBW 4 ways controler with 20 automatical changing modes to choose	4A (each channel)	12-24V DC	110	52	20	1/50
99RGBCR3	C	RGB controller 16 stationary colour and 4 dynamic modes with regulation	4A (each channel)	12-24V DC	128	64	25	1/50
99RGBCONTROL1	C	RGB controller 16 stationary colour and 4 dynamic modes with regulation	2A (each channel)	12V DC	60	35	25	1/100

IP 20 RoHS COMPLIANT EMC CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

Wireless Mini Single color controller
99LEDDIMMER1

Wireless Mini RGB controller
99LEDDIMMER2



RGB AMPLIFIER
99RGBAMPLIFIER

44 KEY IR CONTROLLER
99RGBCONTROL2

IP20

POWER SUPPLIES AND CONTROLS

Catalogue number	Product category	Model	Current (A)	Voltage (V)	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
99RGBCONTROL2	C	RGB controller 20 stationary colour and 6 dynamic modes with regulation and RGB mixer mode.	2A (each channel)	12V DC	60	35	25	1/50
99RGBAMPLIFIER	C	RGB AMPLIFIER	4A (each channel)	12-24V DC	107	65	25	1/100
99LEDDIMMER1	C	Wireless Mini Single color controller	5A	5-24V DC	40	12	5	1/250
99LEDDIMMER2	C	Wireless Mini RGB controller	3x2A	5-24V DC	40	12	5	1/250

99LEDDIMMER1 - **10-level** Dimmer; **Auto Save Function; Output power:** 5V<30W; 12V<72W

99LEDDIMMER2 - **Shortcuts:** Directly switch to 100%, 80%, 60%, 40%, 20% or 10% of full brightness; **Output power:** 5V<60W; 12V<144W

IP 20 RoHS EMC CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

48V MW VOLTAGE DRIVERS FOR MAGNET TRACK LIGHT

99SETDCMW100/IP20
99SETDCMW200/IP20

IP20 **48V DC**

48V MW VOLTAGE DRIVERS FOR MAGNET TRACK LIGHT

Catalogue number	Product category	Model	Watt (W)	IP code	Voltage Uin / Uout	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
99SETDCMW100/IP20	C	SETDC100	100	IP20	230V AC / 48V DC	159	97	38	1
99SETDCMW200/IP20	C	SETDC200	200	IP20	230V AC / 48V DC	215	115	50	1

RoHS COMPLIANT EMC CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SETDC CONSTANT VOLTAGE DRIVERS
99SETDC12PVC
99SETDC24PVC

SETDC CONSTANT VOLTAGE DRIVERS
99SETDC15IP20
99SETDC36IP20
99SETDC60IP20
99SETDC100IP20
99SETDC150IP20
99SETDC200IP20
99SETDC250IP20
99SETDC360IP20

SETDC CONSTANT VOLTAGE DRIVERS
99SETDC30IP67
99SETDC60IP67
99SETDC100IP67
99SETDC150IP67
99SETDC200IP67

IP20 **IP67** **12V DC**

SETDC CONSTANT ELMARK VOLTAGE DRIVERS FOR LED

Catalogue number	Product category	Model	Watt (W)	IP code	Voltage Uin / Uout	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
99SETDC12PVC	C	SETDC12PVC	12	IP20	230V AC / 12V DC	90	48	34	1/50
99SETDC24PVC	C	SETDC24PVC	24	IP20	230V AC / 12V DC	115	48	34	1/100
99SETDC15IP20	C	SETDC15	15	IP20	230V AC / 12V DC	70	39	31	1/250
99SETDC36IP20	C	SETDC36	36	IP20	230V AC / 12V DC	85	58	38	1/100
99SETDC60IP20	C	SETDC60	60	IP20	230V AC / 12V DC	110	78	38	1/50
99SETDC100IP20	C	SEDC100	100	IP20	230V AC / 12V DC	159	98	38	1/24
99SETDC150IP20	C	SETDC150	150	IP20	230V AC / 12V DC	199	98	38	1/28
99SETDC200IP20	C	SETDC200	200	IP20	230V AC / 12V DC	200	110	50	1/24
99SETDC250IP20	C	SETDC250	250	IP20	230V AC / 12V DC	200	110	50	1/24
99SETDC360IP20	C	SETDC360	360	IP20	230V AC / 12V DC	200	110	50	1/24
99SETDC30IP67	C	SETDC30I	30	IP67	230V AC / 12V DC	200	30	20	1/60
99SETDC60IP67	C	SETDC60I	60	IP67	230V AC / 12V DC	178	68	34	1/20
99SETDC100IP67	C	SETDC100I	100	IP67	230V AC / 12V DC	250	72	45	1/10
99SETDC150IP67	C	SETDC150I	150	IP67	230V AC / 12V DC	250	128	60	1/10
99SETDC200IP67	C	SETDC200I	200	IP67	230V AC / 12V DC	200	120	53	1/5

RoHS COMPLIANT EMC CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

STELLAR SET12DC
CONSTANT VOLTAGE DRIVERS
99XSETDC60IP20

STELLAR SET12DC
CONSTANT VOLTAGE DRIVERS
99XSETDC100IP20
99XSETDC150IP20
99XSETDC250IP20

STELLAR SET12DC
CONSTANT VOLTAGE DRIVERS
99XSETDC360IP20

IP20 **12V DC**

STELLAR SLIM XSET12DC CONSTANT STELLAR VOLTAGE DRIVERS FOR LED

Catalogue number	Product category	Model	Watt (W)	IP code	Voltage Uin / Uout	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
9XSETDC60IP20	C	XSETDC60	60	IP20	176/264V AC - 12V DC	160	40	33	1/100
9XSETDC120IP20	C	XSETDC120	120	IP20	176/264V AC - 12V DC	188	47	36	1/60
9XSETDC150IP20	C	XSETDC150	150	IP20	176/264V AC - 12V DC	199	58	39	1/50
9XSETDC250IP20	C	XSETDC250	250	IP20	176/264V AC - 12V DC	223	68	40	1/36
9XSETDC360IP20	C	XSETDC360	1360	IP20	176/264V AC - 12V DC	223	68	40	1/36

RoHS COMPLIANT EMC CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SETDC 12V / 24V CONSTANT VOLTAGE
DIMMABLE DRIVERS IP20

SETDC 12V / 24V CONSTANT VOLTAGE
DIMMABLE DRIVERS IP66

IP20 **IP66** **12V DC** DIMMABLE

SETDC CONSTANT VOLTAGE DIMMABLE DRIVERS

Catalogue number	Product category	Model	Watt (W)	Output Voltage (V DC)	IP code	Voltage Uin / Uout	Length (mm)	Width (mm)	Height (mm)	Packing/ Box (pcs)
99SETDC6012IP20D	C	SET12DC60D	60	12	20	AC180-240V - 12V DC	128	98	35	1/30
99SETDC10012IP20D	C	SET12DC100D	100	12	20	AC180-240V - 12V DC	160	98	38	1/25
99SETDC15012IP20D	C	SET12DC150D	150	12	20	AC180-240V - 12V DC	198	110	50	1/20
99SETDC6012IP66D	C	SET12DC60D	60	12	66	AC100-240V - 12V DC	210	70	40	1/30
99SETDC10012IP66D	C	SET12DC100D	100	12	66	AC100-240V - 12V DC	210	70	40	1/25

IP20 **IP66** **24V DC** DIMMABLE

SETDC CONSTANT VOLTAGE DIMMABLE DRIVERS

Catalogue number	Product category	Model	Watt (W)	Output Voltage (V DC)	IP code	Voltage Uin / Uout	Length (mm)	Width (mm)	Height (mm)	Packing/ Box (pcs)
99SETDC6024IP20D	C	SET24DC60D	60	24	20	AC180-240V - 24V DC	128	98	35	1/30
99SETDC10024IP20D	C	SET24DC100D	100	24	20	AC180-240V - 24V DC	160	98	38	1/25
99SETDC15024IP20D	C	SET24DC150D	150	24	20	AC180-240V - 24V DC	198	110	50	1/20
99SETDC6024IP66D	C	SET24DC60D	60	24	66	AC100-240V - 24V DC	210	70	40	1/30
99SETDC10024IP66D	C	SET24DC100D	100	24	66	AC100-240V - 24V DC	210	70	40	1/25

RoHS COMPLIANT EMC CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

STELLAR SET24DC
CONSTANT VOLTAGE DRIVERS
99XSETDC6024IP20

STELLAR SET24DC
CONSTANT VOLTAGE DRIVERS
99XSETDC10024IP20
99XSETDC15024IP20
99XSETDC25024IP20

STELLAR SET24DC
CONSTANT VOLTAGE DRIVERS
99XSETDC36024IP20

IP20 **24V DC**

STELLAR SLIM XSETDC 24V CONSTANT VOLTAGE DRIVERS IP20

Catalogue number	Product category	Model	Watt (W)	IP code	Voltage Uin / Uout	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
99XSETDC6024IP20	C	XSET24DC60	60	20	AC180-240V - 24V DC	160	40	33	1/100
99XSETDC10024IP20	C	XSET24DC100	100	20	AC180-240V - 24V DC	188	47	36	1/60
99XSETDC15024IP20	C	XSET24DC150	150	20	AC180-240V - 24V DC	200	58	39	1/50
99XSETDC25024IP20	C	XSET24DC250	250	20	176/264V AC - 24V DC	223	68	40	1/36
99XSETDC36024IP20	C	XSET24DC360	360	20	176/264V AC - 24V DC	223	68	40	1/36

RoHS COMPLIANT EMC CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

SET24DC CONSTANT VOLTAGE DRIVERS IP20

99SETDC2524IP20
99SETDC6024IP20
99SETDC10024IP20
99SETDC15024IP20

SET24DC CONSTANT VOLTAGE DRIVERS IP66

99SETDC6024IP66
99SETDC10024IP66
99SETDC15024IP66

IP20 **IP66** **24V DC**

SETDC 24V CONSTANT VOLTAGE DRIVERS IP20/66

Catalogue number	Product category	Model	Watt (W)	IP code	Voltage Uin / Uout	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
99SETDC2524IP20	C	SET24DC25	25	20	AC180-240V - 24V DC	85	58	38	1/100
99SETDC6024IP20	C	SET24DC60	60	20	AC180-240V - 24V DC	104	82	30	1/90
99SETDC10024IP20	C	SET24DC100	100	20	AC180-240V - 24V DC	137	97	30	1/75
99SETDC15024IP20	C	SET24DC150	150	20	AC180-240V - 24V DC	164	97	30	1/45
99SETDC6024IP66	C	SET24DC60	60	66	AC100-240V - 24V DC	180	56	34	1/20
99SETDC10024IP66	C	SET24DC100	100	66	AC100-240V - 24V DC	210	72	42	1/20
99SETDC15024IP66	C	SET24DC150	150	66	AC100-240V - 24V DC	210	112	56	1/8

RoHS COMPLIANT EMC CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ELMARK POWER SUPPLIES FOR LED PANELS

SET 12V/24V
CONSTANT VOLTAGE DRIVERS IP67

IP20 **IP67** **12V DC** **24V DC**

ELMARK POWER SUPPLIES FOR LED PANELS / DRIVERS

Catalogue number	Product category	Dimmable	Watt (W)	Input voltage (V)	Output voltage (V)	Output current (mA)	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
99DRIVERPN6	C	No	6W	220-240V	12-25V DC	300mA	68	33	22	1/200
99DRIVERPN12	C	No	12W	220-240V	24-50V DC	300mA	89	38	22	1/200
99DRIVERPN18	C	No	18W	220-240V	36-75V DC	300mA	89	38	22	1/200
99DRIVERPN24	C	No	24W	220-240V	50-84V DC	300mA	89	38	22	1/200
99DRIVERPN40	C	No	40W	220-240V	30-42V DC	1000mA	142	42	30	1/20
99SETDC1224TIP67	F	No	24W*	AC180-240V	12V DC		266	20	22	1/50
99SETDC1248TIP67	C	No	48W	AC180-240V	12V DC		285	20	22	1/50
99SETDC2448TIP67	C	No	48W	AC180-240V	24V DC		285	20	22	1/50

* UNTIL SUPPLY LAST

~230V 50/60 Hz EMC CE 2+1 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

MAGNETIC BALLAST FOR COMPACT FLUORESCENT LAMPS (TC-D)
990153008

ELECTRONIC BALLAST FOR FLUORESCENT LAMPS

MAGNETIC BALLAST FOR FLUORESCENT LAMPS - TYPE T8
990153818

IP20

UNTIL SUPPLY LAST

POWER SUPPLIES

Catalogue number	Product category	Model	Watt (W)	Current (A)	cos φ	Uinput	Uoutput	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
990153818	F	BALLAST 18W	1X18W	0,370	0.32	230VAC	230VAC	155	41	32	1/50
990153008	F	BALLAST	18	0,220	0.48	230VAC	230VAC	105	41	26	1/50
99EB0218	F	EB218	2X18	T8	-	-	-	274	27	27	1/50
99EB0418	F	EB418	4X18	T8	-	-	-	330	33	29	1/50
99EB0114	F	EB114	1X14	T5	-	-	-	274	27	27	1/50
99EB0214	F	EB214	2X14	T5	-	-	-	250	25	25	1/50
99EB0128	F	EB128	1X28	T5	-	-	-	274	27	27	1/50
99EB0228	F	EB228	2X28	T5	-	-	-	250	25	25	1/50
99EB0135	F	EB135	1X35	T5	-	-	-	320	30	27	1/50

~230V 50Hz EEI=B2 CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

POWER SUPPLY
for LED bulbs 12V

99DRIVER12
99DRIVER18
99DRIVER24
99DRIVER36

IP20

POWER SUPPLIES

Catalogue number	Product category	Model	Watt (W)	Current (A)	Uinput	Uoutput	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
99DRIVER12	C	SETDC12	12	1	230VAC	12V DC	80	32	22	1/250
99DRIVER18	C	SETDC18	18	1,5	230VAC	12V DC	95	45	28	1/100
99DRIVER24	C	SETDC24	24	2	230VAC	12V DC	115	45	28	1/100
99DRIVER36	C	SETDC36	36	2	230VAC	12V DC	140	45	28	1/100

~230V 50Hz EEI=B2 CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

ELECTRONIC BALLAST FOR FLUORESCENT LAMPS - TYPE PLC4P

99EB0213PL
99EB0218PL

MAGNETIC BALLAST STELLAR FOR FL LAMP T8

990136W

MAGNETIC BALLAST STELLAR FOR PLC2P LAMP

9913142
9913143

IP20

UNTIL SUPPLY LAST

POWER SUPPLIES

Catalogue number	Product category	Model	Watt (W)	Lamp type	Voltage	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
9913142	F	BALLAST	18	PLC2P	230V AC	155	42	28	1/1
9913143	F	BALLAST	36	PLC2P	230V AC	155	42	28	1/1
99EB0213PL	F	EB213PL	2X13W	PLC4P	230V AC	103	67	30	1/100
99EB0218PL	F	EB218PL	2X18W	PLC4P	230V AC	103	67	30	1/100
990136W	F	BALLAST	36	EST 3F-T8	230V AC	160	43	30	1/1

~230V 50Hz EEI=B2 CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

LAMP HOLDER
99292

LAMP HOLDER E14
99296

LAMP HOLDER E40
99298

LAMP HOLDER E27
99294



LAMP HOLDER E27 with support
99295

LAMP HOLDER
99293

IP20

LAMP HOLDERS

Catalogue number	Product category	Lamp	Length of the cable:	Material	Diameter (mm)	Height (mm)	Length (mm)	Packing/Box (pcs)
99292	C	GU 10	140 mm	ceramic	27	16	-	1/1000
99293	C	G 4 / G 5.3 / GY 6.35	90 mm	ceramic	16	10	-	1/2000
99296	C	E 14	-	ceramic	33	20	44	1/400
99298	C	E 40	-	ceramic	56	23	72	1/100
99294	C	E 27	-	ceramic	42	-	48	1/400
99295	C	E 27	-	ceramic	-	-	48	1/400

RoHS COMPLIANT CE

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LAMP BASE
99199

LAMP BASE
99200

TWIN SOCKET LAMP HOLDER
99198

LAMP HOLDER ADAPTORS TO E27
192168

LAMP HOLDER ADAPTORS TO E27
192169

IP20

LAMP BASES / TWIN SOCKET LAMP HOLDER / ADAPTORS

Catalogue number	Product category	Type	Lamp	Rated current	Material	Diameter (mm)	Length (mm)	Section of power supply conductors	Packing/Box (pcs)
99199	C	straight	E27	4A	PET	63	40	0.5-2.5mm²	1/250
99200	C	oblique	E27	4A	PET	78	38	0.5-2.5mm²	1/250
99198	C	E27-2xE27	E27	4A	Iron + PBT	76	74	0.5-2.5mm²	1/300
192168	C	E40/E27	E27	4A	iron/plastic	78	45	0.5-2.5mm²	15/500
192169	C	G24/E27	E27	4A	PBT+ copper	78	50	0.5-2.5mm²	25/300

RoHS COMPLIANT CE

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

HANGING LAMP HOLDER
99194

HANGING LAMP HOLDER
99195

HANGING LAMP HOLDER
99196

HANGING LAMP HOLDER
99197

IP20

HANGING LAMP HOLDERS

Catalogue number	Product category	Type	Lamp	Material	Diameter (mm)	Length (mm)	Section of power supply conductors	Packing/Box (pcs)
99194	C	screwless	E14	plastic	44	56,3	0.5-2.5mm²	1/500
99195	C	screwless	E27	plastic	55	62,5	0.5-2.5mm²	1/200
99196	C	screw	E27	bakelite	38.5	55	0.5-2.5mm²	1/250
99197	C	screw	E27	bakelite	38.5	55	0.5-2.5mm²	1/200

RoHS COMPLIANT CE

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

CABLE CONNECTOR IP68
31072

TERMINAL BOX IP44
31071

TERMINAL BOX IP65
31070

IP44 **IP65** **IP68**

WATERPROOF TERMINAL CONNECTORS

Catalogue number	Product category	Type	Material	Voltage (V)	Rated current (A)	Wiring Capacity (mm^2)	Packing/Box (pcs)
31071	C	Terminal box IP44	Polycarbonate	450	6	0.5-4.0	1/500
31070	C	Terminal box IP65	Polypropylene	450	10	0.5-2.5	1/500
31072	C	Cable connector IP68	Anti UV nylon	250	≤30A	0.5-2.5	1/500

RoHS COMPLIANT CE

ST42
99DS104

ST41
99DS103

ST02A
99DS100

ST40
99DS402

ST 11
99DS403

IP40

INFRARED MOTION SENSORS

Catalogue number	Product category	Type	Detection range	Rated load	Detection distance	Colour body	Installation height	Length (mm)	Diameter 1 (mm)	Diameter 2 (mm)	Packing/Box (pcs)
99DS402	C	ST40	360°	800W (110-130V/AC); 1200W (220-240V/AC)	max. 6m	white	-	-	-	-	1/100
99DS403	C	ST11	180°	500W (110-130V/AC) 800W (220-240V/AC)	max. 12m	white	-	-	-	-	1/50
99DS100	C	ST02A	160°	ESL/LED - 100W, IL - 500W	max. 9m	white	1 - 1.8m	80	48.5	24.7	1/100
99DS104	C	ST42	360°	ESL/LED - 300W, IL - 1200W	max.6m	white	2.2 - 4m	75,6	76	100	1/50
99DS103	C	ST41	360°	ESL/LED - 300W, IL - 1200W	max.6m	white	2.2 - 4m	75,6	61,5	76	1/50

Time-Delay: 10sec ± 3sec to 7min ± 2min (adjustable) | **Ambient light:** <3 - 2000lux (adjustable) | **Detection motion speed:** 0.6 - 1.5m/s

~230V 50/60 Hz F CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

INFRARED MOTION SENSOR ST24
99DS109

TOUCHING SENSOR ST125
99DS115

MOVING HAND SENSOR
99DS122

MICROWAVE SENSOR ST701F
99DS400

INFRARED MOTION SENSOR ST07
99DS101
99DS102

INFRARED MOTION SENSOR ST05CA
99DS110

IP40

MICROWAVE / INFRARED / TOUCHING

Catalogue number	Product category	Detection range	Rated load	Detection distance	Time-Delay	Ambient Light	Detection motion speed	Length (mm)	Width (mm)	Height (mm)	Diameter (mm)	Packing/ Box (pcs)
99DS115	C	touch	ESL/LED - 200W, IL - 500W	-	-	-	-	89.7	40.2	16.8	-	1/100
99DS400	C	180°/360°	ESL/LED - 200W, IL - 500W	max. 15m	10s to 12min	<3 - 2000LUX		58	40.5	25.5	-	1/100
99DS109	C	120°/360°	ESL/LED - 200W, IL - 800W	max. 6m	5s, 30s, 1,3,5,8min	10 - 2000LUX	0.6-1.5m/s	55.8	34	24.6	-	1/100
99DS101	C	360°	ESL/LED - 300W, IL - 1200W	max. 6m	10s to 7min	<3 - 2000LUX	0.6-1.5m/s	-	-	58	115	1/50
99DS102	C	360°	ESL/LED - 300W, IL - 1200W	max. 6m	10s to 7min	<3 - 2000LUX	0.6-1.5m/s	-	-	58	115	1/50
99DS110	C	360°	ESL/LED - 300W, IL - 800W	max. 6m	10s to 15min	<3 - 2000LUX	0.6-1.5m/s	-	-	24.9	102	1/50
99DS122	C	5-6cm	ELS/LED - 500W	5-6cm	-	-	-	78.2	35.5	20.6	-	1/100

~230V 50/60 Hz F CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

INFRARED MOTION SENSOR ST10A
99DS107

INFRARED MOTION SENSOR ST15
99DS108

IP40

INFRARED MOTION SENSOR ST10A / ST15

Catalogue number	Product category	Type	Detection range	Rated load	Detection distance	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
99DS107	C	ST10A	180°	ESL - 300W, IL - 1200W	5-12m	white	87,4	120	144	1/30
99DS108	C	ST15	180°	ESL/LED - 300W, IL - 1200W	max.12m	white	80	117,2	31,5	1/50

Time-Delay: 10sec ± 3sec to 7min ± 2min (adjustable) | **Ambient light:** <3 - 2000lux (adjustable) | **Detection motion speed:** 0.6 - 1.5m/s | **Installation height:** 2.2 - 4m

~230V 50/60 Hz F CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LIGHT-CONTROL SENSOR ST303
99DS300

LIGHT-CONTROL SENSOR ST300
99DS404

LIGHT-CONTROL SENSOR ST302
99DS301

LIGHT-CONTROL SENSORS ST306
99DS405

LIGHT-CONTROL SENSOR ST308
99DS302

IP44 **IP65**

LIGHT-CONTROL SENSORS

Catalogue number	Product category	Type	Rated current	Colour body	Ambient light	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
99DS404	C	ST300	10A	white	3-500LUX(adjustable) IP44	35	70	108,6	1/50
99DS300	C	ST303	25A	white	<5 - 50lux (adjustable) IP44	70,5	78,3	-	1/50
99DS301	C	ST302	10A	white	<5 - 50lux (adjustable) IP44	76,7	63	-	1/100
99DS405	C	ST306	6A	white	<5 - 15lux (adjustable) IP44	100	200	-	1/100
99DS302	C	ST308	20A	white	<2 - 100lux (adjustable) IP65	35	66	90	1/100

99DS404 - Timer Built-in from 1-9 hours

~230V 50/60 Hz F CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED FURNITURE & DESIGN

PEPPER
97PEPPER27/NE

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE LAMP PEPPER

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97PEPPER27/NE	D	LED lamp	3000	Neutral	Warm White	A+ A++→A
97PEPPER64/NE	D	LED lamp	5500	Neutral	Cold White	A+ A++→A
97PEPPERRGB/NE	D	LED lamp	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type
At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV resistant | Light source: Rechargeable LED bases | Dimensions: DxH (mm): 650x710

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

OSLO
97OSLO27/NE

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE LAMP OSLO

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97OSLO27/NE	D	LED lamp	3000	Neutral	Warm White	A+ A++>A
97OSLO64/NE	D	LED lamp	5500	Neutral	Cold White	A+ A++>A
97OSLORGB/NE	D	LED lamp	RGBW	Neutral	RGBW	A+ A++>A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type
At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: DxH (mm): 600x430

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

SPHERE



BALL

LED IP54 DIMMABLE RGBW

RECHARGEABLE LAMP BALL

Catalogue number TYPE 30	Product category	Catalogue number TYPE 60	Type	Light source colour temp. (K)	Body colour	Glowing in	Energy class
97BALL30RGB	D	**97BALL60RGB**	**LED LAMP**	RGBW	Neutral	RGBW	A+ A++→A

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.

Material: LLDPE | All glowing products are equipped with remote control and charger German type | Light source: Rechargeable LED bases | Dimensions TYPE30: DxH(mm): 300x300; TYPE60: DxH (mm): 600x600

RoHS COMPLIANT CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE LAMP SPHERE

Catalogue number TYPE 30	Product category	Catalogue number TYPE 70	Type	Light source colour temp. (K)	Body colour	Glowing in	Energy class
97SPHERE3027/N	D	**97SPHERE7027/N**	**LED LAMP**	3000	Neutral	Warm White	A+ A++→A
97SPHERE3064/N	D	**97SPHERE7064/N**	**LED LAMP**	5500	Neutral	Cold White	A+ A++→A
97SPHERE30RGB/N	D	**97SPHERE70RGB/N**	**LED LAMP**	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.

Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions TYPE30: DxH(mm): 300x265; TYPE70: DxH (mm): 700x680

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

JOUR
97JOUR27/NE

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE LAMP JOUR

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97JOUR27/NE	D	LED lamp	3000	Neutral	Warm White	A+ A++→A
97JOUR64/NE	D	LED lamp	5500	Neutral	Cold White	A+ A++→A
97JOURRGB/NE	D	LED lamp	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: LxWxH (mm): 300X300X350

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

TOWER
97TOWER27/NE

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE LAMP TOWER

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97TOWER27/NE	D	LED lamp	3000	Neutral	Warm White	A+ A++→A
97TOWER64/NE	D	LED lamp	5500	Neutral	Cold White	A+ A++→A
97TOWERRGB/NE	D	LED lamp	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: DxH: (mm): 330x1770

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

FELICE
97FELICERGB/NE

LED IP65 MADE IN ITALY DIMMABLE

RECHARGEABLE LAMP FELICE

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97FELICERGB/NE	D	LED lamp	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: DxH: (mm): 450x1540

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.



SHANGHAI
97SHANGHAI27/NE

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE LAMP SHANGHAI

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97SHANGHAI27/NE	D	LED lamp	3000	Neutral	Warm White	A+ A++>A
97SHANGHAI64/NE	D	LED lamp	5500	Neutral	Cold White	A+ A++>A
97SHANGHAIRGB/NE	D	LED lamp	RGBW	Neutral	RGBW	A+ A++>A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: DxH (mm): 430x230

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

BOCCA
97BOCCARGB/NE

LED IP65 MADE IN ITALY DIMMABLE

RECHARGEABLE WALL LAMP BOCCA

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97BOCCARGB/NE	D	LED wall lamp	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: LxWxH (mm): 400x85x400

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

ICE ROCK
97ICEROCK27/NE

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE LAMP/CONTAINER ICE ROCK

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97ICEROCK27/NE	D	LED lamp/ container	3000	Neutral	Warm White	A+ A++→A
97ICEROCK64/NE	D	LED lamp/ container	5500	Neutral	Cold White	A+ A++→A
97ICEROCKRGB/NE	D	LED lamp/ container	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: LxWxH: (mm): 580x430x500

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

GOSSET
Champagne
GOSSET
BELLAVISTA
ROSÉ



STAIRS
97STAIRS27/NE

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE BOTTLES DISPLAY UNIT STAIRS

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97STAIRS27/NE	D	LED bottles display unit	3000	Neutral	Warm White	A+ A++→A
97STAIRS64/NE	D	LED bottles display unit	5500	Neutral	Cold White	A+ A++→A
97STAIRSRGB/NE	D	LED bottles display unit	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: LxWxH (mm): 600X340X340

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

MALLORCA WORKSTATION
CORNER
97MALLORCAC27/N

MALLORCA WORKSTATION

97MALLORCA27/N

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE BAR MALLORCA

Catalogue number WORKSTATION	Product category	Catalogue number CORNER	Light source colour temp. (K)	Body colour	Glowing in	Energy class
97MALLORCA27/N	D	**97MALLORCAC27/N**	3000	Neutral	Warm White	A+ A++→A
97MALLORCA64/N	D	**97MALLORCAC64/N**	5500	Neutral	Cold White	A+ A++→A
97MALLORCARGB/N	D	**97MALLORCACRGB/N**	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED



Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.

Material: Resin | Shockproof | Frost and heat resistant | UV Resistant

Light source: Rechargeable LED bases

Dimensions WORKSTATION: LxWxH (mm): 1700x920x1100; CORNER WORKSTATION: LxWxH (mm): 1810x800x1100

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.



BALI
97BALIRGB/NE

LED IP65 MADE IN ITALY DIMMABLE

RECHARGEABLE BAR BALI

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97BALIRGB/NE	D	LED bar	RGBW	Neutral	RGBW	A+ A+→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: LxWxH (mm): 1200x1100x800

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

SPUMA
Clementine

LAGOS
97LAGOS/BI

IP65 MADE IN ITALY

LAGOS

Catalogue number BAR STOOL - Without Light	Product category	Type	Light source colour temp. (K)	Body colour	Glowing in
97LAGOS/BI	D	Stool	Without	White	Not illuminated
97LAGOS/70	D	Stool	Without	Cherry	Not illuminated
97LAGOS/78	D	Stool	Without	Turtle-dove	Not illuminated
97LAGOS/84	D	Stool	Without	Anise	Not illuminated
97LAGOS/89	D	Stool	Without	Turquoise	Not illuminated

Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Dimensions: DxWxH (mm): 400x470x750

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

MALAGA
97MALAGA27/NE

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE TABLE MALAGA

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97MALAGA27/NE	D	LED table	3000	Neutral	Warm White	A+ A++⇨A
97MALAGA64/NE	D	LED table	5500	Neutral	Cold White	A+ A++⇨A
97MALAGARGB/NE	D	LED table	RGBW	Neutral	RGBW	A+ A++⇨A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type
At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: DxH (mm): 670x1100 | PMMA included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

FAIRTRADE
COMERCIO JUSTO
CAFÉ

BERMUDA
97BERMUDARGB/NE

LED IP65 MADE IN ITALY DIMMABLE

RECHARGEABLE TABLE BERMUDA

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97BERMUDARGB/NE	D	LED table	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED



Remote control

Charger

All glowing products are equipped with remote control and charger German type
At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: DxH (mm): 800x740 | PMMA included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

IBIZA
97IBIZARGB/NE

LED IP65 MADE IN ITALY DIMMABLE

RECHARGEABLE TABLE IBIZA

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97IBIZARGB/NE	D	LED table	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: DxH: (mm): 600x1140 | PMMA included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

JEWEL 60 IP65
97JEWEL27/NE

KUBO IP54
97KUBORGB/N

LED IP54 IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE TABLES JEWEL & KUBO*

Catalogue number TYPE JEWEL60	Product category	Catalogue number TYPE KUBO	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97JEWEL27/NE	D		LED table	3000	Neutral	Warm White	A+ A++⇒A
97JEWEL64/NE	D		LED table	5500	Neutral	Cold White	A+ A++⇒A
97JEWELRGB/NE	D	**97KUBORGB/N**	LED table	RGBW	Neutral	RGBW	A+ A++⇒A

Rechargeable LED



Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: JEWEL: Resin KUBO: LLDPE | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases
Dimensions LxWxH (mm): KUBO: 400x400x380; JEWEL60: 600x600x600

* Year Total Warranty: 2+0

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

VARNA
97VARNARGB/NE

LED IP65 MADE IN ITALY DIMMABLE

RECHARGEABLE TABLE VARNA

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97VARNARGB/NE	D	LED Table	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: DxH (mm): 600x740

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.



BORNEO

97BORNEO/BI

IP65 MADE IN ITALY

BORNEO

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in
97BORNEO/BI	D	Table	Without	White	Not illuminated
97BORNEO/70	D	Table	Without	Cherry	Not illuminated
97BORNEO/78	D	Table	Without	Turtle-dove	Not illuminated
97BORNEO/84	D	Table	Without	Anise	Not illuminated
97BORNEO/89	D	Table	Without	Turquoise	Not illuminated

Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Dimensions: LxWxH (mm): 400x85x400

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

SALERNO
97SALERNOS27/NE

SALERNO
97SALERNO27/NE

LED | IP65 | MADE IN ITALY | DIMMABLE RGBW

RECHARGEABLE SOFA & ARMCHAIR SALERNO

Catalogue number SOFA	Product category	Catalogue number ARMCHAIR	Light source colour temp (K)	Body colour	Glowing in	Energy class
97SALERNOS27/NE	D	**97SALERNO27/NE**	3000	Neutral	Warm White	A+ A++→A
97SALERNOS64/NE	D	**97SALERNO64/NE**	5500	Neutral	Cold White	A+ A++→A
97SALERNOSRGB/NE	D	**97SALERNORGB/NE**	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: LxWxH (mm): 1590x830x800

RoHS COMPLIANT | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

LISBOA
97LISBOA27/NE

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE LED ARMCHAIR LISBOA

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97LISBOA27/NE	D	LED Armchair	3000	Neutral	Warm White	A+ A++→A
97LISBOA64/NE	D	LED Armchair	5500	Neutral	Cold White	A+ A++→A
97LISBOARGB/NE	D	LED Armchair	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: LxWxH (mm): 740X700X800

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

CANCUN
97CANCUN27/NE

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE PYLON CANCUN

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97CANCUN27/NE	D	LED pylon	3000	Neutral	Warm White	A+ A++→A
97CANCUN64/NE	D	LED pylon	5500	Neutral	Cold White	A+ A++→A
97CANCUNRGB/NE	D	LED pylon	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: DxH: (mm): 400X600

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.



GENEVA
97GENEVA27/NE

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE FLOWER POT GENEVA

Catalogue number	Product category	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97GENEVA27/NE	D	LED flower pot	3000	Neutral	Warm White	A+ A++→A
97GENEVA64/NE	D	LED flower pot	5500	Neutral	Cold White	A+ A++→A
97GENEVARGB/NE	D	LED flower pot	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions: DxH: (mm): 400X600

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

NICE
97NICE10527/N

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE FLOWER POT NICE

Catalogue number TYPE 65	Product category	Type	Light source colour temp. (K)	Body colour	Glowing in	Energy class
97NICE10527/N	D	**LED flower pot**	3000	Neutral	Warm White	A+ A++→A
97NICE10564/N	D	**LED flower pot**	5500	Neutral	Cold White	A+ A++→A
97NICE105RGB/N	D	**LED flower pot**	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type
At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin |Shockproof | Frost and heat resistant | UV Resistant | Inside pot not included | Light source: Rechargeable LED bases | Dimensions : LxWxH (mm): 500x500x1050

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

SYDNEY
97SYDNEY27/N

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE FLOWER POT SYDNEY

Catalogue number TYPE 65	Product category	Type	Light source colour temp. (K)	Body colour	Glowing in	Energy class
97SYDNEY27/N	D	**LED flower pot**	3000	Neutral	Warm White	A+ A++→A
97SYDNEY64/N	D	**LED flower pot**	5500	Neutral	Cold White	A+ A++→A
97SYDNEYRGB/N	D	**LED flower pot**	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type
At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin |Shockproof | Frost and heat resistant | UV Resistant| Inside pot not included | Light source: Rechargeable LED bases | Dimensions DxH (mm): 510x1050

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

BERN
97BERN27/N

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE FLOWER POT BERN

Catalogue number TYPE 65	Product category	Type	Light source colour temp. (K)	Body colour	Glowing in	Energy class
97BERN27/N	D	**LED flower pot**	3000	Neutral	Warm White	A+ A++→A
97BERN64/N	D	**LED flower pot**	5500	Neutral	Cold White	A+ A++→A
97BERNRGB/N	D	**LED flower pot**	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type
At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Inside pot not included | Light source: Rechargeable LED bases | Dimensions LxWxH (mm): 500x500x480

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

FLORENCE
97FLORENCE27/N

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE FLOWER POT FLORENCE

Catalogue number TYPE 65	Product category	Type	Light source colour temp. (K)	Body colour	Glowing in	Energy class
97FLORENCE27/N	D	**LED flower pot**	3000	Neutral	Warm White	A+ A++→A
97FLORENCE64/N	D	**LED flower pot**	5500	Neutral	Cold White	A+ A++→A
97FLORENCERGB/N	D	**LED flower pot**	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED

Remote control

Charger

All glowing products are equipped with remote control and charger German type
At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Inside pot not included | Light source: Rechargeable LED bases | Dimensions DxH (mm): 650x700

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

SIENA
97SIENA27/NE

ELBA
97ELBA27/NE

LED IP65 MADE IN ITALY DIMMABLE RGBW

RECHARGEABLE FLOWER POTS SIENA & ELBA

Catalogue number SIENA	Product category	Catalogue number ELBA	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97SIENA27/NE	D	**97ELBA27/NE**	**LED flower pot**	3000	Neutral	Warm White	A+ A++→A
97SIENA64/NE	D	**97ELBA64/NE**	**LED flower pot**	5500	Neutral	Cold White	A+ A++→A
97SIENARGB/NE	D	**97ELBARGB/NE**	**LED flower pot**	RGBW	Neutral	RGBW	A+ A++→A

Rechargeable LED



Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions SIENA: LxWxH (mm): 740x780x610 | Dimensions ELBA: LxWxH (mm): 570x330x610

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.

HOME

LUGANO
97LUGANO27/NE

LUSON
97LUSON27/NE

LED | IP65 | MADE IN ITALY | DIMMABLE RGBW

RECHARGEABLE FLOWER POTS LUGANO & LUSON

Catalogue number LUGANO	Product category	Catalogue number LUSON	Type	Light source colour temp (K)	Body colour	Glowing in	Energy class
97LUGANO27/NE	D	**97LUSON27/NE**	LED flower pot	3000	Neutral	Warm White	A+ A++⇒A
97LUGANO64/NE	D	**97LUSON64/NE**	LED flower pot	5500	Neutral	Cold White	A+ A++⇒A
97LUGANORGB/NE	D	**97LUSONRGB/NE**	LED flower pot	RGBW	Neutral	RGBW	A+ A++⇒A

Rechargeable LED



Remote control

Charger

All glowing products are equipped with remote control and charger German type

At our website www.elmarkholding.eu you would find a video clip showing each product lighted.
Material: Resin | Shockproof | Frost and heat resistant | UV Resistant | Light source: Rechargeable LED bases | Dimensions LUSON: LxWxH (mm): 900x290x770 | Dimensions LUGANO: LxWxH (mm): 610x280x770

RoHS COMPLIANT | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.