V-TAC®

INNOVATIVE LED LIGHTING

SAMSUNG LED

Illuminated

LED **LIGHTING** CATALOG

Q-1 2021

ONE COMPANY,
ENDLESS SOLUTIONS!

5 YEAR WARRANTY

LED TUBES **LED PANELS** HIGHBAYS **SMART LIGHTS** WALL LIGHTS

MOTION SENSORS **FLOODLIGHTS** STREET LIGHTS LED TRACK LIGHTS

LED DOME LIGHTS **LED BULBS** LED DOWN LIGHTS **SMART HOME** EXIT LIGHTS

2009

V-TAC was founded with the vision of providing energy-efficient LED lighting solutions worldwide

2011

Began our EU expansion by opening the first V-TAC warehouse and office in Sofia, Bulgaria

2012

Manufacturing joint venture with MEKA Lighting

2013

Started building our distribution network in the UK from our office in Southall, London.

2015

Launched our in-house product testing lab in Sofia, Bulgaria.

2016

Achieved $100M Annual Turnover- Manufacturing Joint Venture with DASHER Lighting for decorative lighting

2017

In-brand Partnership with Samsung and launched the V-TAC PRO Series



2018

- Partnership with Tuya and launched new Smart Series
- Unveiled the new V-TAC Showroom in Slough, UK
- Launched new product groups

2019

Opened new 2500 meter square showroom in Bulgaria.

2020

- New website launch
- Opened new showroom in Ireland.

Since 2018, we at V-TAC has been successfully developing and launching the esteemed PRO Series – a product of our partnership with Samsung, a global pioneer in the LED industry. Boasting of LEDs provided by Samsung and a five-year warranty, this great feat resulted in the continuous growth of the PRO series catalogue to meet and exceed our customers' requirements and expectations throughout the years.

Driven by our mission to continuously improve quality of life through lighting, we have further improved our products and launched the Evolution Series in 2019. The range included V-TAC's bestselling lamps and luminaires, upgraded with a staggering 160 lumen-per-watt rating, offering efficient options even for intensive lighting requirements.

In 2020, we finished the upgrade and expansion of our Bulgaria warehouse with the Warehouse Management System (WMS) which allowed us to accommodate more stocks, hence enabling us to maintain fulfilment of orders despite logistic challenges due to Brexit and the global pandemic. Along with this development, both the PRO Series & Evolution Series have been growing and will continue to improve in the years ahead to offer the best lighting solutions in residential, commercial, and industrial projects.

Following are the new series that we plan to develop more in the coming year.

V-TAC SMART LIGHT

WiFi-supported home lighting system simultaneously controlled through the VTAC app; works with Amazon Alexa & Google Home.

V-TAC DIGITAL

Long-lasting, fast-charging data cables for everyday use. Includes a wide range of cable finish and connectors for different usage types.

V-TAC SMART HOME

WiFi-supported home solutions to convert any device into a smart device, and ultimately convert any home into a smart home. Have a systematic, unified control on all your smart devices through the official V-TAC app, Amazon Alexa, and Google Home.

V-TAC POWER

Power strips with surge protectors and lighted switches, cable reels, adapters, and direct USB ports — all designed to bring convenience and safety to modern electrical needs.

POWER BANK

Premium quality battery packs for any device with extensive features such as power capacity, battery indicators, and more to power up the modern lifestyle.

V-TAC AUDIO

New series of wireless speakers devices with various modes & wireless controls for a dynamic sound experience & maximum portability.

Download Our Retail Catalog:

http://tiny.cc/9dgrcz

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

LED Flood Lights - 08

LED Flood Lights
White | Grey | Black
evolution

PAGE 10

LED Flood Lights
PIR Sensor White | Black

PAGE 32

LED Flood Lights
Rechargeable FloodLights
NEW ADDITION

PAGE 36

LED Flood Lights
Sports Light

PAGE 40

LED Flood Lights
Super Pro Series

PAGE 42

LED Street Lights - 44

Street Lights
Super Pro Series

PAGE 46

LED Garden Light
Super Pro Series

PAGE 48

Street Lights
140 Lumen/w

PAGE 50

Street Lights
120 Lumen/w

PAGE 54

Street Lights

PAGE 58

LED Highbays - 60

Reflector Highbays
High Lumens
evolution

PAGE 62

LED UFO Highbays
120 Lumen/w

PAGE 66

LED Linear Lights
LED Low Bay Lights

PAGE 70

LED Highbays
LED Canopy Light

PAGE 72

LED Panels - 74

LED Big Panels
evolution
NEW ADDITION

PAGE 76

LED Mini Panels
Adjustable Panels

PAGE 78

LED Mini Panels
Premium Series Panels

PAGE 82

LED Mini Panels
Edge Series

PAGE 86

LED Tubes - 90

LED Tubes
G13-T8 -Nano Plastic Tube evolution

PAGE 92

Fixtures with LED
LED Prismatic Fittings
evolution

PAGE 98

Fixtures with LED
LED Batten Fitting
NEW ADDITION

PAGE 102

Fixtures with LED
CCT Changeable Batten Fitting

PAGE 106

Fixtures with LED
LED Waterproof Fittings
evolution

NEW ADDITION
PAGE 108

LED Linear Lights - 116

Linear Lights
Linear Hanging Lights

PAGE 118

Linear Lights
Recessed Linear

PAGE 130

Linear Lights
Linear Trunking

PAGE 134

Magnetic Track Lights
Up-down Lights NEW

PAGE 138

LED TrackLights
4 Line TrackLights

PAGE 146

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

LED Bulkhead and DownLights - 152

2D Bulkhead
Emergency Battery Backup and Sensor
NEW ADDITION

PAGE 154

Reflector Downlight

PAGE 168

LED Down Lights
Fire Rated Downlight

PAGE 172

LED Down Lights
LED Cabinet & Night Lights

PAGE 176

LED Solar Lights
LED Solar Wall and Bollard Lights
NEW ADDITION

PAGE 178

LED Emergency Lights - 180

Exit Light
Surface & Recessed

PAGE 182

Exit Light
Bulkhead

PAGE 183

LED Strip Lights - 184

LED Strip Lights
CRI >95

PAGE 186

LED Strip Lights
Neon Flex Light

PAGE 187

LED Spot Lights - 188

LED Spot Lights
LED Capsules Lights

PAGE 190

LED Spot Lights
LED GU10 Lights

PAGE 191

LED Spot Lights
MR16 | GU10

PAGE 192

LED Filament Bulbs - 194

LED Bulbs
evolution

PAGE 196

LED Bulbs
Amber Filament Bulbs

PAGE 198

LED Filament Bulbs
Clear Filament Bulbs

PAGE 200

LED Plastic Bulbs - 203

LED Plastic Bulbs
High Lumen Bulbs

PAGE 204

LED Plastic Bulbs
Candle | A58 | A65 | A80

PAGE 206

LED Plastic Bulbs
Reflectors & PAR Bulbs

PAGE 215

LED Plastic Bulbs
UFO Bulbs

PAGE 217

LED Plastic Bulbs
LED Big Bulb

PAGE 219

V-TAC ESSENTIALS

V-TAC'S WIDE RANGE OF ESSENTIAL LED PRODUCTS, FOR DIVERSE APPLICATIONS. OUR PRODUCTS HAVE BEEN TESTED AND APPROVED BY TOP EU LABS ENSURING HIGH QUALITY LED'S.

LED Bulbs - 222

CRI > 95 — PAGE 224

LED Bulbs — PAGE 226

Blister Packing — PAGE 237

Filament Special Bulbs — PAGE 239

Amber Cover — PAGE 244

Frost Filament — PAGE 252

Clear Filament — PAGE 255

LED Spot Lights - 264

Capsules-G9 — PAGE 265

GU10 — PAGE 267

LED PAR Lamps & AR111 — PAGE 268

GU10 Fitting NEW ADDITION — PAGE 271

LED Floodlights - 293

Slimline Floodlights — PAGE 294

Solar Floodlight NEW ADDITION — PAGE 298

SMART Floodlights — PAGE 304

Accessory — PAGE 305

LED Panels - 308

Big Panels — PAGE 309

LED Mini Panels — PAGE 317

LED Tube Lights - 331

T8-Nano Plastic NEW ADDITION — PAGE 332

Batten Fitting — PAGE 335

Waterproof Fitting — PAGE 337

LED Highbays - 342

UFO-High Lumen — PAGE 343

V-TAC ESSENTIALS

V-TAC'S WIDE RANGE OF ESSENTIAL LED PRODUCTS, FOR DIVERSE APPLICATIONS. OUR PRODUCTS HAVE BEEN TESTED AND APPROVED BY TOP EU LABS ENSURING HIGH QUALITY LED'S.

LED Strip Lights - 344

LED Strip Lights
NEW ADDITION

PAGE 345

Neon Flex

PAGE 354

Mounting Kits

PAGE 360

Power Supply

PAGE 367

LED Track Lights - 373

Smart Color Changing

PAGE 374

Track Lights

PAGE 375

CRI >95 Track Lights

PAGE 376

Accessory

PAGE 378

LED Downlights - 380

Hotel Downlights

PAGE 381

Reflector Series

PAGE 383

Step Lights

PAGE 384

LED Dome Lights - 389

CCT Changeable

PAGE 390

Ceiling Lights

PAGE 399

Dome Series

PAGE 400

Fire Rated Downlights

PAGE 404

Motion Sensors - 407

Infrared Sensors
NEW ADDITION

PAGE 408

LED Emergency Lights - 416

Exit Lights

PAGE 417

LED Floor & Table Lamps - 420

Floor Lamp Touch& Knob Dimming

PAGE 421

Smart Table Lamps

PAGE 424

Desk Lamps

PAGE 426

Table Lamps

PAGE 427

Table Lamps Speaker

PAGE 429

Floor Lamps

PAGE 430

V-TAC ESSENTIALS

V-TAC'S WIDE RANGE OF ESSENTIAL LED PRODUCTS, FOR DIVERSE APPLICATIONS. OUR PRODUCTS HAVE BEEN TESTED AND APPROVED BY TOP EU LABS ENSURING HIGH QUALITY LED'S.

LED Innovative Lights - 431

Solar Wall Light

PAGE 432

Smart Switchs

PAGE 433

V-TAC SMART LIGHT

works with amazon alexa

works with the Google Assistant

LED Smart Bulbs

PAGE 438

LED Smart Spotlights

PAGE 439

LED Smart Striplight Kit

PAGE 440

LED Smart Dome Light

PAGE 441

LED Smart Panel

PAGE 442

Smart Tower Fan

NEW
PAGE 443

IR Remote Control

PAGE 443

Gyro Robot Vacuum Cleaner

PAGE 444

WiFi Thermostat

PAGE 446

V-TAC SMART HOME

works with amazon alexa

works with the Google Assistant

Touch Switchs

PAGE 447

Plugs

PAGE 448

Power Strip

PAGE 449

RF433 Gateway

PAGE 450

Smart Cameras - 451

Smart Cameras

PAGE 452

Video Doorbell & Chime

PAGE 458

V-TAC ESSENTIALS

V-TAC'S WIDE RANGE OF ESSENTIAL LED PRODUCTS, FOR DIVERSE APPLICATIONS. OUR PRODUCTS HAVE BEEN TESTED AND APPROVED BY TOP EU LABS ENSURING HIGH QUALITY LED'S.

Sockets and Adapters - 459

Power Adapters

PAGE 460

Europeran Sockets

PAGE 461

Italian Sockets

PAGE 472

LED Wall Lights - 482

LED Wall Lights Waterproof

PAGE 483

LED Wall Lights Indoor

PAGE 497

LED Outdoor Lights - 504

Wall Fittings

PAGE 505

Garden Spike

PAGE 508

Pool Lights

PAGE 512

Garden Lamps - 513

Wall Lamps

NEW ADDITION

PAGE 514

Stand Lamps

PAGE 525

LED Display Screen -528

P3 Indoor LED Display Screen

PAGE 529

Pendants - 533

Pendants

NEW ADDITION

PAGE 534

Holders

PAGE 571

LED Pendants and Mirror Lights

PAGE 576

Decorative Lights

PAGE 603

Chandeliers

PAGE 608

Tower Fan NEW

PAGE 614

LED Ceiling Fan NEW

PAGE 617

Cable Tie NEW

PAGE 427

Electrical Solutions NEW

PAGE 629

Wireless Speakers NEW

PAGE 631

UVC Germicidal Lamps NEW

PAGE 639



LED FLOODLIGHTS

V-TAC's LED Floodlights are manufactured with industry-leading components to deliver an exceptional performance, making them the perfect choice for efficient outdoor lighting. Each unit is designed and made of diecast Aluminium for extreme durability. With the IP65 rating, all the floodlights in this series are also waterproof and dustproof.

This extensive range of floodlights is ready to impress in terms of efficiency brought by the Samsung LED chip. The auto-cutoff function comes with the PIR series which disables the sensor with a switch.

APPLICATION

Recommended for any outdoor lighting application in residential, commercial, and industrial areas

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG
LED
Illuminated

KEY FEATURES

- 10w to 1000w
- IP65 rating –– high-quality components used to ensure waterproof/airtight performance
- Modern and strong diecast Aluminium enclosure with a minimalistic design, for high-end support and design
- Product category includes high-lumen, slimline, PIR series, rechargeable, work floodlight, and sports floodlights
- Select units are inclusive of a 1-metre wire for convenience and easy installation

IP65 RATING

MOTION PIR SENSOR

IP65 RATING

5 YEAR WARRANTY*

LED FLOODLIGHTS

Evolution Series Floodlight

Only from v-tac — the first and only led flood lights with 160 lumens per watt rating from the super bright series offer superior efficiency and great energy savings.

- **Aluminium body**
- **100° beam angle**
- **30,000-hr lifespan**
- **CRI: >70**
- **PF: >0.9**
- **AC:220-240V,50Hz**
- **IP65 Rating**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

NEW

VT-4961

SKU: 5918 - 4000K DAY WHITE
SKU: 5919 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	8000lm	10 pcs



SuperBRIGHT 160 LUMENS/W



NEW

VT-49161

SKU: 5920 - 4000K DAY WHITE
SKU: 5921 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	16000lm	4 pcs



SuperBRIGHT 160 LUMENS/W



1 METER WIRE

NEW

VT-49261

SKU: 5922 - 4000K DAY WHITE
SKU: 5923 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	32000lm	2 pcs



SuperBRIGHT 160 LUMENS/W



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

5 YEAR WARRANTY*

LED FLOODLIGHTS

Slimline-White Body-High Lumen

120 lm/W

More bright, energy efficient
50% better than normal LED

The V-TAC LED High Lumen Floodlight offers energy efficient, high output illumination for intensive lighting applications. This series consumes around 80% less energy than traditional outdoor lighting through pioneering optics and the latest LED technology from Samsung.

- **Diecast aluminium body**
- **100° beam angle**
- **30,000-hr lifespan**
- **CRI: >80**
- **PF: >0.9**
- **AC:220-240V,50Hz**
- **IP65 Rating**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-56-W

SKU: 762 | 4000K DAY WHITE
SKU: 763 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	6000	8 pcs

120 Lumen/W





VT-106-W

SKU: 768 | 4000K DAY WHITE
SKU: 769 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	12000	4 pcs

120 Lumen/W



1 METER WIRE



VT-156-W

SKU: 774 | 4000K DAY WHITE
SKU: 775 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs

120 Lumen/W



1 METER WIRE



VT-206-W

SKU: 787 | 4000K DAY WHITE
SKU: 788 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	24000	2 pcs

120 Lumen/W



1 METER WIRE



VT-306-W

SKU: 793 | 4000K DAY WHITE
SKU: 794 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	36000	2 pcs

120 Lumen/W



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

5 YEAR WARRANTY*

LED FLOODLIGHTS

Slimline-Black Body-High Lumen

120 lm/W

More bright, energy efficient
50% better than normal LED

The V-TAC LED High Lumen Floodlight offers energy efficient, high output illumination for intensive lighting applications. This series consumes around 80% less energy than traditional outdoor lighting through pioneering optics and the latest LED technology from Samsung.

- **Diecast aluminium body**
- **100° beam angle**
- **30,000-hr lifespan**
- **CRI: >80**
- **PF: >0.9**
- **AC:220-240V,50Hz**
- **IP65 Rating**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-56-B

SKU: 760 | 4000K DAY WHITE
SKU: 761 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	6000	8 pcs

120 Lumen/W



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-106-B

SKU: 766 | 4000K DAY WHITE
SKU: 767 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	12000	4 pcs

120 Lumen/W



1 METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-156-B

SKU: 772 | 4000K DAY WHITE
SKU: 773 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs

120 Lumen/W



1 METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-206-B

SKU: 778 | 4000K DAY WHITE
SKU: 779 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	24000	2 pcs

120 Lumen/W



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-306-B

SKU: 791 | 4000K DAY WHITE
SKU: 792 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	36000	2 pcs

120 Lumen/W



1 METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-405

SKU: 964 | 4000K DAY WHITE
SKU: 965 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
400w	48000	1 pcs

120 Lumen/W



1 METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-505

SKU: 966 | 4000K DAY WHITE
SKU: 967 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
500w	60000	1 pcs

120 Lumen/W



1 METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-1055

SKU: 968 | 4000K DAY WHITE
SKU: 969 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
1000w	120000	1 pcs

120 Lumen/W



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

5 YEAR WARRANTY*

LED FLOODLIGHTS

Slimline-Grey Body-High Lumen

120 lm/W

More bright, energy efficient
50% better than normal LED

The V-TAC LED High Lumen Floodlight offers energy efficient, high output illumination for intensive lighting applications. This series consumes around 80% less energy than traditional outdoor lighting through pioneering optics and the latest LED technology from Samsung.

- **Diecast aluminium body**
- **100° beam angle**
- **30,000-hr lifespan**
- **CRI: >80**
- **CRI: >80**
- **PF: >0.9**
- **AC:220-240V,50Hz**
- **IP65 Rating**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-56-G

SKU: 764 | 4000K DAY WHITE
SKU: 765 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	6000	8 pcs

120 Lumen/W



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-106-G

SKU: 770 | 4000K DAY WHITE
SKU: 771 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	12000	4 pcs

120 Lumen/W



1 METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-156-G

SKU: 776 | 4000K DAY WHITE
SKU: 777 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs

120 Lumen/W



1 METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-206-G

SKU: 789 | 4000K DAY WHITE
SKU: 790 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	24000	2 pcs

120 Lumen/W



1 METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-306-G

SKU: 795 | 4000K DAY WHITE
SKU: 796 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	36000	2 pcs

120 Lumen/W



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

5 YEAR WARRANTY*

LED FLOODLIGHTS

Slimline-White Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LED chips for a well-diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300 watts, in a clean and ivory white finish. Select models come with a one (1) metre wire.

- **Diecast body**
- **100° beam angle**
- **30,000-hr lifespan**
- **CRI: >80**
- **PF: >0.9**
- **AC:220-240V,50Hz**
- **IP65 Rating**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-10-W

SKU: 427 | 3000K WARM WHITE
SKU: 428 | 4000K DAY WHITE
SKU: 429 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs





VT-20-W

SKU: 442 | 3000K WARM WHITE
SKU: 443 | 4000K DAY WHITE
SKU: 444 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs





VT-30-W

SKU: 403 | 3000K WARM WHITE
SKU: 404 | 4000K DAY WHITE
SKU: 405 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs





VT-30-1-W

SKU: 950 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-50-W

SKU: 409 | 3000K WARM WHITE
SKU: 410 | 4000K DAY WHITE
SKU: 411 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs





VT-50-1-W

SKU: 952 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs



1 METER WIRE



VT-100-W

SKU: 415 | 3000K WARM WHITE
SKU: 416 | 4000K DAY WHITE
SKU: 417 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



1 METER WIRE



VT-150-W

SKU: 478 | 3000K WARM WHITE
SKU: 479 | 4000K DAY WHITE
SKU: 480 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-200-W

SKU: 420 | 4000K DAY WHITE
SKU: 421 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



1 METER WIRE



VT-300-W

SKU: 486 | 4000K DAY WHITE
SKU: 487 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

5 YEAR WARRANTY*

LED FLOODLIGHTS

Slimline-Black Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LED chips for a well-diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300 watts, in a classic, jet black finish. Select models come with a one (1) metre wire.

- **Diecast body**
- **100° beam angle**
- **30,000-hr lifespan**
- **CRI: >80**
- **PF: >0.9**
- **AC:220-240V,50Hz**
- **IP65 Rating**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-10-1-B

SKU: 947 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



1 METER WIRE



VT-20-1-B

SKU: 20012 | 4000K DAY WHITE
SKU: 948 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



1 METER WIRE



VT-30-1-B

SKU: 20013 | 4000K DAY WHITE
SKU: 949 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs



1 METER WIRE



VT-50-1-B

SKU: 20014 | 4000K DAY WHITE
SKU: 951 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-10-B

SKU: 424 | 3000K WARM WHITE
SKU: 425 | 4000K DAY WHITE
SKU: 426 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs





VT-20-B

SKU: 439 | 3000K WARM WHITE
SKU: 440 | 4000K DAY WHITE
SKU: 441 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs





VT-30-B

SKU: 400 | 3000K WARM WHITE
SKU: 401 | 4000K DAY WHITE
SKU: 402 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs





VT-50-B

SKU: 406 | 3000K WARM WHITE
SKU: 407 | 4000K DAY WHITE
SKU: 408 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-100-B

SKU: 412 | 3000K WARM WHITE
SKU: 413 | 4000K DAY WHITE
SKU: 414 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



1 METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-150-B

SKU: 475 | 3000K WARM WHITE
SKU: 476 | 4000K DAY WHITE
SKU: 477 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



1 METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-200-B

SKU: 418 | 4000K DAY WHITE
SKU: 419 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



1 METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-300-B

SKU: 422 | 4000K DAY WHITE
SKU: 423 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

5 YEAR WARRANTY*

LED FLOODLIGHTS

Slimline-Grey Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LED chips for a well-diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300 watts, in a modern, neutral grey finish. Select models come with a one (1) metre wire.

- **Diecast body**
- **100° beam angle**
- **30,000-hr lifespan**
- **CRI: >80**
- **PF: >0.9**
- **AC:220-240V,50Hz**
- **IP65 Rating**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-10-G

SKU: 430 | 3000K WARM WHITE
SKU: 431 | 4000K DAY WHITE
SKU: 432 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs





VT-20-G

SKU: 445 | 3000K WARM WHITE
SKU: 446 | 4000K DAY WHITE
SKU: 447 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs





VT-30-G

SKU: 454 | 3000K WARM WHITE
SKU: 455 | 4000K DAY WHITE
SKU: 456 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs





VT-50-G

SKU: 463 | 3000K WARM WHITE
SKU: 464 | 4000K DAY WHITE
SKU: 465 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-100-G

SKU: 472 | 3000K WARM WHITE
SKU: 473 | 4000K DAY WHITE
SKU: 474 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



1 METER WIRE



VT-150-G

SKU: 481 | 3000K WARM WHITE
SKU: 482 | 4000K DAY WHITE
SKU: 483 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



1 METER WIRE



VT-200-G

SKU: 484 | 4000K DAY WHITE
SKU: 485 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



1 METER WIRE



VT-300-G

SKU: 488 | 4000K DAY WHITE
SKU: 489 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

MOTION PIR SENSOR

5 YEAR WARRANTY*

LED FLOODLIGHTS

PIR Sensor White Body

Incorporating security functionalities, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LED for an even better, high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, or industrial areas.

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >70**
- **PF>0.7 for 10,20w; 0.9 for 30,50w**
- **On/Off cycle: >15000**
- **Instant start in <1sec**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**
- **Detection range:120°**
- **Detection distance:2-8m**
- **Time delay: MIN12+-3sec MAX6+-2min**
- **Installation height: 1.8-2.5m**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-10-S-W

SKU: 433 | 3000K WARM WHITE
SKU: 434 | 4000K DAY WHITE
SKU: 435 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



1 METER WIRE



VT-20-S-W

SKU: 448 | 3000K WARM WHITE
SKU: 449 | 4000K DAY WHITE
SKU: 450 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



1 METER WIRE



VT-30-S-W

SKU: 457 | 3000K WARM WHITE
SKU: 458 | 4000K DAY WHITE
SKU: 459 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	20 pcs



1 METER WIRE



VT-50-S-W

SKU: 466 | 3000K WARM WHITE
SKU: 467 | 4000K DAY WHITE
SKU: 468 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	10 pcs



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

MOTION PIR SENSOR

5 YEAR WARRANTY*

LED FLOODLIGHTS

PIR Sensor Black Body

Incorporating security functionalities, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LED for an even better, high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, or industrial areas.

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >70**
- **PF>0.7 for 10,20w; 0.9 for 30,50w**
- **On/Off cycle: >15000**
- **Instant start in <1sec**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**
- **Detection range:120°**
- **Detection distance:2-8m**
- **Time delay: MIN12+-3sec MAX6+-2min**
- **Installation height: 1.8-2.5m**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-10-S-B

NEW

SKU: 436 | 3000K WARM WHITE
SKU: 437 | 4000K DAY WHITE
SKU: 438 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



1 METER WIRE



VT-20-S-B

SKU: 451 | 3000K WARM WHITE
SKU: 452 | 4000K DAY WHITE
SKU: 453 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



1 METER WIRE



VT-30-S-B

SKU: 460 | 3000K WARM WHITE
SKU: 461 | 4000K DAY WHITE
SKU: 462 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	20 pcs



1 METER WIRE



VT-50-S-B

SKU: 469 | 3000K WARM WHITE
SKU: 470 | 4000K DAY WHITE
SKU: 471 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	10 pcs



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

SOS FLASH

USB PORT

MICRO SOCKET

RECHARGEABLE FLOODLIGHT

Strong, reliable portable lamp — V-TAC's new compact and rechargeable LED floodlights can easily be recharged through the micro socket & USB port making it perfect for home projects, garages, warehouses, car repair shops, parking lots, camping and more.

- **IP Rating - IP44**
- **AC:100-240V**
- **On/Off cycle: >15000**
- **CRI>80**
- **Rechargeable**
- **30,000 Hours Life**
- **PF>0.9**
- **Beamangle: 100**

VT-10-R

SKU: 20038 | 4000K DAY WHITE
SKU:503 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	700	20 pcs

BATTERY
3.7V Li-Ion 3600mAh



VT-11-R

SKU: 20037 | 4000K DAY WHITE
SKU:502 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	700	20 pcs

BATTERY
3.7V Li-Ion 3600mAh
SOS FLASH



VT-20-R

SKU: 20039 | 4000K DAY WHITE
SKU:504 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1400	20 pcs

BATTERY
3.7V Li-Ion 7200mAh
SOS FLASH



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

WORK FLOODLIGHT

Heavy-duty, reliable LED work floodlight — V-TAC's LED Work Light is designed with dual voltage AC:85-265V and comes with 3-metre wire. Built with optional EU/BS plug for direct connection, with adjustable stand and carry handle. Suitable for garages, workshops, basements, car repair shops and more.

- **Input AC:85-265V,50Hz**
- **CRI >80**
- **PF >0.9**
- **30,000 Life Hours**
- **100° Beam Angle**
- **Material Die cast aluminium**
- **3 Meter wire length**
- **IP44**



VT-51

SKU: 945 | 4000K DAY WHITE
SKU: 946 | 6400K WHITE

EU PLUG

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs





NEW

VT-51-BS

SKU: 20065 | 6400K WHITE

BS PLUG

WATTS	LUMENS	BOX QTY.
50W	4000	8 pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

YELLOW BODY FLOODLIGHT

- AC:100-265V,50/60Hz
- 100° beam angle
- 30,000-hr lifespan
- CRI >80
- PF >0.9

- IP65 Rating
- Material: Diecast Aluminum
- On/Off cycle: >15000
- BS Plug with 1.5 Meter Wire Length

5 YEAR WARRANTY*



NEW

VT-58

SKU:20121 | 6400K WHITE

BS PLUG



WATTS	LUMENS	BOX QTY.
50W	5000	10 pcs



NEW

VT-108

SKU:20122 | 6400K WHITE

BS PLUG



WATTS	LUMENS	BOX QTY.
100W	10000	4 pcs

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

SLIM FLOODLIGHT - H STAND

Powerful, slim-built floodlight with heavy-duty H stand for high-quality outdoor lighting performance. The floodlight is tiltable/adjustable and comes with a three-metre wire for maximum portability. Perfect for industrial areas – construction sites, repair shops and garages, warehouses, etc.

- **Input AC:220-240V,50Hz**
- **CRI >80**
- **PF >0.9**
- **25,000 Life Hours**
- **100° Beam Angle**
- **Material: Diecast Aluminum**
- **On/Off cycle: >15000**
- **H Stand with 3 meter wire (EU Plug)**

5 YEAR WARRANTY*



NEW

VT-109

SKU: 20124 | 4000K DAY WHITE
SKU: 20125 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100W	8000	10 pcs

EU PLUG



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

DIMMABLE

MEAN WELL
Your Reliable Power Partner

5 YEAR WARRANTY*

LED FLOODLIGHTS

Sports Light

120 Lumen/W

The new LED Sports Light with Samsung LED offers excellent energy efficiency, low maintenance, and an unbreakable, strong design that can eliminate chances of breaking at ball strikes compared to traditional fluorescent and HID options.

- **Using MEAN WELL driver**
- **No Lead or Mercury content**
- **Life Hours of 30,000 Hours**
- **LED provided by Samsung**
- **Saves 80% energy**
- **IP65 Rating**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-500D

SKU: 490 | 5000K WHITE

WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	45°	1 pcs







VT-501D

SKU: 493 | 5000K WHITE

WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	110°	1 pcs





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

MEAN WELL
Your Reliable Power Partner

5 YEAR WARRANTY*

LED FLOODLIGHTS

LED Super Pro Floodlights

120 Lumen/W

Available in 250W, 500W, and 1000W, our heavy-duty IP66 LED Floodlights are perfect for industrial lighting. Never worry about efficiency — these floodlights are equipped with highly acclaimed LEDs provided by Samsung and Mean Well drivers for energy saving and temperature dissipation excellence.

- **AC: 100-277V**
- **IP66 Rating and strong die cast aluminum body for durability**
- **50,000-hr lifespan**
- **60° & 120° Beam Angle (Rotatable)**
- **CRI: >70**
- **PF: > 0.9**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

BEAM ANGLE **120°**

VT-253D

SKU: 494 | 4000K DAY WHITE
SKU: 500 | 6400K WHITE

BEAM ANGLE **60°**

VT-252D

SKU: 495 | 4000K DAY WHITE
SKU: 501 | 6400K WHITE

WATTS	LUMENS	BOX QTY.	WEIGHT
250w	30000	1 pcs	8KG



BEAM ANGLE **120°**

VT-503D

SKU: 496 | 4000K DAY WHITE

BEAM ANGLE **60°**

VT-502D

SKU: 497 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.	WEIGHT
500w	60000	1 pcs	20.5KG



BEAM ANGLE **120°**

VT-1003D

SKU: 498 | 4000K DAY WHITE

BEAM ANGLE **60°**

VT-1002D

SKU: 499 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.	WEIGHT
1000w	120000	1 pcs	30.8KG



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

LED STREET LIGHTS

Light the path to a brighter future –– V-TAC's LED street lights are equipped with premium-quality LEDs from Samsung and high performance drivers from DALI, Inventronics, and Mean Well to provide uniform brightness and illumination on highways, streets, tunnels, plazas, industrial facilities, car parks, etc. Includes Class I & Class II Type 3 lenses.

KEY FEATURES

- Modern and efficient replacement for traditional streetlights
- Saves 80% on electricity cost
- Low maintenance; longer lifespan
- Weatherproof body – IP65/66 sealed optical cavities
- Optically optimized glass lenses to prevent eye strains
- Uniformity in light distribution – maximizes efficiency
- Fully operational in extreme weather
- DALI, Inventronics, Mean Well drivers

APPLICATION

Optimized and engineered for streets, public parks, roads & highways, crossroads, tunnels, car parks, industrial facilities, etc.

IP65 RATING

130 LUMENS/WATT

5 YEAR WARRANTY*

LED STREETLIGHT

CLASS II, TYPE III-M LENS

10 KV SURGE PROTECTION

The new Class II Type III-M lens from V-TAC offers a wide beam angle of 150x80° — especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 80w to 200w, with select models available with DALI driver.

- **CRI: >70**
- **PF: > 0.9**
- **Up to 26000 lumen output available**
- **AC:175-265V,50HZ**
- **IP66 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **150 x 80° Beam Angle**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

VT-80ST

SKU: 541 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
80w	10400	1 pcs

130 Lumen/W



VT-120ST

SKU: 542 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
120w	15600	1 pcs

130 Lumen/W



VT-160ST

SKU: 543 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
160w	20800	1 pcs

130 Lumen/W



VT-200ST

SKU: 544 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
200w	26000	1 pcs

130 Lumen/W



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

130 LUMENS/WATT

5 YEAR WARRANTY*

LED GARDEN LIGHT

CLASS II, TYPE III-M LENS

10 KV SURGE PROTECTION

The LED Garden Light series offers our high lumen 50W & 100W upright and suspended lighting for outdoor applications. Equipped with high-quality LEDs from Samsung and drivers from Mean Well, these efficient, energy-saving garden lights are a great alternative to traditional street lighting.

- **Instant start: 0-100% in <1sec**
- **On/off cycle: >20,000 times**
- **CRI: >70**
- **PF: > 0.9**
- **IK08 rating**
- **AC:176-265V,50HZ**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **Beam Angle: 150x80° | 160x100° (Suspended Light)**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Garden Light

VT-55-1

SKU: 782 | 4000K DAY WHITE

WATTS	LUMENS	WEIGHT	BOX QTY.
50w	6500	8.36	1 pcs

130 Lumen/W



Garden Light

VT-105

SKU: 783 | 4000K DAY WHITE

WATTS	LUMENS	WEIGHT	BOX QTY.
100w	13000	13.28	1 pcs

130 Lumen/W



Suspended Light

VT-115ST

SKU: 545 | 4000K DAY WHITE

WATTS	LUMENS	WEIGHT	BOX QTY.
100w	13000	11.16	1 pcs

130 Lumen/W



NEW

STREET LIGHT

SUSPENDED

GARDEN LIGHT

CLASS I,TYPE III-M LENS Garden Light

VT-895

SKU: 8679 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
50w	6750	1 pcs

130 Lumen/W



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

140+ LUMENS/WATT

5 YEAR WARRANTY*

LED STREETLIGHT

Class I, Inventronics Driver Streetlight

The LED Streetlight (Class I Type) offers a high-lumen output and highly efficient performance improved through the industry-leading Inventronics driver. Especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 50w to 150w.

- **CRI: >70**
- **PF: > 0.9**
- **AC: 90-305V,50Hz**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **153x70° Beam Angle**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

140 Lumen/W

VT-53ST

SKU: 953 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
50w	7000	2 pcs

INVENTRONICS DRIVER



140 Lumen/W

VT-103ST

SKU: 954 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
100w	14000	2 pcs

INVENTRONICS DRIVER



140 Lumen/W

VT-153ST

SKU: 955 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
150w	21000	1 pcs

INVENTRONICS DRIVER



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

140+ LUMENS/WATT

5 YEAR WARRANTY*

LED STREETLIGHT

Available in 100W to 200W, V-TAC's innovative range of streetlights introduces the new dimmable series with LEDs provided by Samsung and world-renowned Inventronics driver. These streetlights are recommendable to help streets easily adapt to the varied night lighting need of different areas or regions which can ultimately lead to even bigger savings in energy consumption.

- **CRI: >70**
- **PF: > 0.9**
- **Up to 28000 lumen output available**
- **AC:200-240V**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **153x70° Beam Angle**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

VT-102ST

SKU: 883 | 4000K DAY WHITE
SKU: 884 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
100w	14000	1 pcs

INVENTRONICS
DRIVER

140
Lumen/W



VT-122ST

SKU: 885 | 4000K DAY WHITE
SKU: 886 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
120w	16800	1 pcs

INVENTRONICS
DRIVER

140
Lumen/W



VT-152ST

SKU: 887 | 4000K DAY WHITE
SKU: 888 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
150w	21000	1 pcs

INVENTRONICS
DRIVER

140
Lumen/W



VT-202ST

SKU: 889 | 4000K DAY WHITE
SKU: 890 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
200w	28000	1 pcs

INVENTRONICS
DRIVER

140
Lumen/W



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

120+ LUMENS/WATT

5 YEAR WARRANTY*

LED STREETLIGHT

Slim Streetlight

The Slim Streetlight series from V-TAC offers a sleeker, leaner design without compromising the high lumen output that V-TAC streetlights are known for. Especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 30w to 150w.

- **30,000 Life Hours**
- **110° Beam Angle**
- **Material aluminium**
- **Input AC:220-240V,50Hz**
- **CRI >70**
- **PF >0.9**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

120 Lumen/W

VT-34ST

SKU: 956 | 4000K DAY WHITE
SKU: 957 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	3600	4 pcs



120 Lumen/W

VT-54ST

SKU: 958 | 4000K DAY WHITE
SKU: 959 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	6000	4 pcs



120 Lumen/W

VT-104ST

SKU: 960 | 4000K DAY WHITE
SKU: 961 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	12000	2 pcs



120 Lumen/W

VT-154ST

SKU: 962 | 4000K DAY WHITE
SKU: 963 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

120+ LUMENS/WATT

5 YEAR WARRANTY*

LED STREETLIGHT

Streetlight-Grey

Retaining the classic design of the V-TAC streetlight, the grey streetlight series boasts of high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 150W, and impressive lumen output of up to 18000.

- **110° Beam Angle**
- **CRI: >70**
- **PF: > 0.9**
- **Up to 18000 lumen output available**
- **AC: 175-265V,50Hz**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-30ST

SKU: 525 | 4000K DAY WHITE
SKU: 526 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	3600	4 pcs

120 Lumen/W





VT-50ST

SKU: 527 | 4000K DAY WHITE
SKU: 528 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	6000	4 pcs

120 Lumen/W





VT-100ST

SKU: 529 | 4000K DAY WHITE
SKU: 530 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	12000	2 pcs

120 Lumen/W





VT-150ST

SKU: 531 | 4000K DAY WHITE
SKU: 532 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs

120 Lumen/W



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



IP65 RATING

3 YEAR WARRANTY*

LED STREETLIGHT

Retaining the classic design of the V-TAC streetlight in Iron Grey finish, this series boasts of high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 120W, and impressive lumen output of up to 12000

- **CRI: >70**
- **PF: > 0.9**
- **30,000-hr lifespan**
- **AC:200-240V**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **Beam Angle: 110° | 65x135° (with lens)**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-31ST

SKU: 537 | 4000K DAY WHITE
SKU: 538 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	3000	4 pcs





VT-51ST

SKU: 539 | 4000K DAY WHITE
SKU: 540 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	5000	4 pcs





VT-101ST

SKU: 535 | 4000K DAY WHITE
SKU: 536 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	10000	2 pcs





VT-121ST

SKU: 533 | 4000K DAY WHITE
SKU: 534 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
120w	12000	2 pcs



STREETLIGHT-ADAPTER

VT-795

SKU: 3624 3800157608152



Compatible with 100W,120W and 150W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.

STREETLIGHT-ADAPTER

VT-795-1

SKU: 3668 3800157625029



Compatible with 30W and 50W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED HIGHBAY

Our world-class highbay range includes models with drivers from Mean Well and Samsung –– both key players in the LED driver market that boasts of exceptional energy-saving features.

With up to a staggering 180++ lumen-per-watt rating and drivers that provide a lifespan of up to 50,000 hours, V-TAC's new generation of LED highbays are the strongest and most efficient LED high bays available in the market today. Available in 100W to 500W.

APPLICATION

Recommended for lighting in warehouses, factories, gymnasiums, or any large open area with high ceiling

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

KEY FEATURES

- Professional upgraded drivers from Mean Well and Samsung
- Strong and durable diecast aluminum body
- IP65 rating
- SMD LED
- Compatible with Daylight Sensors
- Up to 30,000-hr lifespan
- Available reflectors for a customized beam angle: aluminum & PC transparent

120
LUMENS/WATT

IP65
RATING

USING
SAMSUNG
POWER SUPPLY

Optional
DAYLIGHT SENSOR
SKU - 1369

1-10V
DIMMABLE

REFLECTOR HIGHBAYS

SAMSUNG Power Supply

With our latest in-branding program with Samsung, these highbays offer a high-lumen output of up to 180 lm/w and boasts of efficiency in every lumen with Samsung's cutting edge drivers. With strong, IP65-rated diecast aluminum enclosing and unparalleled lighting performance, these LED highbays are sure to take the industrial lighting market by storm.

- **120 lm/w**
- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**

5 YEAR WARRANTY*

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-113	100w	16000	120°	1 pcs

SKU: 20024 | 4000K DAY WHITE
SKU: 20025 | 6000K WHITE



1–10V DIMMABLE

SuperBRIGHT 160 LUMENS/W evolution

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-108	100w	18000	120°	1 pcs

SKU: 575 | 4000K DAY WHITE
SKU: 576 | 6400K WHITE

1–10V DIMMABLE

V-TAC PERFORMANCE 180 LUMENS/WATT



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-103	100w	12000	120°	1 pcs

SKU: 577 | 4000K DAY WHITE
SKU: 578 | 6400K WHITE

1–10V DIMMABLE

120 Lumen/W



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-105	100w	12000	90°	1 pcs

SKU: 583 | 4000K DAY WHITE
SKU: 584 | 6400K WHITE

1–10V DIMMABLE

120 Lumen/W



COVER OPTIONS

Aluminum Reflector
90° SKU-570

Aluminum Reflector
120° SKU-571

PC Transparent Reflector
120° SKU-574

PC Dustproof Cover
SKU-586

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC PERFORMANCE
180
LUMENS/WATT

IP65
RATING

MW
MEAN WELL
Your Reliable Power Partner

Optional
DAYLIGHT SENSOR
SKU - 1369

1-10V
DIMMABLE

REFLECTOR HIGHBAYS

MEAN WELL Driver

Powerful performance with ultra-efficient energy management. With a staggering high-lumen rating of 180 lm/w matched with the highly acclaimed Mean Well driver and IP65 Aluminum body, this range of highbays with LEDs provided by Samsung is the optimal choice for heavy-duty industrial lighting in warehouses, factories, and workshops. Perfectly compatible with daylight sensors, Aluminum and PC reflectors are also available for maximum directional customizability.

- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**

5 YEAR WARRANTY*

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-102	100w	18000	120°	2 pcs

SKU: 566 | 4000K DAY WHITE
SKU: 567 | 6400K WHITE

1–10V DIMMABLE

V-TAC PERFORMANCE 180 LUMENS/WATT



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-120	120w	21600	120°	2 pcs

SKU: 568 | 4000K DAY WHITE
SKU: 569 | 6400K WHITE

1–10V DIMMABLE

V-TAC PERFORMANCE 180 LUMENS/WATT



COVER OPTIONS

Aluminum Reflector
90° SKU-570

Aluminum Reflector
120° SKU-571

PC Transparent Reflector
120° SKU-574

PC Dustproof Cover
SKU-586



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

120
LUMENS/WATT

IP65
RATING

MEAN WELL
Your Reliable Power Partner

Optional
DAYLIGHT SENSOR
SKU - 1369

1-10V
DIMMABLE

UFO HIGHBAYS

MEAN WELL Driver

This advanced LED highbays are ready to impress with its high-lumen ratings and LED chips from Samsung. This range is equipped with drivers from Mean Well — a key player in the LED driver industry for a strong and efficient performance.

- **Available in 100 - 500 watts**
- **50,000 hrs Lifespan**
- **On/Off cycle: >25000**
- **Instant start: 0-100% in <1s**
- **AC:95-265V,50/60Hz**
- **Die cast Aluminum**
- **PF: >0.9**
- **CRI:>80**

5 YEAR WARRANTY*

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-106	100w	12000	120°	1 pcs

SKU: 585 | 4000K DAY WHITE

DALI
Dimming

120
Lumen/W



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-100	100w	12000	90°	4 pcs

SKU: 564 | 4000K DAY WHITE
SKU: 565 | 6400K WHITE

1–10V
DIMMABLE

120
Lumen/W



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-101	100w	12000	120°	4 pcs

SKU: 562 | 4000K DAY WHITE
SKU: 563 | 6400K WHITE

1–10V
DIMMABLE

120
Lumen/W



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-150	150w	18000	90°	2 pcs

SKU: 560 | 4000K DAY WHITE
SKU: 561 | 6400K WHITE

1–10V
DIMMABLE

120
Lumen/W



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-114	100W	12000	120°	1 pcs

SKU: 20063 | 4000K DAY WHITE
SKU:20064 | 5000K WHITE

NEW

1–10V DIMMABLE

120 Lumen/W



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-151	150w	18000	120°	2 pcs

SKU: 558 | 4000K DAY WHITE
SKU: 559 | 6400K WHITE

1–10V DIMMABLE

120 Lumen/W



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-151N	150W	21000	120°	1 pcs

SKU: 55811 | 4000K DAY WHITE
SKU: 55911 | 6400K WHITE

NEW

1–10V DIMMABLE

140 Lumen/W



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-200	200w	24000	120°	1 pcs

SKU: 580 | 4000K DAY WHITE
SKU: 581 | 6400K WHITE

1–10V DIMMABLE

120 Lumen/W



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-200N	200w	28000	120°	1 pcs

SKU: 58011 | 4000K DAY WHITE
SKU: 58111 | 6400K WHITE

NEW

1–10V DIMMABLE

140 Lumen/W



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-500	500w	60000	120°	1 pcs

SKU: 509 | 4000K DAY WHITE

1–10V DIMMABLE

120 Lumen/W



140LM/W High Bay Sensor

SKU: 20123

- Rated Voltage: AC:100/277V, 50/60Hz
- Working Mode: On/Off Function, 1-10V step dimming
- IP Rating: IP65
- Hold Time: 5s/30s/1min/3min/5min/10min/20min/30min
- Stand-by Dim Level: 10%/20%/30%/50%
- Stand-by Period: 0s/10s/1min/3min/5min/10min/30min/+∞
- Detection Area: 25%/50%/75%/100%
- Detection Angle: 360°(ceiling mounting)
- Daylight Sensor: 5lux/15lux/30lux/50lux/100lux/150lux/Disable (Ambient light diffusion)
- Compatible with VT-9-151N and VT-9-200N

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED LINEAR LOW BAY

Our series of LED Low Bay fixtures allow parallel lighting on supermarket aisles, workshops, warehouses, and factories which is proven to be approximately 50% more efficient than a perpendicular lighting layout and also decreases eye strain. This range offers strong and ample light with promising 120 lm/w options and impressive energy-saving features compared to its traditional counterparts. Available in 100w to 200w.

- **AC:220-240v,50HZ**
- **On/off: >20,000 times**
- **IP54 rating**
- **Lifespan - 30,000 hrs**
- **Aluminium body**
- **Heat and Shock Resistant.**
- **Low-maintenance**
- **Upgraded with premium-quality Samsung LEDs**
- **Ideal for workshops, supermarkets, warehouses, etc.**
- **High-lumen (120 lm/w) options available**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-112	100w	12000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 891 | 4000K DAY WHITE
SKU: 892 | 6000K WHITE



120 Lumen/W

MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-152	150w	18000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 893 | 4000K DAY WHITE
SKU: 894 | 6000K WHITE



120 Lumen/W

MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-202	200w	24000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 895 | 4000K DAY WHITE
SKU: 896 | 6000K WHITE



120 Lumen/W

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED CANOPY LIGHTING

A specialized addition to V-TAC's current roster of innovative LED lighting solutions, the LED canopy light with Samsung LED is precisely designed for petrol stations. It has a slim design that is suitable for recessed or surface-mounted installation. This canopy is aluminum-made, having a tough exterior made to withstand extreme temperature or UV conditions.

- **Specially designed for gas stations**
- **Suitable for recessed or surface mounted installation**
- **Super slim design and nice looking, easier to install**
- **Instant start, no noise, no fl ickering.**
- **Heat and Shock Resistant.**
- **Reduce maintenance costs up to 90%, almost free of maintenance.**
- **Suit for both indoor and outdoor use.**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-155	150w	18000	110°	2 pcs

SKU: 572 | 4000K DAY WHITE
SKU: 573 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PANELS

The PRO Series LED panels range are all made with top-quality PMMA diffusers which provides a uniformly distributed light and prevents the panels from turning yellow.

It proves its durability with exteriors composed of an innovative combination of Aluminum+PMMA+PP, and its energy-saving upgrade through the improved driver box and Samsung LED chip. Both frameless and big panels are inclusive of a quick connector for easy installation.

APPLICATION

Widely used in offices, schools, hospitals, and commercial establishments

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

KEY FEATURES

- Inclusive of a quick connector
- Flicker-free; stable drivers eliminate flashes
- Better light quality: less false colour plots
- 80% lower power consumption than conventional downlights
- Standard dimensions for big panels available
- Choose from square and round frameless mini panels

TP(a) POLYCARBONATE
MICROPRISMATIC DIFFUSER

UGR<19

evolution

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

QUICK CONNECTOR

LED BIG PANELS

Square Panels-60x60

- Quick Connector
- SMD LED Type
- 30,000 hrs Lifespan
- 120° Beam Angle
- PF:>0.9
- CRI: >80
- Aluminum+ PMMA+PP
- Flicker Free

Our 36w and 45w LED panels are made with high quality PMMA diffusers which prevents it from turning yellow over time and makes it emit strong and evenly distributed light. Also available is the TP(a)-rated panel to meet fire safety standards. All our LED panels have quick connectors that will save installation time and costs.

5 YEAR WARRANTY*

SKU: 20047 | 4000K DAY WHITE
SKU: 20048 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-629	29w	3480	6 pcs

AC:200-240V, 50/60Hz



SKU: 750 | 4000K DAY WHITE
SKU: 751 | 6400K WHITE

TP(a) POLYCARBONATE
MICROPRISMATIC DIFFUSER

MODEL	WATTS	LUMENS	BOX QTY.
VT-636	36w	3600	6 pcs

AC:200-240V, 50/60Hz



SKU: 632 | 3000K WARM WHITE
SKU: 633 | 4000K DAY WHITE
SKU: 634 | 6400K WHITE

PMMA Diffuser

MODEL	WATTS	LUMENS	BOX QTY.
VT-645	45w	3600	6 pcs

AC:220-240V,50Hz



NEW

SKU: 20119 | 4000K DAY WHITE

UGR<19

MODEL	WATTS	LUMENS	BOX QTY.
VT-649	45W	3600	6 pcs

AC:200-240V, 50/60Hz



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



evolution

2 IN 1 RECESSED OR SURFACE

SuperBRIGHT 160 LUMENS/W

LED BACKLIT PANEL

Evolution Panels Series

This 25w LED panel delivers 4000 lumens through its impressive 160 lm/w rating. With the flexibility to be installed recessed or surface-mounted, it is sure to be one of the best preferred panels in the market.

- **SMD LED Type**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:200-240V,50/60Hz**
- **CRI: >80**
- **FE+PS**

SKU: 6600 | 3000K WARM WHITE
SKU: 6601 | 4000K DAY WHITE
SKU: 6602 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-6125	25W	4000	1 pcs



QUICK CONNECTOR

5 YEAR WARRANTY*

LED BIG PANELS

Rectangle Panels-120x60

- **SMD LED Type**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **Aluminum+ PMMA+PP**
- **Flicker Free**

SKU: 748 | 4000K DAY WHITE
SKU: 749 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-646	45w	5400	2 pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED MINI PANELS

Round Adjustable Panel

V-TAC's new innovative adjustable mini panels are equipped with adjustable clips for a flexible cutting size of up to 200 mm. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These slim & modern panels lights up all the way to the edges, giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor lighting.

- **Adjustable(Cut out) Panel**
- **SMD LED Type**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**
- **On/Off Cycle: >15000**

5 YEAR WARRANTY*

SKU: 727 | 3000K WARM WHITE
SKU: 728 | 4000K DAY WHITE
SKU: 729 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-610RD	12w	750	20 pcs



Cutting Size: 75-100mm

SKU: 733 | 3000K WARM WHITE
SKU: 734 | 4000K DAY WHITE
SKU: 735 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-619RD	18w	1350	20 pcs



Cutting Size: 75-100mm

SKU: 739 | 3000K WARM WHITE
SKU: 740 | 4000K DAY WHITE
SKU: 741 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-625RD	24w	1800	20 pcs



Cutting Size: 75-200mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED MINI PANELS

Square Adjustable Panel

V-TAC's new innovative adjustable mini panels are equipped with adjustable clips for a flexible cutting size of up to 200 mm. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These slim & modern panels lights up all the way to the edges, giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor lighting.

- **Adjustable(Cut out) Panel**
- **SMD LED Type**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**
- **On/Off Cycle: >15000**

5 YEAR WARRANTY*

SKU: 730 | 3000K WARM WHITE
SKU: 731 | 4000K DAY WHITE
SKU: 732 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-610SQ	12w	750	20 pcs



Cutting Size: 75-100mm

SKU: 736 | 3000K WARM WHITE
SKU: 737 | 4000K DAY WHITE
SKU: 738 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-619SQ	18w	1350	20 pcs



Cutting Size: 75-100mm

SKU: 742 | 3000K WARM WHITE
SKU: 743 | 4000K DAY WHITE
SKU: 744 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-625SQ	24w	1800	20 pcs



Cutting Size: 75-200mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



EXPANDABLE CLIPS TO ADJUST

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED MINI PANELS

Round Premium Series Panel

V-TAC's efficient & trendy Premium Series Mini Panels are now upgraded with premium-quality Samsung LED chips for an even better lighting output and performance. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These square, slim & modern panels are ideal for residential, office, or commercial indoor lighting.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**

5 YEAR WARRANTY*

SKU: 706 | 3000K WARM WHITE
SKU: 707 | 4000K DAY WHITE
SKU: 708 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-606RD	6w	420	40 pcs



Cutting Size: ø110mm

SKU: 712 | 3000K WARM WHITE
SKU: 713 | 4000K DAY WHITE
SKU: 714 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-612RD	12w	1000	20 pcs



Cutting Size: ø160mm

SKU: 718 | 3000K WARM WHITE
SKU: 719 | 4000K DAY WHITE
SKU: 720 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-618RD	18w	1500	20 pcs



Cutting Size: ø210mm

SKU: 724 | 3000K WARM WHITE
SKU: 725 | 4000K DAY WHITE
SKU: 726 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-624RD	24w	2000	10 pcs



Cutting Size: ø280mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

LED MINI PANELS

Square Premium Series Panel

V-TAC's efficient & trendy Premium Series Mini Panels are now upgraded with premium-quality Samsung LED chips for an even better lighting output and performance. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These square, slim & modern panels are ideal for residential, office, or commercial indoor lighting.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**

5 YEAR WARRANTY*

SKU: 703 | 3000K WARM WHITE
SKU: 704 | 4000K DAY WHITE
SKU: 705 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-606SQ	6w	420	40 pcs



Cutting Size: 110x110mm

SKU: 709 | 3000K WARM WHITE
SKU: 710 | 4000K DAY WHITE
SKU: 711 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-612SQ	12w	1000	20 pcs



Cutting Size: 160x160mm

SKU: 715 | 3000K WARM WHITE
SKU: 716 | 4000K DAY WHITE
SKU: 717 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-618SQ	18w	1500	20 pcs



Cutting Size: 210x210mm

SKU: 721 | 3000K WARM WHITE
SKU: 722 | 4000K DAY WHITE
SKU: 723 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-624SQ	24w	2000	10 pcs



Cutting Size: 280x280mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED MINI PANELS

Round Edge Series

V-TAC's Round Edge Panel has an elegant, classic design that lights up all the way to the edges — giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor areas. The quick connector feature lessens set-up time brought by complicated wirings. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers.

- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **ABS+Plastic Body**

5 YEAR WARRANTY*

SKU: 628 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-608RD	8w	800	100 pcs



Cutting Size: ø 72 mm

SKU: 621 | 4000K DAY WHITE
SKU: 622 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-615RD	15w	1500	40 pcs



Cutting Size: ø 95 mm

SKU: 614 | 3000K WARM WHITE
SKU: 615 | 4000K DAY WHITE
SKU: 616 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-620RD	20w	2000	40 pcs



Cutting Size: ø 140 mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Quick Connector



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED MINI PANELS

Square Edge Series

V-TAC's Round Edge Panel has an elegant, classic design that lights up all the way to the edges — giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor areas. The quick connector feature lessens set-up time brought by complicated wirings. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers.

5 YEAR WARRANTY*

- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **ABS+Plastic Body**

SKU: 617 | 3000K WARM WHITE
SKU: 618 | 4000K DAY WHITE
SKU: 619 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-615SQ	15w	1500	40 pcs



Cutting Size: 95X 95mm

SKU: 611 | 3000K WARM WHITE
SKU: 612 | 4000K DAY WHITE
SKU: 613 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-620SQ	20w	2000	40 pcs



Cutting Size: 142X 142mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED TUBES & FIXTURES WITH LED

V-TAC's extensive range of efficient tubes & fixtures boasts of premium quality LED provided by Samsung, a staggering lifespan of up to 30,000 hours, unbreakable body built with the most durable materials in the market, and a wide range of lengths and sizes for different applications.

More innovative additions in this range include

1) TP(a) rated fixtures compatible with emergency packs & microwave sensors
2) Batten Fittings with CCT-changing Switch
3) Linkable T5 Batten Fittings, and more.
4) Waterproff Fittings

APPLICATION

Used for general purpose lighting in residences, commercial establishments, supermarkets, and offices

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated



KEY FEATURES

- LED provided by Samsung
- Lasts up to 30,000 hrs
- Built with strong, durable materials
- TP(a) Rated fittings for select models
- Programmable DIP Switch Driver for select models
- Emergency Pack & Sensor Compatibility
- Linkable/Continuous T5 fittings
- CCT Changing Switch for select models

SuperBRIGHT
160
LUMENS/W

T8-NANO PLASTIC TUBES

Evolution Tubes Series

5 YEAR WARRANTY*

Together with its impressive a++ energy rating, our led tubes offer a staggering 160 lumen per watt output and five years warranty — making it one of the most superior in the competitive led market.

- **Nano Plastic**
- **30,000 Life Hours**
- **CRI - >80**
- **Flicker Free**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V,50Hz**
- **Beam angle:160 °**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-1607	7w	1120lm	0.115	25 pcs

SKU: 6474 | 3000K WARM WHITE
SKU: 6475 | 4000K DAY WHITE
SKU: 6476 | 6400K WHITE



SuperBRIGHT 160 LUMENS/W



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-1612	12w	1920lm	0.193	25 pcs

SKU: 6477 | 3000K WARM WHITE
SKU: 6478 | 4000K DAY WHITE
SKU: 6479 | 6400K WHITE



SuperBRIGHT 160 LUMENS/W



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-1615	15w	2400lm	0.261	25 pcs

SKU: 6481 | 4000K DAY WHITE
SKU: 6482 | 6400K WHITE



SuperBRIGHT 160 LUMENS/W



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

LED TUBES

G13-T8 -Nano Plastic Tube

This modern range of high-lumen LED tubes with Samsung LED chip are the perfect retrofit for fluorescent fixtures. Complete with a series of pop kits (batten fittings inclusive of tubes), these sets of tubes are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **160° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **>80 CRI**
- **>0.5 PF**
- **Nano Plastic Body**
- **<0.5 s Instant Start**

5 YEAR WARRANTY*

MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-062	10w	18w	1100	0.1264	25 pcs

SKU: 798 | 3000K WARM WHITE
SKU: 686 | 4000K DAY WHITE
SKU: 687 | 6400K WHITE



ROTATABLE

2 FEET

120 Lumen/W

MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-122	18w	45w	2250	0.1904	25 pcs

SKU: 688 | 3000K WARM WHITE
SKU: 672 | 4000K DAY WHITE
SKU: 673 | 6400K WHITE



4 FEET

120 Lumen/W



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-152	22w	75w	3000	0.2572	25 pcs

SKU: 799 | 3000K WARM WHITE
SKU: 674 | 4000K DAY WHITE
SKU: 675 | 6400K WHITE



5 FEET

120 Lumen/W

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-061	10w	18w	850	0.1264	25 pcs

SKU: 650 | 3000K WARM WHITE
SKU: 651 | 4000K DAY WHITE
SKU: 652 | 6400K WHITE



2 FEET

ROTATABLE



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-121	18w	36w	1700	0.1904	25 pcs

SKU: 653 | 3000K WARM WHITE
SKU: 654 | 4000K DAY WHITE
SKU: 655 | 6400K WHITE



4 FEET



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-151	22w	58w	2000	0.2572	25 pcs

SKU: 656 | 3000K WARM WHITE
SKU: 657 | 4000K DAY WHITE
SKU: 658 | 6400K WHITE



5 FEET





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED BATTEN FITTINGS

Single and Double Batten Fitting

This modern range of batten fittings offer durability and can house one to two LED tubes. These luminaires are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **160° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **Nano Plastic Body**

5 YEAR WARRANTY*

MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12026	18w	1700	15000	>0.5	10 pcs

SKU: 6442 | 4000K DAY WHITE

4 FEET TUBE INCLUDED

MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15023	22w	2000	15000	>0.5	10 pcs

SKU: 6438 | 4000K DAY WHITE

5 FEET TUBE INCLUDED

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12027	36w	3400	15000	>0.5	10 pcs

SKU: 6444 | 4000K DAY WHITE

4 FEET

TUBE INCLUDED

MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15024	44w	4000	15000	>0.5	10 pcs

SKU: 6440 | 4000K DAY WHITE

5 FEET

TUBE INCLUDED



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

SuperBRIGHT 160 LUMENS/W

GRILL FITTING

Evolution Series

5 YEAR WARRANTY*

Only from v-tac — the first and only led grill fittings with 160 lumens per watt rating from the super bright series offer superior efficiency and great energy savings. Comes with a fast connector for easy wiring and installation.

- **Plastic Body**
- **30,000 Life Hours**
- **CRI - >80**
- **Flicker Free**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V,50Hz**
- **Beam angle:160 °**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8315	15w	2400lm	0.192	30 pcs

SKU: 6487 - 3000K WARM WHITE
SKU: 6488 - 4000K DAY WHITE
SKU: 6489 - 6400K WHITE



2 FEET

SuperBRIGHT 160 LUMENS/W

QUICK CONNECTOR

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8330	30w	4800lm	0.35	30 pcs

SKU: 6490 - 3000K WARM WHITE
SKU: 6491 - 4000K DAY WHITE
SKU: 6492 - 6400K WHITE



4 FEET

SuperBRIGHT 160 LUMENS/W

QUICK CONNECTOR

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8338	38w	6080lm	0.57	30 pcs

SKU: 6493 - 3000K WARM WHITE
SKU: 6494 - 4000K DAY WHITE
SKU: 6495 - 6400K WHITE



5 FEET

SuperBRIGHT 160 LUMENS/W

QUICK CONNECTOR

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

FIXTURES WITH LED

LED Prismatic Fittings

120 LM/WATT

Quick Connector

The reliable 10w to 60w range of efficient LED prismatic fittings from V-TAC all have a high-lumen rating of 120 lm/w and are equipped with quick connectors to lessen set-up time during installation. Available in 3000K, 4000K, and 6400K color temperatures, these durable fittings are ideal for any indoor lighting use

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **110° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **>0.9 PF**
- **Plastic Body**
- **<0.5 s Instant Start**

5 YEAR WARRANTY*

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-10	10w	1200	0.26	10 pcs

SKU: 659 | 3000K WARM WHITE
SKU: 660 | 4000K DAY WHITE
SKU: 661 | 6400K WHITE



1 FEET

120 Lumen/W

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-20	20w	2400	0.42	10 pcs

SKU: 662 | 3000K WARM WHITE
SKU: 663 | 4000K DAY WHITE
SKU: 664 | 6400K WHITE



2 FEET

120 Lumen/W

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-40	40w	4800	0.84	10 pcs

SKU: 665 | 3000K WARM WHITE
SKU: 666 | 4000K DAY WHITE
SKU: 667 | 6400K WHITE



4 FEET

120 Lumen/W

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-50	50w	6000	1.00	10 pcs

SKU: 668 | 4000K DAY WHITE
SKU: 669 | 6400K WHITE



5 FEET

120 Lumen/W

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-60	60w	7200	1.20	10 pcs

SKU: 670 | 4000K DAY WHITE
SKU: 671 | 6400K WHITE



6 FEET

120 Lumen/W

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

NEW

LED Batten Fitting

- SMD LED Chip
- 30,000 hrs Lifespan
- 120° Beam Angle
- AC:220-240V, 50Hz
- 120LM/W
- CRI >80
- PF >0.9 (Above 24W models)
- Built with safety belt for easy installation
- Instant Start 0-100% in <1s
- On/Off Cycles >15000

5 YEAR WARRANTY*

QUICK CONNECTOR

MODEL	WATTS	LUMENS	BOX QTY.
VT-8-24	24w	2880	12 pcs



SKU: 20066 | 4000K DAY WHITE
SKU: 20067 | 6400K WHITE

120 Lumen/W

MODEL	WATTS	LUMENS	BOX QTY.
VT-8-28	28w	3360	10 pcs



SKU: 20070 | 4000K DAY WHITE
SKU: 20071 | 6400K WHITE

120 Lumen/W

MODEL	WATTS	LUMENS	BOX QTY.
VT-8-44	40w	4800	12 pcs



SKU: 20068 | 4000K DAY WHITE
SKU: 20069 | 6400K WHITE

120 Lumen/W

MODEL	WATTS	LUMENS	BOX QTY.
VT-8-54	50w	6000	10 pcs



SKU: 20072 | 4000K DAY WHITE
SKU: 20073 | 6400K WHITE

120 Lumen/W

MODEL	WATTS	LUMENS	BOX QTY.
VT-8-64	60w	7200	8 pcs



SKU: 20074 | 4000K DAY WHITE
SKU: 20075 | 6400K WHITE

120 Lumen/W

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

NEW

LED Batten Fitting

5 YEAR WARRANTY*

- SMD LED Chip
- 30,000 hrs Lifespan
- 120° Beam Angle
- AC:220-240V, 50Hz
- 120LM/W
- CRI >80
- PF >0.9 (Above 24W models)
- Built with safety belt for easy installation
- Instant Start 0-100% in <1s
- On/Off Cycles >15000

EASY TOGGLE SWITCH

3000K 4000K 6400K

EASY ACCESS FOR COLOR CHANGING WITH BUTTON

MODEL	WATTS	LUMENS	BOX QTY.
VT-8-45	40w	4800	8 pcs

SKU: 20149 | 3IN1

120 Lumen/W



MODEL	WATTS	LUMENS	BOX QTY.
VT-8-55	50w	6000	8 pcs

SKU: 20150 | 3IN1

120 Lumen/W



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

TP(a)
Polycarbonate

Compatible Emergency Pack

Sensor Compatible

FIXTURES WITH LED

LED Batten Fitting

FLICKER FREE

5 YEAR WARRANTY*

V-TAC's all new range of LED Batten Fittings designed with LED chip by Samsung deliver high performance light output . These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional microwave sensor specially designed for LED Batten Fittings is also available.

- **Tp(A) Rated**
- **30,000 Life Hours**
- **CRI - >80**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V,50Hz**
- **Programmable DIP Switch Driver**

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-80	80w	8600	2.07	10 pcs

SKU: 757 | 4000K DAY WHITE



6 FEET

Microwave Sensor (Optional)

Compatible with Batten

VT-8-6 SKU: 759

Detection area:
4M (@3M MOUNTING HEIGHT)
Detection angle:
150°(WALL) 360°(CEILING)
Hold time:
5S / 30S / 90S / 3MIN / 30MIN

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LINKABLE

UP TO 100 WATTS TOGETHER

FIXTURES WITH LED

T5 Batten Fitting

5 YEAR WARRANTY*

The new T5 Batten Fittings retain the premium qualities of V-TAC's fixtures with LED. Each fitting is fully compatible & linkable; multiple batten fittings can be connected with each other, making it an efficient alternative lighting fixture for both small and big indoor spaces.

- **30,000 Life Hours**
- **On/Off switch**
- **On/Off Cycle - >15000 time**
- **Body:PC**
- **Input Voltage - AC:220-240V**
- **CRI - >80**
- **Instant start -0-100% in <1 sec**
- **Beam angle:120 °**

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-035	4w	360	0.065	25 pcs

SKU: 689 | 3000K WARM WHITE
SKU: 690 | 4000K DAY WHITE
SKU: 691 | 6400K WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-065	7w	630	0.112	25 pcs

SKU: 692 | 3000K WARM WHITE
SKU: 693 | 4000K DAY WHITE
SKU: 694 | 6400K WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-125	16w	1440	0.16	25 pcs

SKU: 695 | 3000K WARM WHITE
SKU: 696 | 4000K DAY WHITE
SKU: 697 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

FIXTURES WITH LED

LED Batten Fitting

The new Batten Fittings series from V-TAC boasts of its colour tuning feature with an easy-to-access, built-in switch — enabling users to gradually customise the light from a warm 3000-kelvin white light up to the standard 6400-kelvin white. Choose and switch to your preferred colour temperature anytime.

- **PC+Aluminium+Steel**
- **30,000 Life Hours**
- **CRI - >80**
- **Flicker Free**
- **PF - 0.9**
- **On/Off Cycle - >20000 time**
- **Input Voltage - AC:220-240V,50Hz**
- **Beam angle:120 °**

5 YEAR WARRANTY*

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-43	40w	4000	1.68	10 pcs

SKU: 517 | 3IN1



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-63	60w	6000	2.42	10 pcs

SKU: 519 | 3IN1



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

TP(a)
Polycarbonate

Sensor Compatible

FLICKER FREE

FIXTURES WITH LED

LED Batten Fitting

V-TAC's all new range of LED Batten fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional emergency pack and microwave sensor specially designed for LED Batten are also available.

- **Tp(A) Rated**
- **30,000 Life Hours**
- **CRI - >80**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V,50Hz**
- **Programmable DIP Switch Driver(Applicable for 60W only)**

5 YEAR WARRANTY*

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-41	40w	4800	2.90	4 pcs

SKU: 753 | 4000K DAY WHITE

4 FEET

120 Lumen/W

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-61	60w	7200	3.65	4 pcs

SKU: 754 | 4000K DAY WHITE



5 FEET

120 Lumen/W

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

FLICKER FREE

SuperBRIGHT 160 LUMENS/W

Waterproof Fittings

MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-1524	24w	3840	15000	PC+ABS	>0.9	0.60 kg	12 pcs

SKU: 6485 - 4500K DAY WHITE
SKU: 6486 - 6400K WHITE

5 YEAR WARRANTY* | 4 FEET | IP65 RATING



MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-1532	32w	5120	15000	PC+ABS	>0.9	1.1 kg	12 pcs

SKU: 6483 - 4500K DAY WHITE
SKU: 6484 - 6400K WHITE

5 YEAR WARRANTY* | 5 FEET | IP65 RATING



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Waterproof Fittings

MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-180	60w	5400	15000	Plastic + ABS	>0.9	1.30	9 pcs

SKU: 680 | 4000K DAY WHITE
SKU: 681 | 6400K WHITE

5 YEAR WARRANTY* | 6 FEET | IP65 RATING





Waterproof Fittings

MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-160	60w	7200	15000	Plastic+Aluminium	>0.9	2.10	9 pcs

SKU: 678 | 4000K DAY WHITE
SKU: 679 | 6400K WHITE

5 YEAR WARRANTY* | 4 FEET | IP65 RATING | 120 Lumen/W



MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-170	70w	8400	15000	Plastic+Aluminium	>0.9	2.67	9 pcs

SKU: 676 | 4000K DAY WHITE
SKU: 677 | 6400K WHITE

5 YEAR WARRANTY* | 5 FEET | IP65 RATING | 120 Lumen/W



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

NEW

WATERPROOF FITTINGS

Transparent Cover - M Series

Promoting efficiency with its high-lumen (120 lm/W) rating, this new addition to V-TAC's fixtures range. The transparent cover allows a brighter, well-distributed light that is perfect for task lighting.

- **SMD LED Chip**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:200-240V,50/60Hz**
- **On/Off Cycles >15000**
- **CRI >80**
- **PF >0.9**
- **IP65**
- **Body Type: ABS+PC**

MODEL:	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-60018-T	18w	2160	0.68	12 pcs

SKU: 20209 | 4000K DAY WHITE
SKU: 20208 | 6400K WHITE

3 YEAR WARRANTY* | 2 FEET | IP65 RATING | 120 Lumen/W



MODEL:	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-120036-T	36w	4320	1.165	12 pcs

SKU: 20205 | 4000K DAY WHITE
SKU: 20204 | 6400K WHITE

3 YEAR WARRANTY* | 4 FEET | IP65 RATING | 120 Lumen/W



MODEL:	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-150048-T	48w	5760	1.455	12 pcs

SKU: 20201 | 4000K DAY WHITE
SKU: 20200 | 6400K WHITE

3 YEAR WARRANTY* | 5 FEET | IP65 RATING | 120 Lumen/W



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

NEW

WATERPROOF FITTINGS

Milky Cover - M Series

Promoting efficiency with its high-lumen (120 lm/W) rating, this new addition to V-TAC's fixtures range. The opaque, milky cover allows for a softer, well-diffused light that is milder to the eyes.

- **SMD LED Chip**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:200-240V,50/60Hz**
- **On/Off Cycles >15000**
- **CRI >80**
- **PF >0.9**
- **IP65**
- **Body Type: ABS+PC**

MODEL:	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-60018-M	18w	2160	0.69	12 pcs

SKU: 20211 | 4000K DAY WHITE
SKU: 20210 | 6400K WHITE

3 YEAR WARRANTY* | 2 FEET | IP65 RATING | 120 Lumen/W



MODEL:	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-120036-M	36w	4320	1.18	12 pcs

SKU: 20207 | 4000K DAY WHITE
SKU: 20206 | 6400K WHITE

3 YEAR WARRANTY* | 4 FEET | IP65 RATING | 120 Lumen/W



MODEL:	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-150048-M	48w	5760	1.475	12 pcs

SKU: 20203 | 4000K DAY WHITE
SKU: 20202 | 6400K WHITE

3 YEAR WARRANTY* | 5 FEET | IP65 RATING | 120 Lumen/W



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

NEW

STAINLESS STEEL
CLIPS

WATERPROOF FITTINGS

Transparent Cover - M Series SS Clips

Promoting efficiency with its high-lumen (120 lm/W) rating, this new addition to V-TAC's fixtures range is reinforced with secure, stainless steel clips for easier maintenance. The transparent cover allows a brighter, well-distributed light that is perfect for task lighting.

- SMD LED Chip
- 20,000 hrs Lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- Body Type: PC
- CRI >80
- PF >0.9
- IP65
- SS Clips

POLYCARBONATE PC

MODEL:	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-120136-T	36w	4320	1.238	12 pcs

SKU: 20219 | 4000K DAY WHITE
SKU: 20218 | 6400K WHITE

3 YEAR WARRANTY* | 4 FEET | IP65 RATING | 120 Lumen/W



MODEL:	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-150148-T	48w	5760	1.542	12 pcs

SKU: 20213 | 4000K DAY WHITE
SKU: 20212 | 6400K WHITE

3 YEAR WARRANTY* | 5 FEET | IP65 RATING | 120 Lumen/W



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

NEW

STAINLESS STEEL
CLIPS

WATERPROOF FITTINGS

Milky Cover - M Series SS Clips

Promoting efficiency with its high-lumen (120 lm/W) rating, this new addition to V-TAC's fixtures range is reinforced with secure, stainless steel clips for easier maintenance. The opaque, milky cover allows for a softer, well-diffused light that is milder to the eyes.

- SMD LED Chip
- 20,000 hrs Lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- Body Type: PC
- CRI >80
- PF >0.9
- IP65
- SS Clips

POLYCARBONATE PC

MODEL:	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-120136-M	36w	4320	1.27	12 pcs

SKU: 20217 | 4000K DAY WHITE
SKU: 20216 | 6400K WHITE

3 YEAR WARRANTY* | 4 FEET | IP65 RATING | 120 Lumen/W



MODEL:	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-150148-M	48w	5760	1.58	12 pcs

SKU: 20215 | 4000K DAY WHITE
SKU: 20214 | 6400K WHITE

3 YEAR WARRANTY* | 5 FEET | IP65 RATING | 120 Lumen/W



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Emergency Pack

SKU: 8343

- **Input Voltage: AC:220-240V,50/60Hz**
- **Charging Time: 24 Hours**
- **Emergency Power: 6-7W**
- **Emergency Operation time: 3 Hours**
- **Battery Type: Ni-Cd 9.6V 2200mAh**
- **Size: 212x40x30mm**
- **Compatible with V-TAC's LED Waterproof Fitting - M Series SS Clips**

Microwave Sensor

SKU: 6622

- **Automatic On/Off control with daylight sensor.**
- **Rod antenna - DIP Switch**
- **Optional detection range, hold time and daylight threshold.**
- **Loop in and loop out for easy installation.**
- **Operating Voltage: AC:220-240V, 50/60Hz**
- **Max Watts: 100W**
- **Hold Time: 5s/1min/3min/10min**
- **Daylight threshold: 30Lux/Disable**
- **Detection Area: 50%/100%**
- **Detection Range: ø4-10m/13.12-32.8ft (ceiling mounted)**
- **Compatible with V-TAC's LED Waterproof Fitting - M Series SS Clips**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



EMERGENCY WATERPROOF FITTINGS

Milky Cover - M Series SS Clips

This model has a built-in battery backup, high-lumen LEDs, and a Milky cover to ensure safety on emergency situations throughproper lighting. Durable, IP65-rated PC body for a long-lasting waterproof & dustproof performance both indoors and outdoors.

- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:200-240V,50/60Hz**
- **Battery Type:9.6V 2200mAh Ni-Cd battery**
- **Charging Time:24Hours**
- **Working Time:3Hours**
- **Emergency Power: 6-7W**
- **SMD LED Chip**
- **Body Type: PC**
- **On/Off Cycles >15000**
- **CRI >80**
- **PF >0.9**
- **IP65**
- **SS Clips**

STAINLESS STEEL CLIPS

POLYCARBONATE PC

MODEL:	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-120136E	36w	4320	1.91	12 pcs

SKU: 20223 | 4000K DAY WHITE
SKU: 20222 | 6400K WHITE

3 YEAR WARRANTY* | 4 FEET | IP65 RATING | 120 Lumen/W



MODEL:	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-150148E	48w	5760	2.21	12 pcs

SKU: 20221 | 4000K DAY WHITE
SKU: 20220 | 6400K WHITE

3 YEAR WARRANTY* | 5 FEET | IP65 RATING | 120 Lumen/W



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED LINEAR LIGHTS

V-TAC LED Linear Lights are an energy efficient, low maintenance alternative to traditional linear fluorescent in a variety of industrial, commercial, and light assembly applications. It is the optimal solution for conventional lighting systems and excellent for new installations due to its low installation cost.

KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment
- Continuous row modular system

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

COMPLETE RANGE OF LINEAR LIGHTS

Up & Down Linear Lights (Non-Linkable)

One (1) metre stand-alone suspended up & down lighting with cutting-edge reflectors for a soft yet sufficient lighting effect; available in Silver & White



Up & Down Linear Hanging Lights

Continuous suspended upward & downward lighting with a broad 160mm width for a wider scope; modern tech reflectors to distribute just the right amount of light; available in Silver & White



Up & Down Linear Hanging Lights (Slim)

Continuous suspended up & down lighting with a 75mm body; available in Black, Silver, and White



Linear Hanging Lights (Non-Dimmable)

Continuous suspended downward lighting with a narrow 35mm body for a leaner scope; competitively priced for professional task lighting in commercial areas; available in Black, Silver, & White



Linear Hanging Lights (Dimmable)

Dimmable suspended downward lighting with a 50mm body for narrower aisles; continuous up to 12m; available in Silver & White

LED Recessed Linear (Linkable)

Recessed version of our continuous downward linear lighting with a 70mm body; available in Silver & White

LED Recessed Linear (Linkable)

A broader version of our recessed linear lighting at 90mm width; continuous up to 12 metres; available in White



EASY TOGGLE SWITCH



EASY ACCESS FOR COLOR CHANGING WITH BUTTON

3 IN 1

COLOR CHANGING

LINEAR 3IN1 LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with toggle switch, 3IN1 color changing light. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Toggle switch - 3IN1 CCT**
- **Aluminum Body**
- **1.5 Meter Wire Length**

5 YEAR WARRANTY*

BLACK VT-7-44

SKU:20060 | 3IN1

NEW

WATTS	LUMENS	SIZE	BOX QTY.
40w	3200	1200x35x67mm	12 pcs

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LINEAR HANGING LIGHTS-NON LINKABLE

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC:100-240V,50Hz**
- **Aluminum Body**
- **UGR<6**
- **1-10V Dimmable**
- **1.5 Meter Wire Length**

5 YEAR WARRANTY*

SILVER **VT-7-61-S**

SKU:607 | 4000K DAY WHITE

WHITE **VT-7-61-W**

SKU:606 | 4000K DAY WHITE



WATTS	LUMENS	SIZE	BOX QTY.
UP 30w	**UP-3300**	**1179x64x35mm**	**8 pcs**
DOWN 30w	**DOWN-3300**		

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



1–10V
DIMMABLE



LINEAR HANGING LIGHTS

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC:100-240V,50/60Hz**
- **Aluminum Body**
- **UGR<6**
- **Linkable with connectors**
- **1-10V Dimmable**

5 YEAR WARRANTY*



SILVER **VT-7-62-S**
SKU:609 | 4000K DAY WHITE

WHITE **VT-7-62-W**
SKU:608 | 4000K DAY WHITE



WATTS	LUMENS	SIZE	BOX QTY.
UP 30w **DOWN 30w**	**UP-3300** **DOWN-3300**	**1190x160x30mm**	**4 pcs**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **1.5 Meter Wire Length**
- **Aluminum Body**

5 YEAR WARRANTY*



BLACK	VT-7-40-B	SILVER	VT-7-40-S	WHITE	VT-7-40-W
SKU:882 | 3000K WARM WHITE		SKU:375 | 4000K DAY WHITE		SKU:376 | 4000K DAY WHITE	
SKU:374 | 4000K DAY WHITE		SKU:601 | 6000K WHITE		SKU:602 | 6000K WHITE	
SKU:600 | 6000K WHITE					

WATTS	LUMENS	SIZE
40w	**3200**	**1200x35x67mm**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty





C0(Max):
C0/C180:
C90/C270:

Field angle(10%Imax):C0/180Left:79.2 Right:79.2
:C90/270Left:79.5 Right:79.5
Beam Angle(50%Imax):C0/180Left:53.4 Right:53.4
:C90/270Left:54.1 Right:54.1



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LINKABLE
Up to 12 Meters Together

0–10V DIMMABLE

LINEAR HANGING UP-DOWN LIGHTS

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Aluminum Body**
- **Linkable with connectors**
- **0-10V Dimmable**
- **1.5 Meter Wire Length**

5 YEAR WARRANTY*

BLACK	SILVER	WHITE
VT-7-60-B	VT-7-60-S	VT-7-60-W
SKU:379 | 4000K DAY WHITE	SKU:378 | 4000K DAY WHITE	SKU:377 | 4000K DAY WHITE



WATTS	LUMENS	SIZE
UP 20w	**UP-2000**	**1200x75x105mm**
DOWN 40w	**DOWN-4000**	

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Up and Down lights

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LINKABLE
Up to 12 Meters Together

0–10V DIMMABLE

LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **UGR<19**
- **Linkable with connectors**
- **Aluminum Body**
- **0-10V Dimmable**
- **1.5 Meter Wire Length**

5 YEAR WARRANTY*

SILVER **VT-7-43-S**
SKU:384 | 4000K DAY WHITE

WHITE **VT-7-43-W**
SKU:383 | 4000K DAY WHITE

WATTS	LUMENS	SIZE
40w	**3400**	**1200x50x75mm**



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty





C180(Max):
C0/C180:
C90/C270:
Field angle(10%Imax):C0/180Left:81.0 Right:78.8
:C90/270Left:80.7 Right:80.0
Beam Angle(50%Imax):C0/180Left:57.8 Right:55.7
:C90/270Left:57.6 Right:56.8



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LINKABLE
UP TO 12 METERS TOGETHER

LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**

5 YEAR WARRANTY*

SILVER VT-7-41-S

SKU:380 | 4000K DAY WHITE
SKU:603 | 6000K WHITE

WHITE VT-7-41-W

SKU:381 | 4000K DAY WHITE
SKU:604 | 6000K WHITE

WATTS	LUMENS	SIZE
40w	**3200**	**1211x70x35mm**



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



8W

VT-7-41-L

SILVER: SKU:386 | 4000K DAY WHITE
WHITE: SKU:385 | 4000K DAY WHITE



10W

VT-7-41-LN

SILVER: SKU:388 | 4000K DAY WHITE
WHITE: SKU:387 | 4000K DAY WHITE



12W

VT-7-41-LW

SILVER: SKU:390 | 4000K DAY WHITE
WHITE: SKU:389 | 4000K DAY WHITE



14W

VT-7-41-T

SILVER: SKU:392 | 4000K DAY WHITE
WHITE: SKU:391 | 4000K DAY WHITE



16W

VT-7-41-X

SILVER: SKU:394 | 4000K DAY WHITE
WHITE: SKU:393 | 4000K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LINKABLE
UP TO 12 METERS TOGETHER

LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**

5 YEAR WARRANTY*

WHITE **VT-7-42-W**

SKU:382 | 4000K DAY WHITE

WATTS	LUMENS	SIZE
40w	**4000**	**1211x90x35mm**



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



10W

VT-7-42-L

: SKU:395 | 4000K DAY WHITE



10W

VT-7-42-LN

: SKU:396 | 4000K DAY WHITE



12W

VT-7-42-LW

: SKU:397 | 4000K DAY WHITE



14W

VT-7-42-T

: SKU:398 | 4000K DAY WHITE



16W

VT-7-42-X

: SKU:399 | 4000K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED LINEAR LIGHTS

V-TAC's new Linear Trunking Light is a set of highly efficient, continuous linear light fixtures with a staggering 160 lm/w rating & a plug-and-play system. It provides an efficient, linkable modular system which means that each unit can be easily connected to the Linear Master Trunking through L, T, and X node connectors. 90°, 120°, and double asymmetric lenses are available for maximum adaptability on any space. Perfect suspended lighting for supermarkets, warehouse, service centers, and gymnasiums. No warm-up time, instant start-up. Sustained color temperature throughout long periods of usage.

High lumen output

output:160 lm/W to meet different requirements

V-TAC PERFORMANCE 160 LUMENS/WATT

Flexible Beam angle

90°, 120°, double-asymmetric

Modular system

Continous row system, seamless connection, max 3500W /row

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC PERFORMANCE

160

LUMENS/WATT

PRO series

MODEL	WATTS	CRI	LUMENS	PF	SIZE
VT-4551D	50w	>80	8000	>0.9	1500mm

LINEAR MASTER TRUNKING

SKU: 1360 | 4000K DAY WHITE

90° LENS

DIMMABLE





LINEAR MASTER TRUNKING

SKU: 1361 | 4000K DAY WHITE

120° LENS

DIMMABLE





LINEAR MASTER TRUNKING

SKU: 1362 | 4000K DAY WHITE

DOUBLE ASYMMETRIC LENS

DIMMABLE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



MODEL	WATTS	CRI	LUMENS	PF	SIZE
VT-4550D	50w	>80	8000	>0.9	1500mm

LINEAR FOLLOW TRUNKING

SKU: 1363 | 4000K DAY WHITE

90° LENS

DIMMABLE





LINEAR FOLLOW TRUNKING

SKU: 1364 | 4000K DAY WHITE

120° LENS

DIMMABLE



LINEAR FOLLOW TRUNKING

SKU: 1365 | 4000K DAY WHITE

DOUBLE ASYMMETRIC LENS

DIMMABLE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

ACCESSORIES FOR LINEAR TRUNKING

LINEAR TRACK MODULE

SKU : 1382

END CAP-LINEAR LIGHT ACCESSORY

SKU : 1366

SUSPENDED CORD-LINEAR LIGHT ACCESSORY

SKU : 1367

8 WIRE-FEED IN MALE CONNECTOR-LINEAR

SKU : 1368

L NODE CONNECTOR-LINEAR ACCESORY

SKU : 1383

T NODE CONNECTOR-LINEAR ACCESORY

SKU : 1384

X NODE CONNECTOR-LINEAR ACCESORY

SKU : 1385

S LINE-FOLLOW TRUNKING RAIL

SKU : 1451

S LINE-PC BLANK COVER

SKU : 1452

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Magnetic Track Lights

Magnetic light is a kind of track light which is designed by using magnets fast adsorption characteristic. It consists of two parts: track magnet and light. The track has four ways: surface mounted, recessed, borderless embedded installation, suspension. The light consists of anti-glare line light, anti-glare high power light, soft light lamp, suspension light and decorative lamp. The light can be used alone or assembled at will. Lighting effect can achieve point, line, surface combination, not only to meet the needs of various lighting effects, but also convenient installation, fashionable style, can greatly enhance the decorative effect, in line with the modern architectural design concept, is a fashionable, high-end LED lights leading the trend in the future, is the ideal choice of office, exhibition hall, exclusive stores, hotels, villas and clubs.

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Magnetic Linear Spotlight

1W **VT-4141**

NEW

SKU: 7958 - 3000K Warm White 3800157652766
SKU: 7959 - 4000K Day White 3800157652773

Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	35lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	45x35x59mm
Color of Fixture:	Black	Box Qty:	40 PCS

REAL COLOR SERIES CRI >90

3 YEAR WARRANTY*

UGR<19



Magnetic Linear Spotlight

3W **VT-4143**

NEW

SKU: 7960 - 3000K Warm White 3800157652780
SKU: 7961 - 4000K Day White 3800157652797

Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	240lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	106x35x59mm
Color of Fixture:	Black	Box Qty:	36 PCS

REAL COLOR SERIES CRI >90

3 YEAR WARRANTY*

UGR<19



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Magnetic Linear Track Light

10w **VT-4210**

NEW

SKU: 7962 - 3000K Warm White 3800157652803
SKU: 7963 - 4000K Day White 3800157652810

Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	700lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	137x35x180mm
Color of Fixture:	Black	Box Qty:	16 PCS

REAL COLOR SERIES CRI >90

3 YEAR WARRANTY*

UGR<19



Magnetic Linear Track Light

20w **VT-4220**

NEW

SKU: 7964 - 3000K Warm White 3800157652827
SKU: 7965 - 4000K Day White 3800157652834

Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	1200lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	270x35x180mm
Color of Fixture:	Black	Box Qty:	8 PCS

REAL COLOR SERIES CRI >90

3 YEAR WARRANTY*

UGR<19

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Magnetic Spotlight

15W **VT-4215**

NEW

SKU: 7966 - 3000K Warm White 3800157652841
SKU: 7967 - 4000K Day White 3800157652858

Voltage/Frequency:	DC:24V	Beam Angle:	36°
Luminous Flux:	900lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>90	Dimension:	166x100x55mm
Color of Fixture:	Black	Box Qty:	16 PCS

REAL COLOR SERIES CRI >90

3 YEAR WARRANTY*

UGR<19



Magnetic Pendant Light

15W **VT-4315**

NEW

SKU: 7968 - 3000K Warm White 3800157652865
SKU: 7969 - 4000K Day White 3800157652872

Voltage/Frequency:	DC:24V	Beam Angle:	36°
Luminous Flux:	1000lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>90	Dimension:	300x55mm
Color of Fixture:	Black	Box Qty:	12 PCS

REAL COLOR SERIES CRI >90

3 YEAR WARRANTY*

UGR<19



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Magnetic Linear Light

20w **VT-4121**

NEW

SKU: 7954 - 3000K Warm White 3800157652728
SKU: 7955 - 4000K Day White 3800157652735

Voltage/Frequency:	DC:24V	Beam Angle:	100°
Luminous Flux:	1600lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	652x35x59mm
Color of Fixture:	Black	Box Qty:	12 PCS

REAL COLOR SERIES CRI >90

3 YEAR WARRANTY*



Magnetic Linear Light

30w **VT-4131**

NEW

SKU: 7956 - 3000K Warm White 3800157652742
SKU: 7957 - 4000K Day White 3800157652759

Voltage/Frequency:	DC:24V	Beam Angle:	100°
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	970x35x59mm
Color of Fixture:	Black	Box Qty:	12 PCS

REAL COLOR SERIES CRI >90

3 YEAR WARRANTY*



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

NEW

Track Rail-0.5M
SKU : 7950
EAN : 3800157652681
Box Qty: 9 PCS

NEW

Track Rail-1M
SKU : 7951
EAN : 3800157652698
Box Qty: 9 PCS

NEW

Track Rail-1.5M
SKU : 7953
EAN : 3800157652711
Box Qty: 6 PCS

NEW

Track Rail-2M
SKU : 7952
EAN : 3800157652704
Box Qty: 6 PCS

NEW

Recessed Kit for Magnetic Tracklight
SKU : 7970
EAN : 3800157652889
Box Qty: 75 PCS

NEW

Track Connector
SKU : 7971
EAN : 3800157652896
Box Qty: 180 PCS

NEW

90'D Corner Connector
SKU : 7972
EAN : 3800157652902
Box Qty: 27 PCS

NEW

Outer Corner Connector
SKU : 7973
EAN : 3800157652919
Box Qty: 27 PCS

NEW

Cross Connector
SKU : 7974
EAN : 3800157652926
Box Qty: 36 PCS

NEW

T Type Connector
SKU : 7975
EAN : 3800157652933
Box Qty: 36 PCS

NEW

Pendant Track Rail Accessory
SKU : 7977
EAN : 3800157652957
Box Qty: 150 PCS

NEW

Track Cover
SKU : 7978
EAN : 3800157652964
Box Qty: 200 PCS

NEW

Live End Connector
SKU : 7979
EAN : 3800157652971
Box Qty: 200 PCS

NEW

Transformer

SKU :	11144	Watts :	100w
EAN :	3800157652988	Input :	AC:86-265V,50/60Hz
Box Qty:	30 PCS	Current:	4.16A
		Output:	DC:24V

NEW

Transformer

SKU :	11145	Watts :	200w
EAN :	3800157652995	Input :	AC:86-265V,50/60Hz
Box Qty:	30 PCS	Current:	8.33A
		Output:	DC:24V

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED TRACK LIGHTS

Color has a massive influence on purchasing decisions and setting the mood in any room. Our innovative LED track lights are the premiere choice for retail lighting with Samsung's state-of-the-art COB technology.

The >90 CRI rating of these track lights provide vivid colors, highly enhancing any product's appeal to consumers. Single and 4-linear track lights are included in this new generation of track lights from V-TAC.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

NEW

5 YEAR WARRANTY*

LED TRACKLIGHTS

Linear Tracklights

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000 hrs Lifespan
- 30° Beam Angle
- AC:220-240V,50Hz
- Flicker Free
- High CRI of > 90
- Aluminum Body
- UGR<19

REAL COLOR SERIES CRI >90

FLICKER FREE

UGR<19

MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-416-B	12W	960	>0.5	>90	40 pcs	30°

SKU: 20000 | 2700K WARM WHITE
SKU: 20001 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-431-B	25W	2000	>0.9	>90	20 pcs	30°

SKU: 20006 | 2700K WARM WHITE
SKU: 20007 | 4000K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

NEW

5 YEAR WARRANTY*

LED TRACKLIGHTS

Linear Tracklights

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000 hrs Lifespan
- 30° Beam Angle
- AC:220-240V,50Hz
- Flicker Free
- High CRI of > 90
- Aluminum Body
- UGR<19

REAL COLOR SERIES CRI >90

FLICKER FREE

UGR<19

MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-416-W	12W	960	>0.5	>90	40 pcs	30°

SKU: 20003 | 2700K WARM WHITE
SKU: 20004 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-431-W	25W	2000	>0.9	>90	20 pcs	30°

SKU: 20009 | 2700K WARM WHITE
SKU: 20010 | 4000K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED TRACKLIGHTS

4 Line Tracklights-Black Body

5 YEAR WARRANTY*

A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, ebony black finish.

- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**

REAL COLOR SERIES CRI >90

MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-B	**7w**	**420**	**>0.5**	**>90**	**40 pcs**	**24°**

SKU: 353 | 3000K WARM WHITE
SKU: 354 | 4000K DAY WHITE
SKU: 355 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-B	**15w**	**1050**	**>0.5**	**>90**	**40 pcs**	**24°**

SKU: 359 | 3000K WARM WHITE
SKU: 360 | 4000K DAY WHITE
SKU: 361 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-B	**20w**	**1400**	**>0.9**	**>90**	**40 pcs**	**24°**

SKU: 365 | 3000K WARM WHITE
SKU: 366 | 4000K DAY WHITE
SKU: 367 | 5000K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED TRACKLIGHTS

4 Line Tracklights-White Body

5 YEAR WARRANTY*

A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, clean white finish.

- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**

MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-W	**7w**	**490**	**>0.5**	**>90**	**40 pcs**	**24°**

SKU: 350 | 3000K WARM WHITE
SKU: 351 | 4000K DAY WHITE
SKU: 352 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-W	**15w**	**1200**	**>0.5**	**>90**	**40 pcs**	**24°**

SKU: 356 | 3000K WARM WHITE
SKU: 357 | 4000K DAY WHITE
SKU: 358 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-W	**20w**	**1600**	**>0.9**	**>90**	**40 pcs**	**24°**

SKU: 362 | 3000K WARM WHITE
SKU: 363 | 4000K DAY WHITE
SKU: 364 | 5000K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

NEW

5 YEAR WARRANTY*

LED TRACKLIGHTS

4 line Tracklights-Black Body

Experience true colours through our LED Tracklights efficient set of track lights with CRI >90, the latest LED technology from Samsung, and five years of warranty.

- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **PF: >0.9**
- **High CRI of > 90**
- **Aluminum Body**

MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-418	18w	1260	>0.9	>90	20 pcs	24°

SKU: 939 | 3000K WARM WHITE
SKU: 940 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-430	30w	2100	>0.9	>90	20 pcs	24°

SKU: 941 | 3000K WARM WHITE
SKU: 942 | 4000K DAY WHITE



For Accessories go to page 369

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED TRACKLIGHTS

LED Shutter Tracklights

5 YEAR WARRANTY*

These durable 4-line LED track lights are equipped with shutters for flexibility — easily adjust them to achieve desired beam angle. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in white and black body.

- **COB LED Type**
- **30,000 hrs Lifespan**
- **24°-60° Adjustable**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**

MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-433-B	33w	2640	>0.9	>90	8 pcs	24°-60° Adjustable

SKU: 371 | 3000K WARM WHITE
SKU: 372 | 4000K DAY WHITE
SKU: 373 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-433-W	33w	2640	>0.9	>90	8 pcs	24°-60° Adjustable

SKU: 368 | 3000K WARM WHITE
SKU: 369 | 4000K DAY WHITE
SKU: 370 | 5000K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED BULKHEAD LIGHTS

V-TAC's LED Bulkhead range is inclusive of IP65-rated 2D bulkheads made of state-of-the-art polycarbonate resins for a premium water and dustproof surface-mounted luminaire.

Each model has powerful combinations of two useful features: the emergency battery backup and the microwave sensor with 120'D detection angle. Together with the new elegant designs, this luminaire's highlight is its competitive outdoor effectiveness in efficiency and security.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

KEY FEATURES

- Four-options available: 3-in-1 2D Bulkhead with Emergency Battery Back-up & Microwave Sensor, 2D Bulkhead with Emergency Battery Back-up only, 2D Bulkhead with Microwave Sensor only, and stand-alone 2D Bulkhead with 5-years warranty
- Built-in power eliminates the need for an external power supply
- IP65 and strong PC covers for durability
- 3-hour Emergency Operation Time
- Microwave sensors: up to 10m detection
- upto 30,000hr lifespan
- Fully compatible with daylight sensors
- Equipped with a green LED charging indicator
- Suitable for open areas constantly exposed to dust and moisture like parking lots, corridors, airports, and malls.

Microwave Sensor

Emergency Battery Backup

3in1 Bulkhead Emergency Battery Backup Microwave Sensor

NEW

CCT BULKHEAD

EMERGENCY BATTERY BACKUP

MICROWAVE SENSOR

3 IN 1 EMERGENCY BATTERY BACKUP MICROWAVE SENSOR

IP65 RATING



LED BULKHEAD

CCT Adjustable

A new addition to our Dome Light Lights series, V-TAC's new CCT Bulkhead are re-designed with a sleeker, more compact built for a modern look – perfect lighting for outdoor areas in residential, business, and industrial zones.

- **SMD LED Chip**
- **AC:200-240V,50/60Hz**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **PC Body**
- **CRI >80**
- **PF >0.5**
- **IP65**

COLOR CHANGING (3000K-4000K-6400K)

POLYCARBONATE PC

IK08 RATING

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

CCT Bulkhead

Our resilient IP65 CCT Bulkhead make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather and dust.

MODEL	WATTS	LUMENS	BOX QTY.
VT-14	14w	1400	10 pcs

SKU: 20088 | 3IN1
UNIT COLOR: WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-14-CH	14w	1400	10 pcs

SKU: 20092 | 3IN1
UNIT COLOR: CHROME



MODEL	WATTS	LUMENS	BOX QTY.
VT-24	20w	1850	10 pcs

SKU: 20093 | 3IN1
UNIT COLOR: WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-24-CH	20w	1850	10 pcs

SKU: 20097 | 3IN1
UNIT COLOR: CHROME



CCT Bulkhead with Emergency Battery

Emergency Battery Backup

- **AC:200-240V,50/60Hz**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **PC Body**
- **Emergency Operation Time:>3 Hours**
- **Emergency Standby Watts:>1.5W**
- **Battery Charging Current:60mA**
- **Battery Discharging Current:200mA**
- **Battery Type:Ni-CD, 9.6V 1.0Ah**
- **Charging Indication:Green LED**
- **Including Test Button, Battery Protection circuit & Inhibiting Mode**

3 YEAR WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.
VT-14SE	14w	1400	10 pcs

SKU: 20090 | 3IN1
UNIT COLOR: WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-24SE	20w	1850	10 pcs

SKU: 20095 | 3IN1
UNIT COLOR: WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

CCT Bulkhead with Sensor

Microwave Sensor

This range of CCT Bulkhead are recommended for purposes of increasing security in garages, walkways, and parking areas. With competitive detection range and dimmable functions, these Dome Lights exhibit exceptional performance in outdoor security lighting.

- **AC:200-240V,50/60Hz**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **PC Body**
- **Detection Angle:Ceiling/Wall Mounted-360°/120°**
- **Detection Distance:3-6M, 6-10M Optional**
- **Detection Range:Max D10M*6M**
- **Hold Time:5s,90s,5min,10min customized**
- **Daylight Sensor:Day,2lux,10lux,50lux optional**
- **Dimmable Function:Yes,0%,10%,20%,30% optional**
- **Standby period:0s,10s,10min optional**
- **Manual Override:Available by dial switch**
- **Detection Motion Speed:0.5-3m/s**

5 YEAR WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.
VT-14SS	14w	1400	10 pcs

SKU: 20089 | 3IN1
UNIT COLOR: WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-24SS	20w	1850	10 pcs

SKU: 20094 | 3IN1
UNIT COLOR: WHITE



Changeable cover and rim options available

Chrome Rim For 14W

SKU: 11230

Eyelid Half Cover For 14W

SKU: 11225

Chrome Rim For 20W

SKU: 11231

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

CCT Bulkhead with Emergency Battery+Sensor

3in1 Bulkhead | Emergency Battery Backup | Microwave Sensor

Our 3-in-1 CCT Bulkhead range is equipped with the complete package for a remarkable and reliable indoor/ outdoor emergency and security lighting. With reliable Ni-Cd emergency battery back up, advanced microwave sensor, and optional dimmable functions, this range has impressive lighting abilities to make outdoor locations of residential, business, and industrial areas safer and easier to navigate.

- **AC:200-240V,50/60Hz**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **PC Body**
- **Emergency Operation Time:>3 Hours**
- **Emergency Standby Watts:>1.5W**
- **Battery Charging Current:60mA**
- **Battery Discharging Current:200mA**
- **Battery Type:Ni-CD, 9.6V 1.0Ah**
- **Charging Indication:Green LED**
- **Detection Angle:Ceiling/Wall Mounted-360°/120°**
- **Detection Distance:3-6M, 6-10M Optional**
- **Detection Range:Max D10M*6M**
- **Hold Time:5s,90s,5min,10min customized**
- **Daylight Sensor:Day,2lux,10lux,50lux optional**
- **Dimmable Function:Yes,0%,10%,20%,30% optional**
- **Stand-by period:0s,10s,10min optional**
- **Manual Override:Available by dial switch**
- **Detection Motion Speed:0.5-3m/s**
- **Including,Test Button, Battery Protection circuit & Inhibiting Mode**

3 YEAR WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.
VT-14SES	14w	1400	10 pcs

SKU: 20091 | 3IN1
UNIT COLOR: WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-24SES	20w	1850	10 pcs

SKU: 20096 | 3IN1
UNIT COLOR: WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

2D BULKHEAD

EMERGENCY BATTERY BACKUP

MICROWAVE SENSOR

3 IN 1 EMERGENCY BATTERY BACKUP MICROWAVE SENSOR

IP65 RATING

5 YEAR WARRANTY*

LED DOME LIGHTS

2D Bulkhead

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

POLYCARBONATE PC

- **SMD LED Chip**
- **AC:200-240V,50/60Hz**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **PC Body**
- **CRI >80**
- **IP65**

IK08 RATING

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

2D Bulkhead

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

MODEL	WATTS	LUMENS	BOX QTY.
VT-08	8w	720	10 pcs

SKU: 815 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-15	15w	1400	10 pcs

SKU: 801 | 4000K DAY WHITE
SKU: 802 | 6400K WHITE



2D Bulkhead with Emergency Battery Backup

Emergency Battery Backup

These IP65 LED bulkheads are equipped with Ni-Cad batteries that automatically charges while in use. These fixtures can operate up to three (3) hrs on emergency situations.

- **AC:200-240V,50/60Hz**
- **>1.2 Watts Emergency Standby Watts**
- **60mA Battery Charging Current**
- **200mA Battery Discharging Current**
- **Ni-CD AA, 7.2V 1.0Ah Battery Type**
- **Green LED Charging indicate**
- **Including battery protection circuit & inhibiting mode**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **30,000 hrs Lifespan**

3 YEAR WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.
VT-11	10w	720	10 pcs

SKU: 816 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-17	17w	1400	10 pcs

SKU: 806 | 4000K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

2D Bulkhead with Sensor

Microwave Sensor

This range of LED bulkheads are recommended for purposes of increasing security in garages, walkways, and parking areas. With competitive detection range and dimmable functions, these bulkheads exhibit exceptional performance in outdoor security lighting.

- **AC:200-240V,50/60Hz**
- **120° / 360° Detection Angle**
- **3m, 5m, 8m, 10m (optional) Detection Distance**
- **Max D10Mx4M Detection Range**
- **10S, 1min, 5min, 10min customized Hold Time**
- **Day, 10Lux, 30Lux, 50Lux optional Day light Sensor**
- **Yes, 0, 10%, 20%, 30% optional Dimmable Function**
- **0.5~3m/s Detection Motion Speed**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **30,000 hrs Lifespan**

5 YEAR WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.
VT-09	8w	720	10 pcs

SKU: 818 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-16	15w	1400	10 pcs

SKU: 803 | 3000K WARM WHITE
SKU: 804 | 4000K DAY WHITE
SKU: 805 | 6400K WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-22	15w	1450l	10 pcs

SKU: 819 | 4000K DAY WHITE

VANDAL-PROOF



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

2D Bulkhead with Emergency Battery Backup and Sensor

3in1 Bulkhead | Emergency Battery Backup | Microwave Sensor

Our 3-in-1 LED bulkhead range is equipped with the complete package for a remarkable and reliable indoor/ outdoor emergency and security lighting. With reliable Ni-Cad emergency battery back up, advanced microwave sensor, and optional dimmable functions, this range has impressive lighting abilities to make outdoor locations of residential, business, and industrial areas safer and easier to navigate.

- **AC:200-240V,50/60Hz**
- **>1.2 Watts Emergency Standby Watts**
- **60mA Battery Charging Current**
- **200mA Battery Discharging Current**
- **Ni-CD AA, 7.2V 1.0Ah Battery Type**
- **Green LED Charging indicate**
- **Including battery protection circuit & inhibiting mode**
- **120° / 360° Detection Angle**
- **Yes, 0, 10%, 20%, 30% optional Dimmable Function**
- **0.5~3m/s Detection Motion Speed**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **3m, 5m, 8m, 10m (optional) Detection Distance**
- **30,000 hrs Lifespan**

3 YEAR WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.
VT-12	10w	720	10 pcs

SKU: 817 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-19	17w	1400	10 pcs

SKU: 812 | 4000K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

EMERGENCY
BATTERY
BACKUP

MICROWAVE
SENSOR

3 IN 1 EMERGENCY BATTERY BACKUP MICROWAVE SENSOR

IP65
RATING

SLIM DOMELIGHT

A new addition to our Dome Light Lights series, V-TAC's new Slim IP65 LED Dome Lights are re-designed with a sleeker, more compact built for a modern look – perfect lighting for outdoor areas in residential, business, and industrial zones.

Slim Domelight

- **AC:220-240V,50/60Hz**
- **110° Beam Angle**
- **SMD LED chip type**
- **Body Material - PC**
- **30,000 Life Hours**
- **CRI >80**
- **IP Rating IP65**

5 YEAR WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.
VT-12S	**12w**	**1440**	**10 pcs**

SKU: 935 | 3000K WARM WHITE
SKU: 820 | 4000K DAY WHITE
SKU: 936 | 6400K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

Slim Domelight with Emergency Backup

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current - 60mA
- Battery Discharge Current - 200mA

3 YEAR WARRANTY*

Emergency Battery Backup

MODEL	WATTS	LUMENS	BOX QTY.
VT-12SE	14w	1440	10 pcs

SKU: 822 | 4000K DAY WHITE



Slim Domelight with Sensor

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP54
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- Detection Motion Speed - 0.5-3m/s
- Hold Time - 30s, 40s, 50s customized
- Daylight sensor -Day, 2lux, 10lux, 50lux optional
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override by dial switch
- Stand by period - 0s, 10s, 10m optional

5 YEAR WARRANTY*

Microwave Sensor

MODEL	WATTS	LUMENS	BOX QTY.
VT-12SS	12w	1440	10 pcs

SKU: 937 | 3000K WARM WHITE
SKU: 821 | 4000K DAY WHITE
SKU: 938 | 6400K DAY WHITE



Slim Domelight with Emergency+Sensor

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP54
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current - 60mA
- Battery Discharge Current - 200mA
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- 0.5-3m/s detection motion speed
- 30s, 40s, 50s customized (time delay)
- Daylight sensor -Day: 7-20LUX
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override
- Standby - 0s, 10s, 10m optional

3 YEAR WARRANTY*

3in1 Bulkhead | Emergency Battery Backup | Microwave Sensor

MODEL	WATTS	LUMENS	BOX QTY.
VT-12SES	14w	1440	10 pcs

SKU: 823 | 4000K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Bulkhead CCT Changeable With Switch

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust. This new model has an easy switch for colour temperature tuning to achieve any lighting mood in any room. No need to worry about which colour temperature for any room when you can have it all – readily available with just a flick of a switch.

- **AC:200-240V,50/60Hz**
- **CRI >80**
- **30,000 Life Hours**
- **120° Beam Angle**
- **PC Material**
- **Built in Switch for CCT Changing**

EASY TOGGLE SWITCH

3000K 4000K 6400K

EASY ACCESS FOR COLOR CHANGING WITH BUTTON



MODEL	WATTS	LUMENS	BOX QTY.
VT-2-17	15w	1400	10 pcs

SKU: 20016 | 3 IN 1

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Domelight - Sensor

- Input: AC:110-240V, 50/60Hz
- 120° Beam Angle
- 20,000 Hours
- SMD LED Chip
- CRI >80
- 3 year warranty
- Detection Distance - 6m Max
- Detection Range - 360°
- Time Delay - Min-10sec±3sex, Max-3min±30sec
- Detection motion Speed - 0.6-1.5m/s
- Ambient Light - <3-2000lux(adjustable)
- Instant start
- IP20 Rating

MOTION PIR SENSOR

MODEL	WATTS	LUMENS	BOX QTY.
VT-13	12w	800	10 pcs

SKU: 807 | 3000K WARM WHITE
SKU: 808 | 4000K DAY WHITE
SKU: 809 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

NEW

V-TAC® GENERATION

Ceiling Light-Round

- AC:100-240V,50/60Hz
- IP Rating:IP44
- CRI:>80
- Warranty:3 Years
- 110° Beam Angle
- Body Type: PC

3 YEAR WARRANTY*

POLYCARBONATE PC

MODEL	WATTS	LUMENS	BOX QTY.
VT-8033RD	15w	1500	20 pcs

SKU: 13889 | 3000K WARM WHITE
SKU: 55669 | 4000K DAY WHITE
SKU: 13899 | 6500K WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-8066RD	25w	2500	10 pcs

SKU: 13929 | 3000K WARM WHITE
SKU: 13939 | 4000K DAY WHITE
SKU: 13949 | 6500K WHITE



NEW

V-TAC® GENERATION

Ceiling Light-Square

- AC:100-240V,50/60Hz
- IP Rating:IP44
- CRI:>80
- Warranty:3 Years
- 110° Beam Angle
- Body Type: PC

3 YEAR WARRANTY*

POLYCARBONATE PC

MODEL	WATTS	LUMENS	BOX QTY.
VT-8033SQ	15w	1500	20 pcs

SKU: 13909 | 3000K WARM WHITE
SKU: 55679 | 4000K DAY WHITE
SKU: 13919 | 6500K WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-8066SQ	25w	2500	10 pcs

SKU: 13959 | 3000K WARM WHITE
SKU: 13969 | 4000K DAY WHITE
SKU: 13979 | 6500K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Reflector Downlight

Our new reflector downlights feature a quick connector for easy wiring and installation. The beam angle direction can be also be easily adjusted by tilting the downlight itself.

- **Adjustable Angle**
- **AC:85-265V,50/60Hz**
- **Body type Aluminium**
- **120° Beam Angle**
- **LED (COB chip) provided by Samsung**
- **CRI >80**

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-10	10w	900	40 pcs

SKU: 839 | 3000K WARM WHITE
SKU: 840 | 4000K DAY WHITE
SKU: 841 | 6400K WHITE



Cutting Size: ø80mm

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-20	20w	1600	20 pcs

SKU: 842 | 3000K WARM WHITE
SKU: 843 | 4000K DAY WHITE
SKU: 844 | 6400K WHITE



Cutting Size: ø145 mm

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-30	30w	2400	10 pcs

SKU: 845 | 3000K WARM WHITE
SKU: 846 | 4000K DAY WHITE
SKU: 832 | 6400K WHITE



Cutting Size: ø195 mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

FLICKER FREE

UGR<19

REAL COLOR SERIES CRI >90

12° Narrow Beam Angle

38° Narrow Beam Angle



Reflector Downlight

Introducing V-TAC's LED reflector downlights — available in 12° & 38° beam angles & CRI rating of >90, to achieve any residential, retail, or hospitality lighting need.

- 30,000 Life Hours
- Input Voltage - AC:220-240V,50Hz
- Body Material - Aluminium
- Includes Quick Connector for easy wiring

MODEL **VT-2-04** 12°

SKU: 972 | 2700K WARM WHITE
SKU: 971 | 4000K DAY WHITE
SKU: 970 | 5700K WHITE

MODEL **VT-2-04-1** 38°

SKU: 987 | 2700K WARM WHITE
SKU: 986 | 4000K DAY WHITE
SKU: 985 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
4w	320	100 pcs



Cutting Size

MODEL **VT-2-12** 12°

SKU: 975 | 2700K WARM WHITE
SKU: 974 | 4000K DAY WHITE
SKU: 973 | 5700K WHITE

MODEL **VT-2-12-1** 38°

SKU: 990 | 2700K WARM WHITE
SKU: 989 | 4000K DAY WHITE
SKU: 988 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
12w	960	50 pcs



Cutting Size

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL **VT-2-16** 12°

SKU: 978 | 2700K WARM WHITE
SKU: 977 | 4000K DAY WHITE
SKU: 976 | 5700K WHITE

MODEL **VT-2-16-1** 38°

SKU: 993 | 2700K WARM WHITE
SKU: 992 | 4000K DAY WHITE
SKU: 991 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
16w	1280	50 pcs



MODEL **VT-2-21** 12°

SKU: 981 | 2700K WARM WHITE
SKU: 980 | 4000K DAY WHITE
SKU: 979 | 5700K WHITE

MODEL **VT-2-21-1** 38°

SKU: 996 | 2700K WARM WHITE
SKU: 995 | 4000K DAY WHITE
SKU: 994 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



MODEL **VT-2-36** 12°

SKU: 984 | 2700K WARM WHITE
SKU: 983 | 4000K DAY WHITE
SKU: 982 | 5700K WHITE

MODEL **VT-2-36-1** 38°

SKU: 999 | 2700K WARM WHITE
SKU: 998 | 4000K DAY WHITE
SKU: 997 | 5700K WHITE

WATTS	LUMENS	BOX QTY.
36w	2880	20 pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

SAMSUNG LED Illuminated

5 YEAR WARRANTY*

Reflector Downlight - Black Housing

Introducing V-TAC's LED reflector downlights with black housing—available in 10w, 20w & 30w & CRI rating of >80, to achieve any residential, retail, or hospitality lighting need.

- AC:85-265V,50/60Hz
- CRI >80
- 30,000 Life Hours
- 120° Beam Angle
- 85% Energy Saving

MODEL
VT-2-13

NEW

SKU: 20051 | 3000K WARM WHITE
SKU: 20052 | 4000K DAY WHITE
SKU: 20053 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	40 pcs



MODEL
VT-2-23

NEW

SKU: 20054 | 3000K WARM WHITE
SKU: 20055 | 4000K DAY WHITE
SKU: 20056 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



MODEL
VT-2-33

NEW

SKU: 20057 | 3000K WARM WHITE
SKU: 20058 | 4000K DAY WHITE
SKU: 20059 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

SAMSUNG LED Illuminated

5 YEAR WARRANTY*

LED Downlight

Our new reflector downlights feature adjustable beam angle direction. CRI rating of >90, to achieve any residential, retail, or hospitality lighting need.

- Adjustable Angle
- AC:220-240V,50/60Hz
- 24° Beam Angle
- IP20
- 30,000 Life Hours

NEW

VT-419

SKU: 20049 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
18w	1450	20 pcs

REAL COLOR SERIES CRI >90



NEW

VT-436

SKU: 20050 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
2x18w	2900	10 pcs

REAL COLOR SERIES CRI >90



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

5 YEAR WARRANTY*

Fire Rated Downlight

Our new Fire-Rated Spotlight Fittings are available in Chrome, Nickel, and White finish. With 3000K, 4000K and 6400K CCT options, built with Aluminium alloy and iron. Efficient replacement for traditional downlight fittings.

- 70° Beam Angle
- IP rating IP65
- Iron+Aluminium Alloy
- CRI >80
- LED provided by Samsung
- 30,000 Hours

30-60-90 MIN
Fire Rated

QUICK
CONNECTOR

DIMMABLE
LIGHT CONTROL

MODEL	WATTS	LUMENS	COLOR	BOX QTY.
VT-885-C	5w	500	Chrome	60 pcs

SKU: 8175 | 3000K WARM WHITE
SKU: 8176 | 4000K DAY WHITE
SKU: 8180 | 6400K WHITE



Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.
VT-885-N	5w	500	Nickel	60 pcs

SKU: 8173 | 3000K WARM WHITE
SKU: 8174 | 4000K DAY WHITE
SKU: 8179 | 6400K WHITE



Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.
VT-885-W	5w	500	White	60 pcs

SKU: 8177 | 3000K WARM WHITE
SKU: 8178 | 4000K DAY WHITE
SKU: 8181 | 6400K WHITE



Cutting Size: Ø57mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

Fire Rated Downlight-3PC Pack

30-60-90 MIN
Fire Rated

QUICK
CONNECTOR

DIMMABLE
LIGHT CONTROL

MODEL	WATTS	LUMENS	COLOR	BOX QTY.
VT-885-C	5w	500	Chrome	20 pcs

SKU: 8874 | 3000K WARM WHITE
SKU: 8875 | 4000K DAY WHITE
SKU: 8876 | 6400K WHITE



Ø81.5mm

Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.
VT-885-N	5w	500	Nickel	20 pcs

SKU: 8197 | 3000K WARM WHITE
SKU: 8198 | 4000K DAY WHITE
SKU: 8199 | 6400K WHITE



Ø81.5mm

Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.
VT-885-W	5w	500	White	20 pcs

SKU: 8182 | 3000K WARM WHITE
SKU: 8183 | 4000K DAY WHITE
SKU: 8184 | 6400K WHITE



Ø81.5mm

Cutting Size: Ø57mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

NEW

Fire Rated Downlight-10PC Pack

MODEL	WATTS	LUMENS	COLOR	BOX QTY.
VT-885-C	5w	500	Chrome	6 pcs

SKU: 8913 | 3000K WARM WHITE
SKU: 8914 | 4000K DAY WHITE
SKU: 8915 | 6400K WHITE



Ø81.5mm

Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.
VT-885-N	5w	500	Satin Nickle	6 pcs

SKU: 8890 | 3000K WARM WHITE
SKU: 8891 | 4000K DAY WHITE
SKU: 8912 | 6400K WHITE



Ø81.5mm

Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.
VT-885-W	5w	500	White	6 pcs

SKU: 8887 | 3000K WARM WHITE
SKU: 8888 | 4000K DAY WHITE
SKU: 8889 | 6400K WHITE



Ø81.5mm

Cutting Size: Ø57mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Included Bezels

Chrome

Satin Nickle

White

Fire Rated Downlight

An innovative addition to our Fire-Rated Downlight series, this new model has an accessible switch for colour temperature tuning so users can easily achieve any lighting mood in any room.

- IP65 Rating.
- Integrated SMD LED (Non-replaceable).
- Isolate driver with terminal for easy and speedy installation
- Dimmable
- AC:200-240V,50Hz
- Body Type: Aluminium
- 60° Beam Angle
- CRI >80
- LED provided by samsung
- 30,000 Hours
- Cutting size:75mm

30 MIN
60 MIN
90 MIN
Fire Rated

EASY TOGGLE SWITCH

3000K 4000K 6400K

EASY ACCESS FOR COLOR CHANGING WITH BUTTON

MODEL	WATTS	LUMENS	BOX QTY.
VT-18D	8w	720	30 pcs

SKU: 881 | 3IN1

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

(When light intensity is more than 10 lx, light keep off even though people in. Less than 10 lx, PIR Sensor works)



LED CABINET LIGHT

2 YEAR WARRANTY*

Enjoy the convenience of V-TAC's new LED cabinet lights with built-in PIR sensor. Ideal for wardrobes, bookshelves, drawers, and tool cabinets. Fully powered by batteries, designed for a neat installation.

- **Easy to mount**
- **Automatic sensing**
- **Uses battery instead of power supply, no wires**
- **Ideal for wardrobes, bookcases, cupboards, and more...**

VT-80

SKU: 813 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
1.5w	80	50 pcs

3xAAA (Battery not included)





VT-81

SKU: 814 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
1.5w	135	50 pcs

4xAA (Battery not included)





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED Night Light

Eye-friendly LED night light, produce comforting gentle warm light to let you see better in the dark. This white LED nightlight can illuminate any dark space in your home or office.

- **Voltage/Frequency: 220-240V, 50Hz**
- **Power: 0.45W**
- **RA: >80**
- **Body material: ABS+PC**
- **Box Qty: 50pcs**

AUTOMATIC ON (<15 Lux) | AUTOMATIC OFF

VT-82RD

SKU: 824 | 3000K WARM WHITE
SKU: 825 | 4000K DAY WHITE

SIZE
ø65x55mm

VT-82SQ

SKU: 826 | 3000K WARM WHITE
SKU: 827 | 4000K DAY WHITE

SIZE
65x55mm

AUTOMATIC ON (<15 Lux) | AUTOMATIC OFF

VT-83RD

SKU: 828 | 3000K WARM WHITE
SKU: 829 | 4000K DAY WHITE

SIZE
ø60x54.5mm

VT-83SQ

SKU: 830 | 3000K WARM WHITE
SKU: 831 | 4000K DAY WHITE

SIZE
60x60x54.5mm



USB PORT | AUTOMATIC ON (<15 Lux) | AUTOMATIC OFF

USB charging ports to charge USB chargeable devices simultaneously

VT-84RD

SKU: 505 | 3000K WARM WHITE
SKU: 506 | 4000K DAY WHITE

SIZE
ø60x54.5mm

VT-84SQ

SKU: 507 | 3000K WARM WHITE
SKU: 508 | 4000K DAY WHITE

SIZE
60x60x54.5mm

AUTOMATIC ON (<15 Lux) | AUTOMATIC OFF

VT-86RD

SKU: 20018 | 3000K WARM WHITE
SKU: 20017 | 4000K DAY WHITE

SIZE
65x50mm

VT-86SQ

SKU: 20019 | 3000K WARM WHITE
SKU: 20020 | 4000K DAY WHITE

SIZE
65x65x50mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

NEW



LED BOLLARD LIGHTS

- Input AC:220-240V,50/60Hz
- CRI >80
- PF >0.5
- 120° Beam Angle
- 20,000 Life Hours
- IP65 Protection
- LED Chip Type - SMD
- On/Off Cycle - 15,000

3 YEAR WARRANTY*

IP65 RATING

VT-33-WHITE

SKU: 20116 | 3000K WARM WHITE
SKU: 20117 | 4000K DAY WHITE
SKU: 20118 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10W	900	5 pcs



VT-33-BLACK

SKU: 20113 | 3000K WARM WHITE
SKU: 20114 | 4000K DAY WHITE
SKU: 20115 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10W	650	5 pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED Solar Wall and Bollard Lights

- Min 3hrs / Max 12hrs Working Time
- Lithium battery 3.7V 2600mAh
- 2Watts
- IP65 Rating
- 3-5 meters Sensing Range
- 50pcs of LED
- AL+PC Material
- 4-6 hours sunlight charging Time
- 5.5V 3 W Solar Panel

VT-77

SKU: 784 | 3000K WARM WHITE

LUMENS	BEAM ANGLE
220	170°

BOX QTY.	SIZE
10 pcs	140x140x290mm

VT-66

SKU: 785 | 3000K WARM WHITE

LUMENS	BEAM ANGLE
280	120°

BOX QTY.	SIZE
10 pcs	140x140x500mm

LED Wall Light



VT-7-06

SKU: 780 | 3000K WARM WHITE
SKU: 781 | 4000K DAY WHITE

WATTS	LUMENS	BEAM ANGLE	BOX QTY.	SIZE
10w	800	110°	20 pcs	300x55x194mm

- AC220-240V,50/60Hz
- CRI: >80
- 15,000 times On/Off
- 20,000 hrs. Life span
- PC Material
- IP54 Rating

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED EMERGENCY LIGHTS

V-TAC new range of LED emergency lights comes at an age of increased awareness and standards for safety compliance in different infrastructures. Now equipped with highly efficient LEDs provided by Samsung, these emergency lights include clear-cut exit signs, and are powered by high performance batteries, to provide a longer lifespan, lower maintenance, with increased working time when activated.

V-TAC's emergency lights are a smart choice for effective emergency lighting to meet fire & safety assessments in residential and commercial buildings, offices, hotels, hospitals, and schools

APPLICATION

Offices, hospitals, corporate buildings, schools, and commercial establishments

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

KEY FEATURES

- Thermoplastic PC built
- High quality Ni-Cd batteries made for longevity & low maintenance reliable emergency backup of 3 hours
- Rectangular type plastic with different signs for various locations
- Single or double face configuration
- Wall, side, or ceiling mounted
- LED indicator light and push button test switch LEDs mounted on print circuit board
- 12-24-hour recharge after more than 3-hour discharge
- Efficient thermal management technology
- Corrosion-free mounting clamps
- Maintained operation mode

Exit Light - Surface

VT-519-S-12 SKU: 836 - 6000K WHITE

Box Qty: 10pcs

12Hrs CHARGING TIME



Lumens:	140lm	Viewing Distance:	24 Meters From Both Sides
IP Rating:	IP20	Test Button:	Green Light Indicator Test Button
Material :	PC	Legends:	3 Way Legend Available
Exit Lamp Type:	Wall/Ceiling	Input Voltage:	AC:220-240V,50/60Hz
Battery:	Ni-Cd 3.6V,900mAh	Mode Of Operation:	Maintained
Recharging Time:	12 Hours	Emergency Operation Time:	>3 Hours
Stickers:	3 Stickers	Lamp Type:	16 SMD LEDs
Watts:	2w		

Exit Light-Recessed

VT-522-S-12 SKU: 835 - 6000K WHITE

Box Qty: 10pcs

12Hrs CHARGING TIME



Lumens:	140lm	Viewing Distance:	24 Meters From Both Sides
IP Rating:	IP20	Test Button:	Green Light Indicator Test Button
Material :	PC	Legends:	3 Way Legend Available
Exit Lamp Type:	Recessed/Ceiling	Input Voltage:	AC:220-240V,50/60Hz
Battery:	Ni-Cd 3.6V,900mAh	Mode Of Operation:	Maintained
Recharging Time:	12 Hours	Emergency Operation Time:	>3 Hours
Stickers:	3 Stickers	Lamp Type:	16 SMD LEDs
Watts:	2w		

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Exit Light - Bulkhead

VT-511-S SKU: 899 - 6000K WHITE

Box Qty: 10 Pcs

12Hrs CHARGING TIME



Lumens:	110lm
IP Rating:	IP20
Material :	ABS+PC
Exit Lamp Type:	Bulkhead
Watts:	3.8w

Input Voltage:	AC:220-240V,50/60Hz
Mode Of Operation:	Maintained/Non Maintained
Emergency Operation Time:	>3 Hours
Lamp Type:	20 SMD LEDs
Battery:	4V2.0AH Lead Acid battery
Recharging Time:	12 Hours

Exit Light - Bulkhead

VT-524-S-12 SKU: 838 - 6000K WHITE

Box Qty: 12pcs

12Hrs CHARGING TIME



Lumens:	190lm
IP Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Battery:	Ni-Cd 4.8V,900mAh
Recharging Time:	12 Hours
Stickers:	3 Stickers
Watts:	4w

Viewing Distance:	22 Meters From One side
Test Button:	Green Light Indicator Test Button
Legends:	3 Way Legend Available
Input Voltage:	AC:220-240V,50/60Hz
Mode Of Operation:	Maintained
Emergency Operation Time:	>3 Hours
Lamp Type:	30 SMD LEDs

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED STRIP LIGHTS

V-TAC's efficient LED strip lights is an effective solution to light up tight spaces, or in simply decorating your kitchen, bedroom, and even your garden. Applicable both for accent lighting or task lighting, these strip lights are easy to install, compatible with controls, and are available in standard color temperatures.

APPLICATION

Recommended for bedrooms, kitchens, restaurants, bars, and other residential and commercial areas

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

KEY FEATURES

- Easy installation
- Available in 5m and 10m
- Exceptionally low power consumption

LED STRIP & NEON FLEX LIGHTS

This range includes up to 18 watt dust and moisture-rated LED strip lights, equipped with Samsung LED Chips for an even further advanced and vivid performance. It also has our IP65 neon flex LED strip light that is specially designed for outdoor resistance. Available in 3000K Warm White, 4000K Day White, and 6400K White, we have the optimal range of low-energy consuming and easy-to-install strip lights with vibrant lighting.

- **LED strip is a low voltage flexible ribbon available in 24v and 12V**
- **Flexible & easy installation**
- **Exceptionally low power consumption**
- **Multiple visual effects in unending colours and shades**

3 YEAR WARRANTY*

CRI>95

MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.
VT-10-240-1	18w	1800	DC:24V	40 Packets

SKU: 331 | 3000K WARM WHITE
SKU: 332 | 4000K DAY WHITE
SKU: 333 | 6400K WHITE

10 METER ROLL

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.
VT-10-240	15w	1600	DC:24V	80 Packets

SKU: 320 | 3000K WARM WHITE
SKU: 321 | 4000K DAY WHITE
SKU: 322 | 6400K WHITE

10 METER ROLL

MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.
VT-5-120	12w	1200	DC:12V	80 Packets

SKU: 323 | 3000K WARM WHITE
SKU: 324 | 4000K DAY WHITE
SKU: 325 | 6400K WHITE

5 METER ROLL



WATERPROOF LED NEON FLEX

UV PROTECTION

IP65 RATING

MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.
VT-55	10w	300	DC:12V	40 Packets

SKU: 326 | 3000K WARM WHITE
SKU:327 | 4000K DAY WHITE
SKU:328 | 6400K WHITE

5 METER ROLL

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED SPOT LIGHTS

Our new range of LED spotlights with Samsung LEDs is your leading choice for efficient directional lighting solutions. This new range is perfectly compatible with existing GU10 holders. They deliver the same warm light as halogen spots while exhibiting the energy-saving benefits that LEDs provide. Ideal for retail and residential lighting.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

KEY FEATURES

- Classic halogen-like design with up to 80% power savings
- Compatibility ensured: available in all existing spotlight holders
- Optional beam angles: ranging from 38’D to 300’D
- Set the right tone: dimmable options available



LED SPOTLIGHTS

LED Capsules Lights

Our newly improved range of capsule lights are the ideal choice for replacing Halogen counterparts. Now equipped with LEDs provided by Samsung for maximum efficiency.

- **30,000-hr lifespan**
- **DC:12V for G4**
- **AC:220-240V,50Hz for G9**
- **CRI: >80**

5 YEAR WARRANTY*

G4

G4

G9

G9

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-201	1.5w	10w	100	G4	200 pcs

SKU: 240 | 3000K WARM WHITE
SKU: 241 | 4000K DAY WHITE
SKU: 242 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-234	3.2w	30w	385	G4	200 pcs

SKU: 131 | 3000K WARM WHITE
SKU: 132 | 4000K DAY WHITE
SKU: 133 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-203	2.5w	20w	200	G9	200 pcs

SKU: 243 | 3000K WARM WHITE
SKU: 244 | 4000K DAY WHITE
SKU: 245 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-204	3w	25w	300	G9	200 pcs

SKU: 246 | 3000K WARM WHITE
SKU: 247 | 4000K DAY WHITE
SKU: 248 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

LED SPOTLIGHTS

LED GU10 Lights

Achieve a warm soft glow in any room with our improved range of GU10 spotlights with 30,000-hr lamp life.

- **Clear and frost cover options**
- **Available in 38'D or 110'D beam angle**
- **Dimmable options available**
- **30,000-hr lifespan**
- **DC:12V for GU5.3**
- **AC:220-240V,50Hz for GU10**
- **CRI: >80**

5 YEAR WARRANTY*

GU10

GU10

GU10

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-232	2w	15w	180	GU10	200 pcs

SKU: 869 | 3000K WARM WHITE
SKU: 870 | 4000K DAY WHITE
SKU: 871 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-205	5w	35w	400	GU10	200 pcs

SKU: 201 | 3000K WARM WHITE
SKU: 202 | 4000K DAY WHITE
SKU: 203 | 6400K WHITE

110° BEAM ANGLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-275	5w	40w	380	GU10		192 pcs

SKU: 108 | 3000K WARM WHITE
SKU: 797 | 4000K DAY WHITE
SKU: 511 | 6400K WHITE

12 PCS PACK ALSO AVIALABLE
38° BEAM ANGLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-275D	5w	35w	380	GU10		192 pcs

SKU: 109 | 3000K WARM WHITE
SKU: 512 | 4000K DAY WHITE
SKU: 897 | 6400K WHITE

DIMMABLE
12 PCS PACK ALSO AVIALABLE
38° BEAM ANGLE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

LED SPOTLIGHTS

MR16 | GU10

5 YEAR WARRANTY*

GU5.3

GU10

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-2335	5w	75	800	GU10	200 pcs

SKU: 2837 | 3000K WARM WHITE
SKU: 2838 | 4000K DAY WHITE
SKU: 2839 | 6400K WHITE

evolution 160 LUMENS/W

NEW

110° BEAM ANGLE

A++ A+ A B C D E — A++

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-249	6w	50w	500	GU10	200 pcs

SKU: 20026 | 3000K WARM WHITE
SKU: 20027 | 4000K DAY WHITE
SKU: 20028 | 6400K WHITE

NEW

10° BEAM ANGLE

A++ A+ A B C D E — A+



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-257	6.5w	55w	450	GU5.3	200 pcs

SKU: 204 | 3000K WARM WHITE
SKU: 205 | 4000K DAY WHITE
SKU: 206 | 6400K WHITE

110° BEAM ANGLE

A++ A+ A B C D E — A+



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-267	6.5w	40w	450	GU5.3	200 pcs

SKU: 207 | 3000K WARM WHITE
SKU: 208 | 4000K DAY WHITE
SKU: 209 | 6400K WHITE

38° BEAM ANGLE

A++ A+ A B C D E — A+



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-247	6.5w	60w	480	GU10	200 pcs

SKU: 192 | 3000K WARM WHITE
SKU: 193 | 4000K DAY WHITE
SKU: 194 | 6400K WHITE

110° BEAM ANGLE

A++ A+ A B C D E — A+



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-247D	6.5w	55w	450	GU10	200 pcs

SKU: 198 | 3000K WARM WHITE
SKU: 199 | 4000K DAY WHITE
SKU: 200 | 6400K WHITE

DIMMABLE | 110° BEAM ANGLE | A++ A+ A B C D E — A+ | 55 mm | 50 mm

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-227	6.5w	60w	480	GU10	200 pcs

SKU: 189 | 3000K WARM WHITE
SKU: 190 | 4000K DAY WHITE
SKU: 191 | 6400K WHITE

38° BEAM ANGLE | A++ A+ A B C D E — A+ | 55 mm | 50 mm

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-227D	6.5w	35w	450	GU10	200 pcs

SKU: 195 | 3000K WARM WHITE
SKU: 196 | 4000K DAY WHITE
SKU: 197 | 6400K WHITE

DIMMABLE | 38° BEAM ANGLE | A++ A+ A B C D E — A+ | 55 mm | 50 mm

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-277	7w	65w	480	GU10	200 pcs

SKU: 165 | 3000K WARM WHITE
SKU: 166 | 4000K DAY WHITE
SKU: 167 | 6400K WHITE

38° BEAM ANGLE | A++ A+ A B C D E — A+ | 55 mm | 50 mm

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-291	8w	80w	720	GU10	200 pcs

SKU: 875 | 3000K WARM WHITE
SKU: 876 | 4000K DAY WHITE
SKU: 877 | 6400K WHITE

38° BEAM ANGLE | A++ A+ A B C D E — A+ | 55 mm | 50 mm

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-292	8w	80w	720	GU10	200 pcs

SKU: 872 | 3000K WARM WHITE
SKU: 873 | 4000K DAY WHITE
SKU: 874 | 6400K WHITE

110° BEAM ANGLE | A++ A+ A B C D E — A+ | 55 mm | 50 mm

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-271	10w	70w	1000	GU10	200 pcs

SKU: 878 | 3000K WARM WHITE
SKU: 879 | 4000K DAY WHITE
SKU: 880 | 6400K WHITE

110° BEAM ANGLE | A++ A+ A B C D E — A+ | 57 mm | 50 mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED BULBS

Find the right bulb in V-TAC's newly improved range of LED bulbs. With our recent in-branding program with Samsung, all LED chips used in the PRO Series lamp range.

From aesthetically-pleasing filament bulbs to our extensive options of 360° omnidirectional thermoplastic bulbs in all sizes, watts, and lumens, we have a complete range to replace 60w to 150w traditional lamps for your home, office, or business.

APPLICATION

General lighting in residential, commercial, and industrial areas

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

KEY FEATURES

- Includes Amber & Clear Filament Bulbs, High-Lumen Bulbs, Thermoplastic Bulbs, Reflector Bulbs, PAR Bulbs, Big Bulbs, and B22s.
- Lightweight yet durable body: made of Aluminum + ASA plastic
- Designed with optimal thermal management
- 80% lower power consumption
- Dimmable options available
- 30,000-hr lifespan: remarkable performance than conventional and other LED lamps

A new milestone in our ceaseless approach towards **innovation.**

INTRODUCING THE NEW SERIES

Our bestselling LED Bulbs — now upgraded with a superior efficiency of **160 lm/W** through the latest in LED technology.

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

NEW

Thermoplastic Bulb

6.5W VT-2307

SKU: 2806 - 3000K WARM WHITE
SKU: 2807 - 4000K DAY WHITE
SKU: 2808 - 6400K WHITE

evolution

5 YEAR WARRANTY*

SuperBRIGHT 160 LUMENS/W





EQ. WATTS:	75w	LED TYPE:	SMD	BEAM ANGLE:	200°
VOLTAGE/FREQUENCY:	AC:220-240V, 50Hz	CRI:	>80	BODY TYPE:	Thermoplastic
LUMINOUS FLUX:	1055lm	PF:	>0.6	DIMENSION:	60x110mm
COMMERCIAL TYPE:	A60	BASE:	E27	BOX QTY:	100

NEW

Thermoplastic Bulb

9.5W VT-2310

SKU: 2809 - 3000K WARM WHITE
SKU: 2810 - 4000K DAY WHITE
SKU: 2811 - 6400K WHITE

evolution

5 YEAR WARRANTY*

SuperBRIGHT 160 LUMENS/W





EQ. WATTS:	100w	LED TYPE:	SMD	BEAM ANGLE:	200°
VOLTAGE/FREQUENCY:	AC:220-240V, 50Hz	CRI:	>80	BODY TYPE:	Thermoplastic
LUMINOUS FLUX:	1521lm	PF:	>0.6	DIMENSION:	60x121mm
COMMERCIAL TYPE:	A60	BASE:	E27	BOX QTY:	100

NEW

Thermoplastic Bulb

15W VT-2315

SKU: 2812 - 3000K WARM WHITE
SKU: 2813 - 4000K DAY WHITE
SKU: 2814 - 6400K WHITE

evolution

5 YEAR WARRANTY*

SuperBRIGHT 160 LUMENS/W





EQ. WATTS:	150w	LED TYPE:	SMD	BEAM ANGLE:	200°
VOLTAGE/FREQUENCY:	AC:220-240V, 50Hz	CRI:	>80	BODY TYPE:	Thermoplastic
LUMINOUS FLUX:	2500lm	PF:	>0.6	DIMENSION:	65x134mm
COMMERCIAL TYPE:	A65	BASE:	E27	BOX QTY:	100

NEW

Clear Filament Bulb

24W VT-2324

SKU: 2816 - 4000K DAY WHITE
SKU: 2817 - 6400K WHITE

evolution

2 YEAR WARRANTY*

SuperBRIGHT 160 LUMENS/W





EQ. WATTS:	250w	LED TYPE:	Filament	BEAM ANGLE:	310°
VOLTAGE/FREQUENCY:	AC:220-240V, 50Hz	CRI:	>80	BODY TYPE:	Glass
LUMINOUS FLUX:	4000lm	PF:	>0.6	DIMENSION:	120x300mm
COMMERCIAL TYPE:	ED120	BASE:	E27	BOX QTY:	20

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED AMBER FILAMENT

A60

V-TAC's decorative Amber Filament Lamp range is devised with the latest technology to provide the warm look and feel of conventional filament bulbs.

- **20,000 hrs Lifespan**
- **300° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

3 YEAR WARRANTY*

A60 | E27

A60 | B22

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-266	6w	55w	725	E27	A60	50 pcs

SKU:286 | 2200K WARM WHITE

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-228	4w	35w	350	B22	A60	96 pcs

SKU:107 | 2200K WARM WHITE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED AMBER FILAMENT

G95 | G125 | ST64

V-TAC's decorative Amber Filament Lamp range is devised with the latest technology to provide the warm look and feel of conventional filament bulbs.

- **20,000 hrs Lifespan**
- **300° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

3 YEAR WARRANTY*

G125



ST64

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-297	6w	55w	725	E27	G125	20 pcs

SKU: 291 | 2200K WARM WHITE

120 LM/WATT



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-276	6w	55w	725	E27	ST64	50 pcs

SKU: 290 | 2200K WARM WHITE

120 LM/WATT





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED CLEAR FILAMENT

A60

V-TAC's decorative and efficient LED filament range also comes in an elegant, clear glass body for a classic vintage design in A60, candle, and globe shapes that can replace 35 to 60-watt traditional filament bulbs.

- **20,000 hrs Lifespan**
- **300° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

3 TO 5 YEAR WARRANTY*

A60 | E27

A60 | B22

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-256	6w	60w	806	E27	A60	50 pcs

SKU: 287 | 2700K WARM WHITE

120 LM/WATT



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-208	4w	40w	400	B22	A60	96 pcs

SKU: 106 | 3000K WARM WHITE

BAYONET



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED CLEAR FILAMENT

Candle

Candle | B22

Candle | E14

Twist Candle

Flame Candle

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-222	4w	40w	400	B22	Candle	192 pcs

SKU: 105 | 3000K WARM WHITE

BAYONET





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-254	4w	35w	400	E14	Candle	100 pcs

SKU: 272 | 2700K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-254D	4w	30w	350	E14	Candle	100 pcs

SKU: 278 | 2700K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-274	4w	35w	400	E14	Candle	100 pcs

SKU: 279 | 2700K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-264	4w	35w	400	E14	Candle	100 pcs

SKU: 275 | 2700K WARM WHITE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

LED CLEAR FILAMENT

Candle | G45 | G95 | G125

3 TO 5 YEAR WARRANTY*

Candle

G45

G95

G125

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-284D	4w	30w	350	B15	100 pcs

SKU: 862 | 3000K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-244	4w	35w	400	E27	G45	100 pcs

SKU: 280 | 2700K WARM WHITE
SKU: 944 | 4000K DAY WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-286	6w	60w	806	E27	G95	20 pcs

SKU: 294 | 2700K WARM WHITE

120 LM/WATT

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-287	6w	60w	806	E27	G125	20 pcs

SKU: 292 | 2700K WARM WHITE

120 LM/WATT



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

High **Lumen** Bulbs

Adequate light at an optimal cost – equipped with **Samsung LED chip**, V-TAC's complete range of high-lumen LED lamps includes a vast array of general-purpose lighting solutions with the efficiency of modern LED lighting technology at 120 lumens per watt. Better design, quality, and performance; truly an innovative take on traditional lamps.

120 +
LUMENS/ WATT
SUPER EFFICIENT

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

HIGH LUMEN BULBS

C37 | G45 | P45

Available in warm to bright color temperatures, this high-lumen range includes candelabra-style C37 lamps, 45mm diameter spheroid/ping pong G45 bulbs, and 45mm pear-shaped bulbs for a complete selection of lamps to meet a desired combination for mood and task lighting in residential and commercial spaces.

- **A++ energy rating**
- **120 lm/w**
- **30,000-hr lifespan**
- **200° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR WARRANTY*

C37

G45

P45

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-255	4.5w	40w	470	E14	Candle	200 pcs

SKU: 258 | 3000K WARM WHITE
SKU: 259 | 4000K DAY WHITE
SKU: 260 | 6400K WHITE

120 LM/WATT





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-245	4.5w	40w	470	E27	G45	200 pcs

SKU: 261 | 3000K WARM WHITE
SKU: 262 | 4000K DAY WHITE
SKU: 263 | 6400K WHITE

120 LM/WATT





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-225	4.5w	40w	470	E14	P45	200 pcs

SKU: 264 | 3000K WARM WHITE
SKU: 265 | 4000K DAY WHITE
SKU: 266 | 6400K WHITE

120 LM/WATT





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

HIGH LUMEN BULBS

A60 | A65| G120

5 YEAR WARRANTY*

A60

A65

G120

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-265	6.5w	60w	806	E27	A60	100 pcs

SKU: 255 | 3000K WARM WHITE
SKU: 256 | 4000K DAY WHITE
SKU: 257 | 6400K WHITE

120 LM/WATT





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-285	8.5w	75w	1055	E27	A60	100 pcs

SKU: 252 | 3000K WARM WHITE
SKU: 253 | 4000K DAY WHITE
SKU: 254 | 6400K WHITE

120 LM/WATT



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-295	12w	100w	1521	E27	A65	100 pcs

SKU: 249 | 3000K WARM WHITE
SKU: 250 | 4000K DAY WHITE
SKU: 251 | 6400K WHITE

120 LM/WATT



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-242	22w	160	2650	E27	G120	20 pcs

SKU: 20021 | 3000K WARM WHITE
SKU: 20022 | 4000K DAY WHITE
SKU: 20023 | 6400K WHITE

NEW

120 LM/WATT



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED **Plastic** Bulbs

The definition of sustainability: sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.

- Ideal retrofit for E27, E14 and B22 holders
- Longer lifespan than conventional bulbs
- Instant startup
- Options! Available in three color temperatures
- Set the right tone: dimmable options available
- Customized exterior for a stronger body

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PLASTIC BULBS

ST26 | T37

A decorative and efficient range of Candle, G45, P45, lamps for intricate light fittings in wall lamps, chandeliers and table lamps. This new generation of LED plastic bulbs includes our 9w to 18w A58, A65, and A80 lamps which are ideal for general purpose lighting at residential, commercial, and industrial areas.

- **ST26, T37, C37, and G45 shapes available**
- **On/Off cycles: >20000**
- **Standard color temperatures**
- **30,000-hr lifespan**
- **T36 and T37 - 230° Beam Angle, ST26 - 150° Beam Angle**
- **AC:220-240V,50Hz**

5 YEAR WARRANTY*

ST26

T37

T37

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-202	2w	20w	180	E14	ST26	400 pcs

SKU: 234 | 3000K WARM WHITE
SKU: 235 | 4000K DAY WHITE
SKU: 236 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-248	8w	50w	660	E14	T37	200 pcs

SKU: 267 | 3000K WARM WHITE
SKU: 268 | 4000K DAY WHITE
SKU: 269 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-237	8w	50w	660	E27	T37	200 pcs

SKU: 144 | 3000K WARM WHITE
SKU: 145 | 4000K DAY WHITE
SKU: 146 | 6400K WHITE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PLASTIC BULBS

Candle C37

5 YEAR WARRANTY*

Candle | E14

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-226	5.5w	40w	470	E14	Candle	200 pcs

SKU: 171 | 3000K WARM WHITE
SKU: 172 | 4000K DAY WHITE
SKU: 173 | 6400K WHITE



Candle | E27

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-293D	5.5w	40w	470	E14	Candle	200 pcs

SKU: 20045 | 3000K WARM WHITE
SKU: 20186 | 4000K DAY WHITE
SKU: 20187 | 6400K WHITE

NEW



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-294D	5.5w	40w	470	E14	Candle	200 pcs

SKU: 859 | 3000K WARM WHITE

12 PCS PACK ALSO AVIALABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-289	5.5w	40w	470	E27	Candle	200 pcs

SKU: 858 | 3000K WARM WHITE

12 PCS PACK ALSO AVIALABLE



Flame Candle

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-258	5.5w	40w	470	E14	Candle	200 pcs

SKU: 117 | 3000K WARM WHITE
SKU: 118 | 4000K DAY WHITE
SKU: 119 | 6400K WHITE



Candle | E14

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-268	7w	45w	600	E14	Candle	200 pcs

SKU: 111 | 3000K WARM WHITE
SKU: 112 | 4000K DAY WHITE
SKU: 113 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PLASTIC BULBS

G45 | P45

5 YEAR WARRANTY*

G45

P45

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-246	5.5w	40w	470	E27	G45	200 pcs
SKU: 174 | 3000K WARM WHITE						
SKU: 175 | 4000K DAY WHITE						
SKU: 176 | 6400K WHITE						
VT-283	5.5w	40w	470	E27	G45	200 pcs (12 PCS PACK ALSO AVIALABLE)
SKU: 857 | 3000K WARM WHITE						
VT-290	7w	45w	600	E27	G45	200 pcs
SKU: 866 | 3000K WARM WHITE						
SKU: 867 | 4000K DAY WHITE						
SKU: 868 | 6400K WHITE						
VT-236	5.5w	40w	470	E14	P45	200 pcs
SKU: 168 | 3000K WARM WHITE						
SKU: 169 | 4000K DAY WHITE						
SKU: 170 | 6400K WHITE						
VT-282	5.5w	40w	470	E14	P45	200 pcs (12 PCS PACK ALSO AVIALABLE)
SKU: 856 | 3000K WARM WHITE						
VT-270	7w	45w	600	E14	P45	200 pcs
SKU: 863 | 3000K WARM WHITE						
SKU: 864 | 4000K DAY WHITE						
SKU: 865 | 6400K WHITE						



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PLASTIC BULBS

A58 | A60

5 YEAR WARRANTY*

A60 | E14

A60 | E27

A60 | E27

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-269	9w	60w	806	E14	A60	100 pcs

SKU: 114 | 3000K WARM WHITE
SKU: 115 4000K DAY WHITE
SKU: 116 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-210	9w	60w	806	E27	A60	100 pcs

SKU: 228 | 3000K WARM WHITE
SKU: 229 | 4000K DAY WHITE
SKU: 230 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-212	11w	75w	1055	E27	A60	100 pcs

SKU: 231 | 3000K WARM WHITE
SKU: 232 | 4000K DAY WHITE
SKU: 233 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-262D	12w	75w	1055	E27	A60	100 pcs

SKU: 20044 | 3000K WARM WHITE
SKU: 20184 | 4000K DAY WHITE
SKU: 20185 | 6400K WHITE

NEW

DIMMABLE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PLASTIC BULBS

A65 | A80

5 YEAR WARRANTY*

A60 | E27

A80 | E27

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-215	15w	85w	1250	E27	A65	100 pcs

SKU: 159 | 3000K WARM WHITE
SKU: 160 | 4000K DAY WHITE
SKU: 161 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-217	17w	100w	1521	E27	A65	100 pcs

SKU: 162 | 3000K WARM WHITE
SKU: 163 | 4000K DAY WHITE
SKU: 164 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-217D	17w	100w	1521	E27	A65	pcs

SKU: 20188 | 3000K WARM WHITE
SKU: 20189 | 4000K DAY WHITE
SKU: 20190 | 6400K WHITE

NEW



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-298	18w	125w	2000	E27	A80	100 pcs

SKU: 126 | 3000K WARM WHITE
SKU: 127 | 4000K DAY WHITE
SKU: 128 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-233	20w	150w	2452	E27	A80	50 pcs

SKU: 237 3000K WARM WHITE
SKU: 238 | 4000K DAY WHITE
SKU: 239 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PLASTIC BULBS

Candle | G45

BAYONET

5 YEAR WARRANTY*

Candle | B15

Candle | B22

G45

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-299	5.5w	40w	470	B15	Candle	200 pcs

SKU: 860 | 3000K WARM WHITE

BAYONET

12 PACK ALSO AVIALABLE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-299D	5.5w	40w	470	B15	Candle	200 pcs

SKU: 861 | 3000K WARM WHITE

BAYONET

12 PACK ALSO AVIALABLE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-223	5.5w	40w	470	B22	Candle	192 pcs

SKU: 103 | 3000K WARM WHITE
SKU: 20152 | 6400K WHITE

BAYONET

12 PACK ALSO AVIALABLE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-221	5.5w	40w	470	B22	G45	192 pcs

SKU: 104 | 3000K WARM WHITE

BAYONET

12 PACK ALSO AVIALABLE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PLASTIC BULBS

A58

BAYONET

5 YEAR WARRANTY*

A58

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-229	9w	60w	806	B22	A58	96 pcs

SKU: 101 | 3000K WARM WHITE
SKU:850 | 4000K DAY WHITE
SKU: 851 | 6400K WHITE

12 PCS PACK ALSO AVIALABLE

BAYONET





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-259D	9w	60	806	B22	A58	100 pcs

SKU: 852 | 3000K WARM WHITE

12 PCS PACK ALSO AVIALABLE

BAYONET





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

LED PLASTIC BULBS

A60 | A65

BAYONET

5 YEAR WARRANTY*

A60

A65

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-213	11w	75w	1055	B22	A60	100 pcs

SKU:110 | 4000K DAY WHITE

BAYONET



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-231	11w	75w	1055	B22	A60	96 pcs

SKU: 102 | 3000K WARM WHITE
SKU: 853 | 6400K WHITE

12 PACK ALSO AVIALABLE

BAYONET



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-281	15w	85w	1250	B22	A65	100 pcs

SKU: 854 | 3000K WARM WHITE
SKU:943 | 4000K DAY WHITE
SKU: 855 | 6400K WHITE

12 PACK ALSO AVIALABLE

BAYONET



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED REFLECTOR BULB

We offer an energy-efficient reflectors range of various widths (39mm, 50mm, 63mm, 80mm) for diffused lighting that can serve as track or spotlight in residential, hospitality, or commercial spaces.

- **Available in E14 and E27**
- **30,000-hr lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR WARRANTY*

R39

R50

R63

R80

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-239	3w	25w	250	E14	R39	200 pcs

SKU: 210 | 3000K WARM WHITE
SKU: 211 | 4000K DAY WHITE
SKU: 212 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-250	6w	40w	470	E14	R50	200 pcs

SKU: 138 | 3000K WARM WHITE
SKU: 139 | 4000K DAY WHITE
SKU: 140 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-263	8w	60w	570	E27	R63	200 pcs

SKU: 141 | 3000K WARM WHITE
SKU: 142 | 4000K DAY WHITE
SKU: 143 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-280	10w	75w	800	E27	R80	200 pcs

SKU: 135 | 3000K WARM WHITE
SKU: 136 | 4000K DAY WHITE
SKU: 137 | 6400K WHITE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PAR BULB

Provide precisely control LED beams of light to any space with V-TAC's improved range of LED PAR bulbs with 40° beam angle. With a significantly longer lifespan and up to 80% lower energy-consumption, our LED PAR series is your cost-efficient replacement for Halogen PAR lamps. Our PAR series offers advanced thermal management features and uses LEDs provided by Samsung.

- **Uses IP-protected Samsung LED chip**
- **20,000 hrs Lifespan**
- **300° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR WARRANTY*

PAR20

PAR30

PAR38

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-220	7w	65w	495	E27	PAR20	100 pcs

SKU: 147 | 3000K WARM WHITE
SKU: 148 | 4000K DAY WHITE
SKU: 149 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-230	11w	95w	825	E27	PAR30	30 pcs

SKU: 153 | 3000K WARM WHITE
SKU: 154 | 4000K DAY WHITE
SKU: 155 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-238	14w	120w	1100	E27	PAR38	30 pcs

SKU: 150 | 3000K WARM WHITE
SKU: 151 | 4000K DAY WHITE
SKU: 152 | 6400K WHITE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED BULBS

UFO Bulb

V-TAC's Big Bulb range are ready to meet lighting demands for big spaces that require broader lighting with its range of unique designs, all with significantly greater luminous flux. This range has lamps with diameter ranging from 75mm up to 250mm. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has LEDs provided by Samsung for maximum efficiency.

- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR WARRANTY*

F150

F200

F250

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-216	15w	85w	1200	E27	F150	20 pcs

SKU: 213 | 3000K WARM WHITE
SKU: 214 | 4000K DAY WHITE
SKU: 215 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-224	24w	120w	1950	E27	F200	20 pcs

SKU: 216 | 3000K WARM WHITE
SKU: 217 | 4000K DAY WHITE
SKU: 218 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-235	36w	170w	2900	E27	F250	20 pcs

SKU: 219 | 3000K WARM WHITE
SKU: 220 | 4000K DAY WHITE
SKU: 221 | 6400K WHITE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED BULBS

PAR Bulb | G120

5 YEAR WARRANTY*

GX53

G120

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-207	7w	45w	550	GX53	200 pcs

SKU: 222 | 3000K WARM WHITE
SKU: 223 | 4000K DAY WHITE
SKU: 224 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-218	17w	100w	1521	E27	G120	20 pcs

SKU: 226 | 4000K DAY WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-288	18w	125w	2000	E27	G120	20 pcs

SKU: 123 | 3000K WARM WHITE
SKU: 124 | 4000K DAY WHITE
SKU: 125 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED BULBS

LED Big Bulb | Lowbay

5 YEAR WARRANTY*

E27

E40

E40

MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-240	36w	3960	E27	20 pcs

SKU: 283 | 3000K WARM WHITE
SKU: 284 | 4000K DAY WHITE
SKU: 285 | 6400K WHITE

2 YEAR WARRANTY*

MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-260	60w	5400	E40	20 pcs

SKU: 186 | 3000K WARM WHITE
SKU: 187 | 4000K DAY WHITE
SKU: 188 | 6400K WHITE



MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-85	85w	6800	E40	4 pcs

SKU: 521 | 6400K WHITE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED BIG BULBS

Acrylic Bulbs

5 YEAR WARRANTY*

V-TAC's Acrylic Bulb range with its unique designs, all with significantly greater luminous flux. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has LEDs provided by Samsung for maximum efficiency.

- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **PF >0.5**
- **120° Beam Angle**
- **Acrylic+Aluminum+Plastic Material**

11w

18w

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-2311	11w	70w	900	E27	18 pcs

SKU: 2781 | 3000K WARM WHITE
SKU: 2782 | 4000K DAY WHITE
SKU: 2783 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-2318	18w	90w	1200	E27	18 pcs

SKU: 2784 | 3000K WARM WHITE
SKU: 2785 | 4000K DAY WHITE
SKU: 2786 | 6400K WHITE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED BULBS

LED Emergency Bulb

Multi-Functional LED Bulb — Our Emergency Light Bulb is portable, and can be used as camping light, flashlight, hook light, warehouse light and use as normal bulb aswell.

- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **200° Beam Angle**

Emergency Specs

- **280lm Lumens**
- **Power:3W**
- **3 Hour Working Time**
- **6 Hour Chraging Time:**
- **Lithium Battery DC:3.7V, 1800mAh**

3 HOURS EMERGENCY BATTERY

2 YEAR WARRANTY*

MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-2309	9w	806	E27	50 pcs

SKU: 2371 | 3000K WARM WHITE
SKU: 2372 | 4000K DAY WHITE
SKU: 2373 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®

INNOVATIVE LED LIGHTING

ESSENTIALS

THE ESSENTIALS SERIES CONTAINS OUR EXTENSIVE RANGE OF OVER 1800 INNOVATIVE LED LIGHTING PRODUCTS AT COMPETITIVE PRICES – PROVIDING A COMPLETE ARRAY OF OPTIONS VARYING ON FUNCTIONALITY & APPLICATION – FOR AN EFFICIENT LIGHTING SYSTEM IN RESIDENTIAL, COMMERCIAL, AND INDUSTRIAL APPLICATIONS SPACES. THIS RANGE HAS TWO TO FIVE YEARS OF WARRANTY.

LED Thermoplastic Bulbs

The definition of sustainability: sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.

Product Features

- **Lasts 20 times longer than Standard Bulbs**
- **Broad Range of holders**
- **Uses 80% less energy than Standard Bulbs**
- **Excellent Heat Radiation Efficiency**
- **Customized exterior for stronger body**
- **High Power LED Chips**
- **Non – Flickering**
- **Dimmable & Non Dimmable options**

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands.

Witness the True to Life Colors

CRI >95

Our highest CRI rating yet – V-TAC's new generation of CRI>95 spotlights & bulbs is a must in commercial lighting.

A CRI of 85 to 90 percent is considered good at color rendering, while a CRI of 90 percent or above is considered excellent. A CRI index of 90 or above should be used for tasks requiring the most accurate color discrimination.

- Outstandingly engineered to show only the truest of colors
- Emphasize vivid colors to increase appeal of any product to its consumers and contribute to purchasing decisions
- Recommended for restaurants, apparel shops, supermarkets, and other retail areas

COMING SOON

REAL COLOR SERIES CRI >95

A++ A+ A B C D E — A+

Bulbs-P45-E14-CRI>95

5.5W VT-2236

SKU: 7488 - 2700K Warm White	3800157640749
SKU: 7489 - 4000K Day White	3800157640756
SKU: 7490 - 6400K White	3800157651134



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>95	Body Type:	Thermoplastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	45x81mm
Commercial Type:	P45	Base:	E14	Box Qty:	200 Pcs

REAL COLOR SERIES CRI >95

A++ A+ A B C D E — A+

Bulbs-G45-E27-CRI>95

5.5W VT-2216

SKU: 7491 - 2700K Warm White	3800157651141
SKU: 7492 - 4000K Day White	3800157651158
SKU: 7493 - 6400K White	3800157651165



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>95	Body Type:	Thermoplastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	45x81mm
Commercial Type:	G45	Base:	E27	Box Qty:	200 Pcs

REAL COLOR SERIES CRI >95

A++ A+ A B C D E — A+

Bulbs-Candle-E14-CRI>95

5.5W VT-2226

SKU: 7494 - 2700K Warm White	3800157651172
SKU: 7495 - 4000K Day White	3800157651189
SKU: 7496 - 6400K White	3800157651196



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>95	Body Type:	Thermoplastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	37x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	200 Pcs

REAL COLOR SERIES CRI >95

A++ A+ A B C D E — A+

112 mm / 60 mm

Bulbs-A60-E27-CRI>95

10W VT-2210

SKU: 7479 - 2700K Warm White	3800157651073
SKU: 7480 - 4000K Day White	3800157651080
SKU: 7481 - 6400K White	3800157651097

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>95	Body Type:	Thermoplastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x110mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

REAL COLOR SERIES CRI >95

A++ A+ A B C D E — A+

120 mm / 60 mm

Bulbs-A60-E27-CRI>95

12W VT-2212

SKU: 7482 - 2700K Warm White	3800157651103
SKU: 7483 - 4000K Day White	3800157651110
SKU: 7484 - 6400K White	3800157651127

EQ. Watts:	75w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>95	Body Type:	Thermoplastic
Luminous Flux:	1055lm	PF:	>0.5	Dimension:	60x120mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

REAL COLOR SERIES CRI >95

A++ A+ A B C D E — A+

134 mm / 66.5 mm

Bulbs-A65-E27-CRI>95

17W VT-2217

SKU: 7485 - 2700K Warm White	3800157640718
SKU: 7486 - 4000K Day White	3800157640725
SKU: 7487 - 6400K White	3800157640732

EQ. Watts:	100w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>95	Body Type:	Thermoplastic
Luminous Flux:	1521lm	PF:	>0.5	Dimension:	65x134mm
Commercial Type:	A65	Base:	E27	Box Qty:	100 Pcs

Bulbs-A60-E27-Microwave Sensor

9W VT-2219

SKU: 2760 -3000K Warm White	3800157646567
SKU: 2761 -4000K Day White	3800157646574
SKU: 2762 -6400K White	3800157646581

AUTOMATIC ON (<15 Lux) | AUTOMATIC OFF

MICROWAVE SENSOR BULB
8-10 meter detection range



EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Thermoplastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	Ø60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100pcs

1. Auto Switch on at dusk and Switches off at dawn.
2. Built-in Daylight Sensor
3. Automatlcally Switches On when room light is less
4. Light stays for 60 seconds upon detection of movement

V-TAC SMART

Bulbs-A60-E27-Microwave Sensor

11W VT-2211

SKU: 2763 -3000K Warm White	3800157646598
SKU: 2764 -4000K Day White	3800157646604
SKU: 2765 -6400K White	3800157646611

AUTOMATIC ON (<15 Lux) | AUTOMATIC OFF

MICROWAVE SENSOR BULB
8-10 meter detection range





EQ. Watts:	75w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240v,50Hz	CRI:	>80	Body Type:	Thermoplastic
Luminous Flux:	1055lm	PF:	>0.5	Dimension:	Ø60x120mm
Commercial Type:	A60	Base:	E27	Box Qty:	100pcs

1. Auto Switch on at dusk and Switches off at dawn.
2. Built-in Daylight Sensor
3. Automatlcally Switches On when room light is less
4. Light stays for 60 seconds upon detection of movement

V-TAC SMART

Bulbs-A60-E27-RF

9W VT-2229

SKU: 2766 -RGB+3000K	3800157646697
SKU: 2767 -RGB+4000K	3800157646703
SKU: 2768 -RGB+6400K	3800157646710

DIMMABLE
WITH REMOTE

RGB





EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Thermoplastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	Ø60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100pcs

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode

V-TAC SMART

Bulbs-Candle-E14-RF

3.5W VT-2214

SKU: 2769 -RGB+3000K	3800157646727
SKU: 2770 -RGB+4000K	3800157646734
SKU: 2771 -RGB+6400K	3800157646741

DIMMABLE
WITH REMOTE

RGB



EQ. Watts:	30w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Thermoplastic
Luminous Flux:	320lm	PF:	>0.4	Dimension:	37x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	200pcs

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode

V-TAC SMART

Bulbs-G45-E27-RF

3.5W VT-2224

SKU: 2772 -RGB+3000K	3800157646758
SKU: 2773 -RGB+4000K	3800157646765
SKU: 2774 -RGB+6400K	3800157646772

DIMMABLE WITH REMOTE

RGB





EQ. Watts:	30w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Thermoplastic
Luminous Flux:	320lm	PF:	>0.4	Dimension:	Ø45x81mm
Commercial Type:	G45	Base:	E27	Box Qty:	200pcs

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode

V-TAC SMART

Bulbs-P45-E14-RF

3.5W VT-2234

SKU: 2775 -RGB+3000K	3800157646789
SKU: 2776 -RGB+4000K	3800157646796
SKU: 2777 -RGB+6400K	3800157646802

DIMMABLE WITH REMOTE

RGB



EQ. Watts:	30w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Thermoplastic
Luminous Flux:	320lm	PF:	>0.4	Dimension:	Ø45x81mm
Commercial Type:	P45	Base:	E14	Box Qty:	200pcs

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode

V-TAC SMART

Bulbs-A60-E27-RGB

6W VT-2022

SKU: 7121 - 2700K Warm White	3800157609975
SKU: 7150 - 4000K Day White	3800157610711
SKU: 7151 - 6400K White	3800157610728

DIMMABLE WITH REMOTE

RGB

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

- High-efficient RGB light LED bulb with IR remote controller
- Your smart choice to replace your outdated incandescent and fluorescent bulbs
- Provides various colors and light modes for your choice: flash, strobe, fade, smooth, on and off for your choice

V-TAC SMART

Bulbs-A60-E27-Sensor

9W VT-2016

SKU: 4459 - 2700K Warm White	3800157608237
SKU: 4460 - 4000K Day White	3800157608244
SKU: 4461 - 6000K White	3800157608251

SENSOR LED BULB

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x122mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

Our smart sensor bulbs are built in with photocells with transmits Signal to light source as per lumen conditions smartly and saves power by going onto Light mode, enabling you to save power and reduce consumption of power when not required.

V-TAC SMART

Bulbs-A60-E27-3 Step Dimming

9W VT-2011

SKU: 4448 - 4000K Day White 3800157607995
SKU: 4449 - 6400K White 3800157608008

3 STEP DIMMING



EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

V-TAC SMART

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

Bulbs-A60-E27-Color Changing

9W VT-2119

SKU: 7317 - 3 IN 1 3800157624497

COLOR CHANGING



EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

V-TAC SMART

HOW IT WORKS
1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.
4. Switch between these to select your ideal colour.

Bulbs-A60-E27

9W VT-2000R

SKU: 7341 - Red 3800157626033

EQ. Watts:	30w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	270lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

Bulbs-A60-E27

9W VT-2000Y

SKU: 7342 - Yellow 3800157626040

EQ. Watts:	50w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	570lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

Bulbs-A60-E27

9W VT-2000G

SKU: 7343 - Green 3800157626057

EQ. Watts:	30w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	310lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

Bulbs-A60-E27

9W VT-2000B

SKU: 7344 - Blue 3800157626064

EQ. Watts:	15w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	120lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

LED Bulbs-E27

9W VT-1900

SKU: 7240 - 2700K Warm White 3800157620130
SKU: 7241 - 4000K Day White 3800157620147
SKU: 7242 - 6400K White 3800157620154

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	20 Pcs

LED Bulbs-B22

9W VT-2069-3PC

SKU: 7246 - 2700K Warm White 3800157620192

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x106mm
Commercial Type:	A60	Base:	B22	Box Qty:	20 Pcs

Bulbs-A60-E27

9W VT-2099

SKU: 7260 - 2700K Warm White 3800157622110
SKU: 7261 - 4000K Day White 3800157622127
SKU: 7262 - 6400K White 3800157622134

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x110mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

Bulbs-A60-B22

9W VT-2189

SKU: 7422 - 2700K Warm White	3800230626295
SKU: 7402 - 4000K Day White	3800157629270
SKU: 7403 - 6400K White	3800157629287



EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x104mm
Commercial Type:	A60	Base:	B22	Box Qty:	100 Pcs

LED Bulbs-E27

11W VT-2113

SKU: 7352 - 2700K Warm White	3800157627412
SKU: 7353 - 4000K Day White	3800157627429
SKU: 7354 - 6400K White	3800157627436



EQ. Watts:	75w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1055lm	PF:	>0.5	Dimension:	60x120mm
Commercial Type:	A60	Base:	E27	Box Qty:	40 Pcs

Bulbs-A60-E27

11W VT-2112

SKU: 7350 - 2700K Warm White	3800157627399
SKU: 7349 - 4000K Day White	3800157627320
SKU: 7351 - 6400K White	3800157627405



EQ. Watts:	75w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1055lm	PF:	>0.5	Dimension:	60x120mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

Bulbs-A65-B22

15W VT-2015-B22

SKU: 7229 - 2700K Warm White	3800157619554

EQ. Watts:	90w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1350lm	PF:	>0.5	Dimension:	66.5x134mm
Commercial Type:	A65	Base:	B22	Box Qty:	100 Pcs

A65 E27 3PC Pack

15W VT-2015-3PC

SKU: 2819 - 2700K Warm White	3800157656023
SKU: 2820 - 4000K Day White	3800157656030
SKU: 2818 - 6400K White	3800157656016

EQ. Watts:	90w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V, 50Hz	CRI:	>80	Body Type:	Thermoplastic
Luminous Flux:	1350lm	PF:	>0.5	Dimension:	Ø66.5x134mm
Commercial Type:	A65	Base:	E27	Box Qty:	120 Pcs



Bulbs-A65-E27

15w VT-2015-E27

SKU: 4453 - 2700K Warm White 3800157608091
SKU: 4454 - 4000K Day White 3800157608107
SKU: 4455 - 6400K White 3800157608114

EQ. Watts:	90w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1350lm	PF:	>0.5	Dimension:	65x134mm
Commercial Type:	A65	Base:	E27	Box Qty:	100 Pcs



Bulbs-A65-E27

17w VT-2017

SKU: 4456 - 2700K Warm White 3800157608121
SKU: 4457 - 4000K Day White 3800157608138
SKU: 4458 - 6400K White 3800157608145

EQ. Watts:	100w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1521lm	PF:	>0.5	Dimension:	65x134mm
Commercial Type:	A65	Base:	E27	Box Qty:	100 Pcs



Bulbs-A80-E27

18w VT-2218

SKU: 2707 - 3000K Warm White 3800157641838
SKU: 2708 - 4000K Day White 3800157641845
SKU: 2709 - 6400K White 3800157641852

EQ. Watts:	125w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V, 50Hz	CRI:	>80	Body Type:	Thermoplastic
Luminous Flux:	2000lm	PF:	>0.5	Dimension:	80x142mm
Commercial Type:	A80	Base:	E27	Box Qty:	50 Pcs

Bulbs-A80-E27

20w VT-2220

SKU: 2710 - 3000K Warm White 3800157643917

EQ. Watts:	150w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V, 50Hz	CRI:	>80	Body Type:	Thermoplastic
Luminous Flux:	2452lm	PF:	>0.5	Dimension:	80x149mm
Commercial Type:	A80	Base:	E27	Box Qty:	20 Pcs

Bulbs-G45-E27

4w VT-1830

SKU: 4160 - 2700K Warm White 3800230621047
SKU: 4162 - 4000K Day White 3800230621054
SKU: 4207 - 6400K White 3800230624611

EQ. Watts:	30w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	320lm	PF:	>0.4	Dimension:	45x82mm
Commercial Type:	G45	Base:	E27	Box Qty:	200 Pcs



Bulbs-G45-E27

5.5W VT-1879N

SKU: 7407 - 2700K Warm White	3800157629485
SKU: 7408 - 4000K Day White	3800157629492
SKU: 7409 - 6400K White	3800157629508

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	45x81mm
Commercial Type:	G45	Base:	E27	Box Qty:	200 Pcs

Bulbs-G45 - 3Pc Pack

5.5W VT-2176

SKU: 7362 - 2700K Warm White	3800157628204
SKU: 7363 - 4000K Day White	3800157628211
SKU: 7364 - 6400K White	3800157628228

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	45x82mm
Commercial Type:	G45	Base:	E27	Box Qty:	60 Pcs

Bulbs-G45-6Pc Pack

5.5W VT-2256

SKU: 2730 - 2700K Warm White	3800157645201
SKU: 2731 - 4000K Day White	3800157645218
SKU: 2732 - 6400K White	3800157645225

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Thermoplastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	45x82mm
Commercial Type:	G45	Base:	E27	Box Qty:	30 Pcs

Bulbs-Candle-E14

4W VT-1818

SKU: 4216 - 2700K Warm White	3800230624796
SKU: 4166 - 4000K Day White	3800230620675
SKU: 4122 - 6400K White	3800230620668

EQ. Watts:	30w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	320lm	PF:	>0.4	Dimension:	37x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	200 Pcs



Bulbs-Candle-E14

4W VT-1818TP

SKU: 4164 - 2700K Warm White	3800230620743
SKU: 4156 - 4000K Day White	3800230620736

EQ. Watts:	30w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	320lm	PF:	>0.4	Dimension:	37x124mm
Commercial Type:	Candle	Base:	E14	Box Qty:	200 Pcs

Bulbs-Candle-E14

5.5W VT-1855

SKU: 42151 - 2700K Warm White 3800157639316
SKU: 42581 - 4000K Day White 3800157639323
SKU: 42411 - 6400K White 3800157624411

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Thermoplastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	37x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	200 Pcs



Candle-E14 - 3Pc Pack

5.5W VT-2076

SKU: 7263 - 2700K Warm White 3800157622950
SKU: 7264 - 4000K Day White 3800157622967
SKU: 7265 - 6400K White 3800157622974

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	37x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	60 Pcs



Bulbs-Candle-6Pc Pack

5.5W VT-2246

SKU: 2736 - 2700K Warm White 3800157645263
SKU: 2737 - 4000K Day White 3800157645270
SKU: 2738 - 6400K White 3800157645287

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	200
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Thermoplastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	37x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	30 Pcs



Bulbs-Candle-E27

5.5W VT-1821N

SKU: 43421 - 2700K Warm White 3800157624381
SKU: 43431 - 4000K Day White 3800157624398
SKU: 43441 - 6400K White 3800157624404

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	37x100mm
Commercial Type:	Candle	Base:	E27	Box Qty:	200 Pcs



Bulbs-P45-E14

4W VT-1819

SKU: 4123 - 2700K Warm White 3800230620996
SKU: 4174 - Day White 3800230621009
SKU: 4124 - 6400K White 3800230621016

EQ. Watts:	30w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Thermoplastic
Luminous Flux:	320lm	PF:	>0.4	Dimension:	45x82mm
Commercial Type:	P45	Base:	E14	Box Qty:	200 Pcs



Bulbs-P45-E14

5.5W VT-1880N

SKU: 42501 - 2700K Warm White 3800157624367
SKU: 42511 - 4000K Day White 3800157626408
SKU: 42521 - 6400K White 3800157624374

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	45x81mm
Commercial Type:	P45	Base:	E14	Box Qty:	200 Pcs



Bulbs-P45-6Pc Pack

5.5W VT-2266

SKU: 2733 - 2700K Warm White 3800157645232
SKU: 2734 - 4000K Day White 3800157645249
SKU: 2735 - 6400K White 3800157645256

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Thermoplastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	45x81mm
Commercial Type:	P45	Base:	E14	Box Qty:	30 Pcs



LED Bulbs-E14

5.5W VT-2156

SKU: 7357 - 2700K Warm White 3800157628150
SKU: 7358 - 4000K Day White 3800157628167
SKU: 7359 - 6400K White 3800157628174

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	45x81mm
Commercial Type:	P45	Base:	E14	Box Qty:	60 Pcs



Bulbs-R7S

10W VT-1990

SKU: 4369 - 3000K Warm White 3800157602952
SKU: 4390 - 6400K White 3800157604147

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	360°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1000lm	PF:	>0.5	Dimension:	25x118mm
Commercial Type:	R7S	Base:	R7S	Box Qty:	100 Pcs



Bulbs-R7S

7W VT-2237

SKU: 2713 - 3000K Warm White 3800157644365
SKU: 2714 - 4000K Day White 3800157644372
SKU: 2715 - 6400K White 3800157644389

EQ. Watts:	45w	LED Type:	SMD	Beam Angle:	360°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Plastic
Luminous Flux:	580lm	PF:	>0.5	Dimension:	28x78mm
Commercial Type:	R7S	Base:	R7S	Box Qty:	200 Pcs



Bulbs-R7S

13w VT-2213

SKU: 2716 - 3000K Warm White 3800157644396
SKU: 2717 - 4000K Day White 3800157644402
SKU: 2718 - 6400K White 3800157644419

EQ. Watts:	**80w**	LED Type:	**SMD**	Beam Angle:	**360°**
Voltage/Frequency:	**AC:220-240V,50Hz**	CRI:	**>80**	Body Type:	**Plastic**
Luminous Flux:	**1200lm**	PF:	**>0.5**	Dimension:	**28x118mm**
Commercial Type:	**R7S**	Base:	**R7S**	Box Qty:	**200 Pcs**





NEW

R7S Ceramic Bulbs

18W VT-2118

SKU: 2834 - 3000K Warm White 3800157658737
SKU: 2835 - 4000K Day White 3800157658744
SKU: 2836 - 6400K White 3800157658751

EQ. Watts:	**150w**	LED Type:	**SMD**	Beam Angle:	**360°**
Voltage/Frequency:	**AC:220-240V,50Hz**	CRI:	**>80**	Body Type:	**Ceramic+PC**
Luminous Flux:	**2140lm**	PF:	**>0.5**	Dimension:	**28x118mm**
Commercial Type:	**R7S**	Base:	**R7S**	Box Qty:	**100 Pcs**





Bulbs-T37-E14

9w VT-2029

SKU: 7173 - 2700K Warm White 3800157615495

EQ. Watts:	**50w**	LED Type:	**SMD**	Beam Angle:	**230°**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**	Body Type:	**ThermoPlastic**
Luminous Flux:	**750lm**	PF:	**>0.5**	Dimension:	**37x115mm**
Commercial Type:	**T37**	Base:	**E14**	Box Qty:	**200 Pcs**





PAR38 Bulbs-E27

15w VT-1125-G

SKU: 4418 - Green 3800157606318
SKU: 4419 - Red 3800157606325
SKU: 4420 - Blue 3800157606301

EQ. Watts:	**100w**	LED Type:	**SMD**	Beam Angle:	**40°**
Voltage/Frequency:	**AC:180-240V,50/60Hz**	CRI:	**>80**	Body Type:	**Plastic Coated Aluminium**
Luminous Flux:	**1200lm**	PF:	**>0.5**	Dimension:	**120x133mm**
Commercial Type:	**PAR38**	Base:	**E27**	Box Qty:	**40 Pcs**



PAR38 Bulbs-E27

17w VT-1227

SKU: 45691 - 4000K Day White 3800157641241

EQ. Watts:	**95w**	LED Type:	**SMD**	Beam Angle:	**100°**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**	Body Type:	**Thermoplastic**
Luminous Flux:	**1300lm**	PF:	**>0.5**	Dimension:	**120x132mm**
Commercial Type:	**PAR38**	Base:	**E27**	Box Qty:	**40 Pcs**





Bulbs-Globe-E27

10w VT-1893

SKU: 4276 - 3000K Warm White 3800230627889
SKU: 4277 - 4000K Day White 3800230627896
SKU: 4278 - 6400K White 3800230627902

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	810lm	PF:	>0.5	Dimension:	95x140mm
Commercial Type:	G95	Base:	E27	Box Qty:	12 Pcs





Bulbs-Globe-E27

13w VT-1884D

SKU: 4254 - 2700K Warm White 3800230627100
SKU: 7194 - 4000K Day White 3800157615709
SKU: 7195 - 6000K White 3800157615716

DIMMABLE

EQ. Watts:	75w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1055lm	PF:	>0.7	Dimension:	120x164mm
Commercial Type:	G120	Base:	E27	Box Qty:	12 Pcs





UFO-F150-E27

36w

SKU: 7164 - 3000K Warm White 3800157612555
SKU: 7166 - 6400K White 3800157612579

EQ. Watts:	190w	LED Type:	SMD	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Plastic
Luminous Flux:	3240lm	PF:	>0.9	Dimension:	250x80mm
Commercial Type:	F150	Base:	E27	Box Qty:	20 Pcs



LED Bulbs-E14

4w VT-2184

SKU: 7366 - 2700K Warm White 3800157628570

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	45x77mm
Commercial Type:	P45	Base:	E14	Box Qty:	50 Pcs



LED Candle Filament Bulbs

4w VT-2174

SKU: 7365 - 2700K Warm White 3800157628563

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	50 Pcs



LED Candle Bulbs

5.5W VT-2106

SKU: 7291 - 2700K Warm White 3800157623810
SKU: 7293 - 6400K White 3800157623834





EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	37x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	50 Pcs

LED Bulbs-E14

5.5W VT-2146

SKU: 7355 - 2700K Warm White 3800157628136
SKU: 7356 - 4000K Day White 3800157628143



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	45x81mm
Commercial Type:	P45	Base:	E14	Box Qty:	50 Pcs

LED Bulbs-E27

5.5W VT-2166

SKU: 7360 - 2700K Warm White 3800157628181



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.4	Dimension:	45x82mm
Commercial Type:	G45	Base:	E27	Box Qty:	50 Pcs

LED Bulbs-E27

9W VT-2109

SKU: 7285 - 2700K Warm White 3800157623759

SEN LED



EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x122mm
Commercial Type:	A60	Base:	E27	Box Qty:	25 Pcs

LED Bulbs-E27

9W VT-2129

SKU: 7288 - 2700K Warm White 3800157623780
SKU: 7289 - 4000K Day White 3800157623797
SKU: 7290 - 6400K White 3800157623803

3 STEP DIMMING



EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	25 Pcs

LED Bulbs-E27

9w VT-2149

SKU: 7309 - 3 IN 1 3800157623995

COLOR CHANGING



EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	25 Pcs

LED Bulbs-E27

11w VT-2111

SKU: 7297 - 2700K Warm White 3800157623872



EQ. Watts:	75w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1055lm	PF:	>0.5	Dimension:	60x120mm
Commercial Type:	A60	Base:	E27	Box Qty:	25 Pcs

LED Bulbs-E27

15w VT-2117

SKU: 7300 - 2700K Warm White 3800157623902
SKU: 7302 - 6400K White 3800157623926



EQ. Watts:	90w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1350lm	PF:	>0.5	Dimension:	66.5x134mm
Commercial Type:	A65	Base:	E27	Box Qty:	25 Pcs



LED Filament Bulbs

Filament bulbs can be replacements for 30w to 55w counterparts to let you achieve incredible energy savings. This range is a modern take on the classic Edison lamp but with a cool running performance and environmentally-friendly components.

Applications

Perfect choice for Restaurants, Lobbies, Coffee shops, Hotels and Bars

Product Features

- Classic Vintage Design
- Available in Amber cover, White cover and Frost cover
- Lasts 20 times longer than Standard Bulbs
- Low power consumption
- No mercury, enviromental protection
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Dimmable & Non Dimmable options

SpecialBulbs

3D Filament-A60-E27

3w VT-2203

SKU: 2704 - 3000K Warm White 3800157641524



EQ. Watts:	NA	LED Type:	COB	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	20lm	PF:	>0.45	Dimension:	Ø64x145mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

SpecialBulbs

3D Filament-ST64-E27

3w VT-2223

SKU: 2705 - 3000K Warm White 3800157641531



EQ. Watts:	NA	LED Type:	COB	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	25lm	PF:	>0.45	Dimension:	Ø64x135mm
Commercial Type:	ST64	Base:	E27	Box Qty:	100 Pcs

SpecialBulbs

3D Filament-G125-E27

3w VT-2233

SKU: 2706 - 3000K Warm White 3800157641548



EQ. Watts:	NA	LED Type:	COB	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	40lm	PF:	>0.45	Dimension:	Ø125x170mm
Commercial Type:	G125	Base:	E27	Box Qty:	50 Pcs

SpecialBulbs

Filament-G125-E27

5w VT-2205

SKU: 2700 - 2200K Warm White 3800157641487



EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V, 50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	70lm	PF:	>0.45	Dimension:	Ø125x175mm
Commercial Type:	G125	Base:	E27	Box Qty:	50 Pcs

SpecialBulbs

Amber-G165-E27

8w VT-2159

SKU: 45641 - 2200K Warm White 3800157641197



EQ. Watts:	NA	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	620lm	PF:	>0.45	Dimension:	Ø165x295mm
Commercial Type:	G165	Base:	E27	Box Qty:	6 Pcs

SpecialBulbs

Smoky-G165-E27

8W VT-2159-S

SKU: 45651 - 2200K Warm White 3800157641203

DIMMABLE



EQ. Watts:	NA	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	240lm	PF:	>0.45	Dimension:	Ø165x295mm
Commercial Type:	G165	Base:	E27	Box Qty:	6 Pcs



SpecialBulbs

Amber-S180-E27

8W VT-2169

SKU: 45661 - 2200K Warm White 3800157641210

DIMMABLE



EQ. Watts:	NA	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	620lm	PF:	>0.45	Dimension:	Ø195x400mm
Commercial Type:	S180	Base:	E27	Box Qty:	6 Pcs

SpecialBulbs

Smoky-S180-E27

8W VT-2169-S

SKU: 45671 - 2200K Warm White 3800157641227

DIMMABLE





EQ. Watts:	NA	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	240lm	PF:	>0.45	Dimension:	Ø195X400mm
Commercial Type:	S180	Base:	E27	Box Qty:	6 Pcs

SpecialBulbs

Filament-G100-E27

5W VT-2235

SKU: 2748 - 2200K Warm White 3800157645447





EQ. Watts:	25w	LED Type:	SMD	Beam Angle:	300°
Voltage/Frequency:	AC:170-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	250lm	PF:	>0.5	Dimension:	Ø100x190mm
Commercial Type:	G100	Base:	E27	Box Qty:	20 Pcs

SpecialBulbs

Amber Cover -Filament-T60-E27

5W VT-2245

SKU: 2749 - 2200K Warm White 3800157645454



EQ. Watts:	25w	LED Type:	SMD	Beam Angle:	300°
Voltage/Frequency:	AC:170-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	250lm	PF:	>0.5	Dimension:	Ø60x183mm
Commercial Type:	T60	Base:	E27	Box Qty:	35 Pcs

SpecialBulbs

Filament-T180-E27

8W VT-2308

SKU: 2790 -2200K Warm White 3800157648592

EQ. Watts:	55w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	620lm	PF:	>0.5	Dimension:	D:180x190mm
Commercial Type:	T180	Base:	E27	Box Qty:	6 Pcs

SpecialBulbs

Filament-A165-E27

8W VT-2138D

SKU: 7461 - 2000K Warm White 3800157637367



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	340°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	500lm	PF:	>0.5	Dimension:	160x298mm
Commercial Type:	A165	Base:	E27	Box Qty:	6 Pcs

SpecialBulbs

Filament-G200-E27

8W VT-2158D

SKU: 7462 - 2000K Warm White 3800157637374



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	340°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	500lm	PF:	>0.5	Dimension:	200x280mm
Commercial Type:	G200	Base:	E27	Box Qty:	4 Pcs

SpecialBulbs

Filament-BF180-E27

8W VT-2168D

SKU: 7463 - 2000K Warm White 3800157637381

DIMMABLE



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	340°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	500lm	PF:	>0.5	Dimension:	180x360mm
Commercial Type:	BF180	Base:	E27	Box Qty:	6 Pcs

SpecialBulbs

Filament-BF180-E27

8W VT-2178D

SKU: 7464 - 2000K Warm White 3800157637398

DIMMABLE



EQ. Watts:	50w	LED Type:	Filament	Beam Angle:	340°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	600lm	PF:	>0.5	Dimension:	180x360mm
Commercial Type:	BF180	Base:	E27	Box Qty:	6 Pcs

SpecialBulbs

Smoky Filament-S200-E27

8W VT-2188D

SKU: 7465 - 2000K Warm White 3800157637404

DIMMABLE



EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	340°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.5	Dimension:	180x390mm
Commercial Type:	S200	Base:	E27	Box Qty:	4 Pcs

SpecialBulbs

Filament-R125-E27

8W VT-2198D

SKU: 7468 - 6500K White 3800157639187
SKU: 7466 - 2700K Warm White 3800157639163
SKU: 7467 - 4000K Day White 3800157639170

DIMMABLE



EQ. Watts:	50w	LED Type:	Filament	Beam Angle:	110°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	600lm	PF:	>0.5	Dimension:	125x182mm
Commercial Type:	R125	Base:	E27	Box Qty:	24 Pcs

Amber Cover -LED Filament Bulbs

4w VT-2154

SKU: 7335 - 2200K Warm White 3800157625197



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	250lm	PF:	>0.5	Dimension:	60x98mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Filament-A60-E27

4w VT-2164

SKU: 7336 - 2700K Warm White 3800157625203



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	300lm	PF:	>0.5	Dimension:	60x98mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Amber Cover -Filament-A60-E27

4w VT-1954

SKU: 4498 - 2200K Warm White 3800157609739

EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Amber Cover -Filament-A60-E27

8w VT-1958

SKU: 4472 - 2200K Warm White 3800157609067



EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	720lm	PF:	>0.5	Dimension:	67x123mm
Commercial Type:	A67	Base:	E27	Box Qty:	50 Pcs

Amber Cover -Filament-A67-E27

10w VT-2028

SKU: 7157 - 2200K Warm White 3800157612227

EQ. Watts:	65w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	900lm	PF:	>0.5	Dimension:	67x123mm
Commercial Type:	A67	Base:	E27	Box Qty:	50 Pcs

Amber Filament-A70-E27

12.5W VT-2123

SKU: 7457 - 2200K Warm White 3800157637862



EQ. Watts:	85w	LED Type:	Filament	Beam Angle:	330°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	1240lm	PF:	>0.5	Dimension:	70x132mm
Commercial Type:	A70	Base:	E27	Box Qty:	50 Pcs

Filament-ST64-E27

4w VT-2185

SKU: 7474 - 1800K Warm White 3800157640312





EQ. Watts:	20w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V, 50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	200lm	PF:	>0.5	Dimension:	64x150mm
Commercial Type:	ST64	Base:	E27	Box Qty:	50 Pcs

Filament-ST64-E27

4W VT-1964

SKU: 4361 - 2200 Warm White 3800157602747



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V, 50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	64x138mm
Commercial Type:	ST64	Base:	E27	Box Qty:	50 Pcs

Amber Cover -Filament-ST64-B22

4w VT-2145D

SKU: 7420 - 2200K Warm White 3800157633086



EQ. Watts:	25w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.5	Dimension:	64x138mm
Commercial Type:	ST64	Base:	B22	Box Qty:	100 Pcs

Amber Cover -Filament-ST64-E27

5w VT-2065

SKU: 7218 - 2200K Warm White 3800157617260

EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	300lm	PF:	>0.5	Dimension:	64x140mm
Commercial Type:	ST64	Base:	E27	Box Qty:	100 Pcs



Amber Cover -Filament-ST64-E27

5w VT-2066

SKU: 7220 - 2200K Warm White 3800157617284

EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	300lm	PF:	>0.5	Dimension:	64x140mm
Commercial Type:	ST64	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filament-ST64-E27

5w VT-2065D

SKU: 7416 - 2200K Warm White 3800157632003

EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	300lm	PF:	>0.5	Dimension:	64x140mm
Commercial Type:	ST64	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filament-ST64-E27

6w VT-1966

SKU: 4362 - 2200K Warm White 3800157602754



EQ. Watts:	45w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	500lm	PF:	>0.5	Dimension:	64x138mm
Commercial Type:	ST64	Base:	E27	Box Qty:	50 Pcs

Amber Cover -Filament-ST64-E27

8w VT-1968

SKU: 4421 - 2200K Warm White 3800157606356





EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	700lm	PF:	>0.5	Dimension:	64x138mm
Commercial Type:	ST64	Base:	E27	Box Qty:	50 Pcs

Amber Cover -Filament-Globe-E27

4w VT-2004

SKU: 7148 - 2200K Warm White 3800157610636



EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	80x140mm
Commercial Type:	G80	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filament-Globe-E27

4W VT-2024

SKU: 7146 - 2200K Warm White 3800157610612



EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	95x140mm
Commercial Type:	G95	Base:	E27	Box Qty:	50 Pcs



Amber Cover -Filament-Globe-E27

5W VT-2075

SKU: 7217 - 2200K Warm White 3800157617253



EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	300lm	PF:	>0.5	Dimension:	95x138mm
Commercial Type:	G95	Base:	E27	Box Qty:	50 Pcs

Amber Cover -Filament-Globe-E27

6W VT-2026D

SKU: 7156 - 2200K Warm White 3800157612210

EQ. Watts:	50w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	500lm	PF:	>0.7	Dimension:	95x135mm
Commercial Type:	G95	Base:	E27	Box Qty:	12 Pcs

Amber Cover -Filament-Globe-E27

7W VT-2027

SKU: 7147 - 2200K Warm White 3800157610629



EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	700lm	PF:	>0.5	Dimension:	95x140mm
Commercial Type:	G95	Base:	E27	Box Qty:	50 Pcs

Amber Cover -Filament-Globe-E27

8W VT-2019

SKU: 7145 - 2200K Warm White 3800157610605



EQ. Watts:	65w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	700lm	PF:	>0.5	Dimension:	95x140mm
Commercial Type:	G95	Base:	E27	Box Qty:	50 Pcs

Filament-Globe-E27

4w VT-2195

SKU: 7475 - 1800K Warm White 3800157640329

EQ. Watts:	20w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V, 50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	200lm	PF:	>0.5	Dimension:	132x178mm
Commercial Type:	G125	Base:	E27	Box Qty:	20 Pcs

Amber Cover -Filament-Globe-E27

4w VT-1956

SKU: 4473 - 2200K Warm White 3800157609074

EQ. Watts:	55w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.5	Dimension:	125x165mm
Commercial Type:	G125	Base:	E27	Box Qty:	12 Pcs

Amber Cover -Filament-Globe-E27

5w VT-2085

SKU: 7216 - 2200K Warm White 3800157617246

EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	300lm	PF:	>0.5	Dimension:	125x175mm
Commercial Type:	G125	Base:	E27	Box Qty:	20 Pcs

Amber Cover -Filament-Globe-E27

5w VT-2085D

SKU: 7415 - 2200K Warm White 3800157631990

DIMMABLE

EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	300lm	PF:	>0.5	Dimension:	125x175mm
Commercial Type:	G125	Base:	E27	Box Qty:	20 Pcs

Amber Cover -Filament-Globe-E27

6w VT-2126

SKU: 7328 - 2200K Warm White 3800157624725

EQ. Watts:	55w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>70	Body Type:	Glass
Luminous Flux:	480lm	PF:	>0.5	Dimension:	125x175mm
Commercial Type:	G125	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filament-Globe-E27

8W VT-2018D

SKU: 7155 - 2200K Warm White 3800157612203

DIMMABLE



EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	700lm	PF:	>0.7	Dimension:	125x177mm
Commercial Type:	G125	Base:	E27	Box Qty:	12 Pcs

Filament-G125-E27

12.5W VT-2153

SKU: 7456 - 2200K Warm White 3800157637855

EQ. Watts:	85w	LED Type:	Filament	Beam Angle:	330°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	1240lm	PF:	>0.5	Dimension:	125x178mm
Commercial Type:	G125	Base:	E27	Box Qty:	25 Pcs

Amber Cover -Filament-T30-E27

2W VT-2162

SKU: 7473 - 1800K Warm White 3800157640305

EQ. Watts:	9w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V, 50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	65lm	PF:	>0.5	Dimension:	35x190mm
Commercial Type:	T30	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filament-T30-E27

2W VT-2052

SKU: 7252 - 2200K Warm White 3800157620833





EQ. Watts:	20w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	200lm	PF:	>0.5	Dimension:	30x136mm
Commercial Type:	T30	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filaments-T30-E27

5W VT-2005

SKU: 7142 - 2200K Warm White 3800157610575



EQ. Watts:	45w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	500lm	PF:	>0.5	Dimension:	30x300mm
Commercial Type:	T30	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filaments-T30-E27

6w VT-2006

SKU: 7143 - 2200K Warm White 3800157610582



EQ. Watts:	50w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	600lm	PF:	>0.5	Dimension:	30x185mm
Commercial Type:	T30	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filaments-T30-E27

7w VT-2008

SKU: 7144 - 2200K Warm White 3800157610599



EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	700lm	PF:	>0.5	Dimension:	30x300mm
Commercial Type:	T30	Base:	E27	Box Qty:	100 Pcs

Filament-Candle-E14

2w VT-2152

SKU: 7472 - 1800K Warm White 3800157640299

EQ. Watts:	9w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V, 50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	65lm	PF:	>0.5	Dimension:	35x105mm
Commercial Type:	Candle	Base:	E14	Box Qty:	200 Pcs

Amber Cover -Filament-Candle-E14

4w VT-1955

SKU: 7113 - 2200K Warm White 3800157609883



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Amber Cover -Filament-Candle-E14

4w VT-1949

SKU: 7114 - 2200K Warm White 3800157609890

EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Amber Cover -Filament-Candle-E14

4W VT-1948

SKU: 7115 - 2200K Warm White 3800157609906





EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Amber Cover -Filament-Candle-E14

4W VT-1947

SKU: 7116 - 2200K Warm White 3800157609913

EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Amber Cover -Filament-P45-E14

4W VT-1953

SKU: 4499 - 2200K Warm White 3800157609746



EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	45x77mm
Commercial Type:	P45	Base:	E14	Box Qty:	100 Pcs

Amber Cover -Filament-G45-E27

4W VT-1957

SKU: 7100 - 2200K Warm White 3800157609753



EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	45x75mm
Commercial Type:	G45	Base:	E27	Box Qty:	100 Pcs

Cross Filament-Candle-E14

4W VT-1924C

SKU: 71031 - 6400K White 3800157624244





EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Frost Cover -Filament-Candle-E14

4W VT-1937

SKU: 4479 - 6400K White 3800157609135

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Frost Cover -Filament-Candle-E14

4W VT-1923

SKU: 7112 - 6400K White 3800157609876

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Frost Cover -Filament-Candle-E14

4W VT-2056D

SKU: 7177 - 2700K Warm White 3800157615532

DIMMABLE



EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Frost Cover -Filament-A60-E27

4W VT-1934

SKU: 4486 - 2700K Warm White 3800157609616
SKU: 4487 - 4000K Day White 3800157609623
SKU: 4488 - 6400K White 3800157609630



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Frost Cover -Filament-A60-E27

5W VT-2045

SKU: 7178 - 2700K Warm White 3800157615549
SKU: 7179 - 4000K Day White 3800157615556
SKU: 7180 - 6400K White 3800157615563

EQ. Watts:	50w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	600lm	PF:	>0.5	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Frost Cover -Filament-A60-E27

6W VT-1935C

SKU: 44801 - 2700K Warm White 3800157624091



EQ. Watts:	55w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	660lm	PF:	>0.5	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Frost Cover -Filament-A60-E27

6W VT-1935

SKU: 4482 - 6400K White 3800157609166

EQ. Watts:	55w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	660lm	PF:	>0.5	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Frost Cover -Filament-A60-E27

7W VT-2047

SKU: 7181 - 2700K Warm White 3800157615570

SKU: 7183 - 6400K White 3800157615594

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	840lm	PF:	>0.5	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Frost Cover -Filament-A60-E27

7W VT-2047C

SKU: 71811 - 2700K Warm White 3800157624107

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	840lm	PF:	>0.5	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Frost Cover -Filament-A67-E27

8W VT-1938

SKU: 4483 - 2700K Warm White 3800157609586
SKU: 4484 - 4000K Day White 3800157609593
SKU: 4485 - 6400K White 3800157609609

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	800lm	PF:	>0.5	Dimension:	67x123mm
Commercial Type:	A67	Base:	E27	Box Qty:	50 Pcs

Frost Cover -Filament-A67-E27

10w VT-2023

SKU: 7154 - 6400K White 3800157612197

EQ. Watts:	75w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	1055lm	PF:	>0.5	Dimension:	67x123mm
Commercial Type:	A67	Base:	E27	Box Qty:	50 Pcs

Frost Cover -Filament-A67-E27

9w VT-2049

SKU: 7184 - 2700K Warm White 3800157615600
SKU: 7186 - 6400K White 3800157615624

EQ. Watts:	80w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	1100lm	PF:	>0.5	Dimension:	67x123mm
Commercial Type:	A67	Base:	E27	Box Qty:	50 Pcs

Frost Cover -Filament-Globe-E27

7w VT-2057

SKU: 7187 - 2700K Warm White 3800157615631
SKU: 7188 - 6400K White 3800157615648

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	840lm	PF:	>0.5	Dimension:	95x135mm
Commercial Type:	G95	Base:	E27	Box Qty:	12 Pcs

Frost Cover -Filament-Globe-E27

7w VT-2067

SKU: 7189 - 2700K Warm White 3800157615655
SKU: 7190 - 6400K White 3800157615662

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	840lm	PF:	>0.5	Dimension:	125x177mm
Commercial Type:	G125	Base:	E27	Box Qty:	12 Pcs

Frost Cover -Filament-Globe-E27

7w VT-2067D

SKU: 7191 - 2700K Warm White 3800157615679



EQ. Watts:	55w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	750lm	PF:	>0.5	Dimension:	125x177mm
Commercial Type:	G125	Base:	E27	Box Qty:	12 Pcs

Filament-T30-E27

2W VT-2042

SKU: 7251 - 2700K Warm White 3800157620826





EQ. Watts:	20w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	200lm	PF:	>0.5	Dimension:	30x136mm
Commercial Type:	T30	Base:	E27	Box Qty:	100 Pcs

Filament-T20-E14

4W VT-2204

SKU: 2701 - 2700K Warm White 3800157641494
SKU: 2702 - 4000K Day White 3800157641500
SKU: 2703 - 6000K White 3800157641517



EQ. Watts:	35w	LED Type:	COB	Beam Angle:	360°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.45	Dimension:	20x135mm
Commercial Type:	T20	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-A60-E27

4W VT-1885

SKU: 4259 - 2700K Warm White 3800230627179
SKU: 7119 - 4000K Day White 3800157609951
SKU: 7120 - 6400K White 3800157609968

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Clear Glass-Filament-A60-E27

4W VT-1885D

SKU: 4364 - 2700K Warm White 3800157602907





EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.5	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Clear Glass-Filament-A67-E27

8W VT-2288D

SKU: 2815 - 2700K Warm White 3800157655101



EQ. Watts:	50w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V, 50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	700lm	PF:	>0.5	Dimension:	Ø67x123mm
Commercial Type:	A67	Base:	E27	Box Qty:	100 Pcs

Clear Glass-Filament-A67-E27

8w VT-1978

SKU: 4407 - 3000K Warm White 3800157606165
SKU: 4408 - 4000K Day White 3800157606172
SKU: 4409 - 6400K White 3800157606189

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	800lm	PF:	>0.5	Dimension:	67x123mm
Commercial Type:	A67	Base:	E27	Box Qty:	100 Pcs





Clear Glass-Filament-A67-E27

10w VT-1981

SKU: 4410 - 3000K Warm White 3800157606196
SKU: 4411 - 4000K Day White 3800157606202
SKU: 4412 - 6400K White 3800157606219

EQ. Watts:	75w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	1055lm	PF:	>0.5	Dimension:	67x123mm
Commercial Type:	A67	Base:	E27	Box Qty:	50 Pcs

Clear Filament-A67-E27

18w VT-2328

SKU: 2802 - 3000K Warm White 3800157652568

EQ. Watts:	150w	LED Type:	Filament	Beam Angle:	330°
Voltage/Frequency:	AC:220-240V	CRI:	80	Body Type:	Glass
Luminous Flux:	2520lm	PF:	0.5	Dimension:	67x123mm
Commercial Type:	A67	Base:	E27	Box Qty:	50 Pcs





Clear Filament-A70-E27

12.5w VT-2133

SKU: 7460 - 6400K White 3800157637893
SKU: 7458 - 3000K Warm White 3800157637879
SKU: 7459 - 4000K Day White 3800157637886

EQ. Watts:	100w	LED Type:	Filament	Beam Angle:	330°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	1550lm	PF:	>0.5	Dimension:	70x132mm
Commercial Type:	A70	Base:	E27	Box Qty:	50 Pcs

Clear Glass-Filament-ST26-E14

2w VT-1952

SKU: 4444 - 2700K Warm White 3800157607858
SKU: 4445 - 4000K Day White 3800157607865
SKU: 4446 - 6400K White 3800157607872

EQ. Watts:	20w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	180lm	PF:	>0.4	Dimension:	26x58mm
Commercial Type:	ST26	Base:	E14	Box Qty:	100 Pcs





Clear Glass-Filament-Candle-E14

4W VT-1986

SKU: 4301 - 2700K Warm White 3800230629951
SKU: 4413 - 4000K Day White 3800157606226
SKU: 4414 - 6400K White 3800157606233





EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

4W VT-1986D

SKU: 4365 - 2700K Warm White 3800157602914



EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.5	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

4W VT-1985

SKU: 4307 - 2700K Warm White 3800157600347



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Filament

4W VT-1985D

SKU: 4367 - 2700K Warm White 3800157602938



EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	320lm	PF:	>0.5	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

4W VT-1995

SKU: 4308 - 2700K Warm White 3800157600354
SKU: 4432 - 6400K White 3800157606462

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

4W VT-1995D

SKU: 4388 - 2700K Warm White 3800157603973

DIMMABLE

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	320lm	PF:	>0.5	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

4W VT-1995DC

SKU: 43881 - 2700K Warm White 3800157624251

DIMMABLE



EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.5	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

4W VT-1997

SKU: 4302 - 2700K Warm White 3800230629968
SKU: 4429 - 4000K Day White 3800157606431

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	50 Pcs

Clear Glass-Filament-Candle-E14

4W VT-1997D

SKU: 4366 - 2700K Warm White 3800157602921

DIMMABLE



EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	320lm	PF:	>0.5	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

NEW

Clear Glass-Filament-Candle-E14

6W VT-2327

SKU: 2850 - 6400K White 3800157659284
SKU: 2848 - 3000K Warm White 3800157659260
SKU: 2849 - 4000K Day White 3800157659277

130 lm/W

More bright, energy efficient
50% better than normal LED

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	800lm	PF:	>0.5	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

6w VT-2127

SKU: 7423 - 3000K Warm White 3800157632577
SKU: 7424- 4000K Day White 3800157632584
SKU: 7425 - 6400K White 3800157632591

EQ. Watts:	45w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	600lm	PF:	>0.5	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	200 Pcs





Clear Glass-Filament-Globe-E27

4w VT-1980

SKU: 4306 - 2700K Warm White 3800157600330
SKU: 4427- 4000K Day White 3800157606417
SKU: 4428 - 6400K White 3800157606424

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	45x75mm
Commercial Type:	G45	Base:	E27	Box Qty:	100 Pcs



NEW

Clear Glass-Filament-G45-E27

6W VT-2366

SKU: 2844 - 6400K White 3800157659222
SKU: 2842 - 3000K Warm White 3800157659208
SKU: 2843 - 4000K Day White 3800157659215

EQ. Watts:	45W	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	600lm	PF:	>0.5	Dimension:	45x72mm
Commercial Type:	G45	Base:	E27	Box Qty:	100 Pcs

NEW

Clear Glass-Filament-G45-E27

6W VT-2386

SKU: 2853 - 6400K White 3800157659314
SKU: 2851 - 3000K Warm White 3800157659291
SKU: 2852 - 4000K Day White 3800157659307

130 lm/W
More bright, energy efficient
50% better than normal LED

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	800lm	PF:	>0.5	Dimension:	45x75mm
Commercial Type:	G45	Base:	E27	Box Qty:	100 Pcs

Color Bulbs-G45-E27

2w VT-2132-P

SKU: 7410 - PinK 3800157630269

EQ. Watts:	10w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	60lm	PF:	>0.4	Dimension:	45x75mm
Commercial Type:	G45	Base:	E27	Box Qty:	100 Pcs



Color Bulbs-G45-E27

2W VT-2132-G

SKU: 7411 - Green 3800157630276



EQ. Watts:	10w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	60lm	PF:	>0.4	Dimension:	45x75mm
Commercial Type:	G45	Base:	E27	Box Qty:	100 Pcs

Color Bulbs-G45-E27

2W VT-2132-B

SKU: 7412 - Blue 3800157630283



EQ. Watts:	10w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	60lm	PF:	>0.4	Dimension:	45x75mm
Commercial Type:	G45	Base:	E27	Box Qty:	100 Pcs

Color Bulbs-G45-E27

2W VT-2132-R

SKU: 7413 - Red 3800157630290

EQ. Watts:	10w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	60lm	PF:	>0.4	Dimension:	45x75mm
Commercial Type:	G45	Base:	E27	Box Qty:	100 Pcs

Clear Glass-Filament-P45-E14

4W VT-1996D

SKU: 4394 - 2700K Warm White 3800157604314

EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	320lm	PF:	>0.5	Dimension:	45x77mm
Commercial Type:	P45	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-P45-E14

4W VT-1996

SKU: 4300 - 2700K Warm White 3800230629944
SKU: 4425 - 4000K Day White 3800157606394
SKU: 4426 - 6400K White 3800157606394



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	45x77mm
Commercial Type:	P45	Base:	E14	Box Qty:	100 Pcs

NEW

Clear Glass-Filament-P45-E14

6W VT- 2466

SKU: 2847 - 6400K White 3800157659253
SKU: 2845 - 3000K Warm White 3800157659239
SKU: 2846 - 4000K Day White 3800157659246

EQ. Watts:	45w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	600lm	PF:	>0.5	Dimension:	45x77mm
Commercial Type:	P45	Base:	E14	Box Qty:	100 Pcs

NEW

Clear Glass-Filament-P45-E14

6W VT-2486

SKU: 2856 - 6400K White 3800157659345
SKU: 2854 - 3000K Warm White 3800157659321
SKU: 2855 - 4000K Day White 3800157659338



EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	800lm	PF:	>0.5	Dimension:	45x77mm
Commercial Type:	P45	Base:	E14	Box Qty:	100 Pcs



Clear Glass-Filament-Globe-E27

4w VT-1994D

SKU: 4399 - 2700K Warm White 3800157605021

EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	320lm	PF:	>0.5	Dimension:	125x177mm
Commercial Type:	G125	Base:	E27	Box Qty:	20 Pcs

Clear Glass-Filament-Globe-E27

6w VT-2147

SKU: 7427 - 6400K White 3800157635288

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	806lm	PF:	>0.5	Dimension:	125x177mm
Commercial Type:	G125	Base:	E27	Box Qty:	20 Pcs

Clear Glass-Filament-Globe-E27

12.5w VT-2143

SKU: 7455 - 6500K White 3800157637848
SKU: 7453 - 3000K Warm White 3800157637824
SKU: 7454 - 4000K Day White 3800157637848

EQ. Watts:	100w	LED Type:	Filament	Beam Angle:	330°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	1550lm	PF:	>0.5	Dimension:	125x177mm
Commercial Type:	G125	Base:	E27	Box Qty:	25 Pcs

Clear Glass-Filament-Globe-E27

18w VT-2338

SKU: 2803 - 3000K Warm White 3800157652575

EQ. Watts:	150w	LED Type:	Filament	Beam Angle:	330°
Voltage/Frequency:	AC:220-240V	CRI:	>80	Body Type:	Glass
Luminous Flux:	2520lm	PF:	>0.5	Dimension:	95x135mm
Commercial Type:	G95	Base:	E27	Box Qty:	25 Pcs

Lamp Holder E27

SKU: 8839

EAN: 3800157654005

Box Qty. **400 Pcs**

Thermoplastic

Lamp Holder E14

SKU: 8840

EAN: 3800157654012

Box Qty. **400 Pcs**

Thermoplastic

Lamp Holder-E27

SKU: 8750

EAN: 3800157642620

Box Qty. **400 Pcs**

Bakelite Powder

Lamp Holder-E14

SKU: 8751

EAN: 3800157642637

Box Qty. **400 Pcs**

Bakelite Powder

Lamp Holder-E27

SKU: 8752

EAN: 3800157642644

Box Qty. **400 Pcs**

PET+Nylon

Lamp Holder-E14

SKU: 8753

EAN: 3800157642651

Box Qty. **400 Pcs**

PET+Nylon

VT-71510

String Light-LED-5M

0.6w

SKU: 2728 - 3000K Warm White 3800157644549

- 5 Meter Long String
- 10 Bulbs included
- 0.6 watts per Bulb
- 300 Degree Beam Angle
- IP rating IP40
- 10 Pcs In Cartoon

VT-71010

Solar String Light

1w

SKU: 8559 - 3000K Warm White 3800157641432

- 2 Meter Long String
- 1 watts per Bulb
- 10 Bulbs included
- 6-8 Hours Working Time
- 8-12 Hours Charging Time
- Battery 1XAA Ni-MH, 1.2V/300mAh
- IP rating IP54
- 10 Pcs In Cartoon

Solar Lights

VT-70510

String Light-LED-5M

0.5w

SKU: 7437 - 6000K White 3800157637473
SKU: 7436 - 3000K Warm White 3800157637466
SKU: 7435 - RGB+Yellow 3800157637459

- 5 Meter Long String
- 0.5 watts per Bulb
- 10 Holders with 0.5 Meter Distance
- IP rating IP44
- 10 Pcs In Cartoon

VT-71020

String Light-LED-10M

0.5w

SKU: 7440 - 6000K White 3800157637503
SKU: 7439 - 3000K Warm White 3800157637497
SKU: 7438 - RGB+Yellow 3800157637480

- 10 Meter Long String
- 0.5 watts per Bulb
- 20 Holders with 0.5 Meter Distance
- IP rating IP44
- 5 Pcs In Cartoon

VT-7135

String Light-WP Socket-E27

SKU: 3698 3800157634182

- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance
- 4 Pcs In Cartoon
- IP54
- Linkable upto 500W max
- Bulbs are not included

VT-713

String Light-WP Socket-E27

SKU: 3673 3800157625173

- 15 Meter Long String
- 15 Holders with 1 Meter Distance
- 4 Pcs In Cartoon
- IP54
- Linkable upto 500W max
- Bulbs are not included

LED Spotlights

Introducing a sustainable and energy efficient replacement for power consuming 35W and 50W Halogen Spotlights. An extensive range of LED Spotlights (1.2W-8W)

Product Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands

Capsules-G9

2.5w VT-1946

SKU: 4466 - 3000K Warm White 3800157609005
SKU: 4467 - 4000K Day White 3800157609012
SKU: 4468 - 6400K White 3800157609029

EQ. Watts:	25w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.4	Dimension:	16.5x46.5mm
Luminous Flux:	200lm	Base:	G9	Box Qty:	400 Pcs
LED Type:	SMD	Beam Angle:	300°		





Capsules-G9

3w VT-2103

SKU: 7477 - 4000K Day White 3800157640343

EQ. Watts:	30w	CRI:	>80	Body Type:	Glass
Voltage/Frequency:	AC:220-240V, 50/60Hz	PF:	>0.7	Dimension:	14.5x61mm
Luminous Flux:	330lm	Base:	G9	Box Qty:	450 Pcs
LED Type:	COB	Beam Angle:	300°		



Capsules-G9-6Pc Pack

3w VT-2243

SKU: 2745 - 3000K Warm White 3800157645416
SKU: 2746 - 4000K Day White 3800157645423
SKU: 2747 - 6400K White 3800157645430

EQ. Watts:	25w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	17x49mm
Luminous Flux:	300lm	Base:	G9	Box Qty:	300 Pcs
LED Type:	SMD	Beam Angle:	300°		



Capsules-G9

4w VT-2254

SKU: 2742 - 3000K Warm White 3800157645324
SKU: 2744 - 6400K White 3800157645348

EQ. Watts:	35w	CRI:	>80	Body Type:	Glass
Voltage/Frequency:	AC:230V	PF:	>0.7	Dimension:	16x58mm
Luminous Flux:	410lm	Base:	G9	Box Qty:	400 Pcs
LED Type:	COB	Beam Angle:	300°		



Capsules-G9

5w VT-2175D

SKU: 7431 - 6400K White 3800157637060

DIMMABLE

EQ. Watts:	50w	CRI:	>80	Body Type:	Ceramic
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.4	Dimension:	22x60mm
Luminous Flux:	500lm	Base:	G9	Box Qty:	600 Pcs
LED Type:	SMD	Beam Angle:	300°		



Capsules-G9

5.5w VT-2177

SKU: 7432 - 3000K Warm White 3800157637077

EQ. Watts:	50w	CRI:	>80	Body Type:	Ceramic
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.4	Dimension:	16x63mm
Luminous Flux:	550lm	Base:	G9	Box Qty:	600 Pcs
LED Type:	SMD	Beam Angle:	300°		

Capsules-G9

6w VT-2227

SKU: 2720 - 4000K Day White 3800157644433
SKU: 2721 - 6400K White 3800157644440



EQ. Watts:	45	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	19x68mm
Luminous Flux:	550lm	Base:	G9	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	300°		

Spotlights-GU10-Lens-38°

5w VT-2305

SKU: 2796 - 3000K Warm White 3800157651653
SKU: 2797 - 4000K Day White 3800157651660





EQ. Watts:	50w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	50x55mm
Luminous Flux:	380lm	Base:	GU10	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	38°		

Spotlights-GU10-Lens-38°

6w VT-2206

SKU: 7497 - 2700K Warm White 3800157651202
SKU: 7498 - 4000K Day White 3800157640848
SKU: 7499 - 6400K White 3800157640855



EQ. Watts:	55w	CRI:	>95	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	ø50x58mm
Luminous Flux:	400lm	Base:	GU10	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	38°		

GU10-RGB With Remote Control

3.5w VT-2244

SKU: 2778 - RGB+3000K Warm White 3800157646819
SKU: 2779 - RGB+4000K Day White 3800157646826
SKU: 2780 - RGB+6400K White 3800157646833

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode



EQ. Watts:	25w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	50x56.5mm
Luminous Flux:	290lm	Base:	GU10	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	110°		

Spotlights-GU10-Milky Cover-110°

5W VT-1975

SKU: 1685 - 3000K Warm White 3800157606240
SKU: 1686 - 4000K Day White 3800157606257
SKU: 1687 - 6000K White 3800157606264

EQ. Watts:	35w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.4	Dimension:	50x57mm
Luminous Flux:	400lm	Base:	GU10	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	110°		

GU10-3PC Pack-Fitting

5W VT-3333

SKU: 8881 - 3000K Warm White 3800157650038
SKU: 8882 - 4000K Day White 3800157650045
SKU: 8883 - 6400K White 3800157650052

EQ. Watts:	35w	CRI:	>80	Body Type:	Plastic + Ferrum
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Dimension:	120x99mm
Luminous Flux:	400lm	Base:	GU10	Box Qty:	20 Pcs
LED Type:	SMD	Beam Angle:	110°		



GU10-3PC Pack-Fitting

5W VT-4444

SKU: 8884 - 3000K Warm White 3800157650069
SKU: 8885 - 4000K Day White 3800157650076
SKU: 8886 - 6400K White 3800157650083

EQ. Watts:	35w	CRI:	>80	Body Type:	Plastic + Ferrum
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Dimension:	120x99mm
Luminous Flux:	400lm	Base:	GU10	Box Qty:	20 Pcs
LED Type:	SMD	Beam Angle:	110°		



Spotlights-GU10-3PC Pack

5W VT-2095

SKU: 7269 - 3000K Warm White 3800157623018
SKU: 7270 - 4000K Day White 3800157623025
SKU: 7271 - 6400K White 3800157623032

EQ. Watts:	35w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	50x57mm
Luminous Flux:	400lm	Base:	GU10	Box Qty:	60 Pcs
LED Type:	SMD	Beam Angle:	110°		

Spotlights-GU10-6PC Pack

5W VT-2225

SKU: 2739 - 3000K Warm White 3800157645294
SKU: 2740 - 4000K Day White 3800157645300
SKU: 2741 - 6400K White 3800157645317

EQ. Watts:	35w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	50x57mm
Luminous Flux:	400lm	Base:	GU10	Box Qty:	30 Pcs
LED Type:	SMD	Beam Angle:	110°		

GU10- 38°-10PC Pack

5W VT-2305-10PC

SKU: 2799 - 3000K Warm White 3800157651684
SKU: 2800 - 4000K Day White 3800157651691
SKU: 2801 - 6400K White 3800157651707



EQ. Watts:	50w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	50x55mm
Luminous Flux:	380lm	Base:	GU10	Box Qty:	20 Pcs
LED Type:	SMD	Beam Angle:	38°		

Including 2 reflectors (40° already mounted)



Instructions to change the reflector



AR111 Downlight

20W VT-1121

SKU: 2792 | 3000K Warm White 3800157650090
SKU: 2793 | 4000K Day White 3800157650106
SKU: 2794 | 6400K White 3800157650113

EQ. Watts:	130w	Base:	N/A		
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	40°/20°		
Luminous Flux:	1800lm	Body Type:	Die Cast Aluminium		
LED Type:	COB	Dimension:	Ø111x53mm		
CRI:	>80	Box Qty:	50 Pcs		
PF:	>0.9				



AR111 Downlight

20W VT-1120-20

SKU: 1245 - 6000K White 3800157606028



EQ. Watts:	100w	CRI:	>80	Body Type:	Die Cast Alumin-
Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.7	Dimension:	ium
Luminous Flux:	1800lm	Base:	N/A	Box Qty:	Ø111x53mm
LED Type:	COB	Beam Angle:	20°		50 Pcs

AR111-G53

15W VT-1110-20

SKU: 4084 - 3000K Warm White 3800230620064
SKU: 4062 - 4000K Day White 3800230620057
SKU: 4061 - 6400K White 3800230620040



EQ. Watts:	75w	CRI:	>80	Body Type:	Plastic Clad
Voltage/Frequency:	AC/DC:12V,50Hz	PF:	>0.9	Dimension:	Aluminium
Luminous Flux:	950lm	Base:	G53	Box Qty:	Ø111x86x63mm
LED Type:	COB	Beam Angle:	20°		60 Pcs



AR111-G53

15W VT-1110-40

SKU: 4257 - 3000K Warm White 3800230628664
SKU: 4256 - 4000K Day White 3800230628657
SKU: 4255 - 6400K White 3800230628640



EQ. Watts:	25w	CRI:	>80	Body Type:	Plastic Clad
Voltage/Frequency:	AC/DC:12V,50Hz	PF:	>0.9	Dimension:	Aluminium
Luminous Flux:	950lm	Base:	G53	Box Qty:	Ø111x86x63mm
LED Type:	COB	Beam Angle:	40°		60 Pcs

AR111-GU10

12W VT-1112

SKU: 4224 - 2700K Warm White 3800230626257
SKU: 4223 - 4000K Day White 3800230626219
SKU: 4225 - 6400K White 3800230626264



EQ. Watts:	60w	CRI:	>80	Body Type:	Plastic Clad
Voltage/Frequency:	AC:200-240V,50Hz	PF:	>0.9	Dimension:	Aluminium
Luminous Flux:	900lm	Base:	GU10	Box Qty:	Ø111x86mm
LED Type:	COB	Beam Angle:	40°		60 Pcs

AR111-GU10

12W VT-1112D

SKU: 7234 - 3000K Warm White 3800157620055
SKU: 7235 - 4000K Day White 3800157620062
SKU: 7236 - 6400K White 3800157620079

DIMMABLE



EQ. Watts:	60w	CRI:	>80	Body Type:	Plastic Clad
Voltage/Frequency:	AC:200-240V,50Hz	PF:	>0.9	Dimension:	Aluminium
Luminous Flux:	900lm	Base:	GU10	Box Qty:	Ø111x86mm
LED Type:	COB	Beam Angle:	40°		60 Pcs





AR111-Accessories

Model No:	VT-7221-W	Dimension:	174x174 mm
SKU:	3575	Cutting Size:	163x163mm
Base:	1XAR111	EAN:	3800157604765
Material:	Aluminium	Box Qty:	24 Pcs
Color of Fxture:	White		





AR111-Accessories

Model No:	VT-7222-W	Dimension:	325x174mm
SKU:	3576	Cutting Size:	167x305mm.
Base:	2XAR111	EAN:	3800157604772
Material:	Aluminium	Box Qty:	12 Pcs
Color of Fxture:	White		





AR111-Accessories

Model No:	VT-7221-B	Dimension:	174x174 mm
SKU:	3581	Cutting Size:	163x163mm
Base:	1XAR111	EAN:	3800157607063
Material:	Aluminium	Box Qty:	24 Pcs
Color of Fxture:	Black		



AR111-Accessories

Model No:	VT-7222-B	Dimension:	325x174 mm
SKU:	3582	Cutting Size:	167x305mm.
Base:	2XAR111	EAN:	3800157607070
Material:	Aluminium	Box Qty:	12 Pcs
Color of Fxture:	Black		





AR111-Accessories

Model No:	VT-7223-W	Dimension:	475x174mm
SKU:	35771	Cutting Size:	168x455mm
Base:	3XAR111	EAN:	3800157604789
Material:	Aluminium	Box Qty:	12 Pcs
Color of Fxture:	White		





AR111-Accessories

Model No:	VT-7223-B	Dimension:	475x174mm
SKU:	35831	Cutting Size:	168x455mm
Base:	3XAR111	EAN:	3800157607087
Material:	Aluminium	Box Qty:	12 Pcs
Color of Fxture:	Black		

Concrete Wall Fitting



Model No	VT-891D
SKU:	8690
Base:	G9
Material:	Concrete
Shape:	Round
Color of Fxture:	Dark Grey
Dimension:	150x130x130mm
EAN:	3800157655316
Box Qty:	12 Pcs

Concrete Wall Fitting



Model No	VT-891L
SKU:	8691
Base:	G9
Material:	Concrete
Shape:	Round
Color of Fxture:	Light Grey
Dimension:	150x130x130mm
EAN:	3800157655323
Box Qty:	12 Pcs

Concrete Wall Fitting



Model No	VT-892D
SKU:	8692
Base:	G9
Material:	Concrete
Shape:	Square
Color of Fxture:	Dark Grey
Dimension:	120x100x120mm
EAN:	3800157655330
Box Qty:	12 Pcs

Concrete Wall Fitting



Model No	VT-892L
SKU:	8693
Base:	G9
Material:	Concrete
Shape:	Square
Color of Fxture:	Light Grey
Dimension:	120x100x120mm
EAN:	3800157655347
Box Qty:	12 Pcs

Concrete Wall Fitting

Model No	VT-893D
SKU:	8694
Base:	G9
Material:	Concrete
Shape:	Rectangle
Color of Fxture:	Dark Grey
Dimension:	120x100x240mm
EAN:	3800157655354
Box Qty:	6 Pcs

Concrete Wall Fitting



Model No	VT-893L
SKU:	8695
Base:	G9
Material:	Concrete
Shape:	Rectangle
Color of Fxture:	Light Grey
Dimension:	120x100x240mm
EAN:	3800157655361
Box Qty:	6 Pcs

Concrete Wall Fitting



Model No	VT-894D
SKU:	8696
Base:	GU10
Material:	Concrete
Shape:	Round
Color of Fxture:	Dark Grey
Dimension:	120x140x235mm
EAN:	3800157655378
Box Qty:	6 Pcs

Concrete Wall Fitting



Model No	VT-894L
SKU:	8697
Base:	GU10
Material:	Concrete
Shape:	Round
Color of Fxture:	Light Grey
Dimension:	120x140x235mm
EAN:	3800157655385
Box Qty:	6 Pcs

Surface Fitting GU10



Model No	VT-802-W
SKU:	8944
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	ø70x107mm
EAN:	3800157658126
Box Qty:	50 Pcs

Surface Fitting GU10



Model No	VT-802-B
SKU:	8945
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Black
Dimension:	ø70x107mm
EAN:	3800157658133
Box Qty:	50 Pcs

Surface Fitting GU10

NEW



Model No	VT-804-W
SKU:	8946
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø59.5×197mm
Cutting Size:	N/A
EAN:	3800157658232
Box Qty:	20 Pcs

Surface Fitting GU10

NEW



Model No	VT-804-B
SKU:	8947
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Black
Dimension:	Ø59.5×197mm
Cutting Size:	N/A
EAN:	3800157658249
Box Qty:	20 Pcs

Surface Fitting GU10

NEW

Model No	VT-807-W
SKU:	8948
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	60x100mm
Cutting Size:	N/A
EAN:	3800157658584
Box Qty:	50 Pcs

Surface Fitting GU10

NEW

Model No	VT-807-B
SKU:	8949
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Black
Dimension:	60x100mm
Cutting Size:	N/A
EAN:	3800157658591
Box Qty:	50 Pcs

Fitting Square-GU10

Model No	VT-883-WB
SKU:	8597
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	White frame + Black reflector
Dimension:	83x40.7mm
Cutting Size:	75x75mm
EAN:	3800157652025
Box Qty:	50 Pcs

Fitting Square-GU10

Model No	VT-883-B
SKU:	8598
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	Black
Dimension:	83x40.7mm
Cutting Size:	75x75mm
EAN:	3800157652032
Box Qty:	50 Pcs

Fitting Round-GU10

Model No	VT-884-WB
SKU:	8599
Base:	GU10
Material:	Aluminium + PC
Shape:	Half Circle
Color of Fxture:	White frame + Black reflector
Dimension:	83x40.7mm
Cutting Size:	ø75mm
EAN:	3800157652049
Box Qty:	50 Pcs

Fitting Round-GU10

Model No	VT-884-B
SKU:	8608
Base:	GU10
Material:	Aluminium + PC
Shape:	Half Circle
Color of Fxture:	Black frame + Black reflector
Dimension:	83x40.7mm
Cutting Size:	ø75mm
EAN:	3800157652056
Box Qty:	50 Pcs

Fitting Square-GU10

Model No	VT-886
SKU:	8877
Base:	2xGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White+Black
Dimension:	185x100x45mm
Cutting Size:	175x85mm
EAN:	3800157648646
Box Qty:	20 Pcs

Fitting Square-GU10

Model No	VT-887
SKU:	8878
Base:	3xGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White+Black
Dimension:	270x100x45mm
Cutting Size:	256x85mm
EAN:	3800157648653
Box Qty:	20 Pcs

Fitting Round-GU10

Model No	VT-889
SKU:	8879
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White Frame+Chrome Reflector
Dimension:	ø140x50mm
Cutting Size:	ø85/90mm
EAN:	3800157648660
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-890
SKU:	8880
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White Frame+Chrome Reflector
Dimension:	128x75x55mm
Cutting Size:	79/85x75mm
EAN:	3800157648677
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-872-WB
SKU:	3153
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Black
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638968
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-872-WG
SKU:	3154
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Gold
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638975
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-872-WR
SKU:	3155
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Rose Gold
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638982
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-872-WC
SKU:	3156
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638999
Box Qty:	50 Pcs

Fitting Round-GU10

Model No	VT-873
SKU:	8595
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	Black frame + Black reflector
Dimension:	ø83x40.7mm
Cutting Size:	ø75mm
EAN:	3800157652001
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-873-WB
SKU:	3157
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Black
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639002
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-873-WG
SKU:	3158
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639019
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-873-WR
SKU:	3159
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Rose Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639026
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-873-WC
SKU:	3160
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639033
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874
SKU:	8596
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	Black frame + Black reflector
Dimension:	ø83x40.7mm
Cutting Size:	ø75mm
EAN:	3800157652018
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874-WB
SKU:	3161
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Black
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639040
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874-WG
SKU:	3162
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639057
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874-WR
SKU:	3163
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Rose Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639064
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874-WC
SKU:	3164
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639071
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-875-WB
SKU:	3165
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fxture:	White+Black
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639088
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-875-WG
SKU:	3166
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fxture:	White+Gold
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639095
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-875-WR
SKU:	3167
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fxture:	White+Rose Gold
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639101
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-875-WC
SKU:	3168
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fxture:	White+Chrome
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639118
Box Qty:	50 Pcs

Fitting Square-GU10

NEW



Model No	VT-882-SQ-BG
SKU:	8956
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	Black+Gold
Dimension:	74x74x140mm
Cutting Size:	N/A
EAN:	3800157659802
Box Qty:	50 Pcs

Fitting Square-GU10

NEW



Model No	VT-882-SQ-BRG
SKU:	8993
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	Black+Rose Gold
Dimension:	74x74x140mm
Cutting Size:	N/A
EAN:	3800157659819
Box Qty:	50 Pcs

Fitting Square-GU10

NEW



Model No	VT-882-SQ-BC
SKU:	8994
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	Black+Chrome
Dimension:	74x74x140mm
Cutting Size:	N/A
EAN:	3800157659826
Box Qty:	50 Pcs

Fitting Square-GU10

NEW



Model No	VT-882-SQ-B
SKU:	8995
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	Black+Black
Dimension:	74x74x140mm
Cutting Size:	N/A
EAN:	3800157659833
Box Qty:	50 Pcs

Fitting Round-GU10

NEW



Model No	VT-882-RD-BG
SKU:	8996
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	Black+Gold
Dimension:	ø80x140mm
Cutting Size:	N/A
EAN:	3800157659840
Box Qty:	50 Pcs

Fitting Round-GU10

NEW



Model No	VT-882-RD-BRG
SKU:	8997
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	Black+Rose Gold
Dimension:	ø80x140mm
Cutting Size:	N/A
EAN:	3800157659857
Box Qty:	50 Pcs

Fitting Round-GU10

NEW



Model No	VT-882-RD-BC
SKU:	8998
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	Black+Chrome
Dimension:	ø80x140mm
Cutting Size:	N/A
EAN:	3800157659864
Box Qty:	50 Pcs

Fitting Round-GU10

NEW



Model No	VT-882-RD-B
SKU:	8999
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	Black+Black
Dimension:	ø80x140mm
Cutting Size:	N/A
EAN:	3800157659871
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-876-RD
SKU:	3169
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	85x32mm
Cutting Size:	75mm
EAN:	3800157639125
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-876-SQ
SKU:	3170
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	85x85x32mm
Cutting Size:	75mm
EAN:	3800157639132
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-797-WH
SKU:	3630
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	142x100x100mm
Cutting Size:	N/A
EAN:	3800157612074
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-797-B
SKU:	3631
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fxture:	Black
Dimension:	100x100x142mm
Cutting Size:	N/A
EAN:	3800157612081
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-797-SN
SKU:	3632
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	100x100x142mm
Cutting Size:	N/A
EAN:	3800157612098
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-796-WH
SKU:	3627
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø100x142mm
Cutting Size:	N/A
EAN:	3800157612043
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-796-B
SKU:	3628
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Round
Color of Fxture:	Black
Dimension:	Ø100x142mm
Cutting Size:	N/A
EAN:	3800157612050
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-796-SN
SKU:	3629
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø100x142mm
Cutting Size:	N/A
EAN:	3800157612067
Box Qty:	50 Pcs

GX53-Accessory



Model No	VT-715-W
SKU:	3675
Base:	GX53
Material:	Iron
Shape:	Round
Color of Fxture:	White
Dimension:	Ø105x40mm
Cutting Size:	90mm
EAN:	3800157625241
Box Qty:	50 Pcs

GX53-Accessory



Model No	VT-715-G
SKU:	3676
Base:	GX53
Material:	Iron
Shape:	Round
Color of Fxture:	Gold
Dimension:	Ø105x40mm
Cutting Size:	90mm
EAN:	3800157625258
Box Qty:	50 Pcs

GX53-Accessory



Model No	VT-715-CH
SKU:	3677
Base:	GX53
Material:	Iron
Shape:	Round
Color of Fxture:	Chrome
Dimension:	Ø105x40mm
Cutting Size:	90mm
EAN:	3800157625265
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-727SQ
SKU:	3664
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	70x70x75mm
Cutting Size:	N/A
EAN:	3800157624589
Box Qty:	36 Pcs

Fitting-Round-GU10



Model No	VT-727RD
SKU:	3665
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø70x75mm
Cutting Size:	N/A
EAN:	3800157624596
Box Qty:	36 Pcs

Fitting-Square-GU10



Model No	VT-716SQ
SKU:	3666
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	75x75x75mm
Cutting Size:	N/A
EAN:	3800157624732
Box Qty:	36 Pcs

Fitting-Round-GU10



Model No	VT-716RD
SKU:	3667
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø75x75mm
Cutting Size:	N/A
EAN:	3800157624749
Box Qty:	36 Pcs

Fitting-Square-GU10



Model No	VT-762
SKU:	3648
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	215x120x60mm
Cutting Size:	218x123mm
EAN:	3800157618588
Box Qty:	20 Pcs

Fitting-Square-GU10

Model No	VT-763
SKU:	3649
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	120x120x50mm
Cutting Size:	123x123mm
EAN:	3800157618595
Box Qty:	24 Pcs

Fitting-Round-GU10

Model No	VT-764
SKU:	3650
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø140x40mm
Cutting Size:	Ø140mm
EAN:	3800157618601
Box Qty:	20 Pcs

Fitting-Square-GU10

Model No	VT-765
SKU:	3651
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	100x100x30mm
Cutting Size:	103x103mm
EAN:	3800157618618
Box Qty:	30 Pcs

Fitting-Round-GU10

Model No	VT-771
SKU:	3652
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø100x30mm
Cutting Size:	Ø103mm
EAN:	3800157618625
Box Qty:	20 Pcs

Fitting-Square-GU10

Model No	VT-772
SKU:	3653
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	132x132x74mm
Cutting Size:	135x135mm
EAN:	3800157618632
Box Qty:	20 Pcs

Fitting-Round-GU10



Model No	VT-776RD
SKU:	3640
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø120x40mm
Cutting Size:	Ø123mm
EAN:	3800157616348
Box Qty:	24 Pcs

Fitting-Square-GU10

Model No	VT-776SQ
SKU:	3641
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	120x120x50mm
Cutting Size:	123x123mm
EAN:	3800157616355
Box Qty:	24 Pcs

Fitting-Round-GU10

Model No	VT-773
SKU:	3654
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø132x74mm
Cutting Size:	Ø132mm
EAN:	3800157618649
Box Qty:	20 Pcs

Fitting-Square-GU10

Model No	VT-714
SKU:	3674
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	120x120x45mm
Cutting Size:	123x123mm
EAN:	3800157625180
Box Qty:	24 Pcs

Fitting-Square-GU10-Frost Glass

Model No	VT-801SQ
SKU:	3691
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	120x120x60mm
Cutting Size:	123x123mm
EAN:	3800157628938
Box Qty:	24 Pcs

Fitting-Round-GU10-Frost Glass

Model No	VT-801RD
SKU:	3692
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø120x60mm
Cutting Size:	Ø123mm
EAN:	3800157628945
Box Qty:	24 Pcs

Fitting-Round-GU10-2Pc Pack

Model No	VT-817-W-RD
SKU:	8938
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø93x27mm
Cutting Size:	Ø70mm
EAN:	3800157657914
Box Qty:	100 Pcs

Fitting-Round-GU10-2Pc Pack



Model No	VT-817-SN-RD
SKU:	8939
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø93x27mm
Cutting Size:	Ø70mm
EAN:	3800157657921
Box Qty:	100 Pcs

Fitting-Round-GU10-2Pc Pack



Model No	VT-817-CH-RD
SKU:	8940
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Chrome
Dimension:	Ø93x27mm
Cutting Size:	Ø70mm
EAN:	3800157657938
Box Qty:	100 Pcs

Fitting-Round-GU10-2Pc Pack



Model No	VT-817-W-SQ
SKU:	8941
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fxture:	White
Dimension:	82x82x27mm
Cutting Size:	70x70mm
EAN:	3800157657945
Box Qty:	100 Pcs

Fitting-Round-GU10-2Pc Pack



Model No	VT-817-SN-SQ
SKU:	8942
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	82x82x27mm
Cutting Size:	70x70mm
EAN:	3800157657952
Box Qty:	100Pcs

Fitting-Round-GU10-2Pc Pack



Model No	VT-817-CH-SQ
SKU:	8943
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fxture:	Chrome
Dimension:	82x82x27mm
Cutting Size:	70x70mm
EAN:	3800157657969
Box Qty:	100Pcs

Fitting-Round-GU10-2Pc Pack



Model No	VT-778-WH
SKU:	3584
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø80x30mm
Cutting Size:	Ø65mm
EAN:	3800157607131
Box Qty:	200 Pcs

Fitting-Round-GU10-2Pc Pack



Model No	VT-778-SN
SKU:	3585
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø80x30mm
Cutting Size:	Ø65mm
EAN:	3800157607148
Box Qty:	200 Pcs

Fitting-Round-GU10-2Pc Pack



Model No	VT-778-CH
SKU:	3586
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Chrome
Dimension:	Ø80x30mm
Cutting Size:	Ø65mm
EAN:	3800157607155
Box Qty:	200 Pcs

Fitting-Round-GU10-Changing Angle



Model No	VT-780-WH
SKU:	3593
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø100x45mm
Cutting Size:	Ø90mm
EAN:	3800157607223
Box Qty:	100 Pcs

Fitting-Round-GU10-Changing Angle



Model No	VT-780-SN
SKU:	3594
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø100x45mm
Cutting Size:	Ø90mm
EAN:	3800157607230
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-774-WH
SKU:	3642
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø81x34mm
Cutting Size:	Ø73mm
EAN:	3800157617086
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-774-SN
SKU:	3643
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø81x34mm
Cutting Size:	Ø73mm
EAN:	3800157617093
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-774-MG
SKU:	3644
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Metallic Grey
Dimension:	Ø81x34mm
Cutting Size:	Ø73mm
EAN:	3800157617109
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-775-WH
SKU:	3645
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø95x32mm
Cutting Size:	Ø85mm
EAN:	3800157617116
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-775-SN
SKU:	3646
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø95x32mm
Cutting Size:	Ø85mm
EAN:	3800157617123
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-775-MG
SKU:	3647
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Metallic Grey
Dimension:	Ø95x32mm
Cutting Size:	Ø85mm
EAN:	3800157617130
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-782RD-WH
SKU:	3599
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø91x25mm
Cutting Size:	Ø75mm
EAN:	3800157607285
Box Qty:	100 Pcs

Recessed Fitting GU10



Model No	VT-782RD-B
SKU:	8936
Base:	1XGU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Black
Dimension:	Ø91x25mm
Cutting Size:	Ø75mm
EAN:	3800157657198
Box Qty:	100Pcs

Recessed Fitting GU10



Model No	VT-782SQ-B
SKU:	8937
Base:	1XGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	Black
Dimension:	91x91x25mm
Cutting Size:	75x75mm
EAN:	3800157657204
Box Qty:	100Pcs

Fitting-Round-GU10



Model No	VT-782RD-AB
SKU:	3600
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Aluminium Brush
Dimension:	Ø91x25mm
Cutting Size:	Ø75mm
EAN:	3800157607292
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-783RD-WH
SKU:	3601
Base:	2XGU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607308
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-783RD-AB
SKU:	3602
Base:	2XGU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Aluminium Brush
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607315
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-784RD-WH
SKU:	3603
Base:	3XGU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	255x91x25
Cutting Size:	235x75mm
EAN:	3800157607322
Box Qty:	50 Pcs

Fitting-Round-GU10

Model No	VT-784RD-AB
SKU:	3604
Base:	3XGU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Aluminium Brush
Dimension:	255x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607339
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-782SQ-WH
SKU:	3605
Base:	1XGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	91x91x25mm
Cutting Size:	75x75mm
EAN:	3800157607346
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-782SQ-AB
SKU:	3606
Base:	1XGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	Aluminium Brush
Dimension:	91x91x25mm
Cutting Size:	75x75mm
EAN:	3800157607353
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-783SQ-WH
SKU:	3607
Base:	2XGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607360
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-783SQ-AB
SKU:	3608
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	Aluminium Brush
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607377
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-784SQ-WH
SKU:	3609
Base:	3XGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	255x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607384
Box Qty:	50 Pcs

Fitting-Square-GU10

Model No	VT-784SQ-AB
SKU:	3610
Base:	3XGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	Aluminium Brush
Dimension:	255x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607391
Box Qty:	50 Pcs

Fitting-Round-GU10

Model No	VT-7227RD-WH
SKU:	3469
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø99x30.8mm
Cutting Size:	Ø74mm
EAN:	3800157605885
Box Qty:	100 Pcs

Fitting-Round-GU10

Model No	VT-7227RD-SN
SKU:	3470
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø99x30.8mm
Cutting Size:	Ø74mm
EAN:	3800157605892
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-7227RD-SS
SKU:	3471
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Stainless Steel
Dimension:	Ø99x30.8mm
Cutting Size:	Ø74mm
EAN:	3800157605908
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-7227SQ-WH
SKU:	3472
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fxture:	White
Dimension:	99x99x30.8mm
Cutting Size:	74x74mm
EAN:	3800157605915
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-7227SQ-SN
SKU:	3473
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	99x99x30.8mm
Cutting Size:	74x74mm
EAN:	3800157605922
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-7227SQ-SS
SKU:	3474
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fxture:	Stainless Steel
Dimension:	99x99x30.8mm
Cutting Size:	74x74mm
EAN:	3800157605939
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-785
SKU:	3611
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	88x38mm
Cutting Size:	Ø75mm
EAN:	3800157607407
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-786
SKU:	3612
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	88x38mm
Cutting Size:	Ø75mm
EAN:	3800157607414
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-711-W-RD
SKU:	3669
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	82x101mm
Cutting Size:	N/A
EAN:	3800157625135
Box Qty:	50 Pcs

Zoom Fitting



Model No	VT-700W
SKU:	3689
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø102x46mm
Cutting Size:	93mm
EAN:	3800157628501
Box Qty:	50 Pcs

Zoom Fitting



Model No	VT-700S
SKU:	3690
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø102x46mm
Cutting Size:	93mm
EAN:	3800157628518
Box Qty:	50 Pcs

Fitting-Square-GU10



IP54 RATING

Model No	VT-787RD-WH
SKU:	3613
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	84x38mm
Cutting Size:	75mm
EAN:	3800157607421
Box Qty:	100 Pcs

Fitting-Round-GU10



IP54 RATING

Model No	VT-787RD-SN
SKU:	3614
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	84x38mm
Cutting Size:	75mm
EAN:	3800157607438
Box Qty:	100 Pcs

Fitting-Square-GU10



IP54 RATING

Model No	VT-787SQ-WH
SKU:	3615
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Square
Color of Fxture:	White
Dimension:	84x84x38mm
Cutting Size:	75mm
EAN:	3800157607445
Box Qty:	100 Pcs

Fitting-Square-GU10



IP54 RATING

Model No	VT-787SQ-SN
SKU:	3616
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	84x84x38mm
Cutting Size:	75mm
EAN:	3800157607452
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-781RD-WH
SKU:	3595
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	100x45mm
Cutting Size:	90mm
EAN:	3800157607247
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-781RD-SN
SKU:	3596
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	100x45mm
Cutting Size:	90mm
EAN:	3800157607254
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-781SQ-WH
SKU:	3597
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Square
Color of Fxture:	White
Dimension:	100x100x38mm
Cutting Size:	90x90mm
EAN:	3800157607261
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-781SQ-SN
SKU:	3598
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	100x100x38mm
Cutting Size:	90x90mm
EAN:	3800157607278
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-779-WH-RD
SKU:	3587
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fxture:	White
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157607162
Box Qty:	100 Pcs

Fitting-Round-GU10

Model No	VT-779-SN-RD
SKU:	3588
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157607179
Box Qty:	100 Pcs

Recessed Fitting GU10

Model No	VT-779-BL
SKU:	8955
Base:	GU10
Material:	Zinc alloy
Shape:	Round
Color of Fxture:	Black
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157656238
Box Qty:	100 Pcs

Fitting Round-GU10

Model No	VT-779-B
SKU:	8580
Base:	GU10
Material:	Zinc alloy
Shape:	Round
Color of Fxture:	Bronze
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157651851
Box Qty:	100 Pcs

Fitting Round-GU10

Model No	VT-779-G
SKU:	8579
Base:	GU10
Material:	Zinc alloy
Shape:	Round
Color of Fxture:	Gold
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157651844
Box Qty:	100 Pcs

Fitting-Round-GU10

Model No	VT-779-CH-RD
SKU:	3589
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fxture:	Chrome
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157607186
Box Qty:	100 Pcs

Fitting-Square-GU10

Model No	VT-779-WH-SQ
SKU:	3590
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fxture:	White
Dimension:	82x82x22mm
Cutting Size:	74mm
EAN:	3800157607193
Box Qty:	100 Pcs

Fitting-Square-GU10

Model No	VT-779-SN-SQ
SKU:	3591
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	82x82x25mm
Cutting Size:	74mm
EAN:	3800157607209
Box Qty:	100 Pcs

Fitting-Square-GU10

Model No	VT-779-CH-SQ
SKU:	3592
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fxture:	Chrome
Dimension:	82x82x25mm
Cutting Size:	74mm
EAN:	3800157607216
Box Qty:	100 Pcs

Fitting Square-GU10

Model No	VT-779-SB
SKU:	8582
Base:	GU10
Material:	Zinc alloy
Shape:	Square
Color of Fxture:	Bronze
Dimension:	82x82x22mm
Cutting Size:	74mm
EAN:	3800157651875
Box Qty:	100 Pcs

Fitting Square-GU10



Model No	VT-779-SG
SKU:	8581
Base:	GU10
Material:	Zinc alloy
Shape:	Square
Color of Fxture:	Gold
Dimension:	82x82x22mm
Cutting Size:	74mm
EAN:	3800157651868
Box Qty:	100 Pcs

Fitting-Round-G9

Model No	VT-858RD
SKU:	3694
Base:	G9
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	70x90x95mm
Cutting Size:	N/A
EAN:	3800157633536
Box Qty:	24 Pcs

Fitting-Square-G9



Model No	VT-858SQ
SKU:	3695
Base:	G9
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	70x100x100mm
Cutting Size:	N/A
EAN:	3800157633543
Box Qty:	24 Pcs

Fitting-Square-GU10



Model No	VT-859SQ
SKU:	3696
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	100x100x40mm
Cutting Size:	103x103mm
EAN:	3800157633550
Box Qty:	40 Pcs

Fitting-Round-GU10



Model No	VT-859RD
SKU:	3697
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	ø100x40mm
Cutting Size:	ø103
EAN:	3800157633567
Box Qty:	40 Pcs

Fitting-Suspended-GU10



Model No	VT-864-G
SKU:	3111
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157634366
Box Qty:	9 Pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864-GBC
SKU:	3134
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Gun Black
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157635332
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864CHC
SKU:	3135
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Chrome
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157635349
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864-GB
SKU:	3112
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Gun Black
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157634373
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864-CH
SKU:	3129
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157634540
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864-MR
SKU:	3130
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157635325
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865-GBM
SKU:	3136
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Gun Black
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635356
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865-MRC
SKU:	3137
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635363
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865CHC
SKU:	3138
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Chrome
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635370
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865-GBC
SKU:	3139
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Gun Black
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635387
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865-MRM
SKU:	3113
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157634380
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865CHM
SKU:	3114
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157634397
Box Qty:	9 pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-GB
SKU:	3140
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Gun Black
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635394
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-MRM
SKU:	3141
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635400
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-CHM
SKU:	3142
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Grey+Chrome
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635417
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-GBM
SKU:	3143
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Grey+Gun Black
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635424
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-MR
SKU:	3115
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Matt Rose Gold
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157634403
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-CH
SKU:	3116
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Chrome
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157634410
Box Qty:	12pcs

Fitting Square-GU10



Model No	VT-882-B
SKU:	8584
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	White frame + Black reflector
Dimension:	74x74x140mm
Cutting Size:	NA
EAN:	3800157651899
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-882-C
SKU:	8585
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	White frame + Chrome reflector
Dimension:	74x74x140mm
Cutting Size:	NA
EAN:	3800157651905
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-882-G
SKU:	8586
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	White frame + Gold reflector
Dimension:	74x74x140mm
Cutting Size:	NA
EAN:	3800157651912
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-882-SRG
SKU:	8587
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	White frame + Rose gold reflector
Dimension:	74x74x140mm
Cutting Size:	NA
EAN:	3800157651929
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-882-SW
SKU:	8583
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	White frame + White reflector
Dimension:	74x74x140mm
Cutting Size:	NA
EAN:	3800157651882
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-882-RB
SKU:	8589
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	White frame + Black reflector
Dimension:	ø80x140mm
Cutting Size:	NA
EAN:	3800157651943
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-882-RC
SKU:	8590
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	White frame + Chrome reflector
Dimension:	ø80x140mm
Cutting Size:	NA
EAN:	3800157651950
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-882-RG
SKU:	8591
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	White frame + Gold reflector
Dimension:	ø80x140mm
Cutting Size:	NA
EAN:	3800157651967
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-882-RRG
SKU:	8592
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	White frame + Rose gold reflector
Dimension:	ø80x140mm
Cutting Size:	NA
EAN:	3800157651974
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-882-RW
SKU:	8588
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fxture:	White frame + White reflector
Dimension:	ø80x140mm
Cutting Size:	NA
EAN:	3800157651936
Box Qty:	50 Pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRW
SKU:	3117
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Matt Rose Gold
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634427
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRG
SKU:	3118
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634434
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-CHW
SKU:	3119
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Chrome
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634441
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-CHG
SKU:	3120
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Grey+Chrome
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634458
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRR
SKU:	3121
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Off White+Matt Rose Gold
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634465
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-CHR
SKU:	3122
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Off White+Chrome
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634472
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRP
SKU:	3123
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634489
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MGRD
SKU:	3124
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634496
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRC
SKU:	3125
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Off White+Matt Rose Gold
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634502
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRD
SKU:	3126
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Off White+Chrome
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634519
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-CRD
SKU:	3127
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634526
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MG
SKU:	3128
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Chrome
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634533
Box Qty:	24 pcs

Fitting-Ceiling Metal-1XGU10



Model No	VT-863
SKU:	3144
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White
Dimension:	200x200mm
Cutting Size:	206x206mm
EAN:	3800157634557
Box Qty:	12 pcs

Fitting-Recessed-Black Metal-Round

Model No	VT-866-BRD
SKU:	3145
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Black
Dimension:	ø100mm
Cutting Size:	ø103mm
EAN:	3800157635592
Box Qty:	30 pcs

Fitting-Recessed-Chrome Metal-Round



Model No	VT-866-CRD
SKU:	3146
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	ø100mm
Cutting Size:	ø103mm
EAN:	3800157635608
Box Qty:	30 pcs

Fitting-Recessed-Matt Rose Gold Metal-Round

Model No	VT-866-MRD
SKU:	3147
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø100mm
Cutting Size:	ø103mm
EAN:	3800157635615
Box Qty:	30 pcs

Fitting-Recessed-Blcak Metal-Square



Model No	VT-866-BSQ
SKU:	3148
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Black
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN:	3800157635622
Box Qty:	30 pcs

Fitting-Recessed-Chrome Metal-Square

Model No	VT-866-CSQ
SKU:	3149
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Chrome
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN:	3800157635639
Box Qty:	30 pcs

Fitting-Recessed-Matt Rose Gold-Square



Model No	VT-866-GSQ
SKU:	3150
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN:	3800157635646
Box Qty:	30 pcs

Fitting-Recessed-Square



Model No	VT-867-SQ
SKU:	3151
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White
Dimension:	ø120x120mm
Cutting Size:	125x125mm
EAN:	3800157635653
Box Qty:	24 Pcs

Fitting-Recessed-Round

Model No	VT-867-RD
SKU:	3152
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White
Dimension:	ø120mm
Cutting Size:	ø125mm
EAN:	3800157635660
Box Qty:	24 Pcs

Ceiling Fitting-Gu10

Model No	VT-788
SKU:	3617
Base:	1XGU10
Material:	Aluminium
Color of Fxture:	White
Dimension:	140x75x138mm
Cutting Size:	NA
EAN:	3800157607469
Box Qty:	20 Pcs

Ceiling Fitting-Gu10

Model No	VT-789
SKU:	3618
Base:	2XGU10
Material:	Aluminium
Color of Fxture:	White
Dimension:	230x75x138mm
Cutting Size:	NA
EAN:	3800157607476
Box Qty:	20 Pcs

Ceiling Fitting-Gu10

Model No	VT-790
SKU:	3619
Base:	3XGU10
Material:	Aluminium
Color of Fxture:	White
Dimension:	390x75x138mm
Cutting Size:	NA
EAN:	3800157607483
Box Qty:	10 Pcs

Ceiling/Wall Fitting-Gu10



Model No	VT-823
SKU:	7980
Base:	1XGU10
Material:	PC
Shape:	Round
Color of Fxture:	White
Dimension:	120×144.8mm
Cutting Size:	NA
EAN:	3800157655453
Box Qty:	50 Pcs

Ceiling/Wall Fitting-Gu10



Model No	VT-897
SKU:	7981
Base:	2XGU10
Material:	PC
Shape:	Round
Color of Fxture:	White
Dimension:	120×144.8mm
Cutting Size:	NA
EAN:	3800157655460
Box Qty:	50 Pcs

Ceiling/Wall Fitting-Gu10



Model No	VT-899
SKU:	7982
Base:	3XGU10
Material:	PC
Shape:	Round
Color of Fxture:	White
Dimension:	145×144.8mm
Cutting Size:	NA
EAN:	3800157655477
Box Qty:	20 Pcs

Gu10-Holder-PVC Cable



Model No	PVC Cable-5pc
SKU:	34235
Base:	GU10
Material:	Ceramic
Color of Fxture:	White
Dimension:	150mm
EAN:	3800157609982
Box Qty:	100 Pcs

Gu10-Holder-PVC Cable

Model No	PVC Cable
SKU:	3423
Base:	GU10
Material:	Ceramic
Color of Fxture:	White
Dimension:	150mm
EAN:	3800157607827
Box Qty:	500 Pcs

GU10 Silicon Wire-5Pc Pack

Model No	VT-791
SKU:	36205
Base:	GU10
Material:	Aluminium Ceramic
Color of Fxture:	White
Dimension:	158mm
EAN:	3800157636063
Box Qty:	500 Pcs

GU10 Silicon Wire

Model No	VT-791-W
SKU:	3620
Base:	GU10
Material:	Aluminium Ceramic
Color of Fxture:	White
Dimension:	158mm
EAN:	3800157607704
Box Qty:	500 Pcs

LED Floodlights

V-TAC's LED floodlights are ideal for lighting driveways, gardens and buildings. These energy efficient lights emit bright, vibrant light and make an eco-friendly alternative for traditional halogen floodlights and metal halide fixtures.

Product Features

- Available from 10w up to 1000w
- Premium quality aluminium alloy body
- Fascia glass sealed with silicone rubber ensuring superior waterproof /airtight performance
- High power led chip
- Built in constant current driver
- Built in power supply, no external ballast required

Applications

Widely used for lighting driveways, gardens & buildings, commercial bill boards & hoardings, sports grounds & parking lots

IP65 RATING

E Series-White Body

10w VT-4011W

SKU: 5943 - 3000K Warm White	3800157625364
SKU: 5944 - 4000K Day White	3800157625371
SKU: 5945 - 6500K White	3800157625388

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**850lm**
Color of Fixture:	**White**
CRI:	**>70**
PF:	**>0.9**
IP Rating:	**IP65**
Beam Angle:	**110°**
Body Type:	**Aluminium**
Dimension:	**110x112x22mm**
Box Qty:	**40 Pcs**





IP65 RATING

E Series-White Body

20w VT-4021W

SKU: 5949 - 3000K Warm White	3800157625425
SKU: 5950 - 4000K Day White	3800157625432
SKU: 5951 - 6500K White	3800157625449

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**1700lm**
Color of Fixture:	**White**
CRI:	**>70**
PF:	**>0.9**
IP Rating:	**IP65**
Beam Angle:	**110°**
Body Type:	**Aluminium**
Dimension:	**150x143x26mm**
Box Qty:	**20 Pcs**





IP65 RATING

E Series-White Body

30w VT-4031W

SKU: 5955 - 3000K Warm White	3800157625487
SKU: 5956 - 4000K Day White	3800157625494
SKU: 5957 - 6500K White	3800157625500

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**2550lm**
Color of Fixture:	**White**
CRI:	**>70**
PF:	**>0.9**
IP Rating:	**IP65**
Beam Angle:	**110°**
Body Type:	**Aluminium**
Dimension:	**185x163x26mm**
Box Qty:	**20 Pcs**





IP65 RATING

E Series-White Body

50w VT-4051W

SKU: 5961 - 3000K Warm White	3800157625548
SKU: 5962 - 4000K Day White	3800157625555
SKU: 5963 - 6500K White	3800157625562

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**4250lm**
Color of Fixture:	**White**
CRI:	**>70**
PF:	**>0.9**
IP Rating:	**IP65**
Beam Angle:	**110°**
Body Type:	**Aluminium**
Dimension:	**245x192x28mm**
Box Qty:	**10 Pcs**





IP65 RATING

E Series-White Body

100w VT-40101W

SKU: 5967 - 3000K Warm White	3800157625609
SKU: 5968 - 4000K Day White	3800157625616
SKU: 5969 - 6500K White	3800157625623

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**8500lm**
Color of Fixture:	**White**
CRI:	**>70**
PF:	**>0.9**
IP Rating:	**IP65**
Beam Angle:	**110°**
Body Type:	**Aluminium**
Dimension:	**330x271x33mm**
Box Qty:	**5 Pcs**





IP65 RATING

Slimline-White Body-White Wire

100w VT-49101W

SKU: 5972 - 6400K White	3800157626255

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**8500lm**
Color of Fixture:	**White**
CRI:	**>70**
PF:	**>0.9**
IP Rating:	**IP65**
Beam Angle:	**100°**
Body Type:	**Die Cast Aluminium**
Dimension:	**291x240x30mm**
Box Qty:	**4 Pcs**





IP65 RATING

Red Green Blue

E Series-Black Body

10w VT-4011



SKU: 5988 - Green	3800157625333
SKU: 5989 - Red	3800157625340
SKU: 5990 - Blue	3800157625357

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50Hz**
Color of Fixture:	**Black**
CRI:	**>70**
PF:	**>0.9**
IP Rating:	**IP65**
Beam Angle:	**110°**
Body Type:	**Aluminium**
Dimension:	**110x112x22mm**
Box Qty:	**40 Pcs**

IP65 RATING

Red Green Blue

E Series-Black Body

20w VT-4021



SKU: 5991 - Green	3800157625395
SKU: 5992 - Red	3800157625401
SKU: 5993 - Blue	3800157625418

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50Hz**
Color of Fixture:	**Black**
CRI:	**>70**
PF:	**>0.9**
IP Rating:	**IP65**
Beam Angle:	**110°**
Body Type:	**Aluminium**
Dimension:	**150x143x26mm**
Box Qty:	**20 Pcs**

IP65 RATING

E Series-Black Body

10w VT-4011B





SKU: 5940 - 3000K Warm White	3800157625333
SKU: 5941 - 4000K Day White	3800157625340
SKU: 5942 - 6500K White	3800157625357

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**850lm**
Color of Fixture:	**Black**
CRI:	**>70**
PF:	**>0.9**
IP Rating:	**IP65**
Beam Angle:	**110°**
Body Type:	**Aluminium**
Dimension:	**110x112x22mm**
Box Qty:	**40 Pcs**

IP65 RATING

E Series-Black Body

20W VT-4021B

SKU: 5946 - 3000K Warm White	3800157625395
SKU: 5947 - 4000K Day White	3800157625401
SKU: 5948 - 6500K White	3800157625418

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**1700lm**
Color of Fixture:	**Black**
CRI:	**>70**
PF:	**>0.9**
IP Rating:	**IP65**
Beam Angle:	**110°**
Body Type:	**Aluminium**
Dimension:	**150x143x26mm**
Box Qty:	**20 Pcs**





IP65 RATING

E Series-Black Body

30W VT-4031B

SKU: 5952 - 3000K Warm White	3800157625456
SKU: 5953 - 4000K Day White	3800157625463
SKU: 5954 - 6500K White	3800157625470

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**2550lm**
Color of Fixture:	**Black**
CRI:	**>70**
PF:	**>0.9**
IP Rating:	**IP65**
Beam Angle:	**110°**
Body Type:	**Aluminium**
Dimension:	**185x163x26mm**
Box Qty:	**20 Pcs**





IP65 RATING

E Series-Black Body

50W VT-4051B

SKU: 5958 - 3000K Warm White	3800157625517
SKU: 5959 - 4000K Day White	3800157625524
SKU: 5960 - 6500K White	3800157625531

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**4250lm**
Color of Fixture:	**Black**
CRI:	**>70**
PF:	**>0.9**
IP Rating:	**IP65**
Beam Angle:	**110°**
Body Type:	**Aluminium**
Dimension:	**245x192x28mm**
Box Qty:	**10 Pcs**





IP65 RATING

E Series-Black Body

100w VT-40101B

SKU: 5964 - 3000K Warm White	3800157625579
SKU: 5965 - 4000K Day White	3800157625586
SKU: 5966 - 6500K White	3800157625593



Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**8500lm**
Color of Fixture:	**Black**
CRI:	**>70**
PF:	**>0.9**
IP Rating:	**IP65**
Beam Angle:	**110°**
Body Type:	**Aluminium**
Dimension:	**330x271x33mm**
Box Qty:	**5 Pcs**



Solar Lights | MOTION PIR SENSOR | IP65 RATING

Solar-Floodlight

VT-777-5 5w

SKU: 8547 - 4000K Day White	3800157639194

Battery:	**3000mAh**
Luminous Flux:	**500lm**
Color of Fixture:	**Black**
Charging Time:	**6-7 Hours**
Working Time:	**Max 36 Hours**
IP Rating:	**IP65**
Beam Angle:	**90°**
CRI:	**>70**
Body Type:	**ABS+PC**
Dimension:	**217.4x149.3x33.7mm**
Box Qty:	**18Pcs**

Solar Lights | MOTION PIR SENSOR | IP65 RATING

Solar-Floodlight

VT-787-10 10w

SKU: 8550 - 4000K Day White	3800157639224

Battery:	**3000mAh**
Luminous Flux:	**1100lm**
Color of Fixture:	**Black**
Charging Time:	**6-7 Hours**
Working Time:	**Max 24 Hours**
IP Rating:	**IP65**
Beam Angle:	**90°**
CRI:	**>70**
Body Type:	**ABS+PC**
Dimension:	**300x215x35mm**
Box Qty:	**8Pcs**

USB PORT

Solar Lights | MOTION PIR SENSOR | IP65 RATING

Solar-Floodlight

VT-788-10 10W

SKU: 8674 - 4000K Day White 3800157652629

Battery:	7200mAh
Voltage/Frequency:	
Luminous Flux:	1100lm
Color of Fixture:	Black
Charging Time:	6-7 Hours
Working Time:	Max 24 Hours
IP Rating:	IP65
Beam Angle:	90°
CRI:	>80
Body Type:	Aluminium
Dimension:	232x166x33mm
Box Qty:	10 Pcs



Solar Lights | UV PROTECTION | IP65 RATING

12W Solar Panel with LED Floodlight

VT-25W

SKU: 8573 - 4000K Day White 3800157645584
SKU: 94006 - 6000K White 3800157645744

Battery:	5000mAh
Voltage/Frequency:	DC:3.2V
Luminous Flux:	550lm
Color of Fixture:	Black
Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°
CRI:	>70
Body Type:	Aluminium
Dimension:	205x50x170mm
Box Qty:	8Pcs



Solar Lights | UV PROTECTION | IP65 RATING

16W Solar Panel with LED Floodlight

VT-40W

SKU: 8574 - 4000K Day White 3800157645591
SKU: 94008 - 6000K White 3800157645751

Battery:	10000mAh
Voltage/Frequency:	DC:3.2V
Luminous Flux:	1050lm
Color of Fixture:	Black
Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°
CRI:	>70
Body Type:	Aluminium
Dimension:	247x65x210mm
Box Qty:	6Pcs



Solar Lights | UV PROTECTION | IP65 RATING

20W Solar Panel with LED Floodlight

VT-60W

SKU: 8575 - 4000K Day White	3800157645607
SKU: 94010 - 6000K White	3800157645768

Battery:	10000mAh
Voltage/Frequency:	DC:6.4V
Luminous Flux:	1650lm
Color of Fixture:	Black
Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°
CRI:	>70
Body Type:	Aluminium
Dimension:	270x70x238mm
Box Qty:	5Pcs



Solar Lights | UV PROTECTION | IP65 RATING

35W Solar Panel with LED Floodlight

VT-100W

SKU: 8576 - 4000K Day White	3800157645614
SKU: 94012 - 6000K White	3800157645775

Battery:	15000mAh
Voltage/Frequency:	DC:6.4V
Luminous Flux:	2450lm
Color of Fixture:	Black
Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°
CRI:	>70
Body Type:	Aluminium
Dimension:	325x85x280mm
Box Qty:	2Pcs



Solar Lights | UV PROTECTION | IP65 RATING

40W Solar Panel with LED Floodlight

VT-200W

SKU: 8577 - 4000K Day White	3800157645621
SKU: 94026 - 6000K White	3800157645782

Battery:	20000mAh
Voltage/Frequency:	DC:10V
Luminous Flux:	3100lm
Color of Fixture:	Black
Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°
CRI:	>70
Body Type:	Aluminium
Dimension:	353x90x304mm
Box Qty:	2Pcs



50W Solar Panel with LED Floodlight

VT-300W

SKU: 8578 - 4000K Day White 3800157645638
SKU: 94027 - 6000K White 3800157645799

Battery:	25000mAh
Voltage/Frequency:	DC:10V
Luminous Flux:	4200lm
Color of Fixture:	Black
Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°
CRI:	>70
Body Type:	Aluminium
Dimension:	437x90x356mm
Box Qty:	2Pcs

Solar Lights | UV PROTECTION | IP65 RATING

Solar Lights | MOTION PIR SENSOR | UV PROTECTION | IP65 RATING

Solar Streetlight-Black Cover

15W VT-ST15

SKU: 8549 - 4000K Day White 3800157639200
SKU: 8548 - 6000K White 3800157639217

Battery:	7.4V Lithium Battery,10800mAh
Lumens:	1600lm
No. of LED:	40
Detecting Angle:	120°
Sensing Range:	3-8M

Charging Time:	6-7 Hours
IP Rating:	IP65
Material:	ABS+PC
Dimension:	413x232x58mm
Working Time:	2-36 Hours

50W Solar Panel With Streetlight

VT-ST200

SKU: 5502 - 4000K Day White 3800157652339

Solar Lights | UV PROTECTION | IP65 RATING

Battery:	Li-ion 6.4V/27.5AH Battery
Charging Time:	4-6 hrs Sunlight Charging
Working Time:Volt-	12-15Hours
age/Frequency:	DC:3.2V
Luminous Flux:	4000lm
LED Type:	SMD

IP Rating:	IP65
CRI:	>70
Beam Angle:	120°
Body Type:	Aluminium
Box Qty:	1 Pcs

Solar Garden Light with Sensor

NEW

7.5W VT-45W

SKU: 5151 - 6500K White 3800157660020
SKU: 5150 - 4000K Day White 3800157660013

Battery:	LiFePO4 3.2V 15000 mAh
Lumens:	1000lm
No. of LED:	252pcs
Detecting Angle:	120°
Sensing Range:	<6M
Charging Time:	6-8 Hours
IP Rating:	IP65
Material:	ABS
Box Qty:	5Pcs
Size:	420x123mm
Working Time:	10-12 Hours





FUTURISTIC DESIGN

2 YEAR WARRANTY

MOTION SENSOR

IP65 RATING

120° BEAM ANGLE

REMOTE CONTROL
RADAR SENSOR
TIMER FUNCTION

SOLAR LIGHT

Pole for Solar Garden Light

SKU: 11258

Size: 3 meter (1000x3pcs)



Solar Garden Light with Sensor

NEW

10W VT-65W

SKU: 5153 - 6500K White 3800157660044
SKU: 5152 - 4000K Day White 3800157660037

Battery:	LiFePO4 3.2V 25000 mAh
Lumens:	1500lm
No. of LED:	447pcs
Detecting Angle:	120°
Sensing Range:	<6M
Charging Time:	6-8 Hours
IP Rating:	IP65
Material:	ABS
Box Qty:	4Pcs
Size:	520x137mm
Working Time:	10-12 Hours

FUTURISTIC DESIGN

2 YEAR WARRANTY

MOTION SENSOR

IP65 RATING

120° BEAM ANGLE

REMOTE CONTROL
RADAR SENSOR
TIMER FUNCTION

SOLAR LIGHT

Solar Garden Light with Sensor

NEW

20W VT-130W

SKU: 5506 - 6400K White 3800157660365
SKU: 5505 - 4000K Day White 3800157660358

Battery:	LiFePO4 32700, 6.4V 6000mAh
Lumens:	2000lm
No. of LED:	120pcs
Detecting Angle:	120°
Sensing Range:	<8Mtr
Charging Time:	8 Hours
IP Rating:	IP65
Material:	Aluminium+ABS
Box Qty:	1Pcs
Size:	601.1x200x292.8mm
Working Time:	Constant Lighting Mode: 3 nights+
	Sensor Mode: 5 nights+

2 YEAR WARRANTY

MOTION SENSOR

IP65 RATING

120° BEAM ANGLE

REMOTE CONTROL
SENSOR MODE
TIMER FUNCTION

SOLAR LIGHT

NEW

① Straight pole installation

② Curved pole installation

③ Wall mounted

21W/13.5, Mono-crystalline silicone

IP65 RATING

MOTION PIR SENSOR

120 lm/W

Including Accessories

For straight Pole

Remote Control

Allen Wrench

9.6V/12000mAh LiFePO4 Battery

Solar Streetlight 120LM/W

40W VT-ST42

SKU: 5504 - 6000K White 3800157658157
SKU: 5503 - 4000K Day White 3800157658140

Battery:	9.6V LiFe P04 Battery, 12000mAh
Lumens:	4800lm
No. of LED:	90pcs
Detecting Angle:	120°
Sensing Range:	8-12m
Charging Time:	8-10 Hours

IP Rating:	IP65
Material:	ABS+PC and Aluminium
Working Time:	Min 36 hrs and Max 120 hrs
Box Qty:	4 Pcs
Size:	289.7x73.6x706.1mm

NEW

Floodlight-Remote Control-RGB

30w VT-4932

SKU: 5995 - RGB 3800157655064



IP65 RATING

RGB RF CONTROL

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V
Color of Fixture:	Black

PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°

Body Type:	Aluminium
Dimension:	185x163x26mm
Box Qty:	20Pcs

NEW

Floodlight-Remote Control-RGB

50w VT-4952

SKU: 5996 - RGB 3800157655071



IP65 RATING

RGB RF CONTROL

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V
Color of Fixture:	Black

PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°

Body Type:	Aluminium
Dimension:	245x192x28mm
Box Qty:	10Pcs

PIR Sensor-WIFI-Camera

18W VT-4818W

SKU: 5745 - 6000K White 3800157608268



Video Compression:	H.264 /MJPEG dual video stream	PF:	>0.5
Image Resolution:	1280*720	Beam Angle:	180°
Image sensor:	1/4 " 1Megapixel CMOS	Color of Fixture:	White
Pixels:	1 million pixels	Body Type:	ABS+Aluminium
Delay Time:	0-30S	IP Rating:	IP20
Voltage/Frequency:	AC:100-240V,50/60Hz	Dimension:	248x 162x 181mm
Luminous Flux:	600lm	Box Qty:	4 Pcs
CRI:	>70		

V-TAC SMART

Wi Fi

CAMERA

MOTION PIR SENSOR

PIR Sensor-WIFI-Camera

18W VT-4818B

SKU: 5917 - 6000K White 3800157620925



Video Compression:	H.264 /MJPEG dual video stream	PF:	>0.5
Image Resolution:	1280*720	Beam Angle:	180°
Image sensor:	1/4 " 1Megapixel CMOS	Color of Fixture:	Black
Pixels:	1 million pixels	Body Type:	ABS+Aluminium
Delay Time:	0-30S	IP Rating:	IP20
Voltage/Frequency:	AC:100-240V,50/60Hz	Dimension:	248x162x181mm
Luminous Flux:	600lm	Box Qty:	4 Pcs
CRI:	>70		

V-TAC SMART

Wi Fi

CAMERA

MOTION PIR SENSOR

Smart Floodlight

20W VT-5020-W

SKU: 5984 - RGB+W/WW/DW 3800157640411



Voltage/Frequency:	AC:220-240V	IP Rating:	IP65
Luminous Flux:	1400lm	Beam Angle:	100°
Color of Fixture:	White	Body Type:	Aluminium
CRI:	>80	Dimension:	141.6x42.7x126.3mm
PF:	>0.9	Box Qty:	20 Pcs

V-TAC SMART

CCT and Dimming
VIA SMART PHONE APP

Smart Floodlight

20W VT-5020-B

SKU: 5985 - RGB+W/WW/DW 3800157640428



Voltage/Frequency:	AC:220-240V	IP Rating:	IP65
Luminous Flux:	1400lm	Beam Angle:	100°
Color of Fixture:	Black	Body Type:	Aluminium
CRI:	>80	Dimension:	141.6x42.7x126.3mm
PF:	>0.9	Box Qty:	20 Pcs

V-TAC SMART

CCT and Dimming
VIA SMART PHONE APP



Waterproof Box Terminal Block

Voltage:	AC:450V
Material:	PP
Size:	Ø65.33x46.31mm
Wire range:	0.5~2.5mm²
Cable Diameter:	5-9mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	150 Pcs

VT-881

SKU: 5987 3800157642835

IP65 RATING

Waterproof Box Terminal Block

Voltage:	AC:450V
Material:	Polycarbonate(PA66)
Size:	75.8x26.7mm
Wire range:	0.5~1.5mm²
Cable Diameter:	5-9mm
Fire Retardant Level:	V2
Ampere:	16A
Box Qty:	1000 Pcs

VT-868-w

SKU: 5986 3800157642828

IP68 RATING

UV PROTECTION



Waterproof Box Terminal Block

Voltage:	AC:450V
Material:	Polycarbonate(PA66)
Size:	75.8x26.7mm
Wire range:	0.5~1.5mm²
Cable Diameter:	5-9mm
Fire Retardant Level:	V2
Ampere:	16A
Box Qty:	1000

VT-868

SKU: 5977 3800157636070

IP68 RATING

UV PROTECTION





Waterproof Box Terminal Block

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	106.8x96x29mm
Wire range:	0.5~4mm²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	200

VT-869-B

SKU: 5978 3800157636087

IP68 RATING

UV PROTECTION



Waterproof Box Terminal Block

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	106.8x96x29mm
Wire range:	0.5~4mm²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	200

VT-869-W

SKU: 5979 3800157636094

IP68 RATING

UV PROTECTION



Waterproof Box Terminal Block

VT-870-B

SKU: 5980 3800157636100

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5~4mm²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



IP68 RATING

UV PROTECTION

Waterproof Box Terminal Block

VT-870-W

SKU: 5981 3800157636117

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5~4mm²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100

IP68 RATING

UV PROTECTION

Waterproof Box Terminal Block

VT-871-B

SKU: 5982 3800157636124

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	112.6x93.3x35.3mm
Wire range:	0.5~4mm²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



IP68 RATING

UV PROTECTION

Waterproof Box Terminal Block

VT-871-W

SKU: 5983 3800157636131

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	112.6x93.3x35.3mm
Wire range:	0.5~4mm²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100

IP68 RATING

UV PROTECTION

Waterproof Box Terminal Block

VT-7224-B

SKU: 3578 3800157605335

Voltage:	AC:250V Max
Material:	Polypropylene (PP)
Size:	123x46x33mm
Wire range:	0.5-2.5mm²
Box Qty:	160 Pcs

IP65 RATING

UV PROTECTION

Waterproof Box Terminal Block

VT-792-B

SKU: 3621 3800157607735

Voltage:	AC:220V
Material:	Flame Retardant PP
Size:	Ø27x76mm
Wire range:	4-6.5mm
Box Qty:	500 Pcs

IP68 RATING

UV PROTECTION

Waterproof Box Terminal Block

VT-7224-W

SKU: 5897 3800157619202

Voltage:	AC:250V Max
Material:	Polypropylene (PP)
Size:	123x46x33mm
Wire range:	0.5-2.5mm²
Box Qty:	240 Pcs

IP65 RATING

UV PROTECTION

Waterproof Box Terminal Block

VT-792-W

SKU: 5896 3800157619196

Voltage:	AC:220V
Material:	Flame Retardant PP
Size:	Ø27x76mm
Wire range:	4-6.5mm
Box Qty:	500 Pcs

IP68 RATING

UV PROTECTION

Tripod Stand-Yellow

VT-41150Y

SKU: 9104 3800230626202

Size:	900x940~1800mm
Box Qty:	8 Pcs

Tripod Stand-Black

VT-41150B

SKU: 9546 3800157604925

Size:	900x940~1800mm
Box Qty:	8 Pcs

Billboard Stand

VT-793

SKU: 3622 3800157607803

Size:	870x200mm
Box Qty:	4 Pcs

87cm Suitable For:

70w - 100w - 120w - 150w - 200w

Billboard Stand

VT-794

SKU: 3623 3800157607810

Size:	850x150mm
Box Qty:	4 Pcs

85cm Suitable For:

10w - 20w - 30w - 50w

Floodlight Spike-Grey

VT-854-G

SKU: 7533 3800157630467

IP65 RATING

Size:	Ø35xH150mm
Box Qty:	200 Pcs
Body Type:	Aluminium
	Suitable for 10-50W

Floodlight Spike-White

VT-854-W

SKU: 7534 3800157630474

IP65 RATING

Size:	Ø35xH150mm
Box Qty:	200 Pcs
Body Type:	Aluminium
	Suitable for 10-50W

Floodlight Spike-Black

VT-854-B

SKU: 7535 3800157630481

IP65 RATING

Size:	Ø35xH150mm
Box Qty:	200 Pcs
Body Type:	Aluminium
	Suitable for 10-50W

Floodlight Spike-Grey

VT-855-G

SKU: 7536 3800157630498

IP65 RATING

Size:	Ø60xH265mm
Box Qty:	100 Pcs
Body Type:	Aluminium
	Suitable for 10-150W

Floodlight Spike-White

VT-855-W

SKU: 7537 3800157630504

IP65 RATING

Size:	Ø60xH265mm
Box Qty:	100 Pcs
Body Type:	Aluminium
	Suitable for 10-150W

Floodlight Spike-Black

VT-855-B

SKU: 7538 3800157630511

IP65 RATING

Size:	Ø60xH265mm
Box Qty:	100 Pcs
Body Type:	Aluminium
	Suitable for 10-150W



LED Panels

Experience consistent illumination and zero hot or cold spots, introducing slim and sleek LED Panel Lighting from V-TAC.

Product Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell, cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No Lead or mercury content hence environment friendly
- Dimmable options available in selected models

Applications

Offices, conference room, hospitals, hotels, shopping malls, showroom, kitchen and domestic lighting etc.



EASY ACCESS FOR COLOR CHANGING WITH BUTTON

3 IN 1 COLOR CHANGING



CCT Changing Panel

40W VT-6240

SKU: 6605 - 3IN1 3800157654852

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	FE+PP
Dimension:	595x595x29mm
Box Qty:	6 Pcs

Witness the *True to Life* Colors

A CRI score of 95 is considered very high, and indicates that a light source will make objects appear very similar to how they would look under natural lighting conditions.

Without a high CRI light source, objects can appear faded, dull or inaccurate.



Big Panels-60x60-CRI>95

45W VT-6245

SKU: 8086 - 3000K Warm White 3800157648363
SKU: 8087 - 4000K Day White 3800157648370
SKU: 8088 - 6400K White 3800157648387

Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>95
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA+PP
Dimension:	595x595x14mm
Box Qty:	6 Pcs

Big Panels-60x60-IP65

40W **VT-6140**

SKU: 6603 - 4000K Day White	3800157652100
SKU: 6604 - 6400K White	3800157652117

IP65 RATING



Emergency Pack:	NA	LED Type:	SMD	Body Type:	Aluminium+PMMA+PS
Voltage/Frequency:	AC:200-240V,50/60Hz	CRI:	>80	Dimension:	595x595x11mm
Luminous Flux:	4400lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

Big Panels-60x60-Lifud Driver

LiFud® Driver

36W **VT-6236**

SKU: 8082 - 4000K Day White	3800157646857
SKU: 8081 - 6400K White	3800157646840



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PS+PP
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Dimension:	595x595x8.5mm
Luminous Flux:	3240lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

Big Panels-60x60

36W **VT-6237**

SKU: 8083 - 3000K Warm White	3800157646925
SKU: 8084 - 4000K Day White	3800157646932
SKU: 8085 - 6400K White	3800157646949



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PS+PP
Voltage/Frequency:	AC:200-240V,50/60Hz	CRI:	>80	Dimension:	595x595x8.5mm
Luminous Flux:	3240lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

Big Panels-60x60

45W **VT-6060-6**

SKU: 60286 - 3000K Warm White	3800230624482
SKU: 60246 - 4000K Day White	3800230623652
SKU: 60256 - 6400K White	3800230623584



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PP
Voltage/Frequency:	AC:200-240V,50/60Hz	CRI:	>80	Dimension:	595x595x14mm
Luminous Flux:	3600lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

Big Panels-UGR<19-60x60

45W **VT-6068-6**

LG7 Compliant

UGR<19

SKU: 62206 - 3000K Warm White 3800157619516
SKU: 62186 - 4000K Day White 3800157609265
SKU: 62196 - 6400K White 3800157609272



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PP
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Dimension:	595x595x14mm
Luminous Flux:	3600lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	90°	Shape:	Square		

Big Panels-UGR<19-62x62

45W **VT-6069**

LG7 Compliant

UGR<19

SKU: 6222 - 3000K Warm White 3800157604918
SKU: 6217 - 4000K Day White 3800157604857
SKU: 6221 - 6400K White 3800157604901



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PP
Voltage/Frequency:	AC:200-240V,50/60Hz	CRI:	>80	Dimension:	620x620x13mm
Luminous Flux:	3600lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	90°	Shape:	Square		

Big Panels-High Lumen-62x62

29W **VT-6262**

SKU: 6471 - 4000K Day White 3800157641012

120 Lumen/W



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PP
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Dimension:	620x620x13mm
Luminous Flux:	3480lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

Big Panels-High Lumen-60x60

29W **VT-6129-6**

SKU: 62406 - 3000K Warm White 3800157619608
SKU: 62416 - 4000K Day White 3800157609289
SKU: 62426 - 6400K White 3800157609296

120 Lumen/W



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PP
Voltage/Frequency:	AC:200-240V,50/60Hz	CRI:	>80	Dimension:	595x595x13mm
Luminous Flux:	3480lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

Big Panels-High Lumen-60x60

45W **VT-6145-6**

SKU: 63776 - 3000K Warm White	3800157622158
SKU: 62366 - 4000K Day White	3800157615723
SKU: 62376 - 6400K White	3800157615730

120 Lumen/W



Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+PMMA+PP**
Voltage/Frequency:	**AC:200-240V,50/60Hz**	CRI:	**>80**	Dimension:	**595x595x13mm**
Luminous Flux:	**5400lm**	PF:	**>0.9**	Box Qty:	**6 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

Big Panels-High Lumen-60x60

36W **VT-6136**

SKU: 6376 - 3000K Warm White	3800157622141
SKU: 6238 - 4000K Day White	3800157607636
SKU: 6239 - 6400K White	3800157607643

120 Lumen/W



Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+PMMA+PC**
Voltage/Frequency:	**AC:200-240V,50/60Hz**	CRI:	**>80**	Dimension:	**595x595x13mm**
Luminous Flux:	**4320lm**	PF:	**>0.9**	Box Qty:	**6 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		



Surface/Recessed Panel-60x60

40W **VT-6142-1**

SKU: 64511 - 4000K Day White	3800157644990
SKU: 64521 - 6500K White	3800157645003



Emergency Pack:	**NA**	LED Type:	**SMD**	Body Type:	**FE+PP**
Voltage/Frequency:	**AC:200-240V,50/60Hz**	CRI:	**>80**	Dimension:	**595x595x29mm**
Luminous Flux:	**3200lm**	PF:	**>0.9**	Box Qty:	**4 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		



Surface/Recessed Panel-60x60

40W **VT-6142**

SKU: 6451 - 4000K Day White	3800157636438
SKU: 6452 - 6500K White	3800157636421

100 Lumen/W



Emergency Pack:	**NA**	LED Type:	**SMD**	Body Type:	**FE+PP**
Voltage/Frequency:	**AC:200-240V,50/60Hz**	CRI:	**>80**	Dimension:	**595x595x29mm**
Luminous Flux:	**4000lm**	PF:	**>0.9**	Box Qty:	**6 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		



Surface/Recessed Panel-60x60

70W **VT-6170**

SKU: 6453 - 4000K Day White	3800157636452
SKU: 6454 - 6500K White	3800157636445



Emergency Pack:	**NA**	LED Type:	**SMD**	Body Type:	**FE+PP**
Voltage/Frequency:	**AC:200-240V,50/60Hz**	CRI:	**>80**	Dimension:	**595x595x29mm**
Luminous Flux:	**5950lm**	PF:	**>0.9**	Box Qty:	**6 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

Big Panels-High Lumen-120x30

29W **VT-12031**

SKU: 6256 - 3000K Warm White	3800157610414
SKU: 6257 - 4000K Day White	3800157610421
SKU: 6258 - 6400K White	3800157610438

120 Lumen/W



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PP
Voltage/Frequency:	AC:200-240V,50/60Hz	CRI:	>80	Dimension:	1195x295x14mm
Luminous Flux:	3480lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Rectangle		

Big Panel-High Lumen-120x30

45W **VT-12046**

SKU: 6384 - 4000K Day White	3800157624770

120 Lumen/W



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PS
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Dimension:	1195x295x14mm
Luminous Flux:	5400lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Rectangle		

Big Panels-120x30

45W **VT-12030**

SKU: 60696 - 3000K Warm White	3800157609326
SKU: 60266 - 4000K Day White	3800230623638
SKU: 60276 - 6400K White	3800157609319



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PP
Voltage/Frequency:	AC:200-240V,50/60Hz	CRI:	>80	Dimension:	1195x295x14mm
Luminous Flux:	3600lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Rectangle		



Big Panels-High Lumen-120x60

45W **VT-12045**

SKU: 6332 - 4000K Day White	3800157620321
SKU: 6333 - 6400K White	3800157620338

120 Lumen/W



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PS
Voltage/Frequency:	AC:200-240V,50/60Hz	CRI:	>80	Dimension:	1195x595x14mm
Luminous Flux:	5400lm	PF:	>0.9	Box Qty:	2 Pcs
Beam Angle:	120°	Shape:	Rectangle		



Transparent Panel-120x30

40W **VT-6144**

SKU: 6458 - 4000K Day White 3800157638098

5 YEAR WARRANTY*

0-10V DIMMABLE



Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+PC**
Voltage/Frequency:	**AC:220-240V,50Hz**	CRI:	**>80**	Dimension:	**1210x319mm**
Luminous Flux:	**3200lm**	PF:	**>0.9**	Box Qty:	**4 Pcs**
Beam Angle:	**140°**	Shape:	**Rectangle**		

Watts:	45w
SKU:	6019
Dimmable:	Yes
EAN:	3800157604017
Box Qty:	50 Pcs

DIMMABLE

Watts:	29w
SKU:	6268
Dimmable:	Yes
EAN:	3800157614412
Box Qty:	20 Pcs

DIMMABLE

Watts:	29w
SKU:	6271
Dimmable:	No
EAN:	3800157614443
Box Qty:	50 Pcs

5 YEAR WARRANTY* FLICKER FREE

Watts:	36w
SKU:	6436
Dimmable:	No
EAN:	3800157629386
Box Qty:	20 Pcs

Watts:	45w
SKU:	6450
Dimmable:	No
EAN:	3800157635677
Box Qty:	50 Pcs

5 YEAR WARRANTY*

Watts:	45w
SKU:	6437
Dimmable:	Yes
EAN:	3800157630337
Box Qty:	20 Pcs

1-10V DIMMABLE

Watts:	45w
SKU:	6386
Dimmable:	No
EAN:	3800157624886
Box Qty:	50 Pcs

120 Lumen/W

Watts:	45w
SKU:	6427
Dimmable:	No
EAN:	3800157626996
Box Qty:	50 Pcs

5 YEAR WARRANTY* 120 Lumen/W

FLICKER FREE

Watts:	45w
SKU:	6270
Dimmable:	No
EAN:	3800157614436
Box Qty:	50 Pcs

5 YEAR WARRANTY* 120 Lumen/W

Watts:	72w
SKU:	6328
Dimmable:	No
EAN:	3800157619592
Box Qty:	50 Pcs

5 YEAR WARRANTY*

Watts:	29w
SKU:	6259
Dimmable:	No
EAN:	3800157610445
Box Qty:	50 Pcs

MOUNTING KITS FOR PANELS

Suspended Mounting

SKU:	6018
EAN:	3800230623669
Box Qty:	100 Pcs

Adjustable height from 0.3 to 1m.This product can be used for all sizes of panels , that is
• 300 x 300 • 600 x 600 • 1200 x 300 • 1200 x 600

Surface Mounting-60x60

SKU:	9999
EAN:	3800230623676
Box Qty:	5 Pcs

Convert the recessed panel to surface panel and install it easily on solid surfaces.

Surface Mounting-62x62

SKU:	9997
EAN:	3800157633130
Box Qty:	5 Pcs

Convert the recessed panel to surface panel and install it easilyon solid surfaces.

Surface Mouting-60x60

SKU:	8156
EAN:	3800157640213
Box Qty:	10 Pcs

IMPROVED MATERIAL MORE STRONG

Surface Mouting-62x62

SKU:	8157
EAN:	3800157640220
Box Qty:	10 Pcs

IMPROVED MATERIAL MORE STRONG

Surface Mounting-120x30

SKU:	9969
EAN:	3800230623683
Box Qty:	6 Pcs

NEW

Surface Mounting-120x60

SKU:	6623
EAN:	3800157659185
Box Qty:	10 Pcs

Surface Mounting-120x60

SKU:	9989
EAN:	3800230623614
Box Qty:	5 Pcs

Surface Mouting-120x30

SKU:	8158
EAN:	3800157640237
Box Qty:	10 Pcs

IMPROVED MATERIAL MORE STRONG

Emergency Pack-6W to 24W

VT-525

SKU: 8275 3800157627474



3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

Voltage:	DC:20-80V
Led output power:	AC:220-240V,50/60Hz
Charging time:	24 Hours
Working time:	3 hours
Battery:	Ni-Cd7.2V/2000mAh

Color of Fixture:	Silver
Body Type:	Aluminium
Size:	455x52x33mm
Emergency switch on time:	< 1s
Box Qty:	20 Pcs

Emergency Pack-29W to 45W

VT-518

SKU: 60303 3800157617451



3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

Voltage:	DC:30-42V
Led output power:	AC:220-240V,50/60Hz
Charging time:	24 Hours
Working time:	3 Hours
Battery:	NI-CD, 7.2V, 4000 mAh

Color of Fixture:	Silver
Body Type:	Aluminium
Size:	465x52x33mm
Emergency switch on time:	< 1s
Box Qty:	12 Pcs

Linear Lights

10w VT-10001

SKU: 6401 - 3000K Warm White 3800157626620
SKU: 6403 - 6400K White 3800157626644

Cutting Size: 138x32mm

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	160x45x65mm
Luminous Flux:	750lm	PF:	>0.5	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Rectangle		

Linear Lights

20w VT-20001

SKU: 6404 - 3000K Warm White 3800157626651
SKU: 6406 - 6400K White 3800157626675

Cutting Size: 270x32mm

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	290x45x65mm
Luminous Flux:	1600lm	PF:	>0.5	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Rectangle		

Linear Lights

30w VT-30001

SKU: 6407 - 3000K Warm White 3800157626682
SKU: 6409 - 6400K White 3800157626705

Cutting Size: 405x32mm

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	430x45x65mm
Luminous Flux:	2400lm	PF:	>0.9	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Rectangle		

Linear Lights

10w VT-10002

SKU: 6412 - 6400K White 3800157626736

Cutting Size: 138x32mm

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	160x45x72mm
Luminous Flux:	700lm	PF:	>0.5	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Rectangle		

Linear Lights

20w VT-20002

SKU: 6415 - 6400K White 3800157626767

Cutting Size: 270x32mm

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	290x45x72mm
Luminous Flux:	1400lm	PF:	>0.5	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Rectangle		

Linear Lights

30w VT-30002

SKU: 6418 - 6400K White 3800157626798

Cutting Size: 405x32mm

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	430x45x72mm
Luminous Flux:	2100lm	PF:	>0.9	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Rectangle		

Premium Series-Round

3w VT-307RD

SKU: 6292 - 3000K Warm White 3800157616751
SKU: 6293 - 4000K Day White 3800157616768
SKU: 6294 - 6400K White 3800157616775

Cutting Size: Ø73mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø84x12mm
Luminous Flux:	210lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Premium Series-Round

6w VT-607RD

SKU: 4854 - 3000K Warm White 3800230629753
SKU: 4855 - 4000K Day White 3800230629760
SKU: 4856 - 6400K White 3800230629777

Cutting Size: Ø110mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø120x12mm
Luminous Flux:	420lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Premium Series-Round

12W VT-1207RD

SKU: 4857 - 3000K Warm White	3800230629784
SKU: 4858 - 4000K Day White	3800230629791
SKU: 4859 - 6400K White	3800230629807

Cutting Size: Ø155mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø170x12mm
Luminous Flux:	1000lm	PF:	>0.6	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Premium Series-Round

18W VT-1807RD

SKU: 4860 - 3000K Warm White	3800230629814
SKU: 4861 - 4000K Day White	3800230629821
SKU: 4862 - 6400K White	3800230629838

Cutting Size: Ø210mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø225x12mm
Luminous Flux:	1500lm	PF:	>0.6	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Premium Series-Round

22W VT-2207RD

SKU: 6422 - 3000K Warm White	3800157626941
SKU: 6423 - 4000K Day White	3800157626958
SKU: 6424 - 6400K White	3800157626965

Cutting Size: Ø220 mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø240x12mm
Luminous Flux:	1800lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Premium Series-Round

24W VT-2407RD

SKU: 4872 - 3000K Warm White	3800157601559
SKU: 4873 - 4000K Day White	3800157601566
SKU: 4874 - 6400K White	3800157601573

Cutting Size: Ø280mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø300x12mm
Luminous Flux:	2000lm	PF:	>0.9	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Round		

Premium Series-Round

30W VT-3107RD

SKU: 6428 - 4000K Day White	3800157628075
SKU: 6429 - 6400K White	3800157628082

Cutting Size: Ø280mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø300x12mm
Luminous Flux:	2400lm	PF:	>0.9	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Round		

Premium Series-Square

3W VT-307SQ

SKU: 6295 - 3000K Warm White	3800157616782
SKU: 6296 - 4000K Day White	3800157616799
SKU: 6297 - 6400K White	3800157616805

Cutting Size: 74x73mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	84x84x12mm
Luminous Flux:	210lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		

Premium Series-Square

6W VT-607SQ

SKU: 4863 - 3000K Warm White	3800230629845
SKU: 4864 - 4000K Day White	3800230629852
SKU: 4865 - 6400K White	3800230629869

Cutting Size: 110mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	120x120x12mm
Luminous Flux:	420lm	PF:	>0.7	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		

Premium Series-Square

12W VT-1207SQ

SKU: 4866 - 3000K Warm White	3800230629876
SKU: 4867 - 4000K Day White	3800230629883
SKU: 4868 - 6400K White	3800230629890

Cutting Size: 155x155mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	170x170x12mm
Luminous Flux:	1000lm	PF:	>0.6	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

Premium Series-Square

18W VT-1807SQ

SKU: 4869 - 3000K Warm White	3800230629906
SKU: 4870 - 4000K Day White	3800230629913
SKU: 4871 - 6400K White	3800230629920

Cutting Size: 205x205mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	225x225x12mm
Luminous Flux:	1500lm	PF:	>0.6	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

Premium Series-Square

24W VT-2407SQ

SKU: 4887 - 3000K Warm White	3800157602198
SKU: 4888 - 4000K Day White	3800157602204
SKU: 4889 - 6400K White	3800157602211

Cutting Size: 280x280mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	300x300x12mm
Luminous Flux:	2000lm	PF:	>0.9	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Square		

Premium Series-Square

36W VT-3107SQ

SKU: 6430 - 4000K Day White 3800157628099
SKU: 6431 - 6400K White 3800157628105

Cutting Size: 280x280mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	300x300x12mm
Luminous Flux:	2400lm	PF:	>0.9	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Square		

SG Series-Square

15W VT-1500 SQ

SKU: 4826 - 3000K Warm White 3800230622617
SKU: 4824 - 6400K White 3800230624994
3800230622600

Cutting Size: 140x140mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium(PKW)
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	160x160x20mm
Luminous Flux:	1500lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

SG Series-Round

22W VT-2200 RD

SKU: 4833 - 6400K White 3800230622662

Cutting Size: Ø220mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium(PKW)
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø240x20mm
Luminous Flux:	2200lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Trimless Panel-Round

8W VT-888RD

SKU: 4931 - 3000K Warm White	3800157606479
SKU: 4932 - 4000K Day White	3800157606486
SKU: 4933 - 6400K White	3800157606493

Cutting Size: Ø75mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø90x8mm
Luminous Flux:	800lm	PF:	>0.9	Box Qty:	100 Pcs
Beam Angle:	120°	Shape:	Round		

Trimless Panel-Round

15W VT-1515RD

SKU: 4934 - 3000K Warm White	3800157606509
SKU: 4935 - 4000K Day White	3800157606516
SKU: 4936 - 6400K White	3800157606523

Cutting Size: Ø130mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø146x8mm
Luminous Flux:	1500lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Trimless Panel-Round

22W VT-2222RD

SKU: 4937 - 3000K Warm White	3800157606530
SKU: 4938 - 4000K Day White	3800157606547
SKU: 4939 - 6400K White	3800157606554

Cutting Size: Ø155mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø170x8mm
Luminous Flux:	2200lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Trimless Panel-Round

29W VT-2929RD

SKU: 4940 - 3000K Warm White	3800157606561
SKU: 4941 - 4000K Day White	3800157606578
SKU: 4942 - 6400K White	3800157606585

Cutting Size: Ø195mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø220x8mm
Luminous Flux:	2900lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Trimless Panel-Square

8W VT-888SQ

SKU: 4943 - 3000K Warm White	3800157606592
SKU: 4944 - 4000K Day White	3800157606608
SKU: 4945 - 6400K White	3800157606615

Cutting Size: 75x75mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	90x90x8mm
Luminous Flux:	800lm	PF:	>0.9	Box Qty:	100 Pcs
Beam Angle:	120°	Shape:	Square		

Trimless Panel-Square

15W VT-1515SQ

SKU: 4946 - 3000K Warm White	3800157606622
SKU: 4947 - 4000K Day White	3800157606639
SKU: 4948 - 6400K White	3800157606646

Cutting Size: 130x130mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	146x146x8mm
Luminous Flux:	1500lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		

Trimless Panel-Square

22W VT-2222SQ

SKU: 4949 - 3000K Warm White	3800157606653
SKU: 4797 - 4000K Day White	3800157606660
SKU: 4798 - 6400K White	3800157606677

Cutting Size: 155x155mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	170x170x8mm
Luminous Flux:	2200lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		

Trimless Panel-Square

29W VT-2929SQ

SKU: 5031 - 3000K Warm White	3800157606660
SKU: 5032 - 4000K Day White	3800157606677
SKU: 5033 - 6400K White	3800157606684

Cutting Size: 195x195mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	220x220x8mm
Luminous Flux:	2900lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		

Slim Surface-Round

6W VT-605RD

SKU: 4904 - 3000K Warm White	3800157605380
SKU: 4905 - 4000K Day White	3800157605397
SKU: 4906 - 6400K White	3800157605403



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø90x24mm
Luminous Flux:	420lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Round

12W VT-1205 RD

SKU: 4910 - 3000K Warm White	3800157605441
SKU: 4911 - 4000K Day White	3800157605458
SKU: 4912 - 6400K White	3800157605465



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø140x24mm
Luminous Flux:	900lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Round

18W VT-1805RD

SKU: 4916 - 3000K Warm White	3800157605502
SKU: 4917 - 4000K Day White	3800157605519
SKU: 4918 - 6400K White	3800157605526



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø190x24mm
Luminous Flux:	1440lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Square

6W VT-605SQ

SKU: 4907 - 3000K Warm White	3800157605410
SKU: 4908 - 4000K Day White	3800157605427
SKU: 4909 - 6400K White	3800157605434



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	90x90x24mm
Luminous Flux:	420lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		

Slim Surface-Square

12W VT-1205 SQ

SKU: 4913 - 3000K Warm White	3800157605472
SKU: 4914 - 4000K Day White	3800157605489
SKU: 4915 - 6400K White	3800157605496



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	140x140x24mm
Luminous Flux:	900lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		

Slim Surface-Square

18W VT-1805SQ

SKU: 4919 - 3000K Warm White	3800157605533
SKU: 4920 - 4000K Day White	3800157605540
SKU: 4921 - 6400K White	3800157605557



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	190x190x24mm
Luminous Flux:	1440lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

Surface Series-Round

8W **VT-1408 RD**

SKU: 4803 - 6400K White 3800230622716



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø110x35mm
Luminous Flux:	800lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Surface Series-Square

8W **VT-1408 SQ**

SKU: 4802 - 3000K Warm White 3800230622709



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	107x107x35mm
Luminous Flux:	800lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		

Surface Series-Square

15W **VT-1415 SQ**

SKU: 4808 - 3000K Warm White 3800230622761



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	155x155x35mm
Luminous Flux:	1500lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

Slim Series-Chrome-Round

12W **VT-1207CH**

SKU: 6340 - 3000K Warm White 3800157621243

Cutting Size:
Ø155mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Chrome
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø170x25mm
Luminous Flux:	1000lm	PF:	>0.5	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Series-Chrome-Round

18W VT-1807CH

SKU: 6346 - 3000K Warm White	3800157621304
SKU: 6347 - 4000K Day White	3800157621311
SKU: 6348 - 6400K White	3800157621328

Cutting Size: Ø205mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Chrome
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø225x25mm
Luminous Flux:	1500lm	PF:	>0.5	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Series-Chrome-Round

24W VT-2407CH

SKU: 6352 - 3000K Warm White	3800157621366
SKU: 6353 - 4000K Day White	3800157621373
SKU: 6354 - 6400K White	3800157621380

Cutting Size: Ø285mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Chrome
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø300x25mm
Luminous Flux:	2000lm	PF:	>0.5	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Series-Satin Nickel-Round

24W VT-2407SN

SKU: 6355 - 3000K Warm White	3800157621397
SKU: 6356 - 4000K Day White	3800157621403
SKU: 6357 - 6400K White	3800157621410

Cutting Size: Ø285mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Satin Nickel
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø300x25mm
Luminous Flux:	2000lm	PF:	>0.5	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Chrome-Round

6W VT-605CH

SKU: 6358 - 3000K Warm White	3800157621427



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Chrome
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø90x24mm
Luminous Flux:	420lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Chrome-Round

12W VT-1205CH

SKU: 6364 - 3000K Warm White	3800157621489
SKU: 6365 - 4000K Day White	3800157621496
SKU: 6366 - 6400K White	3800157621502



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Chrome
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø140x24mm
Luminous Flux:	1000lm	PF:	>0.6	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Chrome-Round

18W **VT-1805CH**

SKU: 6370 - 3000K Warm White 3800157621540



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Chrome
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø190x24mm
Luminous Flux:	1500lm	PF:	>0.6	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Satin Nickel-Round

6W **VT-605SN**

SKU: 6361 - 3000K Warm White 3800157621458



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Satin Nickel
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø90x24mm
Luminous Flux:	420lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Satin Nickel-Round

12W **VT-1205SN**

SKU: 6367 - 3000K Warm White 3800157621519
SKU: 6369 - 6400K White 3800157621533



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Satin Nickel
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø140x24mm
Luminous Flux:	1000lm	PF:	>0.6	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		



Twin LED-Square

8W **VT-809SQ**

SKU: 4922 - 3000K Warm White 3800157605564
SKU: 4923 - 4000K Day White 3800157605571
SKU: 4924 - 6400K White 3800157605588



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	142x142x40mm
Luminous Flux:	800lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

Twin LED-Square

15W VT-1509SQ

SKU: 4925 - 3000K Warm White 3800157605595
SKU: 4926 - 4000K Day White 3800157605601
SKU: 4927 - 6400K White 3800157605618



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	192x192x40mm
Luminous Flux:	1500lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

Twin LED-Square

22W VT-2209SQ

SKU: 4928 - 3000K Warm White 3800157605625
SKU: 4929 - 4000K Day White 3800157605632
SKU: 4930 - 6400K White 3800157605649



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	240x240x40mm
Luminous Flux:	2200lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

Twin LED-Round

8W VT-809RD

SKU: 4890 - 3000K Warm White 3800157602594
SKU: 4891 - 4000K Day White 3800157602600
SKU: 4892 - 6400K White 3800157602617



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	142x40mm
Luminous Flux:	800lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Twin LED-Round

15W VT-1509RD

SKU: 4893 - 3000K Warm White 3800157602624
SKU: 4894 - 4000K Day White 3800157602631
SKU: 4895 - 6400K White 3800157602648



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	192x40mm
Luminous Flux:	1500lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Twin LED-Round

22W VT-2209RD

SKU: 4896 - 3000K Warm White 3800157602655
SKU: 4897 - 4000K Day White 3800157602662
SKU: 4898 - 6400K White 3800157602679



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	240x40mm
Luminous Flux:	2200lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Glass Panel-Round

6W VT-602G RD

SKU: 4740 - 3000K Warm White	3800230622891
SKU: 6277 - 4000K Day White	3800157615754
SKU: 4739 - 6400K White	3800230622884

Cutting Size: Ø75mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Glass
Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>80	Dimension:	Ø100x35mm
Luminous Flux:	420lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Glass Panel-Round

12W VT-1202G RD

SKU: 4744 - 3000K Warm White	3800230622938
SKU: 6279 - 4000K Day White	3800157615778
SKU: 4743 - 6400K White	3800230622921

Cutting Size: Ø120mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Glass
Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>80	Dimension:	Ø160x40mm
Luminous Flux:	840lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Glass Panel-Round

18W VT-1881G RD

SKU: 4760 - 3000K Warm White	3800230622976
SKU: 6281 - 4000K Day White	3800157615792
SKU: 4759 - 6400K White	3800230622969

Cutting Size: Ø145mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Glass
Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>80	Dimension:	Ø198x40mm
Luminous Flux:	1260lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Glass Panel-Square

6w VT-602G SQ

SKU: 4738 - 3000K Warm White 3800230622877
SKU: 6276 - 4000K Day White 3800157615747
SKU: 4737 - 6400K White 3800230622860

Cutting Size: 75x75mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Glass
Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>80	Dimension:	100x100x35mm
Luminous Flux:	420lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		

Glass Panel-Square

12w VT-1202G SQ

SKU: 4742 - 3000K Warm White 3800230622914
SKU: 6278 - 4000K Day White 3800157615761
SKU: 4741 - 6400K White 3800230622907

Cutting Size: 120x120mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Glass
Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>80	Dimension:	160x160x40mm
Luminous Flux:	840lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		



Glass Panel-Square

18w VT-1881G SQ

SKU: 4746 - 3000K Warm White 3800230622952
SKU: 6280 - 4000K Day White 3800157615785
SKU: 4745 - 6400K White 3800230622945

Cutting Size: 145x145mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Glass
Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>80	Dimension:	198x198x40mm
Luminous Flux:	1260lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

DRIVERS FOR MINI PANELS

Voltage: AC:180-240V,50/60Hz

Watts:	6w
SKU:	8073
Dimmable:	Yes
EAN:	3800157605823
Box Qty:	200 Pcs

DIMMABLE

Watts:	12w
SKU:	8074
Dimmable:	Yes
EAN:	3800157605830
Box Qty:	200 Pcs

DIMMABLE

Watts:	18w
SKU:	8075
Dimmable:	Yes
EAN:	3800157605847
Box Qty:	200 Pcs

DIMMABLE

Watts:	24w
SKU:	8076
Dimmable:	Yes
EAN:	3800157605946
Box Qty:	200 Pcs

DIMMABLE

LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.

Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or mercury content hence environment friendly
- No Ultraviolet or Infrared rays
- Long lifespan, low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm

Applications

Widely used for domestic and commercial lighting, offices, supermarkets, shops, hotels & similar environment.

T8-Nano Plastic-Rotatable-60cm

10w **VT-6072-R**

SKU: 6229 - 3000K Warm White 3800157605212

3 YEAR WARRANTY

Dummy Starter Included



EQ. Watts:	18w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	850lm	Body Type:	Nano Plastic	Gross weight:	125g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x600mm
CRI:	>80	Instant start :	0-100% in < 1s	Box Qty:	25 Pcs

T8-Nano Plastic-60cm

10w **VT-6072-NR**

SKU: 6392 - 3000K Warm White 3800157625296
SKU: 6393 - 4000K Day White 3800157625302
SKU: 6394 - 6400K White 3800157625319

3 YEAR WARRANTY

Dummy Starter Included





EQ. Watts:	18w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	850lm	Body Type:	Nano Plastic	Gross weight:	126.4g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x600mm
CRI:	>80	Instant start :	0-100% in < 1s	Box Qty:	25 Pcs

T8-Nano Plastic-90cm

14w **VT-9077**

SKU: 6272 - 4000K Day White 3800157615419
SKU: 6262 - 6400K White 3800157612128

3 YEAR WARRANTY

Dummy Starter Included





EQ. Watts:	25w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1200lm	Body Type:	Nano Plastic	Gross weight:	145.6g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x900mm
CRI:	>80	Instant start :	0-100% in < 1s	Box Qty:	25 Pcs

T8-Nano Plastic-120cm

18w **VT-1277**

SKU: 6263 - 3000K Warm White 3800157612135
SKU: 6273 - 4000K Day White 3800157615426
SKU: 6264 - 6400K White 3800157612142

3 YEAR WARRANTY

Dummy Starter Included





EQ. Watts:	36w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1700lm	Body Type:	Nano Plastic	Gross weight:	200g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x1200mm
CRI:	>80	Instant start :	0-100% in < 1s	Box Qty:	25 Pcs

T8-Nano Plastic-150cm

22W **VT-1577**

SKU: 6265 - 3000K Warm White 3800157612159
SKU: 6309 - 4000K Day White 3800157617437
SKU: 6310 - 6400K White 3800157617444

3 YEAR WARRANTY

Dummy Starter Included



EQ. Watts:	58w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	30,000 Hours
Luminous Flux:	2000lm	Body Type:	Nano Plastic	Gross weight:	283.4g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x1500mm
CRI:	>80	Instant start :	0-100% in < 1s	Box Qty:	25 Pcs

T5-Glass Plastic-60cm

8W **VT-6005**

SKU: 6318 - 4000K Day White 3800157619271
SKU: 6319 - 6500K White 3800157619288



EQ. Watts:	14w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	800lm	Body Type:	Glass with PET	Gross weight:	120g
LED Type:	SMD	Holder:	G5	Dimension:	18.4x549mm
CRI:	>80	Instant start :	0-100% in < 1s	Box Qty:	25 Pcs

T5-Glass Plastic-120cm

16W **VT-1225**

SKU: 6320 - 4000K Day White 3800157619295
SKU: 6321 - 6500K White 3800157619301



EQ. Watts:	28w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1600lm	Body Type:	Glass with PET	Gross weight:	208g
LED Type:	SMD	Holder:	G5	Dimension:	18.4x1149mm
CRI:	>80	Instant start :	0-100% in < 1s	Box Qty:	25 Pcs

T8 Bread Tube-120cm

18W **VT-1228-B**

SKU: 6322 3800157619318

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95
PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s
On/0ff:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



T8 Vegetable Tube-120cm

18W **VT-1228-V**

SKU: 6324 3800157619332

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95
PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s
On/0ff:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



T8 Seafood Tube-120cm

18W **VT-1228-S**

SKU: 6325 3800157619349

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95
PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s
On/0ff:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs





Tube-Batten Fitting
VT-16010

SKU:	6052
Body Type:	Iron
Size:	615x45x50mm
EAN:	3800230624642
Box Qty:	20 Pcs

Tube-Batten Fitting
VT-12020

SKU:	6054
Body Type:	Iron
Size:	1225x45x50mm
EAN:	3800230624666
Box Qty:	20 Pcs

Tube-Batten Fitting
VT-15020

SKU:	6056
Body Type:	Iron
Size:	1520x45x50mm
EAN:	3800230624680
Box Qty:	20 Pcs

Tube-Batten Fitting
VT-16011

SKU:	6053
Body Type:	Iron
Size:	615x55x50mm
EAN:	3800230624659
Box Qty:	20 Pcs

Tube-Batten Fitting
VT-12021

SKU:	6055
Body Type:	Iron
Size:	1225x55x50mm
EAN:	3800230624673
Box Qty:	12 Pcs

Tube-Batten Fitting
VT-15021

SKU:	6057
Body Type:	Iron
Size:	1520x55x50mm
EAN:	3800230624697
Box Qty:	12 Pcs

T8-Nano Plastic-60cm
18w **VT-6077**

SKU: 6313 - 4000K Day White 3800157618656
SKU: 6314 - 6400K White 3800157618663

EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:200-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	2500lm	Body Type:	Nano Plastic	Gross weight:	290g
LED Type:	SMD	Holder:	G13	Dimension:	18.5x549mm
CRI:	>80	Instant start :	0-100% in < 1s	Box Qty:	10 Pcs

120 Lumen/W

Cabinet Fitting

10W **VT-8112**

SKU: 5068 - 3000K Warm White 3800157606714
SKU: 5070 - 6000K White 3800157606738

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**800lm**
LED Type:	**SMD**
CRI:	**>80**
PF:	**>0.9**
Beam Angle:	**110°**
Body Type:	**Aluminium Body, Plastic Diffuser**
On/Off:	**>10,000**
Life span:	**20,000 Hours**
Gross weight:	**600g**
Dimension:	**579x78x35mm**
Box Qty:	**12 Pcs**



Wall Fitting-60cm

10W **VT-8111**

SKU: 5071 - 3000K Warm White 3800157606745
SKU: 5072 - 4500K Day White 3800157606752
SKU: 5073 - 6000K White 3800157606769

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:85-265V,50/60Hz**
Luminous Flux:	**900lm**
LED Type:	**SMD**
CRI:	**>80**
PF:	**>0.6**
Beam Angle:	**120°**
Body Type:	**Aluminium+PC**
On/Off:	**>10,000**
Life span:	**20,000 Hours**
Gross weight:	**240g**
Dimension:	**600x32x25mm**
Box Qty:	**25 Pcs**



Wall Fitting-120cm

20W **VT-8121**

SKU: 5074 - 3000K Warm White 3800157606776
SKU: 5076 - 6000K White 3800157606790

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:85-265V,50/60Hz**
Luminous Flux:	**1800lm**
LED Type:	**SMD**
CRI:	**>80**
PF:	**>0.6**
Beam Angle:	**120°**
Body Type:	**Aluminium+PC**
On/Off:	**>10,000**
Life span:	**20,000 Hours**
Gross weight:	**370g**
Dimension:	**1200x32x25mm**
Box Qty:	**25 Pcs**





LED Waterproof Fittings

Introducing our complete Essentials range of IP65-rated waterproof tubes. Built with a tough, air-tight enclosure allowing it to resist jets of water and dust — an essential feature for outdoor lighting.

Product Features

- Easy to install
- IP65, free from water and dirt
- Direct wiring easily accessible when necessary
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment.

IP65 RATING

1 LED TUBE INCLUDED

Waterproof Fitting-Tubes

10w VT-6028

SKU: 6463 - 4000K Day White 3800157639767
SKU: 6464 - 6400K White 3800157639750

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Life span:	20,000 Hours		
Luminous Flux:	850lm	Beam Angle:	120°	Gross weight:	0.70 kg		
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	666x68x58mm		
CRI:	>80	On/Off:	>15,000	Box Qty:	16pcs		



IP65 RATING

2 LED TUBES INCLUDED

Waterproof Fitting-Tubes

20W VT-6029

SKU: 6465 - 4000K Day White 3800157639781
SKU: 6466 - 6400K White 3800157639774

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Life span:	20,000 Hours		
Luminous Flux:	1700lm	Beam Angle:	120°	Gross weight:	1 kg		
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	666x96x58mm		
CRI:	>80	On/Off:	>15,000	Box Qty:	12pcs		



IP65 RATING

1 LED TUBE INCLUDED

Waterproof Fitting-Tubes

18w VT-12028

SKU: 6459 - 4000K Day White 3800157639729
SKU: 6460 - 6400K White 3800157639712

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Life span:	20,000 Hours		
Luminous Flux:	1700lm	Beam Angle:	120°	Gross weight:	1 kg		
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	1276x68x58mm		
CRI:	>80	On/Off:	>15,000	Box Qty:	16pcs		



IP65 RATING

1 LED TUBE INCLUDED

Waterproof Fitting-Tubes

22w VT-15028

SKU: 6461 - 4000K Day White 3800157639743
SKU: 6462 - 6400K White 3800157639736

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Life span:	20,000 Hours		
Luminous Flux:	2000lm	Beam Angle:	120°	Gross weight:	1.2 kg		
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	1576x68x58mm		
CRI:	>80	On/Off:	>15,000	Box Qty:	16pcs		



Waterproof Fitting-Tubes
36W VT-12023

IP65 RATING

SKU: 6387 - 4000K Day White 3800157625036
SKU: 6399 - 6400K White 3800157626385

2 LED TUBES INCLUDED

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	30,000 Hours
Luminous Flux:	3400lm	Beam Angle:	120°	Gross weight:	1.33 kg
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	1290x116x66mm
CRI:	>80	On/Off:	>10,000	Box Qty:	10 Pcs



Waterproof Fitting-Tubes
44W VT-15022

IP65 RATING

SKU: 6388 - 4000K Day White 3800157625043
SKU: 6400 - 6400K White 3800157626392

2 LED TUBES INCLUDED

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	30,000 Hours
Luminous Flux:	4000lm	Beam Angle:	120°	Gross weight:	1.65 kg
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	1590x116x66mm
CRI:	>80	On/Off:	>10,000	Box Qty:	10 Pcs



Waterproof Fitting-G Series
18W VT-6076

IP65 RATING

SKU: 6283 - 4000K Day White 3800157616478
SKU: 6282 - 6400K White 3800157616461

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Life span:	20,000 Hours
Luminous Flux:	1440lm	Beam Angle:	120°	Gross weight:	0.60 kg
LED Type:	SMD	Body Type:	PC	Dimension:	600x65x58mm
CRI:	>70	On/Off:	>10,000	Box Qty:	12 Pcs



Waterproof Fitting-G Series
36W VT-1249

IP65 RATING

SKU: 6285 - 4000K Day White 3800157616492
SKU: 6284 - 6400K White 3800157616485

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	2880lm	Beam Angle:	120°	Gross weight:	0.60 kg
LED Type:	SMD	Body Type:	PC	Dimension:	1200x65x58mm
CRI:	>70	On/Off:	>10,000	Box Qty:	12 Pcs



Waterproof Fitting-G Series
48W VT-1574

IP65 RATING

SKU: 6287 - 4000K Day White 3800157616515
SKU: 6286 - 6400K White 3800157616508

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	3840lm	Beam Angle:	120°	Gross weight:	1.1 kg
LED Type:	SMD	Body Type:	PC	Dimension:	1500x65x58mm
CRI:	>70	On/Off:	>10,000	Box Qty:	12 Pcs



Waterproof Fitting-S Series
18W VT-1518

IP65 RATING

SKU: 6472 - 4000K Day White 3800157647199
SKU: 6473 - 6500K White 3800157647205

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	1530lm	Beam Angle:	120°	Gross weight:	0.25 kg
LED Type:	SMD2835	Body Type:	PC	Dimension:	600x60x35mm
CRI:	>80	On/Off:	>15,000	Box Qty:	20 Pcs



Waterproof Fitting-S Series
36W VT-1239

IP65 RATING

SKU: 6469 - 4000K Day White 3800157640992
SKU: 6470 - 6500K White 3800157641005

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	3000lm	Beam Angle:	120°	Gross weight:	0.448 kg
LED Type:	SMD2835	Body Type:	PC	Dimension:	1200x60x35mm
CRI:	>80	On/Off:	>15,000	Box Qty:	20 Pcs



Waterproof Fitting-S Series
48W VT-1549

IP65 RATING

SKU: 6467 - 4000K Day White 3800157640978
SKU: 6468 - 6500K White 3800157640985

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	4000lm	Beam Angle:	120°	Gross weight:	0.558 kg
LED Type:	SMD2835	Body Type:	PC	Dimension:	1500x60x35mm
CRI:	>80	On/Off:	>15,000	Box Qty:	20 Pcs



Waterproof-Emergency Kit
36W VT-1250

Waterproof Emergency Kit

IP65 RATING

SKU: 6449 - 6400K White 3800157632133

Charging Time:	24 Hours
Emergency Operation Time:	3 Hours
Emergency Switch on time:	<1 Second

Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	2880lm	Beam Angle:	120°	Gross weight:	1.9 kg
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	1200x76x66mm
CRI:	>70	On/Off:	>10,000	Box Qty:	12 Pcs





Waterproof Fitting
18w VT-6048

SKU: 6198 - 4500K Day White 3800157603256
SKU: 6199 - 6000K White 3800157603263

IP65 RATING

Voltage/Frequency:	AC:200-240V,50Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	1440lm	Beam Angle:	120°	Gross weight:	0.80 kg
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	600x76x66mm
CRI:	>70	On/Off:	>10,000	Box Qty:	12 Pcs

Waterproof Fitting
36w VT-1248

SKU: 6200 - 4500K Day White 3800157603270
SKU: 6201 - 6000K White 3800157603287



IP65 RATING

Voltage/Frequency:	AC:200-240V,50Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	2880lm	Beam Angle:	120°	Gross weight:	1.42 kg
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	1200x76x66mm
CRI:	>70	On/Off:	>10,000	Box Qty:	12 Pcs

Waterproof Fitting
48w VT-1548

SKU: 6184 - 4500K Day White 3800157602389
SKU: 6185 - 6000K White 3800157602396



IP65 RATING

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.7	Life span:	20,000 Hours
Luminous Flux:	3840lm	Beam Angle:	120°	Gross weight:	1.86 kg
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	1480x76x66mm
CRI:	>70	On/Off:	>10,000	Box Qty:	12 Pcs





Waterproof Suspension Kit

SKU: 8119
EAN: 3800157624763
Box Qty: 50 Pcs

suspension kit for all waterproof fittings

LED Highbays

V-TAC's new UFO and Linear High bays are designed for widespread illumination, efficiency, and resistance to harsh conditions.The UFO high-bays are supported by Meanwell drivers to boost their performance, are IP65 rated and have a sturdy body to ensure endurance, and have two options of beam angle to choose from, for even light distribution.

Product Features

- Powerful led light source with a unique design
- Extensive options can replace all types of standard MH highbays
- Aluminium diffuser with multiple beam angle's to choose from 45° / 90°/ 120°
- Shatter proof perspex lens
- high thermal conductivity, low luminous decay, pure Colours & no heavy shade
- The unique design of radiator fuses with the lamp box perfectly hence diffuses the heat conduction efficiently which reduces the temperature of inside lamp

Applications

Perfect fit for industrial usage, warehouse & super markets, workshops, factories, warehouses, highway, toll stations, gas stations, malls, exhibition halls, stadiums & other vast areas.

UFO-High Lumen-Meanwell Driver

100W VT-9107

SKU: 5588 - 6400K White 3800157622301



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	13000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	280x165mm
Box Qty:	4 Pcs

90° BEAM ANGLE

MEAN WELL Your Reliable Power Partner

5 YEAR WARRANTY

1-10V DIMMABLE

IP65 RATING



UFO-High Lumen-Meanwell Driver

500W VT-9500

SKU: 5607 - 4000K Day White 3800157625050
SKU: 5608 - 6400K White 3800157625067



Sensor Compatible:	Yes
Voltage/Frequency:	AC:90-295V,50Hz
Luminous Flux:	65000lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	Ø360
Box Qty:	1 Pcs

120° BEAM ANGLE

MEAN WELL Your Reliable Power Partner

5 YEAR WARRANTY

1-10V DIMMABLE

IP65 RATING



UFO-Highbay-120°

50W VT-9065-W

SKU: 5609 - 3000K Warm White 3800157626507
SKU: 5611 - 6400K White 3800157626521



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs

120° BEAM ANGLE





LED Strip Lights

Add an extensive array of lights and colors to any setting or interior, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.

Product Features

- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades

Applications

Outdoor applications like streets, projects, cross roads, tunnels, car parks, industrial facilities etc.

Strip-2835-Sensor

2.4w VT-8082

SKU: 2573 - 2700K Warm White 3800157639330
SKU: 2574 - 4000K Day White 3800157639347

MOTION PIR SENSOR

IP65 RATING

Watts:	2.4w
Voltage:	DC:6V
lm/M:	200lm
Roll:	1 Meter
Sensor Type:	Motion Sensor
Detection Range:	2-5 M
Battery Type:	4xAAA(Not Included)
Box Qty:	50 Pcs

Blister Pack

DIMMABLE

MOTION PIR SENSOR

IP20 RATING

Bed Lights-PIR Sensor

3w VT-8067

SKU: 2548 - 3000K Warm White 3800157628433
SKU: 2549 - 4500K Day White 3800157628440

Watts:	3w
Voltage:	DC:12V
LED/M:	30
Strips length:	1.2 m x1
Sensor Distance:	2-5m
Delay time:	30sec, 130sec, 380sec
Box Qty:	25 Pcs

Blister Pack

DIMMABLE

MOTION PIR SENSOR

IP20 RATING

Bed Lights-PIR Sensor

6w VT-8068

SKU: 2550 - 3000K Warm White 3800157628457
SKU: 2551 - 4500K Day White 3800157628464

Watts:	6w
Voltage:	DC:12V
LED/M:	30
Strips length:	1.2 m x2
Sensor Distance:	2-5 m
Delay time:	30sec, 130sec, 380sec
Box Qty:	18 Pcs

Striplights 5050 60

9W VT-5050 60-S3M

SKU: 2607 - 6400K White 3800157653411
SKU: 2606 - 3000K Warm White 3800157653404
SKU: 2605 - RGB 3800157653398

5M ROLL

3M TAPE

IP65 RATING

BS PLUG

LED Type:	SMD
Watt/M:	9W
Current/M:	0.9A
Voltage:	AC:100-240V, 50/60Hz
LED Qty/M:	60

lm/M:	1000lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	20 Pcs

Striplights 5050 60 220V

8.5W **VT-5050 60**

SKU: 2637 - 6500K White	3800157658645
SKU: 2635 - 3000K Warm White	3800157658621
SKU: 2636 - 4000K Day White	3800157658638

NEW

50M ROLL

EU PLUG

IP66 RATING

220V AC

LED Type:	SMD
Watt/M:	8.5W
Voltage:	AC:220-240V, 50/60Hz
LED Qty/M:	60

lm/M:	300lm
Beam Angle:	120°
IP Rating:	IP66
Width:	8mm
Box Qty:	1

Including Accessories

Striplights 2835 120 220V

10W **VT-2835 120**

SKU: 2648 - 6500K White	3800157658782
SKU: 2646 - 3000K Warm White	3800157658768
SKU: 2647 - 4000K Day White	3800157658775

NEW

50M ROLL

EU PLUG

IP66 RATING

220V AC

LED Type:	SMD
Watt/M:	10W
Voltage:	AC:220-240V, 50/60Hz
LED Qty/M:	120

lm/M:	800lm
Beam Angle:	120°
IP Rating:	IP66
Width:	8mm
Box Qty:	1

Including Accessories

Strip Set-5050 300 LEDs

4.8W **VT-5050-300-EU**

SKU: 2630 - RGB	3800157658188

NEW

10M Meter

EU PLUG

IP20 RATING

Included

Power Adaptor

Dual Output IR Controller

LED Type:	SMD
Watt/M:	4.8W
Current/M:	0.4A
Voltage:	AC:100-240V, 50/60Hz
LED Qty/M	30

lm/M:	500lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	20 Pcs

Strip Set-5050 300 LEDs

4.8W **VT-5050-300-BS**

SKU: 2631 - RGB	3800157658195

NEW

10M Meter

BS PLUG

IP20 RATING

Included

Power Adaptor

Dual Output IR Controller

LED Type:	SMD
Watt/M:	4.8W
Current/M:	0.4A
Voltage:	AC:100-240V, 50/60Hz
LED Qty/M	30

lm/M:	500lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	20 Pcs

Strip Sets-5050 60 LEDs

10w **VT-5050 60 IP20-Set**

SKU: 2545 - 3000K Warm White 3800157626804
SKU: 2546 - 6000K White 3800157626811
SKU: 2544 - RGB 3800157625975

5M ROLL

BS PLUG

IP20 RATING

POWER SUPPLY

LED Type:	SMD
Watt/M:	10w
Current/M:	1.5A
Voltage:	AC:100-265V,50/60Hz
LED Qty/M:	60

lm/M:	1000lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	20 Pcs

Strip Sets-5050 60 LEDs

10w **VT-5050 60 IP20-RGB Set**

SKU: 2558-RGB 3800157634144

5M ROLL

EU PLUG

IP20 RATING

POWER SUPPLY

LED Type:	SMD
Watt/M:	10w
Current/M:	1.5A
Voltage:	AC:100-265V,50/60Hz
LED Qty/M:	60

lm/M:	1000lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	20 Pcs



LED COB Striplights IP20

10w **VT-2835 280**

SKU: 2654 - 6400K White 3800157660204
SKU: 2652 - 3000K Warm White 3800157660181
SKU: 2653 - 4000K Day White 3800157660198

NEW

5M ROLL

IP20 RATING

LED Type:	COB
Watt/M:	10w
Current/M:	0.4A
Voltage:	DC:24V
LED Qty/M:	280

lm/M:	800lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	400 Meters

LED COB Striplights IP20

12W **VT-512**

SKU: 2651 - 6000K White 3800157658997
SKU: 2649 - 3000K Warm White 3800157658973
SKU: 2650 - 4000K Day White 3800157658980

NEW

5M ROLL

REAL COLOR SERIES CRI >90

IP20 RATING

LED Type:	COB
Watt/M:	12W
Voltage:	0.5ADC:24V
LED Qty/M:	512

lm/M:	1000lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



Strip-2835 60 LEDs

4W **VT-2835 60**

SKU: 2559 - 3000K Warm White 3800157637244
SKU: 2560 - 4000K Day White 3800157637251
SKU: 2561 - 6400K White 3800157637268

IP20 RATING

LED Type:	SMD
Watt/M:	4w
Current/M:	0.3A
Voltage:	DC:12V
LED Qty/M:	60

lm/M:	300lm
lm/LED:	5-8lm
Beam Angle:	120°
IP Rating:	IP20
Width:	6mm
Box Qty:	400 Meters

Striplights 2835 120 Double PCB

7.2W **VT-2835 120-IP65**

SKU: 2627 - 6000K White 3800157654692
SKU: 2625 - 3000K Warm White 3800157654678
SKU: 2626 - 4000K Day White 3800157654685

10M ROLL

IP65 RATING

LED Type:	SMD
Watt/M:	7.2W
Current/M:	0.6A
Voltage:	DC:24V
LED Qty/M:	120

lm/M:	600lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	400 Meters

Striplights 2835 120 Double PCB

7.2W **VT-2835 120-IP20**

SKU: 2624 - 6000K White 3800157654661
SKU: 2622 - 3000K Warm White 3800157654647
SKU: 2623 - 4000K Day White 3800157654654

10M ROLL

IP20 RATING

LED Type:	SMD
Watt/M:	7.2W
Current/M:	0.6A
Voltage:	DC:24V
LED Qty/M:	120

lm/M:	600lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	800 Meters

LED Strip-2835 126 LEDs

8W **VT-2835 126-24V**

SKU: 2593 - 3000K Warm White 3800157653121
SKU: 2594 - 4000K Day White 3800157653138
SKU: 2595 - 6400K White 3800157653145

5M ROLL

150 Lumen/W

IP20 RATING

LED Type:	SMD
Watt/M:	8w
Current/M:	0.33A
Voltage:	DC:24V
LED Qty/M:	126

lm/M:	1200lm
lm/LED:	28-30lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters

LED Strip-2835 168 LEDs

11w **VT-2835 168-24V**

SKU: 2596 - 3000K Warm White 3800157653152
SKU: 2597 - 4000K Day White 3800157653169
SKU: 2598 - 6400K White 3800157653176

5M ROLL

150 Lumen/W

IP20 RATING

LED Type:	SMD
Watt/M:	11w
Current/M:	0.45A
Voltage:	DC:24V
LED Qty/M:	168

lm/M:	1650lm
lm/LED:	28-30lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters

LED Strip-2835 238 LEDs

17w **VT-2835 238-24V**

SKU: 2599 - 3000K Warm White 3800157653183
SKU: 2600 - 4000K Day White 3800157653190
SKU: 2601 - 6400K White 3800157653206

5M ROLL

150 Lumen/W

IP20 RATING

LED Type:	SMD
Watt/M:	17w
Current/M:	0.7A
Voltage:	DC:24V
LED Qty/M:	238

lm/M:	2550lm
lm/LED:	28-30lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters

LED strips-2835 204 LEDs

18w **VT-2835 204**

SKU: 2461 - 3000K Warm White 3800157612234
SKU: 2462 - 4500K Day White 3800157612241
SKU: 2463 - 6000K White 3800157612258

5M ROLL

IP20 RATING

LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty/M:	204

lm/M:	1700lm
lm/LED:	9-11lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters

LED strips-2835 240 LEDs-High Lumen

18w **VT-2835 240-H**

SKU: 2164 - 3000K Warm White 3800157610117
SKU: 2165 - 4500K Day White 3800157610124
SKU: 2166 - 6000K White 3800157610131

5M ROLL

3000 LUMENS PER METER

IP20 RATING

150 Lumen/W

LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty/M:	240

lm/M:	3000lm
lm/LED:	20-22lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters

LED strips-5730 120 LEDs-High Lumen

18w **VT-5730 120**

SKU: 2162 - 3000K Warm White	3800157610094
SKU: 2163 - 4500K Day White	3800157610100
SKU: 2161 - 6000K White	3800157610087

5M ROLL

3000 LUMENS PER METER

IP20 RATING

150 Lumen/W

LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty/M:	120

lm/M:	3000lm
lm/LED:	20-22lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	400 Meters

Striplights 2110 700

21W **VT-2110 700**

SKU: 2604 - 6400K White	3800157653367
SKU: 2602 - 3000K Warm White	3800157653343
SKU: 2603 - 4000K Day White	3800157653350

5M ROLL

REAL COLOR SERIES CRI >95

IP20 RATING

700 LED PER METER



LED Type:	SMD
Watt/M:	21W
Current/M:	0.875A
Voltage:	DC:24V
LED Qty/M:	700

lm/M:	2000lm
lm/LED:	8-10lm
Beam Angle:	120°
IP Rating:	IP20
Width:	12mm
Box Qty:	400 Meters

Strip-2216 360 LEDs

30w **VT-2216 360**

SKU: 2580 - 3000K Warm White	3800157642033
SKU: 2581 - 4000K Day White	3800157642040
SKU: 2582 - 6000K White	3800157642057

REAL COLOR SERIES CRI >95

IP20 RATING

LED Type:	SMD
Watt/M:	30w
Current/M:	1.25A
Voltage:	DC:24V
LED Qty/M:	360

lm/M:	2400lm
lm/LED:	6-7lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	250 Meters

LED strips-3014 204 LEDs

18w **VT-3014 204**

SKU: 2404 - 3000K Warm White	3800230628060
SKU: 2405 - 4500K Day White	3800157600309
SKU: 2403 - 6000K White	3800230628053

5M ROLL

IP20 RATING

LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty	204

lm/M:	1700lm
lm/LED:	9-11lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters

LED strips-3528 60 LEDs

3.6w VT-3528 60-IP20

SKU: 2016 - 3000K Warm White	3800230621160
SKU: 2041 - 4500K Day White	3800230621184
SKU: 2005 - 6000K White	3800230621153
SKU: 2015 - Red	3800230621269
SKU: 2013 - Blue	3800230621252
SKU: 2011 - Green	3800230621221
SKU: 2009 - Yellow	3800230621214

5M ROLL

IP20 RATING

LED Type:	SMD
Watt/M:	3.6w
Current/M:	0.3A
Voltage:	DC:12V
LED Qty/M:	60

lm/M:	400lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	400 Meters

LED strips-3528 60 LEDs

3.6w VT-3528 60-IP65

SKU: 2032 - 3000K Warm White	3800230621177
SKU: 2043 - 4500K Day White	3800230621191
SKU: 2031 - 6000K White	3800230621146
SKU: 2036 - Red	3800230621276
SKU: 2035 - Blue	3800230621245
SKU: 2034 - Green	3800230621238

5M ROLL

IP65 RATING

LED Type:	SMD
Watt/M:	3.6w
Current/M:	0.3A
Voltage:	DC:12V
LED Qty/M:	60

lm/M:	400lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP65
Width:	8mm
Box Qty:	400 Meters

LED strips-3528 120 LEDs

7.2w VT-3528 120-IP20

SKU: 2025 - 3000K Warm White	3800230621306
SKU: 2042 - 4500K Day White	3800230621320
SKU: 2002 - 6000K White	3800230621283

5M ROLL

IP20 RATING

LED Type:	SMD
Watt/M:	7.2w
Current/M:	0.6A
Voltage:	DC:12V
LED Qty/M	120

lm/M:	600lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	400 Meters

LED strips-3528 120 LEDs

7.2w VT-3528 120-IP65

SKU: 2038 - 3000K Warm White	3800230621313
SKU: 2044 - 4500K Day White	3800230621337
SKU: 2037 - 6000K White	3800230621290

5M ROLL

IP65 RATING

LED Type:	SMD
Watt/M:	7.2w
Current/M:	0.6A
Voltage:	DC:12V
LED Qty/M	120

lm/M:	600lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP65
Width:	8mm
Box Qty:	400 Meters

LED strips-5050 30 LEDs

4.8w VT-5050 30-IP20

SKU: 2135 - 3000K Warm White	3800230621405
SKU: 2133 - 6000K White	3800230621382
SKU: 2124 - RGB	3800230621535

5M ROLL

IP20 RATING

LED Type:	SMD
Watt/M:	4.8w
Current/M:	0.4A
Voltage:	DC:12V
LED Qty/M	30

lm/M:	500lm
lm/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters

LED strips-5050 30 LEDs

4.8w VT-5050 30-IP65

SKU: 2145 - 3000K Warm White	3800230621412
SKU: 2460 - 4500K Day White	3800157612166
SKU: 2144 - 6000K White	3800230621399
SKU: 2118 - RGB	3800230621528

5M ROLL

IP65 RATING

LED Type:	SMD
Watt/M:	4.8w
Current/M:	0.4A
Voltage:	DC:12V
LED Qty/M	30

lm/M:	500lm
lm/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	400 Meters

LED strips-5050 60 LEDs

10.8w VT-5050 60-IP20

SKU: 2122 - 3000K Warm White	3800230621504
SKU: 2143 - 4500K Day White	3800230621467
SKU: 2126 - 6000K White	3800230621481
SKU: 2120 - RGB	3800230621542
SKU: 2128 - Red	3800230624468
SKU: 2137 - Blue	3800230621429
SKU: 2138 - Green	3800230621443
SKU: 2156 - Yellow	3800230628824
SKU: 2547 - 2200K Warm White	3800157627313

5M ROLL

IP20 RATING

LED Type:	SMD
Watt/M:	10.8w
Current/M:	0.9A
Voltage:	DC:12V
LED Qty/M	60

lm/M:	1000lm
lm/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters

Striplights 5050 60

10.8W VT-5050 60-3M

SKU: 2609 - 6400K White	3800157653435
SKU: 2608 - 3000K Warm White	3800157653428

5M ROLL

3M TAPE

IP20 RATING

LED Type:	SMD
Watt/M:	10.8W
Current/M:	0.9A
Voltage:	DC:12V
LED Qty/M	60

lm/M:	1000lm
lm/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters

LED strips-5050 60 LEDs

10.8w VT-5050 60-IP65

SKU: 2149 - 3000K Warm White	3800230621511
SKU: 2150 - 4500K Day White	3800230621474
SKU: 2148 - 6000K White	3800230621498
SKU: 2155 - RGB	3800230621559

5M ROLL

IP65 RATING

LED Type:	SMD
Watt/M:	10.8w
Current/M:	0.9A
Voltage:	DC:12V
LED Qty/M	60

lm/M:	1000lm
lm/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	400 Meters

LED strips-5050 60 LEDs

10.8w VT-5050 60RGBW

SKU: 2159 - RGB+White	3800230629623
SKU: 2552 - RGB+Day White	3800157630306
SKU: 2553 - RGB+Warm White	3800157630313

5M ROLL

IP20 RATING

LED Type:	SMD
Watt/M:	10.8w
Current/M:	1.2A
Voltage:	DC:12V
LED Qty/M	60

lm/M:	900lm
lm/LED:	15lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters

LED strips-5050 60 LEDs

9w VT-5050 60-24V-5M

SKU: 2431 - 3000K Warm White	3800230621573
SKU: 2459 - 4000K Day White	3800157612036
SKU: 2430 - 6400K White	3800230621566
SKU: 2591 - RGB	3800157653008

5M ROLL

IP20 RATING

LED Type:	SMD
Watt/M:	9w
Current/M:	0.3A
Voltage:	DC:24V
LED Qty/M	60

lm/M:	600lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	200 Meters

LED strips-5050 60 LEDs

9w VT-5050 60-24V-10M

SKU: 2592 - RGB	3800157653015

10M ROLL

IP20 RATING

LED Type:	SMD
Watt/M:	9w
Current/M:	0.3A
Voltage:	DC:24V
LED Qty/M	60

lm/M:	600lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	200 Meters

Tape-5050 60 LEDs

9W **VT-5050 60-24V-IP65**

SKU: 2562 - 3000K Warm White	3800157637534
SKU: 2563 - 4000K Day White	3800157637541
SKU: 2564 - 6400K White	3800157637558

5M ROLL

IP65 RATING

LED Type:	SMD
Watt/M:	9w
Current/M:	0.375A
Voltage:	DC:24V
LED Qty/M	60

lm/M:	500lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	200 Meters

Neon Flex IP68

6.5W **VT-554**

SKU: 2614 - 6400K White	3800157654562
SKU: 2612 - 3000K Warm White	3800157654548
SKU: 2613 - 4000K Day White	3800157654555
SKU: 2618 - Red	3800157654609
SKU: 2615 - Blue	3800157654579
SKU: 2616 - Green	3800157654586
SKU: 2617 - Yellow	3800157654593

10M ROLL

IP68 RATING

Cuttable after every 5CM .
No End cap required.

Voltage:	DC:24V
Lumen lm/M:	260lm
Power W/M:	6.5W
Beam Angle:	120°

Current/M:	0.27A
LED/M:	126
CRI:	>80
Size:	8mm
Box Qty:	50 Meters

Neon Flex Silicon Cover

8W **VT-560**

SKU: 2621 - 6000K White	3800157654630
SKU: 2619 - 3000K Warm White	3800157654616
SKU: 2620 - 4000K Day White	3800157654623

5M ROLL

IP65 RATING

REAL COLOR SERIES CRI >90



Voltage:	DC:24V
Lumen lm/M:	530lm
Power W/M:	8W
Beam Angle:	120°

Current/M:	0.34A
LED/M:	238
CRI:	>90
Size:	4mm
Box Qty:	200 Meters

Neon Flex-White

8w **VT-555W**

2512 - 6000K White	3800157605656

10M ROLL

IP65 RATING

Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5
Power W/M:	8w

Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets

Neon Flex-Warm White

8W **VT-555WW**

2513 - 3000K Warm White 3800157605663

10M ROLL

IP65 RATING

Voltage:	DC:24V	Jacket Dia:	9 x16.5 mm
Lumen lm/M:	320	Beam Angle:	160°
FPC Width MM:	7.5	Box Qty:	5 Packets
Power W/M:	8w		



Neon Flex-Day White

8W **VT-555DW**

2514 - 4500K Day White 3800157605670

10M ROLL

IP65 RATING

Voltage:	DC:24V	Jacket Dia:	9 x16.5 mm
Lumen lm/M:	320	Beam Angle:	160°
FPC Width MM:	7.5	Box Qty:	5 Packets
Power W/M:	8w		

Neon Flex-Blue

8W **VT-555B**

2515 - Blue 3800157605687

10M ROLL

IP65 RATING

Voltage:	DC:24V	Jacket Dia:	9 x16.5 mm
Lumen lm/M:	320	Beam Angle:	160°
FPC Width MM:	7.5	Box Qty:	5 Packets
Power W/M:	8w		



Neon Flex-Red

8W **VT-555R**

2516 - Red 3800157605694

10M ROLL

IP65 RATING

Voltage:	DC:24V	Jacket Dia:	9 x16.5 mm
Lumen lm/M:	320	Beam Angle:	160°
FPC Width MM:	7.5	Box Qty:	5 Packets
Power W/M:	8w		

Neon Flex-Green

8W **VT-555G**

2517 - Green 3800157605700

10M ROLL

IP65 RATING

Voltage:	DC:24V	Jacket Dia:	9 x16.5 mm
Lumen lm/M:	320	Beam Angle:	160°
FPC Width MM:	7.5	Box Qty:	5 Packets
Power W/M:	8w		

Neon Flex-Yellow

8W **VT-555Y**

2518 - Yellow 3800157605717

10M ROLL

IP65 RATING

Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5
Power W/M:	8w

Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets

Neon Flex-Pink

8W **VT-555P**

2529 - Pink 3800157619523

10M ROLL

IP65 RATING

Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5
Power W/M:	8w

Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets

Neon Flex-Violet

8W **VT-555V**

2531 - Violet 3800157619547

10M ROLL

IP65 RATING

Voltage:	DC:24V
Lumen lm/M:	320
FPC Width MM:	7.5
Power W/M:	8w

Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets

Backlite Silicon Neon Flex

13W **VT-559**

2570 - 5000K White 3800157637657
2568 - 3000K Warm White 3800157637633
2569 - 4000K Day White 3800157637640

10M ROLL

IP65 RATING

LED Type:	SMD
Watt/M:	13w
Voltage:	DC:24V
lm/M:	1000
CRI:	>80

Beam Angle:	120°
IP Rating:	IP65
Width:	8mm
Box Qty:	200 Meters

Surface Mounting Kit

Model No:	VT-8117
SKU:	2610
Dimension:	11.8x12.5x2000mm
Color of Fixture:	
EAN:	3800157654524
Box Qty.	75 Pcs

Concealed Mounting Kit

Model No:	VT-8120
SKU:	2611
Dimension:	17.8x2000mm
Color of Fixture:	
EAN:	3800157654531
Box Qty.	75 Pcs

Connector for Strip 8mm

SKU : 2655
EAN : 3800157660235
Box Qty: 5000 Pcs

Connector for Strip 8mm Single Head

SKU : 2656
EAN : 3800157660242
Box Qty: 2500 Pcs

Connector for Strip 8mm Dual Head

SKU : 2657
EAN : 3800157660259
Box Qty: 2500 Pcs

L Shape Connector for Strip 8mm

SKU : 2658
EAN : 3800157660266
Box Qty: 5000 Pcs

Connector for Strip 10mm

SKU : 2659
EAN : 3800157660273
Box Qty: 5000 Pcs

Connector for Strip 10mm Single Head

SKU : 2660
EAN : 3800157660280
Box Qty: 2500 Pcs

Connector for Strip 10mm Dual Head

SKU : 2661
EAN : 3800157660297
Box Qty: 2500 Pcs

L Shape Connector for Strip 10mm

SKU : 2662
EAN : 3800157660303
Box Qty: 5000 Pcs

Connector for COB Strip 8mm Single Head

SKU : 2663
EAN : 3800157660310
Box Qty: 1000 Pcs



Connector for COB Strip 8mm Dual Head

SKU : 2664
EAN : 3800157660327
Box Qty: 1000 Pcs

Connector for COB Strip 10mm Single Head

SKU : 2665
EAN : 3800157660334
Box Qty: 1000 Pcs



Connector for COB Strip 10mm Dual Head

SKU : 2666
EAN : 3800157660341
Box Qty: 1000 Pcs

Mounting Kit-5CM

SKU : 2527
EAN : 3800157608404
Box Qty: 2200Pcs

Neon Power Cord

SKU : 3331
EAN : 3800157616829
Box Qty: 500 Pcs

Neon Connector

SKU : 3333
EAN : 3800157607889
Box Qty: 3000 Pcs

Neon End Safe Cap

SKU : 3334
EAN : 3800157607896
Box Qty: 2 Pcs

Plastic Profile-1M

SKU : 2571
EAN : 3800157637664
Box Qty: 50 Pcs

Plug-Pin

SKU : 2565
EAN : 3800157637565
Box Qty: 1000Pcs

Fixing Clip

SKU : 2566
EAN : 3800157637572
Box Qty: 1000Pcs

End Cup

SKU : 2567
EAN : 3800157637589
Box Qty: 1000Pcs

Accessories for 220V AC (5050 60 220V - 2835 120 220V)

SIlicone Glue

SKU : 2638
EAN : 3800157658652

Power Plug (EU)

SKU : 2639
EAN : 3800157658669

H07RN-7 Cable (EU Plug)

SKU : 2640
EAN : 3800157658676

Middle Connector

SKU : 2641
EAN : 3800157658683

Fixing Clip + Screws

SKU : 2642
EAN : 3800157658690

Flexible Connector

SKU : 2643
EAN : 3800157658706

T Shape Connector

SKU : 2644
EAN : 3800157658713

L Shape Connector

SKU : 2645
EAN : 3800157658720

LED Strip Set -PLUG AND PLAY

LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and CONNECTOR and REMOTE CONTROL (optional), to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip
- Remote control (included)
- Driver (included)
- Packing: Blister Pack, 5 meters roll

SKU	Description:	EAN :	BOX Qty:
2351	LED Strip Set SMD3528 60 LEDs 4500K IP20	3800230621634	48 Pcs
2350	LED Strip Set SMD5050 30 LEDs RGB IP20	3800230621641	48 Pcs
2352	LED Strip Set SMD5050 30 LEDs RGB IP65	3800230621658	50 Pcs
2353	LED Strip Set SMD5050 60 LEDs RGB IP20	3800230621665	50 Pcs
2354	LED Strip Set SMD5050 60 LEDs RGB IP65	3800230621672	48 Pcs
2355	LED Strip Set SMD5050 60 LEDs White IP20	3800230621689	48 Pcs
2356	LED Strip Set SMD5050 60 LEDs White IP65	3800230621696	48 Pcs

Strip Connectors

SKU	Description:	EAN :	BOX Qty:
2587	Flexible Connector - LED Strip 5050 RGB+White	3800157644655	2500 Pcs
2588	Flexible Connector - 5050 RGB+White With Pin	3800157644662	2000 Pcs
2589	Connector - LED Strip 5050 RGB+White	3800157644679	3000 Pcs
3500	Flexible Connector - LED Strip 3528	3800230622051	100 Pcs
3501	Flexible Connector - LED Strip 5050	3800230622068	100 Pcs
3502	Flexible Connector - LED Strip 5050 RGB	3800230622075	100 Pcs
3503	Connector - LED Strip 3528	3800230622082	100 Pcs
3504	Connector - LED Strip 5050	3800230622099	1000 Pcs
3505	Connector - LED Strip 5050 RGB	3800230622105	1000 Pcs
3507	Flexible Connector - LED Strip 3528 DC Female	3800230622112	100 Pcs
3508	Flexible Connector - LED Strip 5050 DC Female	3800157608466	100 Pcs
3512	Connector - LED Strip DC Female	3800230622112	100 Pcs

2 PCS PACK

Bar 4014 144 LEDs

18W **VT-4014 144-2Pc**

SKU: 2535 - 3000K Warm White	3800157625883
SKU: 2537 - 6400K White	3800157625906

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20
Box Qty:	125 Pcs



10 PCS PACK

Bar 4014 144 LEDs

18W **VT-4014 144-10Pc**

SKU: 2538 - 3000K Warm White	3800157625913
SKU: 2539 - 4000K Day White	3800157625920
SKU: 2540 - 6400K White	3800157625937

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20
Box Qty:	50 Pcs



Bar 4014 144 LEDs

18W **VT-4014 144-P**

SKU: 2541 - 3000K Warm White	3800157625944
SKU: 2543 - 6400K White	3800157625968

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20
Box Qty:	100 Pcs





with 30 mm wide, Perfect for double row LED Strip

Mounting Kit-Milky

Model No:	VT-8118
SKU:	3371
Dimension:	2000x30x20mm
Color of Fixture:	Milky
EAN:	3800157648431
Box Qty.	50 Pcs



Mounting Kit-Milky

Model No:	VT-8119
SKU:	3372
Dimension:	2000x30x20mm
Color of Fixture:	Milky
EAN:	3800157648448
Box Qty.	60 Pcs





Mounting Kit-Milky

Model No:	VT-9327
SKU:	3370
Dimension:	x2000x16mmx7mm
Color of Fixture:	Milky
EAN:	3800157645553
Box Qty.	200 Pcs



Mounting Kit-Milky

Model No:	VT-8106
SKU:	3350
Dimension:	2000x24.7x7mm
Color of Fixture:	Milky
EAN:	3800157636780
Box Qty.	180 Pcs

Mounting Kit-White Housing

Model No:	VT-8106-W
SKU:	3368
Dimension:	2000x24.7x7mm
Color of Fixture:	White
EAN:	3800157640183





Mounting Kit-Milky

Model No:	VT-8107
SKU:	3351
Dimension:	2000x23x15.5mm
Color of Fixture:	Milky
EAN:	3800157636797
Box Qty.	120 Pcs



Mounting Kit-Milky

Model No:	VT-8108
SKU:	3352
Dimension:	2000x23.5x10mm
Color of Fixture:	Milky
EAN:	3800157636803
Box Qty.	120 Pcs

Mounting Kit-White Housing

Model No:	VT-8108-W
SKU:	3367
Dimension:	2000x23.5x10mm
Color of Fixture:	White
EAN:	3800157640176



Mounting Kit-Milky

Model No:	VT-8109
SKU:	3353
Dimension:	2000x15.8x15.8mm
Color of Fixture:	Milky
EAN:	3800157636810
Box Qty.	160 Pcs

Mounting Kit-White Housing

Model No:	VT-8109-W
SKU:	3369
Dimension:	2000x15.8x15.8mm
Color of Fixture:	White
EAN:	3800157640190





Box Qty. **120 Pcs**

Mounting Kit-Milky

Model No:	**VT-8110**
SKU:	**3354**
Dimension:	**2000x17.2x15.5mm**
Color of Fixture:	**Milky**
EAN:	**3800157636827**

Mounting Kit-White Housing

Model No:	**VT-8110-W**
SKU:	**3366**
Dimension:	**2000x17.2x15.5mm**
Color of Fixture:	**White**
EAN:	**3800157640169**





Box Qty. **180 Pcs**

Mounting Kit-Milky

Model No:	**VT-8113**
SKU:	**3355**
Dimension:	**2000x17.4x7mm**
Color of Fixture:	**Milky**
EAN:	**3800157636834**

Mounting Kit-White Housing

Model No:	**VT-8113-W**
SKU:	**3365**
Dimension:	**2000x17.4x7mm**
Color of Fixture:	**White**
EAN:	**3800157640152**





Box Qty. **120 Pcs**

Mounting Kit-Milky

Model No:	**VT-8114**
SKU:	**3356**
Dimension:	**2000x19x19mm**
Color of Fixture:	**Milky**
EAN:	**3800157636841**

Mounting Kit-White Housing

Model No:	**VT-8114-W**
SKU:	**3364**
Dimension:	**2000x19x19mm**
Color of Fixture:	**White**
EAN:	**3800157640145**





Mounting Kit-Milky

Model No:	**VT-8115**
SKU:	**3357**
Dimension:	**2000x24.5x12.2mm**
Color of Fixture:	**Milky**
EAN:	**3800157636858**
Box Qty.	**120 Pcs**





Mounting Kit-Milky

Model No:	**VT-8116**
SKU:	**3358**
Dimension:	**2000x17.4x12.1mm**
Color of Fixture:	**Milky**
EAN:	**3800157636865**
Box Qty.	**120 Pcs**





Mounting Kit-Milky-Set

Model No:	VT-8101
SKU:	3359
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157636995
Box Qty.	30 Pcs





Mounting Kit-Milky-Set

Model No:	VT-8102
SKU:	3360
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637008
Box Qty.	50 pcs



Mounting Kit-Milky-Set

Model No:	VT-8103
SKU:	3361
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637015
Box Qty.	40 Pcs



Mounting Kit-Milky-Set

Model No:	VT-8104
SKU:	3362
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637022
Box Qty.	30 Pcs



Mounting Kit-Milky-Set

Model No:	VT-8105
SKU:	3363
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637039
Box Qty.	30 Pcs



Mounting Kit-Matt

Model No:	VT-7103-M
SKU:	9986
Dimension:	26.5x9x1000mm
Color of Fixture:	Matt
EAN:	3800230622174
Box Qty.	90 Pcs



2 PCS PACK

Mounting Kit-2 Meters

Model No:	VT-7104
SKU:	9956
Dimension:	19x19x2000mm
Color of Fixture:	Milky
EAN:	3800157635509
Box Qty.	40 Pcs



Strip-Controller-Dimmer

Model:	VT-2402
SKU:	3300
Max Current /Watt:	8A | 96/192W
Input Voltage:	DC:12/24V
EAN:	3800230622198
Box Qty.	50 Pcs

Strip-Controller-Radio

Model:	VT-2404
SKU:	3303
Max Current /Watt:	12A, 144W
Input Voltage:	DC:12/24V
EAN:	3800230622204
Box Qty.	100 Pcs

Strip-Controller-DMX 512

Model:	VT-DM X 512
SKU:	3307
Max Current /Watt:	4A x3 | 144/288W
Input Voltage:	DC:12V
EAN:	3800230622266
Box Qty.	50 Pcs

Strip-Controller-Radio

Model:	VT-2405
SKU:	3312
Max Current /Watt:	4A x3 | 144/288W
Input Voltage:	DC:12/24V
EAN:	3800230622273
Box Qty.	20 Pcs

Strip-Controller-Infrared

Model:	VT-2472
SKU:	3625
Max Current /Watt:	72/144w
Input Voltage:	DC:12/24V
EAN:	3800230629630
Box Qty.	100 Pcs

Strip-Amplifier-5050

Model:	3018
SKU:	3018
Input Voltage:	DC:12V
EAN:	3800230622242
Box Qty.	1000 Pcs

Strip-Controller-Wifi RGB

Model:	3322
SKU:	3322
Input Voltage:	DC:12V
EAN:	3800230628046
Box Qty.	50 Pcs

Strip-Controller-5050

Model:	3326
SKU:	3326
Input Voltage:	DC:12/24V
EAN:	3800230629630
Box Qty.	100 Pcs

Strip-Amplifier

Model:	VT-2408
SKU:	3327
Input Voltage:	DC:12/24V
EAN:	3800157601047
Box Qty.	100 Pcs

Strip-Amplifier

Model:	VT-2407
SKU:	3309
Input Voltage:	DC:12/24V
EAN:	3800157620819
Box Qty.	100Pcs

Bed Light-Sensor

Model:	VT-8069
SKU:	2554
Input voltage:	DC:12V
Sensing Distance:	2-5m
DeLay Time:	3s-6min
EAN:	3800157632690
Box Qty.	400Pcs



Bed Light-Touch Sensor

Model:	VT-8071
SKU:	2556
Input voltage:	DC:12V
EAN:	3800157632713
Box Qty.	100Pcs

Bed Light-Hand Wave Sensor

Model:	VT-8072
SKU:	2557
Input voltage:	DC:12V
EAN:	3800157632720
Box Qty.	100Pcs



Strip-Controller-Dimmer

Model:	VT-2411
SKU:	3341
Input voltage:	DC:12V
EAN:	3800157636148
Box Qty.	500Pcs

LED Sync Controller- Dimmer

Model:	VT-2414
SKU:	3337
Input Voltage:	DC:12/24V
EAN:	3800157634601
Box Qty.	50Pcs

LED Sync Controller- RGBW/WW

Model:	VT-2424
SKU:	3338
Input Voltage:	DC:12/24V
EAN:	3800157634618
Box Qty.	60Pcs

LED Sync Controller- RGB

Model:	VT-2420
SKU:	3339
Input Voltage:	DC:12/24V
EAN:	3800157634625
Box Qty.	60Pcs

LED Sync Controller- RGB

Model:	
SKU:	3340
Input Voltage:	DC:12/24V
EAN:	3800157634632
Box Qty.	100Pcs

Strip Dimmer- Touch Remote Control

3 single color channels,<6A/ channel |DC 12V:<216W/DC 24V:<432W

Model:	VT-5115
SKU:	2590
Input Voltage:	DC:12/24V
EAN:	3800157649445
Box Qty.	50 Pcs

Modules-3 SMD-IP67

0.72w **VT-50503**

IP67 RATING

Voltage/Frequency:	DC:12V
Luminous Flux:	66lm
LED Type:	SMD
CRI:	>75
Beam Angle:	160°
Dimension:	67x15x8.5mm
IP Rating:	IP67
Box Qty.	2000 Pcs

SKU: 5116 - 6000K White	3800157610209
SKU: 5117 -Red	3800157610216
SKU: 5118 - Blue	3800157610223
SKU: 5119 - Green	3800157610230

Modules-3 SMD-IP67

1w **VT-28353**

IP67 RATING

Voltage/Frequency:	DC:12V
Luminous Flux:	100lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	53x12x4.6mm
IP Rating:	IP67
Box Qty.	200 Pcs

SKU: 5120 - 6000K White	3800157610247
SKU: 5121 -Red	3800157610254
SKU: 5123 - Green	3800157610261
	3800157610278



Modules-3 SMD-IP67

1.5w **VT-28356**

IP67 RATING

Voltage/Frequency:	DC:12V
Luminous Flux:	120-150lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	87x15x10mm
IP Rating:	IP67
Box Qty.	2000 Pcs

SKU: 5124 - 3000K Warm White	3800157621687
SKU: 5127 - Blue	3800157621694
SKU: 5128 - Green	3800157621700
	3800157621717
	3800157621724

Modules-4 SMD-IP68

1.44w **VT-28358**

IP68 RATING

Voltage/Frequency:	DC:12V
Luminous Flux:	120-135lm
LED Type:	SMD
CRI:	>75
Beam Angle:	160°
Dimension:	37x37x6.8mm
IP Rating:	IP68
Box Qty.	100Pcs

SKU: 5129 - 3000K Warm White	3800157621731
SKU: 5130 - 6000K White	3800157621748
SKU: 5131 -Red	3800157621755
SKU: 5132 - Blue	3800157621762
SKU: 5133 - Green	3800157621779



Modules-3 SMD-IP67

0.72w **VT-50506**

IP67 RATING

Voltage/Frequency:	DC:12V
Luminous Flux:	20lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	68x19.5x5.7mm
IP Rating:	IP67
Box Qty.	100 Pcs

SKU: 5134 - RGB	3800157621786

Modules-SMD-IP68

0.24w **VT-50501**

IP68 RATING

Voltage/Frequency:	DC:12V
Luminous Flux:	20lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	12x22mm
IP Rating:	IP68
Box Qty.	320 Pcs

SKU: 5135 - 3000K Warm white	3800157621793
SKU: 5136 - 6000K White	3800157621809
SKU: 5141 - 4000K Day white	3800157653336
SKU: 5137 -Red	3800157621816
SKU: 5139 - Blue	3800157621830
SKU: 5140 - Green	3800157621847
SKU: 5138 - Yellow	3800157621823

Power Supply

For LED Strip Lights

NEW

Metal Power Supply

VT-20030

SKU :	3255
Watts:	30W
Current Capacity:	2.5A
Input Power:	AC:220-240V,50Hz
Output:	DC:12V
Unit Size:	130x50x31mm
EAN:	3800157635318
Box Qty.	36 Pcs

Slim Power Supply
VT-20062

SKU :	3246	Output:	DC:12V
Watts:	60w	Unit Size:	130x50x31mm
Current Capacity:	5A	EAN:	3800157628549
Input Power:	AC:85-265V,50/60Hz	Box Qty.	36 Pcs

24V

Slim Power Supply
VT-24061

SKU :	3261	Output:	DC:24V
Watts:	60w	Unit Size:	130x50x31mm
Current Capacity:	2.5A	EAN:	3800157640367
Input Power:	AC:85-265V,50/60Hz	Box Qty.	36 Pcs

Slim Power Supply
VT-20077

With short circuit protection, over load protection, stable output voltage

SKU :	3247	Output:	DC:12V
Watts:	75w	Unit Size:	130x50x31mm
Current Capacity:	6A	EAN:	3800157628556
Input Power:	AC:85-265V,50/60Hz	Box Qty.	60 Pcs

Slim Power Supply
VT-20122

Built in EMI Filter

SKU :	3243	Output:	DC:12V
Watts:	120w	Unit Size:	190x50x31mm
Current Capacity:	10A	EAN:	3800157628525
Input Power:	AC:85-265V,50/60Hz	Box Qty.	80 Pcs

24V

Slim Power Supply
VT-24120

Built in EMI Filter

SKU :	3262	Output:	DC:24V
Watts:	120w	Unit Size:	190x50x31mm
Current Capacity:	5A	EAN:	3800157640374
Input Power:	AC:85-265V,50/60Hz	Box Qty.	80 Pcs

Slim Power Supply
VT-20152

High efficiency, low temperature

SKU :	3244	Output:	DC:12V
Watts:	150w	Unit Size:	200x62x31mm
Current Capacity:	12.5A	EAN:	3800157628532
Input Power:	AC:85-265V,50/60Hz	Box Qty.	60 Pcs

NEW

24V

Metal Power Supply
VT-22250

SKU :	3273	Output:	DC:24V
Watts:	250W	Unit Size:	225x60x30mm
Current Capacity:	10A	EAN:	3800157654432
Input Power:	AC:200-265V, 50Hz	Box Qty.	30 Pcs

Slim Power Supply
VT-20352

SKU :	3259	Output:	DC:12V
Watts:	350w	Unit Size:	208x82x32mm
Current Capacity:	30A	EAN:	3800157636766
Input Power:	AC:200-240V,50/60 Hz	Box Qty.	30 Pcs

24V

Slim Power Supply
VT-24350

SKU :	3263	Output:	DC:24V
Watts:	350w	Unit Size:	208x82x32mm
Current Capacity:	15A	EAN:	3800157640381
Input Power:	AC:200-240V,50/60 Hz	Box Qty.	30 Pcs

NEW

24V

5 YEAR WARRANTY

NOISE

WITHOUT FAN

Metal Power Supply
VT-21361

SKU :	3275	Output:	DC:24V
Watts:	360W	Unit Size:	208x82x32mm
Current Capacity:	15A	EAN:	3800157654456
Input Power:	AC:200-240V,50Hz	Box Qty.	24 Pcs

NEW

5 YEAR WARRANTY

NOISE

WITHOUT FAN

Metal Power Supply
VT-21360

SKU :	3274	Output:	DC:12V
Watts:	360W	Unit Size:	208x82x32mm
Current Capacity:	30A	EAN:	3800157654449
Input Power:	AC:200-240V,50Hz	Box Qty.	24 Pcs

Power Supply-Metal
VT-20026

100% load tested

SKU :	3228	Output:	DC:12V
Watts:	25w	Unit Size:	115x40x25mm
Current Capacity:	2.1A	EAN:	3800157622929
Input Power:	AC:85-265V,50/60Hz	Box Qty.	100 Pcs



24V

Power Supply-Metal
VT-20153

SKU :	3253	Output:	DC:24V
Watts:	150w	Unit Size:	200x62x31mm
Current Capacity:	6.5A	EAN:	3800157635233
Input Power:	AC:85-265V,50/60Hz	Box Qty.	50 Pcs

LED Power Supply-TRIAC Dimmable
VT-20101D

SKU :	3256	Output:	DC:12V
Watts:	100w	Unit Size:	199x62x31mm
Current Capacity:	8.5A	EAN:	3800157635523
Input Power:	AC:200-240V,50/60 Hz	Box Qty.	50 Pcs

LED Power Supply-TRIAC Dimmable
VT-20154D

SKU :	3257	Output:	DC:12V
Watts:	150w	Unit Size:	199x62x31mm
Current Capacity:	12.5A	EAN:	3800157635530
Input Power:	AC:200-240V,50/60 Hz	Box Qty.	50 Pcs

24V

LED Power Supply-TRIAC Dimmable
VT-20155D

SKU :	3258	Output:	DC:24V
Watts:	150w	Unit Size:	199x62x31mm
Current Capacity:	6.25A	EAN:	3800157635547
Input Power:	AC:200-240V,50/60 Hz	Box Qty.	50 Pcs

IP45 RATING

LED Power Supply-Rainproof-IP45
VT-21060

SKU :	3070	Output:	DC:12V
Watts:	60w	Unit Size:	125x74x42mm
Current Capacity:	5A	EAN:	3800230621801
Input Power:	AC:200-240V,50Hz	Box Qty.	30 Pcs

IP45 RATING

LED Power Supply-Rainproof-IP45
VT-21151

SKU :	3231	Output:	DC:12V
Watts:	150w	Unit Size:	207x74x42mm
Current Capacity:	12.5A	EAN:	3800157627979
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	40 Pcs

IP45 RATING

LED Power Supply-Rainproof-IP45
VT-21251

SKU :	3232	Output:	DC:12V
Watts:	250w	Unit Size:	218x95x50mm
Current Capacity:	20A	EAN:	3800157627986
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	25 Pcs

IP45 RATING

LED Power Supply-Rainproof-IP45
VT-21401

SKU :	3233	Output:	DC:12V
Watts:	400w	Unit Size:	223x118x50mm
Current Capacity:	33A	EAN:	3800157627993
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	20 Pcs

IP45 RATING

24V

LED Power Supply-Rainproof-IP45
VT-26400

SKU :	3265	Output:	DC:24V
Watts:	400w	Unit Size:	223x118x50mm
Current Capacity:	16.6A	EAN:	3800157640404
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	20 Pcs

IP65 RATING

Power Supply-Waterproof-IP65
VT-22101

SKU :	3236	Output:	DC:12V
Watts:	100w	Unit Size:	201x30.5x20mm
Current Capacity:	8.0A	EAN:	3800157605991
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	20 Pcs

IP65 RATING

24V

Power Supply-Waterproof-IP65
VT-22101-24

SKU :	3101	Output:	DC:24V
Watts:	100w	Unit Size:	192x52x37mm
Current Capacity:	4.2A	EAN:	3800157605991
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	20 Pcs

IP67 RATING

Power Supply-Waterproof-IP67
VT-21030

SKU :	3271	Output:	DC:12V
Watts:	30w	Unit Size:	150x40x30mm
Current Capacity:	2.5A	EAN:	3800157649186
Input Power:	AC:100-240V,50/60Hz	Box Qty.	60 Pcs

IP67 RATING

Power Supply-Waterproof-IP67
VT-22061

SKU :	3234	Output:	DC:12V
Watts:	60w	Unit Size:	166x43x33mm
Current Capacity:	5A	EAN:	3800157628006
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	40 Pcs

IP67 RATING

Power Supply-Waterproof-IP67
VT-22075

SKU :	3235	Output:	DC:12V
Watts:	75w	Unit Size:	166x43x33mm
Current Capacity:	6A	EAN:	3800157628013
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	40 Pcs

IP67 RATING

Power Supply-Waterproof-IP67
VT-22153

SKU :	3248	Output:	DC:12V
Watts:	150w	Unit Size:	192x62x38mm
Current Capacity:	12.5A	EAN:	3800157629362
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	15 Pcs

IP67 RATING

5 YEAR WARRANTY

Power Supply-Waterproof-IP67
VT-22155

SKU :	3250	Output:	DC:12V
Watts:	150w	Unit Size:	192x62x38mm
Current Capacity:	12.5A	EAN:	3800157630436
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	20 Pcs

IP67 RATING

5 YEAR WARRANTY

Power Supply-Waterproof-IP67
VT-22105

SKU :	3251	Output:	DC:12V
Watts:	100w	Unit Size:	192x52x37mm
Current Capacity:	8.3A	EAN:	3800157630443
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	25 Pcs

IP67 RATING

5 YEAR WARRANTY

Power Supply-Waterproof-IP67
VT-22065

SKU :	3252	Output:	DC:12V
Watts:	60w	Unit Size:	166x43x33mm
Current Capacity:	5A	EAN:	3800157630450
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	40 Pcs

Power Supply-Plastic-IP44
VT-23019

SKU :	3237	Output:	DC:12V
Watts:	18w	Unit Size:	73x27x43mm
Current Capacity:	1.5A	EAN:	3800157628037
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	120 Pcs

Power Supply-Plastic-IP44
VT-23031

SKU :	3238	Output:	DC:12V
Watts:	30w	Unit Size:	119x52x32mm
Current Capacity:	2.5A	EAN:	3800157628044
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	50 Pcs

Power Supply-Plastic-IP44
VT-23061

SKU :	3239	Output:	DC:12V
Watts:	60w	Unit Size:	119x52x32mm
Current Capacity:	5A	EAN:	3800157628051
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	50 Pcs

Power Supply-Plastic-IP44
VT-23043

SKU :	3249	Output:	DC:12V
Watts:	42w	Unit Size:	119x52x32mm
Current Capacity:	3.5A	EAN:	3800157629379
Input Power:	AC:100-265V 50/60 Hz	Box Qty.	50 Pcs

24V

Power Supply-Plastic-IP44
VT-25060

SKU :	3264	Output:	DC:24V
Watts:	60w	Unit Size:	119x52x32mm
Current Capacity:	2.5A	EAN:	3800157640398
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	50 Pcs

BS PLUG

Power Supply-Plastic
VT-23060

SKU :	3035	Output:	DC:12V
Watts:	60w	Unit Size:	119x52x32mm
Current Capacity:	5A	EAN:	3800157601085
Input Power:	AC:100-265V 50/60 Hz	Box Qty.	50 Pcs

BS PLUG

Power Supply-Plastic-IP44
VT-23060-W

SKU :	3269	Output:	DC:12V
Watts:	60w	Unit Size:	119x52x32mm
Current Capacity:	5A	EAN:	3800157642668
Input Power:	AC:100-264V	Box Qty.	50 Pcs

Power Supply-Plastic-IP44
VT-23061-W

SKU :	3270	Output:	DC:12V
Watts:	60w	Unit Size:	119x52x32mm
Current Capacity:	5A	EAN:	3800157651301
Input Power:	AC:100-264V	Box Qty.	50 Pcs

NEW

24V

Plastic Power Supply
VT-22078

SKU :	3272	Output:	DC:24V
Watts:	78W	Unit Size:	119x52x32mm
Current Capacity:	3.25A	EAN:	3800157654425
Input Power:	AC:100-264V	Box Qty.	50 Pcs

Power Supply-Plastic-IP44
VT-23079

SKU :	3240	Output:	DC:12V
Watts:	78w	Unit Size:	119x52x32mm
Current Capacity:	6.5A	EAN:	3800157628068
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	50 Pcs



LED Track Lights

V-TAC's extensive range of modern LED track lights are the perfect ecological alternative to old, inefficient Halogen lights. Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.

Product Features

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, compact & adjustable design
- No Lead or mercury content hence environment-friendly
- Provides uniform radiance & enhances appeal of retail environment
- Enhances measurable levels of performance as compared to older versions of high wattage Halogen & HID light sources in retail & commercial lighting applications

Applications

Perfect choice for exhibition stands, hotels, bars, commercial & residential lighting.

V-TAC SMART

CCT and Dimming
VIA SMART PHONE APP

CCT Adjustable
2800K/4000K/6000K

Tracklights-Smart Color Changing

15W VT-7715-W

SKU: 1456 - 3 IN 1 3800157637909

Sensor Compatible:		Beam Angle:	18°-48°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	650	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	215x141x60mm
PF:	>0.5	Box Qty:	20 Pcs





V-TAC SMART

CCT and Dimming
VIA SMART PHONE APP

CCT Adjustable
2800K/4000K/6000K

Tracklights-Smart Color Changing

15W VT-7715-B

SKU: 1457 - 3 IN 1 3800157637916

Sensor Compatible:		Beam Angle:	18°-48°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	500	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	215x141x60mm
PF:	>0.5	Box Qty:	20 Pcs





V-TAC SMART

CCT and Dimming
VIA SMART PHONE APP

CCT Adjustable
2800K/4000K/6000K

Tracklights-Smart Color Changing

35W VT-7735-W

SKU: 1458 - 3 IN 1 3800157637923

Sensor Compatible:		Beam Angle:	16°-53°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2350	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	215x183x93mm
PF:	>0.9	Box Qty:	20 Pcs





V-TAC SMART

CCT and Dimming
VIA SMART PHONE APP

CCT Adjustable
2800K/4000K/6000K

Tracklights-Smart Color Changing

35W VT-7735-B

SKU: 1459 - 3 IN 1 3800157637930

Sensor Compatible:		Beam Angle:	16°-53°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1950	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	215x183x93mm
PF:	>0.9	Box Qty:	20 Pcs





Tracklights-Color Changing

35W **VT-4745-W**

SKU: 1412 - 3 IN 1 3800157629348

CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°~60°

Triac Dimmable

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjustable)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	3000lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	Ø100x196x262mm
PF:	>0.9	Box Qty:	8 Pcs

5 YEAR WARRANTY*

Tracklights-Black-White Body

10W **VT-4512**

5 YEAR WARRANTY*

SKU: 1333 - 4000K Day White 3800157620611
SKU: 1334 - 6000K White 3800157620628

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	800lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	209x65x163mm
PF:	>0.9	Box Qty:	40 Pcs



Tracklights-Black-White Body

25W **VT-4528**

5 YEAR WARRANTY*

SKU: 1337 - 6000K White 3800157620659

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	2100lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	209x85x187mm
PF:	>0.9	Box Qty:	20 Pcs





Tracklights-Black-White Body

35W **VT-4537**

5 YEAR WARRANTY*

SKU: 1338 - 3000K Warm White 3800157620666
SKU: 1340 - 6000K White 3800157620680

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	2850lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	224x100x215mm
PF:	>0.9	Box Qty:	10 Pcs





Tracklights-White Body
15W VT-4615W

SKU: 1300 - 6400K White 3800157619875

REAL COLOR SERIES CRI >95

5 YEAR WARRANTY*

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1350lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	Ø180x97x155mm
PF:	>0.9	Box Qty:	20 Pcs





Tracklights-Black Body
15W VT-4615B

SKU: 1303 - 6400K White 3800157619905

REAL COLOR SERIES CRI >95

5 YEAR WARRANTY*

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1350lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x97x155mm
PF:	>0.9	Box Qty:	20 Pcs





Tracklights-White Body
30W VT-4635W

SKU: 1294 - 6400K White 3800157619813

REAL COLOR SERIES CRI >95

5 YEAR WARRANTY*

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x140x215mm
PF:	>0.9	Box Qty:	20 Pcs





Tracklights-Black Body
30W VT-4635B

SKU: 1297 - 6400K White 3800157619844

REAL COLOR SERIES CRI >95

5 YEAR WARRANTY*

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x140x215mm
PF:	>0.9	Box Qty:	20 Pcs





Tracklights-Black Body
33W VT-4535

SKU: 1235 - 5000K White 3800157603744

Sensor Compatible:	Yes	Beam Angle:	25°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1800lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>95	Dimension:	112x165x205mm
PF:	>0.9	Box Qty:	8 Pcs





Tracklights-Black Body
45W VT-4545

SKU: 1237 - 4000K Day White 3800157603768
SKU: 1238 - 5000K White 3800157603775

Sensor Compatible:	Yes	Beam Angle:	25°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>95	Dimension:	123x165x218mm
PF:	>0.9	Box Qty:	8 Pcs





Tracklights-Black Body
40W VT-4540T

SKU: 1192 - 5000K Day White 3800230629555

Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2600lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>70	Dimension:	225x185x138mm
PF:	>0.9	Box Qty:	8 Pcs





Tracklights-Black Body
33W VT-4534B

SKU: 1232 - 5000K White 3800157602532

Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	106x208x206mm
PF:	>0.9	Box Qty:	8 Pcs





Tracklights-White Body

35W **VT-4536W**

SKU: 1255 - 3000K Warm White 3800157607551
SKU: 1256 - 4500K Day White 3800157607568
SKU: 1257 - 6000K White 3800157607575

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	3500lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	92x165x192mm
PF:	>0.9	Box Qty:	20 Pcs





Tracklights-Black Body

35W **VT-4536B**

SKU: 1285 - 3000K Warm White 3800157618694
SKU: 1286 - 4000K Day White 3800157618700
SKU: 1287 - 6000K White 3800157618717

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	3500lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	92x165x192mm
PF:	>0.9	Box Qty:	20 Pcs





TRACK LIGHT ACCESSORIES

Track-Connectors-4I
SKU : 3522
EAN : 3800230623232
Box Qty: 50 Pcs

Track-Connectors-4I
SKU : 3523
EAN : 3800230623195
Box Qty: 50 Pcs

Track-Connectors-4T
SKU : 3524
EAN : 3800230623201
Box Qty: 25 Pcs

Track-Connectors-4T
SKU : 3525
EAN : 3800230623249
Box Qty: 25 Pcs

Track-Connectors-4X
SKU : 3526
EAN : 3800230623218
Box Qty: 10 Pcs

4 Wired Y Series-Connectors
SKU : 3655
EAN : 3800157619103
Box Qty: 100 Pcs

4 Wired Y Series-Connectors
SKU : 3656
EAN : 3800157619110
Box Qty: 100 Pcs

End Cap-White
SKU : 3657
EAN : 3800157619127
Box Qty: 200 Pcs

End Cap-Black
SKU : 3658
EAN : 3800157619134
Box Qty: 200 Pcs

4 Wired Y Series-Adaptor
SKU : 3659
EAN : 3800157619141
Box Qty: 50 Pcs

4 Wired Y Series-Adaptor
SKU : 3660
EAN : 3800157619158
Box Qty: 50 Pcs

Track-Connectors-4X
SKU : 3527
EAN : 3800230623256
Box Qty: 10 Pcs

Track-Connectors-4L

SKU : 3528
EAN : 3800230623225
Box Qty: 25 Pcs

Track-Connectors-4L

SKU : 3529
EAN : 3800230623263
Box Qty: 25 Pcs

Flexible Joint-4 Line

SKU : 3559
EAN : 3800230628442
Box Qty: 20 Pcs

Flexible Joint-4 Line

SKU : 3560
EAN : 3800230628459
Box Qty: 20 Pcs

Hanging Trackline Kit-1 Meter

SKU : 3565
EAN : 3800157600019
Box Qty: 100 Pcs

Hanging Trackline Kit-1 Meter

SKU : 3566
EAN : 3800157600026
Box Qty: 100 Pcs

4 Core Track-1 Meter

SKU : 9944
EAN : 3800230623133
Box Qty: 10 Pcs

4 Core Track-1 Meter

SKU : 9945
EAN : 3800230623164
Box Qty: 10 Pcs

4 Core Track-1.5 Meter

SKU : 9952
EAN : 3800230623140
Box Qty: 10 Pcs

4 Core Track-1.5 Meter

SKU : 9953
EAN : 3800230623171
Box Qty: 10 Pcs

4 Core Track-2 Meter

SKU : 9954
EAN : 3800230623157
Box Qty: 10 Pcs

4 Core Track-2 Meter

SKU : 9955
EAN : 3800230623188
Box Qty: 10 Pcs

LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long lasting and energy efficient lighting. Choose from a wide range of 3w to 4w variations.

Product Features

- Innumerable styles & elegant appearance
- Non - Flickering
- Premium quality power driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast aluminium body
- Low maintenance
- All down lights come with premium quality power

Applications

Residences, showrooms, hotels & boutiques etc.

POWERED BY CREE LED

Hotel Downlight-COB

6W **VT-2907**

SKU: 1479 - 3000K Warm White 3800157644242
SKU: 1480 - 4000K Day White 3800157644259



Cutting Size
Ø55mm

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø65x82mm
Cutting Size:	Ø55mm
Box Qty:	24 Pcs

Hotel Downlight-COB

10W **VT-2911**

SKU: 1481 - 3000K Warm White 3800157644068
SKU: 1482 - 4000K Day White 3800157644075



Cutting Size
Ø75mm

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	650lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø85x96mm
Cutting Size:	Ø75mm
Box Qty:	16 Pcs

Hotel Downlight-COB

15W **VT-2916**

SKU: 1483 - 3000K Warm White 3800157644082
SKU: 1484 - 4000K Day White 3800157644099



Cutting Size
Ø95mm

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1000lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø105x113mm
Cutting Size:	Ø95mm
Box Qty:	12 Pcs

Hotel Downlight-COB

35W **VT-2936**

SKU: 1477 - 3000K Warm White 3800157644105
SKU: 1478 - 4000K Day White 3800157644112



Cutting Size
Ø150mm

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2300lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø160x176mm
Cutting Size:	Ø150mm
Box Qty:	8 Pcs

Side Light

3W **VT-2903**

SKU: 1485 - 3000K Warm White 3800157642675

Sensor Compatible:	Yes	Beam Angle:	30°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180lm	Color of Fixture:	Black
LED Type:	COB-CREE	Dimension:	80x80x25mm
CRI:	>80	Cutting Size:	N/A
PF	>0.6	Box Qty:	40 Pcs

Side Light

3W **VT-2913**

SKU: 1486 - 3000K Warm White 3800157644327

Sensor Compatible:	Yes	Beam Angle:	30°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180lm	Color of Fixture:	White
LED Type:	COB-CREE	Dimension:	90x60x30mm
CRI:	>80	Cutting Size:	N/A
PF	>0.6	Box Qty:	40 Pcs

Side Light

3W **VT-2943**

SKU: 1487 - 3000K Warm White 3800157644334

Sensor Compatible:	Yes	Beam Angle:	30°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180lm	Color of Fixture:	Black
LED Type:	COB-CREE	Dimension:	120x120x45mm
CRI:	>80	Cutting Size:	N/A
PF	>0.6	Box Qty:	20 Pcs

Side Light

3+6W **VT-2953**

SKU: 1488 - 3000K Warm White 3800157644341

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180+500lm	Color of Fixture:	White
LED Type:	CREE Chip	Dimension:	300x50x35mm
CRI:	>80	Cutting Size:	N/A
PF	>0.6	Box Qty:	30 Pcs

Side Light

3+6W **VT-2963**

SKU: 1489 - 3000K Warm White 3800157644358

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180+500lm	Color of Fixture:	White
LED Type:	COB-CREE	Dimension:	140x30mm
CRI:	>80	Cutting Size:	N/A
PF	>0.6	Box Qty:	30 Pcs

Reflector Series - High Lumen

10w VT-26101

SKU: 1270 - 3000K Warm White 3800157611923
SKU: 1271 - 4000K Day White 3800157611930
SKU: 1272 - 6400K White 3800157611947

120 Lumen/W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	1200lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø120mm
Box Qty:	27 Pcs

Reflector Series - High Lumen

20w VT-26201

SKU: 1273 - 3000K Warm White 3800157611954
SKU: 1274 - 4000K Day White 3800157611961
SKU: 1275 - 6400K White 3800157611978

120 Lumen/W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V, 50/60Hz
Luminous Flux:	2400lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø180x83mm
Cutting Size:	Ø167mm
Box Qty:	18 Pcs

Reflector Series - High Lumen

30w VT-26301

SKU: 1276 - 3000K Warm White 3800157611985
SKU: 1277 - 4000K Day White 3800157611992
SKU: 1278 - 6400K White 3800157612005

120 Lumen/W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V, 50/60Hz
Luminous Flux:	3600lm
LED Type:	COB
CRI:	>80
PF	>0.9

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs

Reflector Series - High Lumen

40w VT-26451

SKU: 1453 - 3000K Warm White 3800157635561
SKU: 1279 - 4000K Day White 3800157612012
SKU: 1280 - 6400K White 3800157612029

120 Lumen/W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-270V,50/60Hz
Luminous Flux:	4800lm
LED Type:	COB
CRI:	>80
PF	>0.9

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs

Reflector Series

10w VT-2610

SKU: 1100 - 6000K White 3800230622372



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	730lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø105mm
Box Qty:	27 Pcs

NEW

Reflector Downlight

7W **VT-8407**

SKU: 7610 - 3000K Warm White 3800157659369
SKU: 7611 - 4000K Day White 3800157659376
SKU: 7612 - 6000K White 3800157659383



Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	560lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	50°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	91x45.7mm
Cutting Size:	75mm
Box Qty:	50 Pcs



Step Light With Sensor

3W **VT-8035**

SKU: 5570 - 4000K Day White 3800157617291



Sensor Compatible:	Sensor Included
Voltage/Frequency:	AC:100-240V, 50/60Hz
Luminous Flux:	100lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	45°
Body Type:	Die cast Aluminum
Color of Fixture:	White
Shape:	Square
Dimension:	85x85x42mm
Cutting Size:	85x85mm
Box Qty:	100 Pcs

Steplight-Square

3W **VT-1143**

SKU: 1284 - 4000K Day White 3800157617307



Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	100lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	83°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	84x84x43mm
Cutting Size:	72x72mm
Box Qty:	100 Pcs

Steplight-Square

3W **VT-1109**

SKU: 1209 - 3000K Warm White 3800157600255
SKU: 1210 - 4200K Day White 3800157600262

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	15°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	80x80x51mm
Cutting Size:	Ø62mm
Box Qty:	100 Pcs

Steplight-Round

3W **VT-1109RD**

SKU: 1207 - 3000K Warm White 3800157600231
SKU: 1208 - 4200K Day White 3800157600248



Sensor Compatible:	Yes	Beam Angle:	15°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	120lm	Color of Fixture:	White
LED Type:	COB	Shape:	Round
CRI:	>80	Dimension:	Ø80x51mm
PF	>0.5	Cutting Size:	Ø62mm
		Box Qty:	100 Pcs

Steplight-Rectangle

6W **VT-856-B**

SKU: 8348 - 3000K Warm White 3800157633383
SKU: 8349 - 4000K Day White 3800157633390

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF	>0.6	Cutting Size:	195x46mm
		Box Qty:	50 Pcs

Steplight-Rectangle

6W **VT-856-G**

SKU: 8350 - 3000K Warm White 3800157633406
SKU: 8351 - 4000K Day White 3800157633413

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	Grey
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF	>0.6	Cutting Size:	195x46mm
		Box Qty:	50 Pcs

Steplight-Rectangle

6W **VT-856-W**

SKU: 8352 - 3000K Warm White 3800157633420
SKU: 8353 - 4000K Day White 3800157633437

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF	>0.6	Cutting Size:	195x46mm
		Box Qty:	50 Pcs

Step Light-Rectangle-IP65

3W **VT-1162-W**

SKU: 1327 - 3000K Warm White 3800157620550
SKU: 1326 - 4000K Day White 3800157620543

IP65 RATING

Sensor Compatible:	Yes	Beam Angle:	55°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	110lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Rectangle
CRI:	>80	Dimension:	230x80x28mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	50 Pcs

Step Light-Rectangle-IP65

3W **VT-1162-B**

SKU: 1329 - 3000K Warm White 3800157620574
SKU: 1328 - 4000K Day White 3800157620567

IP65 RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Rectangle-IP65

3W **VT-1162-G**

SKU: 1331 - 3000K Warm White 3800157620598
SKU: 1330 - 4000K Day White 3800157620581

IP65 RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Round-IP65

2W **VT-1142-W**

SKU: 1315 - 3000K Warm White 3800157620437
SKU: 1314 - 4000K Day White 3800157620420

IP65 RATING



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Round-IP65

2W **VT-1142-B**

SKU: 1317 - 3000K Warm White 3800157620451
SKU: 1316 - 4000K Day White 3800157620444

IP65 RATING



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Round-IP65

2W **VT-1142-G**

SKU: 1319 - 3000K Warm White 3800157620475
SKU: 1318 - 4000K Day White 3800157620468

IP65 RATING



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Square-IP65

2W **VT-1152-W**

SKU: 1321 - 3000K Warm White 3800157620499
SKU: 1320 - 4000K Day White 3800157620482

IP65 RATING



Sensor Compatible:	Yes	Beam Angle:	55°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	60lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	124x124x27mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	50 Pcs

Step Light-Square-IP65

2W **VT-1152-B**

SKU: 1323 - 3000K Warm White 3800157620512
SKU: 1322 - 4000K Day White 3800157620505

IP65 RATING



Sensor Compatible:	Yes	Beam Angle:	55°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	60lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	124x124x27mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	50 Pcs

Step Light-Square-IP65

2W **VT-1152-G**

SKU: 1325 - 3000K Warm White 3800157620536
SKU: 1324 - 4000K Day White 3800157620529

IP65 RATING



Sensor Compatible:	Yes	Beam Angle:	55°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	60lm	Color of Fixture:	Grey
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	124x124x27mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	50 Pcs

Step Light - IP65

3W **VT-1172-B**

SKU: 1398 - 3000K Warm White 3800157628310
SKU: 1399 - 4000K Day White 3800157628327

IP65 RATING

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	151x72x154mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	20 Pcs

Step Light - IP65

3W **VT-1172-G**

SKU: 1400 - 3000K Warm White 3800157628334
SKU: 1401 - 4000K Day White 3800157628341

IP65 RATING

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	Grey
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	151x72x154mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	20 Pcs

Step Light - IP65

3W **VT-1172-W**

SKU: 1402 - 3000K Warm White 3800157628358
SKU: 1403 - 4000K Day White 3800157628365

IP65 RATING

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	151x72x154mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	20 Pcs

Step Light-Round-IP65

3W **VT-1182-B**

SKU: 1404 - 3000K Warm White 3800157628372
SKU: 1405 - 4000K Day White 3800157628389

IP65 RATING

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø166x94mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	20 Pcs

Step Light-Round-IP65

3W **VT-1182-G**

SKU: 1406 - 3000K Warm White 3800157628396
SKU: 1407 - 4000K Day White 3800157628402

IP65 RATING

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	Grey
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø166x94mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	20 Pcs

Step Light-Round-IP65

3W **VT-1182-W**

SKU: 1408 - 3000K Warm White 3800157628419
SKU: 1409 - 4000K Day White 3800157628426

IP65 RATING

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø166x94mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	20 Pcs

LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.

Product Features

- Non – flickering
- No uv radiation
- Easy installation
- Premium quality LED chip
- Premium quality power driver
- Instant start 0-100% in 0.01 seconds
- Extreme weather toleration (-20 to + 45 degrees centigrade)

Applications

Mostly used in parking lots, passage's in big areas, exterior walls of prestigious buildings for ambience, airports, ports and malls.

Smart Domelight-CCT Changeable by Switch

12W **VT-8412-S**

SKU: 7602 - 3IN1 3800157652179



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
Luminous Flux:	720lm	Body Type:	Plastic
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø255x55mm
PF:	>0.5	Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by Switch

18W **VT-8418-S**

SKU: 7604 - 3IN1 3800157652193



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1080lm	Body Type:	Plastic
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø310x55mm
PF:	>0.5	Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by Switch

24W **VT-8424-S**

SKU: 7606 - 3IN1 3800157652216



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1440lm	Body Type:	Plastic
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø350x55mm
PF:	>0.5	Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by Switch

36W **VT-8436-S**

SKU: 7608 - 3IN1 3800157652230



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2160lm	Body Type:	Plastic
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø480x65mm
PF:	>0.5	Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by Switch

12W **VT-8412-M**

SKU: 7603 - 3IN1 3800157652186



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
Luminous Flux:	720lm	Body Type:	Plastic
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø255x55mm
PF:	>0.5	Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by Switch

18W **VT-8418-M**

SKU: 7605 - 3IN1 3800157652209



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1080lm	Body Type:	Plastic
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø310x55mm
PF:	>0.5	Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by Switch

24W **VT-8424-M**

SKU: 7607 - 3IN1 3800157652223



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1440lm	Body Type:	Plastic
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø350x55mm
PF:	>0.5	Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by Switch

36W **VT-8436-M**

SKU: 7609 - 3IN1 3800157652247



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2160lm	Body Type:	Plastic
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø480x65mm
PF:	>0.5	Box Qty:	5 Pcs

Domelight-Remote Control-CCT Changeable

72W **VT-8472**

SKU: 14951 - 3IN1

3800157656580

3000K- 36W | 2520lm
4000K- 72W | 5040lm
6400K- 36W | 2520lm

COLOR CHANGING
(3000K-4000K-6400K)

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø670x75mm
Box Qty:	5 Pcs



DIMMABLE
with remote

CCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

40W **VT-8404**

SKU: 14931 - 3IN1

3800157656559

3000K- 20W | 1400lm
4000K- 40W | 2800lm
6400K- 20W | 1400lm

COLOR CHANGING
(3000K-4000K-6400K)

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Diamond Cover
Dimension:	Ø388.5x75mm
Box Qty:	5 Pcs



DIMMABLE
with remote

CCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

60W **VT-8557**

SKU: 14921 - 3IN1

3800157656511

3000K- 30W | 2100lm
4000K- 60W | 4200lm
6400K- 30W | 2100lm

COLOR CHANGING
(3000K-4000K-6400K)

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Diamond Cover
Dimension:	Ø500x75mm
Box Qty:	5 Pcs



DIMMABLE
with remote

CCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

40W **VT-8405**

3000K- 20W | 1400lm
4000K- 40W | 2800lm
6400K- 20W | 1400lm

COLOR CHANGING
(3000K-4000K-6400K)

SKU: 14941 - 3IN1

3800157656566

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø393x75mm
Box Qty:	5 Pcs



DIMMABLE
with remote

CCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

60W **VT-8556**

3000K- 30W | 2100lm
4000K- 60W | 4200lm
6400K- 30W | 2100lm

COLOR CHANGING
(3000K-4000K-6400K)

SKU: 14911 - 3IN1

3800157656528

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø493.9x75mm
Box Qty:	5 Pcs



DIMMABLE
with remote

CCT CHANGING
With Remote Control



Domelight-Remote Control-CCT Changeable

40W **VT-8402**

SKU:14761- 3IN1

3800157656610

3000K- 20W | 1400lm
4000K- 40W | 2800lm
6400K- 20W | 1400lm

COLOR CHANGING
(3000K-4000K-6400K)



DIMMABLE
with remote

CCT CHANGING
With Remote Control

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	410x75mm
Box Qty:	10 Pcs

Domelight-Remote Control-CCT Changeable

60W **VT-8502**

SKU:14751- 3IN1

3800157656627

3000K- 30W | 2100lm
4000K- 60W | 4200lm
6400K- 30W | 2100lm

COLOR CHANGING
(3000K-4000K-6400K)



DIMMABLE
with remote

CCT CHANGING
With Remote Control

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	510x75mm
Box Qty:	6 Pcs

Domelight-Remote Control-CCT Changeable

40W **VT-8403**

SKU:14601- 3IN1

3800157656573

3000K- 20W | 1400lm
4000K- 40W | 2800lm
6400K- 20W | 1400lm

COLOR CHANGING
(3000K-4000K-6400K)

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	395x75mm
Box Qty:	5 Pcs



DIMMABLE
with remote

CCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

60W **VT-8503**

SKU:14611- 3IN1

3800157656535

3000K- 30W | 2100lm
4000K- 60W | 4200lm
6400K- 30W | 2100lm

COLOR CHANGING
(3000K-4000K-6400K)

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	498x80mm
Box Qty:	5 Pcs



DIMMABLE
with remote

CCT CHANGING
With Remote Control



DIMMABLE
with remote

CCT CHANGING
With Remote Control



Domelight-Remote Control-CCT Changeable

40W **VT-8401**

SKU:14741- 3IN1

3800157656542

3000K- 20W | 1400lm
4000K- 40W | 2800lm
6400K- 20W | 1400lm

COLOR CHANGING
(3000K-4000K-6400K)

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	465x75mm
Box Qty:	10 Pcs

DIMMABLE
with remote

CCT CHANGING
With Remote Control



Domelight-Remote Control-CCT Changeable

60W **VT-8555**

SKU:14551- 3IN1

3800157656504

3000K- 30W | 2100lm
4000K- 60W | 4200lm
6400K- 30W | 2100lm

COLOR CHANGING
(3000K-4000K-6400K)

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø565x75mm
Box Qty:	5 Pcs



DIMMABLE
with remote

CCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

60W **VT-8473**

SKU: 76011 - 3IN1

3800157656597

3000K- 30W | 2100lm
4000K- 60W | 4200lm
6400K- 30W | 2100lm

COLOR CHANGING
(3000K-4000K-6400K)

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	PMMA+Metal
Shape:	Round
Dimension:	Ø480x75mm
Box Qty:	6 Pcs

DIMMABLE
with remote

CCT CHANGING
With Remote Control



Domelight-Remote Control-CCT Changeable

60W **VT-8504**

SKU:14621- 3IN1

3800157656603

3000K- 30W | 2100lm
4000K- 60W | 4200lm
6400K- 30W | 2100lm

COLOR CHANGING
(3000K-4000K-6400K)

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	500x85mm
Box Qty:	6 Pcs

Solar Ceiling Light with Sensor

15W **VT-8415**

SKU: 7613 - 3IN1 3800157660563

NEW

IK08 RATING

COLOR CHANGING WITH REMOTE

Battery:	DC 3.2V, 10000 mAh Battery
Lumens:	900lm
Charging Time:	4-6 Hours
IP Rating:	IP65
Material:	PC
Box Qty:	8Pcs
Size:	320x100mm
Working Time:	10-12 Hours

IP65 RATING

SOLAR LIGHTS

Ceiling Lights - Square

15W **VT-8033SQ**

SKU: 1390 - 3000K Warm White 3800157626477
SKU: 5567 - 4000K Day White 3800157610360
SKU: 1391 - 6400K White 3800157626484

TRIMLESS
Luxurious Finish
SURFACE MOUNTED

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1250lm
IP Rating:	IP44
CRI:	>80
PF:	>0.6

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Square
Dimension:	200x200x47.5
Box Qty:	20 Pcs



Ceiling Lights - Round

15W **VT-8033RD**

TRIMLESS
Luxurious Finish
SURFACE MOUNTED

SKU: 1388 - 3000K Warm White	3800157626453
SKU: 5566 - 4000K Day White	3800157610353
SKU: 1389 - 6400K White	3800157626460

Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1250lm	Body Type:	PC
IP Rating:	IP44	Shape:	Round
CRI:	>80	Dimension:	Ø200x47.5mm
PF:	>0.6	Box Qty:	20 Pcs



Ceiling Lights - Square

25W **VT-8066SQ**

TRIMLESS
Luxurious Finish
SURFACE MOUNTED

SKU: 1395 - 3000K Warm White	3800157628280
SKU: 1396 - 4200K Day White	3800157628297
SKU: 1397 - 6500K White	3800157628303

Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2000lm	Body Type:	PC
IP Rating:	IP44	Shape:	Square
CRI:	>80	Dimension:	300x300x50mm
PF:	>0.9	Box Qty:	10 Pcs



Ceiling Lights - Round

25W **VT-8066RD**

TRIMLESS
Luxurious Finish
SURFACE MOUNTED

SKU: 1392 - 3000K Warm White	3800157628259
SKU: 1393 - 4200K Day White	3800157628266
SKU: 1394 - 6500K White	3800157628273

Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2000lm	Body Type:	PC
IP Rating:	IP44	Shape:	Round
CRI:	>80	Dimension:	Ø300x50mm
PF:	>0.9	Box Qty:	10 Pcs



Dome Series - Rectangle Oval

8W **VT-8038-B**

IP54 RATING

SKU: 1308 - 3000K Warm White	3800157620260
SKU: 1309 - 4500K Day White	3800157620277
SKU: 1310 - 6000K White	3800157620284

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	560lm	Body Type:	PC
IP Rating:	IP54	Shape:	Rectangle
CRI:	>70	Dimension:	190x100x55mm
PF:	>0.5	Box Qty:	20 Pcs



Dome Series - Rectangle Oval

8W **VT-8038-W**

IP54 RATING

SKU: 1311 - 3000K Warm White	3800157620291
SKU: 1312 - 4000K Day White	3800157620307
SKU: 1313 - 6000K White	3800157620314

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	560lm	Body Type:	PC
IP Rating:	IP54	Shape:	Rectangle
CRI:	>70	Dimension:	190x100x55mm
PF:	>0.5	Box Qty:	20 Pcs



Dome Series - Oval

8W **VT-8014-OV-B**

IP54 RATING

SKU: 1267 - 3000K Warm White	3800157611893
SKU: 1266 - 4000K Day White	3800157611886
SKU: 1268 - 6400K White	3800157611909

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	560lm	Body Type:	Plastic CLAD Aluminium
IP Rating:	IP54	Shape:	Oval
CRI:	>70	Dimension:	Ø126x76mm
PF:	>0.5	Box Qty:	10 Pcs



Dome Series - Oval

8W **VT-8014-OV-W**

IP54 RATING

SKU: 1264 - 3000K Warm White	3800157611862
SKU: 1263 - 4000K Day White	3800157611855
SKU: 1265 - 6400K White	3800157611879

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	560lm	Body Type:	Plastic CLAD Aluminium
IP Rating:	IP54	Shape:	Oval
CRI:	>70	Dimension:	Ø126x76mm
PF:	>0.5	Box Qty:	10 Pcs



Dome Series - Oval

12W **VT-8016-B**

IP54 RATING

SKU: 5056 - 4500K Day White	3800157603980

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	840lm	Body Type:	Plastic CLAD Aluminium
IP Rating:	IP54	Shape:	Oval
CRI:	>70	Dimension:	Ø245x96mm
PF:	>0.5	Box Qty:	10 Pcs



Dome Series - Oval

12W **VT-8016-W**

SKU: 5053 - 6400K White 3800157603324

IP54 RATING

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	840lm	Body Type:	Plastic CLAD Aluminium
IP Rating:	IP54	Shape:	Oval
CRI:	>70	Dimension:	Ø245x96mm
PF:	>0.5	Box Qty:	10 Pcs



Dome Series - Round

8W **VT-8014-RD-W**

SKU: 4999 - 3000K Warm White 3800157602556
SKU: 1259 - 4000K Day White 3800157611817
SKU: 4997 - 6400K White 3800157602259

IP54 RATING

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	560lm	Body Type:	Plastic CLAD Aluminium
IP Rating:	IP54	Shape:	Round
CRI:	>70	Dimension:	Ø180x82mm
PF:	>0.5	Box Qty:	10 Pcs





Dome Series - Round

8W **VT-8014-RD-B**

SKU: 1261 - 3000K Warm White 3800157611831
SKU: 1260 - 4000K Day White 3800157611824
SKU: 1262 - 6400K White 3800157611848

IP54 RATING

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	560lm	Body Type:	Plastic CLAD Aluminium
IP Rating:	IP54	Shape:	Round
CRI:	>70	Dimension:	Ø180x82mm
PF:	>0.5	Box Qty:	10 Pcs





Dome Series - Round

12W **VT-8015-B**

SKU: 1349 - 3000K Warm White 3800157624046
SKU: 5052 - 4000K Day White 3800157603317
SKU: 5051 - 6400K White 3800157603300

IP54 RATING

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	840lm	Body Type:	Plastic CLAD Aluminium
IP Rating:	IP54	Shape:	Round
CRI:	>70	Dimension:	Ø220x105mm
PF:	>0.5	Box Qty:	10 Pcs



Dome Series - Round

12W **VT-8015-W**

IP54 RATING

SKU: 4998 - 3000K Warm White 3800157602549
SKU: 5050 - 4000K Day White 3800157603294

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	840lm	Body Type:	Plastic CLAD Aluminium
IP Rating:	IP54	Shape:	Round
CRI:	>70	Dimension:	Ø220x105mm
PF:	>0.5	Box Qty:	10 Pcs



Dome Series - Oval

12W **VT-8010-B**

IP54 RATING

SKU: 1350 - 3000K Warm White 3800157624053
SKU: 4973 - 4000K Day White 3800230629050
SKU: 1269 - 6400K White 3800157611916

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	840lm	Body Type:	Plastic CLAD Aluminium
IP Rating:	IP54	Shape:	Oval
CRI:	>80	Dimension:	Ø242x96mm
PF:	>0.9	Box Qty:	10 Pcs



Dome Series - Oval

12W **VT-8010-W**

IP54 RATING

SKU: 1351 - 3000K Warm White 3800157624060
SKU: 1352 - 4000K Day White 3800157624077
SKU: 1353 - 6400K White 3800157624084

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	840lm	Body Type:	Plastic CLAD Aluminium
IP Rating:	IP54	Shape:	Oval
CRI:	>70	Dimension:	242x165x96mm
PF:	>0.5	Box Qty:	10 Pcs



Dome Sensor Series

VT-8002C

SKU: 4966 3800230625816

INSIDE SENSOR



Sensor Type:	Microwave	Detection Distance:	1-8m(radius) adjustable
Color:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP44
Voltage:	AC:220-240V,50/60Hz	Dimension:	Ø296x96mm
Rated Load:	Max. 60W(E27)	Time Delay:	Min. 10sec±3sec,Max. 12min±1min
		Box Qty:	5 Pcs

Changeable bezel options:

Black
SKU- 1425

Brush Nickel
SKU - 1426

Polish Chrome
SKU- 1427

5 YEAR WARRANTY

V-TAC SMART

CCT and Dimming VIA SMART PHONE APP

30-60-90 MIN Fire Rated

IP65 RATING

QUICK CONNECTOR

DIMMABLE

Fire Rated Downlight With White Bezel

10w **VT-7710**

SKU: 1424 - 3 IN 1 3800157633109

Voltage/Frequency:	AC:220-240V,50Hz
Lumens:	850lm
LED Type:	COB
Body Type:	Aluminium
Beam Angle:	38°
Life Span:	30,000 Hours
Unit Size:	Ø83x57mm
IP Rating:	IP65
Box Qty:	40 Pcs



30-60-90 MIN Fire Rated

NEW

Fire Rated Fitting-GU10

SKU: 8916 EAN: 3800157654944

Model:	VT-703-WH
Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	White
IP Rating:	IP20
Dimension:	Ø90x106mm
Cutting Size:	Ø75mm
Box Qty:	60 Pcs

Twist & Lock

30-60-90 MIN Fire Rated

NEW

Fire Rated Fitting-GU10

SKU: 8917 EAN: 3800157654951

Model:	VT-703-N
Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Satin Nickle
IP Rating:	IP20
Dimension:	Ø90x106mm
Cutting Size:	Ø75mm
Box Qty:	60 Pcs

Twist & Lock

RoHS COMPLIANT CE/EMC

30-60-90 MIN
Fire Rated

NEW

Fire Rated Fitting-GU10

SKU: 8918 EAN: 3800157654968

Model:	VT-703-C
Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Chrome
IP Rating:	IP20
Dimension:	Ø90x106mm
Cutting Size:	Ø75mm
Box Qty:	60 Pcs

Twist & Lock

30-60-90 MIN
Fire Rated

Fire Rated Fitting-GU10

SKU: 3680 EAN: 3800157626859



Model:	VT-701-SN
Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Satin Nickel
IP Rating:	IP20
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
Box Qty:	50 Pcs

30-60-90 MIN
Fire Rated

Fire Rated Fitting-GU10

SKU: 3681 EAN: 3800157626866



Model:	VT-701-W
Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	White
IP Rating:	IP20
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
Box Qty:	50 Pcs

30-60-90 MIN
Fire Rated

Fire Rated Fitting-GU10

SKU: 3682 EAN: 3800157626873



Model:	VT-701-CH
Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Chrome
IP Rating:	IP20
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
Box Qty:	50 Pcs

30-60-90 MIN
Fire Rated

Fire Rated Fitting-GU10

SKU: 3683 EAN: 3800157626880



IP65 RATING

Model:	VT-702-SN
Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Satin Nickel
IP Rating:	IP65
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
Box Qty:	40 Pcs

30-60-90 MIN
Fire Rated

Fire Rated Fitting-GU10

SKU: 3684 EAN: 3800157626897



IP65 RATING

Model:	VT-702-W
Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	White
IP Rating:	IP65
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
Box Qty:	40 Pcs

Fire Rated Fitting-GU10

SKU: 3685 EAN: 3800157626903

Model:	**VT-702-CH**	IP Rating:	**IP65**
Base	**GU10**	Dimension:	**Ø86mmx115mm**
Material:	**Steel**	Cutting Size:	**65mm**
Shape:	**Round**	Box Qty:	**40 Pcs**
Color of Fxture:	**Chrome**		

30-60-90 MIN
Fire Rated

IP65
RATING





Motion Sensors

Many areas like lobbies, parking garages, staircases remain unused for long hours, but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.

Product Features

- Power saving
- Available for indoor and outdoor purposes
- Compatible with most of our models
- Proven quality from reliable suppliers
- Wide range of models to choose from

Applications

- Outdoor Areas like parking garages, gardens compounds and yards
- Indoor areas like walkways, lobbies and staircases.

NEW



Infrared Sensor
VT-8091-W

SKU: 6606 3800157655194

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	Max.8m (<24°C)
Rated Load:	Max.200W(AC:220-240V)/100W(AC:110-130V) LED
Ambient Light:	<3–2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø76x20.2mm
Time Delay:	10sec±3sec to 7min±2min(adjustable)
Box Qty:	100 Pcs

NEW



Infrared Sensor
VT-8091-B

SKU: 6607 3800157655200

Sensor Type:	Infrared
Colour:	Black
Detection Range:	360°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	Max.8m (<24°C)
Rated Load:	Max.200W(AC:220-240V)/100W(AC:110-130V) LED
Ambient Light:	<3–2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø76x20.2mm
Time Delay:	10sec±3sec to 7min±2min(adjustable)
Box Qty:	100 Pcs

NEW



Infrared Sensor
VT-8092-W

SKU: 6608 3800157655217

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.8m (<24°C)
Rated Load:	Max. 400W (LED)
Ambient Light:	<3–2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø50x62mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Box Qty:	100 Pcs

NEW



Infrared Sensor
VT-8092-B

SKU: 6609 3800157655224

Sensor Type:	Infrared
Colour:	Black
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.8m (<24°C)
Rated Load:	Max. 400W (LED)
Ambient Light:	<3–2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø50x62mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Box Qty:	100 Pcs

NEW



IP65 RATING

Infrared Sensor
VT-8093-W

SKU: 6611 3800157655248

Sensor Type:	Infrared
Colour:	White
Detection Range:	180°/360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.12m (<24°C)
Rated Load:	Max. 600W (LED)
Ambient Light:	<3–2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP65
Dimension:	76x92x62.5mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Box Qty:	50 Pcs

NEW



IP65 RATING

Infrared Sensor
VT-8093-B

SKU: 6610 3800157655231

Sensor Type:	Infrared
Colour:	Black
Detection Range:	180°/360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.12m (<24°C)
Rated Load:	Max. 600W (LED)
Ambient Light:	<3–2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP65
Dimension:	76x92x62.5mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Box Qty:	50 Pcs

NEW



IP65 RATING

SPECIAL DESIGN
Adjustable For Corner

Infrared Sensor
VT-8094-W

SKU: 6613 3800157655262

Sensor Type:	Infrared
Colour:	White
Detection Range:	240°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.10m (<24°C)
Rated Load:	Max. 600W (LED)
Ambient Light:	<3–2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP65
Dimension:	125.2x71.4x72.7mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Box Qty:	50 Pcs

NEW



IP65 RATING

SPECIAL DESIGN
Adjustable For Corner

Infrared Sensor
VT-8094-B

SKU: 6612 3800157655255

Sensor Type:	Infrared
Colour:	Black
Detection Range:	240°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.10m (<24°C)
Rated Load:	Max. 600W (LED)
Ambient Light:	<3–2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP65
Dimension:	125.2x71.4x72.7mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Box Qty:	50 Pcs

Infrared Sensor

VT-8027-W

SKU: 5086 3800157609173

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	115x25mm
Rated Load:	Max 1000W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	Max. 8m(<24°C)	Box Qty:	50 Pcs



Infrared Sensor

VT-8027-B

SKU: 5087 3800157609180

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	Black	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	115x25mm
Rated Load:	Max 1000W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	Max. 8m(<24°C)	Box Qty:	50 Pcs



Infrared Sensor-Moving Head-IP44

VT-8028-W

SKU: 5088 3800157609197

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	180°	IP Rating:	IP44
Voltage:	AC:220-240V,50/60Hz	Dimension:	445X345X19mm
Rated Load:	Max 400W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	Max. 12m(<24°C)	Box Qty:	50 Pcs



Infrared Sensor-Moving Head-IP44

VT-8028-B

SKU: 5089 3800157609203

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	Black	Body Type:	PC
Detection Range:	180°	IP Rating:	IP44
Voltage:	AC:220-240V,50/60Hz	Dimension:	445X345X19mm
Rated Load:	Max 400W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	Max. 12m(<24°C)	Box Qty:	50 Pcs



Infrared Sensor

VT-8029

SKU: 5090 3800157609210

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	76x75.6mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	Max. 6m(<24°C)	Box Qty:	50 Pcs



Infrared Sensor-Moving Head

VT-8030

SKU: 5091 3800157609227

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	98x73x82mm
Rated Load:	Max 400W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	Max. 8m(<24°C)	Box Qty:	50 Pcs



Infrared Sensor-IP44

VT-8003-W

SKU: 4967 3800230625823

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	180°	IP Rating:	IP44
Voltage:	AC:220-240V,50/60Hz	Dimension:	86.4x60.4x98mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Detection Distance:	Max. 12m(<24°C)	Box Qty:	50 Pcs



Infrared Sensor-IP44

VT-8003-B

SKU: 5077 3800157606875

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	Black	Body Type:	PC
Detection Range:	180°	IP Rating:	IP44
Voltage:	AC:220-240V,50/60Hz	Dimension:	86.4x60.4x98mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Detection Distance:	Max. 12m(<24°C)	Box Qty:	50 Pcs



Infrared Sensor

VT-8004

SKU: 4968 3800230625830

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	Ø88x55mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	Max. 12m(<24°C)	Box Qty:	50 Pcs



Infrared Sensor-E27

VT-8005

SKU: 4982 3800157600071

Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	Plastic
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:110-240V,50/60Hz	Dimension:	55.5x116.5mm
Rated Load:	Max 60W(LED)	Time Delay:	Min. 10sec±3sec, Max. 5min±1min
Detection Distance:	Max. 6m(<24°C)	Box Qty:	50 Pcs



Infrared Sensor-IP44

VT-8048

SKU: 1354 3800157624794

Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. Thelight will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**White**	Body Type:	**PC**
Detection Range:	**180°**	IP Rating:	**IP44**
Voltage:	**AC:220-240V,50/60Hz**	Dimension:	**86.4x86.4x60.4mm**
Detection Distance:	**Max. 12m(<24°C)**	Time Delay:	**Min. 10sec±3sec, Max. 7min±2min**
Rated Load:	**Max 300W(LED)X20**	Box Qty:	**50 Pcs**



Infrared Sensor

VT-8049

SKU: 1355 3800157624800

Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. Thelight will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**White**	Body Type:	**PC**
Detection Range:	**360°**	IP Rating:	**IP20**
Voltage:	**AC:220-240V,50/60Hz**	Dimension:	**88x55mm**
Detection Distance:	**Max. 12m(<24°C)**	Time Delay:	**Min. 10sec±3sec, Max. 15min±2min**
Rated Load:	**Max 300W(LED)**	Box Qty:	**50 Pcs**



Infrared Sensor

VT-8051

SKU: 1356 3800157624817

Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. Thelight will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**White**	Body Type:	**PC**
Detection Range:	**360°**	IP Rating:	**IP20**
Voltage:	**AC:220-240V,50/60Hz**	Dimension:	**76x75.6mm**
Detection Distance:	**Max. 6m(<24°C)**	Time Delay:	**Min. 10sec±3sec, Max. 15min±2min**
Rated Load:	**Max 300W(LED)**	Box Qty:	**50 Pcs**



Day Light Sensor - 1-10V

VT-8059

SKU: 1369 3800157625982

Colour:	**White**
Detection Range:	**360°**
Dimming Range:	**1% - 100%**
Voltage:	**DC:1-10V**
Body Type:	**PC**
IP Rating:	**IP20**
Box Qty:	**100 Pcs**

Daylight sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver.

The illuminations level of lamps will get darker when ambient light gets brighter.

When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient enough, then gradually back to 100% level when it is getting darker.



IP65 RATING

Infrared Sensor
VT-8083-B

SKU: 15011 3800157641265

Sensor Type:	Infrared
Colour:	Black
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.20m(<24°C)
Rated Load:	1000w(LED)
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP65
Dimension:	86.5x172.5x56mm
Time Delay:	Min.10sec±3sec, Max. 30min±2min
Box Qty:	50 Pcs



IP65 RATING

Infrared Sensor
VT-8083-W

SKU: 15001 3800157641258

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.20m(<24°C)
Rated Load:	1000w(LED)
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP65
Dimension:	86.5x172.5x56mm
Time Delay:	Min.10sec±3sec, Max. 30min±2min
Box Qty:	50 Pcs



Microwave Sensor
VT-8084-B

SKU: 15031 3800157641289

Sensor Type:	Microwave
Colour:	Black
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	5-15m
Rated Load:	300w(LED)
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC+Glass
IP Rating:	IP20
Dimension:	95x50x95mm
Time Delay:	Min.10sec±3sec, Max. 12min±1min
Box Qty:	50 Pcs



Microwave Sensor
VT-8084-W

SKU: 15021 3800157641272

Sensor Type:	Microwave
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	5-15m
Rated Load:	300w(LED)
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC+Glass
IP Rating:	IP65
Dimension:	95x50x95mm
Time Delay:	Min.10sec±3sec, Max. 12min±1min
Box Qty:	50 Pcs

Infrared-Hand Gesture Detection

VT-8025

SKU: 5084 3800157608046

On/Off via Moving Hand

Sensor Type:	Infrared	Ambient Light:	
Colour:	White	Body Type:	Plastic
Detection Range:	30°	IP Rating:	IP20
Voltage:	AC:110-240V,50/60Hz	Dimension:	35.5x78.2x20.6mm
Rated Load:	Max 200W(LED)	Box Qty:	100 Pcs
Detection Distance:	5cm/6cm(<24°C)		



Infrared-Door Detection

VT-8026

SKU: 5085 3800157608053

On/Off via the opening and closing of the door

Sensor Type:	Infrared	Ambient Light:	
Colour:	White	Body Type:	Plastic
Detection Range:	30°	IP Rating:	IP20
Voltage:	AC:110-240V,50/60Hz	Dimension:	35.5x78.2x18.7mm
Rated Load:	Max 200W(LED)	Box Qty:	100 Pcs
Detection Distance:	5cm/6cm(<24°C)		



Microwave Sensor-IP65

VT-8036-W

SKU: 5571 3800157620246

IP65 RATING

Sensor Type:	Microwave	Ambient Light:	<25-2000LUX
Colour:	White	Body Type:	Plastic
Detection Range:	180°	IP Rating:	IP65
Voltage:	AC:220-240V,50/60Hz	Dimension:	115x35x25mm
Rated Load:	Max 200W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	5m/10m	Box Qty:	100 Pcs

Microwave Sensor-IP65

VT-8036-B

SKU: 5572 3800157620253

IP65 RATING



Sensor Type:	Microwave	Ambient Light:	<25-2000LUX
Colour:	Black	Body Type:	Plastic
Detection Range:	180°	IP Rating:	IP65
Voltage:	AC:220-240V,50/60Hz	Dimension:	115x35x25mm
Rated Load:	Max 200W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	5m/10m	Box Qty:	100 Pcs

Microwave Sensor

VT-8018

SKU: 5078 3800157606882



Sensor Type:	Microwave	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	Plastic
Detection Range:	180° / 360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	37x25x61.5mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 12min±1min
Detection Distance:	1-8m(radius) adjustable	Box Qty:	100 Pcs



Photocell Sensor-IP44
VT-8019

SKU: 5081 3800157608015

Sensor Type:	Photocell
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50Hz
Rated Load:	Max 500W(LED)
Ambient Light:	<5-15LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP44
Dimension:	35.5x46x44.1mm
Time Delay:	5 sec to 8 min (adjustable)
Box Qty:	100 Pcs





IP65 RATING

Infrared Sensor
VT-8022

SKU: 5082 3800157608022

Sensor Type:	Infrared
Colour:	White
Detection Range:	120°/360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	3/6m(<24°C)
Rated Load:	Max 200W(LED)
Ambient Light:	10LUX/2000LUX(choice)
Body Type:	Plastic
IP Rating:	IP65
Dimension:	36.8x25.5x55.4mm
Time Delay:	5s,30s,1min,3min,5min,8min(choice)
Box Qty:	100 Pcs



Microwave Sensor
VT-8077

SKU: 1446 3800157634755

Sensor Type:	Microwave
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	1-8m(radius) Adjustable
Rated Load:	Max 300W(LED)
Ambient Light:	0<3-2000LUX(Adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	80.7x42.1x43.8mm
Time Delay:	Min. 10sec±3sec, Max.12min±1min
Box Qty:	100 Pcs



Microwave Sensor
VT-8023

SKU: 5083 3800157608039

Sensor Type:	Microwave
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	5m-15m(adjustable)
Rated Load:	Max 300W(LED)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	80x80x32mm
Time Delay:	10 sec to 12 min (adjustable)
Box Qty:	100 Pcs

LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.

Product Features

- Thermoplastic PC housing, Retangular type plastic with different signs
- Single or double face configuration
- Universal (wall, side or ceiling) mounting
- Low energy consumption only 2.0 watts at 120V
- LED indicator light and push button test switch
- LEDs mounted on print circuit board
- 24 hours recharge after more than 3 Hours discharge
- Efficient thermal management technology
- Corrosion free mounting clamps
- High performance Ni-Cd batteries made for Longevity & low maintenance
- Reliable Emergency backup of 3 hours

NEW

WITH SELF TEST BUTTON



24Hrs CHARGING TIME

IP65 RATING

Emergency -Bulkhead With Self Test Button

3W **VT-533ST**

SKU: 8665 - 6500K White 3800157659031

Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC Cover
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 3.6V, 1200mAh
Recharging Time:	24 Hours(intial charge 36 hours)
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	346x107x60mm
Box Qty:	10 Pcs



12Hrs CHARGING TIME

IP65 RATING

Exit Light - Bulkhead

3W **VT-543**

SKU: 83111 - 6400K White 3800157650137

Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC Cover
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1200mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	346x107x60mm
Box Qty:	12 Pcs



Emergency -Bulkhead

3W **VT-533**

SKU:8437 - 6400K White 3800157641296

Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 3.6V, 1200mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	346x104x58mm
Box Qty:	10 Pcs



Exit Light - Bulkhead

4W **VT-524-12**

SKU: 8382 - 6000K White 3800157635493

Lamp Type:	30 SMD LEDs
Lumens:	190lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,900mAh
Recharging Time:	12 hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	350x117x60mm
Box Qty:	12 Pcs





Emergency-Downlight

3W **VT-503**

SKU: 8274 - 5500K White 3800157627269

Material:	Poly Carbonate & Aluminium
Mouned:	Ceiling Recessed
Life Time Of Battery:	2 Years
Light Output (Emergency):	140lm
Lamp Protection:	Over Charge And Discharge Protection
Led Indicator:	Green Light Indicator Test Button
Charging Current:	90mA
Convert Voltage:	AC:155V
Discharging Current:	300mA
Discharge Duration:	3 Hours
Spec Of Battery:	3.6V 1800mAh Ni-cd Battery
Packing:	38.5x22x25mm
IP Rating:	IP20
Mode Of Operation:	Non Maintained
Box Qty:	20 Pcs

24Hrs CHARGING TIME

IP65 RATING



Emergency-Twin Spotlight

6W **VT-526-IP65**

SKU: 80981 - 6000K White 3800157623148

Lamp Type:	2x6 SMD LEDs
Lumens:	300lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall Mounted
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6V,300mAh
Recharging Time:	24 Hours(intial charge 36 hours)
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	2 Ways Legend Available
Mode Of Operation:	Non Maintained
Box Qty:	5 Pcs

LED Floor & Table Lamps

Most cozy & favorite corners always deserve comfortable lighting conditions. To cater to this need, we bring to you an exclusive range of LED table lamps. Designed with a touch of class, these lamps deliver sufficient and smooth lighting, with unique and suitable functions for both task and ambient lighting.

Product Features

- Energy efficient lighting
- Easily adjustable for your convenience
- Multiple functions like dimming, color changing, and more
- With USB charging functionality
- Sleek and modern design

Applications

Table lamps can be used in any space, though they are most often found in bedrooms, living rooms at home next to sofas, chairs or beds. Also a good accessory to be a part of the office decor.

Floor Lamp-Touch Dimming

80w

Silver **VT-8400D-S**

SKU: 8521 4000K Day White 3800157638104

White **VT-8400D-W**

SKU: 8522 4000K Day White 3800157638111

Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**UP:4200/Down:3800**
CRI:	**>80**
PF:	**>0.9**
Beam Angle:	**110°**
Color:	**Silver**
Body Type:	**Aluminium Alloy+PC**
Dimension:	**310x52x1950mm**
Box Qty:	**1 Pc**

TOUCH DIMMING

UP - DOWN LIGHTS



Floor Lamp-Knob Dimming-Round corner

80w

Silver **VT-8500D-S**

SKU: 8523 4000K Day White 3800157638128

White **VT-8500D-W**

SKU: 8524 4000K Day White 3800157638135

Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**UP:5200/Down:3600**
CRI:	**>80**
PF:	**>0.9**
Beam Angle:	**110°/90°**
Color:	**SIlver**
Body Type:	**Aluminium Alloy+PC**
Dimension:	**280x35x1950mm**
Box Qty:	**1 Pc**

KNOB DIMMING

UP - DOWN LIGHTS





Floor Lamp-Knob Dimming-Square corner

80w

Silver **VT-8600D-S**

SKU: 8525 4000K Day White 3800157638142

White **VT-8600D-W**

SKU: 8526 4000K Day White 3800157638159

Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**UP:5200/Down:3600**
CRI:	**>80**
PF:	**>0.9**
Beam Angle:	**110°/90°**
Color:	**Silver**
Body Type:	**Aluminium Alloy+PC**
Dimension:	**280x35x1950mm**
Box Qty:	**1 Pc**

KNOB DIMMING

UP - DOWN LIGHTS



WIRELESS CHARGING | ANDROID & IPHONE | BRIGHTNESS ADJUSTABLE | ENERGY CONSERVATION | EYE PROTECTION | TIMER POWER OFF | USB OUTPUT | LIGHTING ADJUSTMENT

3.0A 18W Fast Charger Included

Table Lamps

5W VT-7705-B

Black: SKU: 8604 - 3IN1 3800157650571
White: SKU: 8605 - 3IN1 3800157650588

- Rating input 5V/3A
- 3 Levels of Brightness Dimming
- Lamp Power 5V, 0.8A(4W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Touch Dimming
- Fast charger included 3.0A 18W

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	800 Lux
CRI:	>80

Body Type:	ABS+Aluminium
Dimension:	142x124x476mm
Box Qty:	10 Pcs

WIRELESS CHARGING | ANDROID & IPHONE | BRIGHTNESS ADJUSTABLE | ENERGY CONSERVATION | EYE PROTECTION | TIMER POWER OFF | USB OUTPUT | LIGHTING ADJUSTMENT

3.0A 18W Fast Charger Included

Table Lamps

5W VT-7505-B

Black: SKU: 8602 - 3IN1 3800157650557
White: SKU: 8603 - 3IN1 3800157650564

- Rating input 5V/3A
- 3 Levels of Brightness Dimming
- Lamp Power 5V, 1A(5W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Fast charger included 3.0A 18W

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	800 Lux
CRI:	>80

Body Type:	ABS+Aluminium
Dimension:	440x120x40mm
Box Qty:	10 Pcs

WIRELESS CHARGING | ANDROID & IPHONE | BRIGHTNESS ADJUSTABLE | ENERGY CONSERVATION | EYE PROTECTION | TIMER POWER OFF | USB OUTPUT | LIGHTING ADJUSTMENT | 3.0A 18W Fast Charger Included

Table Lamps

5w VT-7405-B

Black: SKU: 8600 - 3IN1 3800157650533
White: SKU: 8601 - 3IN1 3800157650540

- Rating input 5V/3A
- 4 Levels of Brightness Dimming
- Lamp Power 5V, 1A(5W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Fast charger included 3.0A 18W

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	800 Lux
CRI:	>80

Body Type:	ABS+Aluminium
Dimension:	440x120x40mm
Box Qty:	10 Pcs

Table Lamps

17w VT-7312-B

Black: SKU: 40311 - 3000K Warm White 3800157648455
White: SKU: 40321 - 3000K Warm White 3800157648462

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1300lm
CRI:	>80

Body Type:	Silicone+Aluminium
Dimension:	210x350mm
Box Qty:	20 Pcs

Desk Lamps

7w **VT-7507**

WARM WHITE

White: SKU: 8673 - 3000K Warm White 3800157652612

Voltage/Frequency:	AC:220-240V, 50Hz	Body Type:	ABS+Metal
Luminous Flux:	400lm	Dimension:	150x150x580mm
CRI:	>80	Box Qty:	6 Pcs

ADAPTER INCLUDED | ON/OFF SWITCH | NO FLICKERING | HEIGHT ADJUSTABLE | EYE PROTECTION

Clip Lamps

7w **VT-7407**

WARM WHITE

White: SKU: 8672 - 3000K Warm White 3800157652605

Voltage/Frequency:	AC:220-240V, 50Hz	Body Type:	ABS+Metal
Luminous Flux:	400lm	Dimension:	64x300x300mm
CRI:	>80	Box Qty:	8 Pcs

ADAPTER INCLUDED | ON/OFF SWITCH | NO FLICKERING | HEIGHT ADJUSTABLE | EYE PROTECTION

Desk Lamps

3.6w **VT-7403**

WARM WHITE

White: SKU: 8671 - 3000K Warm White 3800157652599

Voltage/Frequency:	AC:220-240V, 50Hz	Body Type:	ABS+Metal
Luminous Flux:	260lm	Dimension:	280x100x350mm
CRI:	>80	Box Qty:	8 Pcs

ADAPTER INCLUDED | ON/OFF SWITCH | NO FLICKERING | HEIGHT ADJUSTABLE | EYE PROTECTION

NEW

Mirror Lamps

5W **VT-7565**

WHITE

White: SKU: 8931 - 6500K White 3800157659888

Voltage/Frequency:	AC:220-240V, 50Hz	Body Type:	ABS+Glass
Luminous Flux:	80lm	Dimension:	Ø200x310mm
CRI:	>80	Box Qty:	20 Pcs

ADAPTER INCLUDED | TOUCH DIMMING | NO FLICKERING | EYE PROTECTION

Mirror Lamps

5w **VT-7905**

WARM WHITE

White: SKU: 8670 - 3000K Warm White 3800157652582

Voltage/Frequency:	AC:220-240V, 50Hz	Body Type:	ABS+Glass
Luminous Flux:	200lm	Dimension:	Ø196x310mm
CRI:	>80	Box Qty:	10 Pcs

ADAPTER INCLUDED | ON/OFF SWITCH | NO FLICKERING | EYE PROTECTION

Table Lamps-Slim

6.5w VT-1037

SKU: 8520 3I N 1
3800157637718

- Flexible LED Table Lamp bends 0-180 degress on both sides.
- Touch power switch and dimmer
- Color temperature Switch

TOUCH DIMMING

RECHARGEABLE

Voltage/Frequency:	DC:12V,1A
Luminous Flux:	110lm
CRI:	>80
PF:	>0.5
Beam Angle:	120°

Color:	White
Body Type:	PC-Rubber Finish
Dimension:	562x65x21mm
Box Qty:	10 Pcs

Table Lamps-Wireless Charging

16w VT-1027 SKU: 8519 - 3 IN 1
3800157637527

- Wireless Charging.
- 5 Levels of Brightness Dimming
- Watts as per led 0.2W.
- Rating Input DC:12V/1.5A
- 2s to reach full brightness
- 270 Degree Rotatable Head

DIMMABLE



Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1000lux
CRI:	>80
PF:	>0.5
Beam Angle:	120°

Color:	White
Body Type:	ABS+Aluminium
Dimension:	240x396x180mm
Box Qty:	12 Pcs

Table Lamps-Rechargeable

4w VT-7515 SKU: 8930 - 3000K Warm White

- Adapter Input: 5V,1A
- Cable Lenght: 1.2M
- Charging Time: 5-6 Hours
- Working Time: 3-4 Hours
- Touch Dimming Level: 100%-60%-10%

RECHARGEABLE

TOUCH DIMMING

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	210lm
CRI:	>80
PF:	
Beam Angle:	90°

Color:	White
Body Type:	Plastic+Metal
Dimension:	150x150x241mm
Box Qty:	6 Pcs

Table Lamps-White+Silver

4w VT-1014-S

SKU: 7098 - 3 IN 1 3800157616980

Rechargeable

Voltage/Frequency:	DC:5V,1A
Luminous Flux:	120lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	White+Silver
Body Type:	ABS+PC+Aluminium
Dimension:	200x50x263mm
Box Qty:	25 Pcs



Table Lamps-White+Gold

4w VT-1014-G

SKU: 7099 - 3 IN 1 3800157616997

Rechargeable

Voltage/Frequency:	DC:5V,1A
Luminous Flux:	120lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	White+Gold
Body Type:	ABS+PC+Aluminium
Dimension:	200x50x263mm
Box Qty:	25 Pcs



Table Lamps-Black

4w VT-1014-B

SKU: 8500 - 3 IN 1 3800157617215

Rechargeable

Voltage/Frequency:	DC:5V,1A
Luminous Flux:	120lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	Black
Body Type:	ABS+PC+Aluminium
Dimension:	200x50x263mm
Box Qty:	25 Pcs



Table Lamps-Bakelite-E27

VT-7151-GR

SKU: 3912 3800157626071

5 YEAR WARRANTY*

Body Type:	Glass+Metal
Holder:	E27
Color:	Green
Dimension:	260x180x360mm
Box Qty:	6 Pcs



Table Lamps-Bakelite-E27

VT-7151-B

SKU: 3913 3800157626088

5 YEAR WARRANTY*

Body Type:	Glass+Metal
Holder:	E27
Color:	Blue
Dimension:	260x180x360mm
Box Qty:	6 Pcs



Table Lamps-Bakelite-E27

VT-7151-GD

SKU: 3914 3800157626095

5 YEAR WARRANTY*

Body Type:	Glass+Metal
Holder:	E27
Color:	Yellow
Dimension:	260x180x360mm
Box Qty:	6 Pcs



Table Lamps+Speaker

2*3W VT-6211

Voltage/Frequency:	DC:5V
Working Time:	2-3 Hours
Battery Type:	Lithium 1800mAh
Charging Time:	3 Hours
Dimension:	Ø92x218mm
Box Qty:	12 Pcs

- LED wireless speaker with Bluetooth technology
- Output of 2x3W
- Dancing RGB colorful lights
- Soft rubber finish with touch buttons
- USB & TF card slot
- Bluit in 3.5mm Aux input
- Rechargeable Lithium battery
- Battery capacity 1800 mAh



SKU: 8571 | Red Body
3800157645140

SKU: 8569 | Blue Body
3800157645157

SKU: 8570 | Black Body
3800157645164

Hanging Lamp

7W VT-1036

SKU Purple: 8504 - 4000K Day White 3800157620376
SKU White: 8505 - 4000K Day White 3800157620383
SKU Blue: 8506 - 4000K Day White 3800157620390

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	360lm
CRI:	>80
PF:	>0.45
Beam Angle:	90°
Body Type:	PC+Metal
Dimension:	Ø150x151x1241mm
Box Qty:	9 Pcs

Floor Lamp-E27

60W VT-7451

SKU: 8564 Black 3800157644167
SKU: 8565 Ivory 3800157644174

Voltage/Frequency:	**AC: 220-240V,50/60Hz**
Body Type:	**Marble+Metal**
Dimension:	**1920x1960mm**
Box Qty:	**1 Pc**







Floor Lamp-E27

60W VT-7500

SKU Black: 7055 3800157610698

Voltage/Frequency:	**AC:220-240V,50/60Hz**
Body Type:	**ABS+Metal**
Dimension:	**250x250x1800mm**
Box Qty:	**4 Pcs**

LED Innovative Lights

An innovative and sustainable way of lighting up your outdoors. V-TAC's LED Solar Outdoor lights can function for up to 24 hours, with just 6-7 hours charging during the day. Inbuilt sensors allow these outdoor lamps to light up upon detection of movement.

Product Features

- ZERO Electricity Cost
- Solar Powered
- PIR Detective
- Outdoor
- Light on/off automatically
- Cordless

Applications

Suitable for Outdoor and Indoor Lighting

Solar Wall Light-IP65

1.5W **VT-767-2-W**

SKU: 8276 - 4000K Day White 3800157627931



Battery:	3.7V Lithium Battery 1200mAh
Lumens:	220lm
No. of LED:	14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	144.5x96x79mm
Working Time:	Min 8 hrs and Max 24 hrs
Box Qty:	20Pcs

Solar Wall Light-IP65

1.5W **VT-767-2-B**

SKU: 8277 - 4000K Day White 3800157627948



Battery:	3.7V Lithium Battery 1200mAh
Lumens:	220lm
No. of LED:	14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	144.5x96x79mm
Working Time:	Min 8 hrs and Max 24 hrs
Box Qty:	20Pcs

Solar Wall Light-IP65

3W **VT-768**

SKU: 7523 - Day+Warm White 3800157619363



Battery:	3.7V Lithium Battery 2000mAh
Lumens:	400lm
No. of LED:	30pcs (Front 28pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	140x212x109.2mm
Working Time:	Min 5-8 hrs and Max 24 hrs
Box Qty:	12Pcs

Solar Wall Light-IP65

7W **VT-767-7-W**

SKU: 8278 - 4000K Day White 3800157627955



Battery:	3.7V Lithium Battery 4000mAh
Lumens:	800lm
No. of LED:	60pcs (Front 56pcs, Back 4 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	270x221x109.2mm
Working Time:	Mode A: 5 hours, Mode B: 2~3 nights Mode C: 3~4 nights
Box Qty:	20Pcs

Solar Wall Light-IP65

7W **VT-767-7-B**

SKU: 8279 - 4000K Day White 3800157627962

Solar Lights | MOTION PIR SENSOR | UV PROTECTION | IP65 RATING



Battery:	3.7V Lithium Battery 4000mAh
Lumens:	800lm
No. of LED:	60pcs (Front 56pcs, Back 4 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	270x221x109.2mm
Working Time:	Mode A: 5 hours, Mode B: 2~3 nights Mode C: 3~4 nights
Box Qty:	20Pcs

Wireless Smart Lights Switches

V-TAC SMART

Introducing the next generation self powered wireless switches, functions using RF receiver making it a hassle free experience. Offering a push-touch button and remote features.

Switch-One Gang

VT-5131 White

SKU: 8460 3800157644914

Input Power:	**2-3V(CR2032 Button Battery)**
Switch Lifetime:	**30,000 times**
Body Type:	**PC**
Dimensions:	**86x86x11mm**
Box Qty:	**144**
Remote Distance	**Outdoor >600m | Indoor >40m**

Switch-Two Gang

VT-5132 White

SKU: 8461 3800157644921

Input Power:	**2-3V(CR2032 Button Battery)**
Switch Lifetime:	**30,000 times**
Body Type:	**PC**
Dimensions:	**86x86x11mm**
Box Qty:	**144**
Remote Distance	**Outdoor >600m | Indoor >40m**

Switch-Three Gang

VT-5133 White

SKU: 8462 3800157644938

Input Power:	**2-3V(CR2032 Button Battery)**
Switch Lifetime:	**30,000 times**
Body Type:	**PC**
Dimensions:	**86x86x11mm**
Box Qty:	**144**
Remote Distance	**Outdoor >600m | Indoor >40m**

Remote Three Gang

VT-5143

SKU: 8463 3800157644945

Input Power:	**2-3V(CR2032 Button Battery)**
Switch Lifetime:	**30,000 times**
Body Type:	**ABS**
Dimensions:	**62x30x12mm**
Box Qty:	**364**
Remote Distance	**Outdoor >160m | Indoor >20m**

Receiver

VT-5129

SKU: 8458 3800157644891

Input Power:	**AC:180-240V**
Body Type:	**PC**
Dimensions:	**39x23x22 mm**
Box Qty:	**364**
Remote Distance	**Outdoor >600m | Indoor >40m**

Wifi Receiver

VT-5130

SKU: 8459 3800157644907

works with amazon alexa

works with the Google Assistant

Input Power:	**AC:85-265V**
Body Type:	**PC**
Dimensions:	**75x28x28.5 mm**
Box Qty:	**196**
Remote Distance	**Outdoor >500m | Indoor >40m**

VT-5111-B Black
SKU: 8385 3800157635714

VT-5111-W White
SKU: 8354 3800157634953

Touch Switch 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x34x86mm
Box Qty:	100

VT-5112-B Black
SKU: 8387 3800157635738

VT-5112-W White
SKU: 8357 3800157634984

Touch Switch 2Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x34x86mm
Box Qty:	100

VT-5121-B Black
SKU: 8389 3800157635752

VT-5121-W White
SKU: 8360 3800157635011

Touch Switch 1Gang-2Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x34x86mm
Box Qty:	100



VT-5311-B Black
SKU: 8395 3800157635813

VT-5311-W White
SKU: 8369 3800157635103

Remote Dimmer 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100

VT-5411-B Black
SKU: 8397 3800157635837

VT-5411-W White
SKU: 8372 3800157635134

Doorbell-Switch 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x34x86mm
Box Qty:	100

VT-5811-B Black
SKU: 8401 3800157635875

VT-5811-W White
SKU: 8402 3800157635882

Socket EU-2 Way

Input Power:	AC:200-250V,50Hz
Body Type:	PC+Glass Finish
Box Qty:	60

VT-5711 Black
SKU: 8399 3800157635851

VT-5711-W White
SKU: 8379 3800157635202

Socket EU-Glass Panel

Input Power:	AC:200-250V,50Hz
Body Type:	PC+Glass Finish
Box Qty:	80

Smart **Home**

V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of WiFi-supported LED lighting solutions that can be fully controlled via Amazon Alexa or Google Home.

works with amazon alexa

works with the Google Assistant

LED Smart Bulb-E14

5W VT-5114

SKU: 2754 RGB+2700k-6400K EAN: 3800157646659

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant

Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	470lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E14
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	37x100mm
Box Qty:	200 pcs

LED Smart Bulb-E27

5W VT-5124

SKU: 2755 RGB+2700K-6400K EAN: 3800157646666

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant

Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	470lm
CRI:	>80
Beam Angle:	180°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø45x81mm
Box Qty:	200 pcs

LED Smart Bulb-E14

5W VT-5154

SKU: 2756 RGB+2700k-6400K EAN: 3800157646673

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant

Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	470lm
CRI:	>80
Beam Angle:	180°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E14
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø45x81mm
Box Qty:	200 pcs

LED Smart Bulb-B22

10w VT-5110

SKU: 2791 RGB+2700K-6400K EAN: 3800157649544

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant

Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	806lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	B22
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø60x120mm
Box Qty:	100 pcs

LED Smart Bulb-E27

10W VT-5119

SKU: 2751 RGB+2700k-6400K EAN: 3800157646628

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant

Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	806lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø60x120mm
Box Qty:	100 pcs

LED Smart Bulb-E27

11W VT-5113

SKU: 2752 RGB+2700k-6400K EAN: 3800157646635

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant

Voltage/Frequency:	AC:220-240v.50Hz
Luminous Flux:	1055lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø60x120mm
Box Qty:	100 pcs

LED Smart Bulb-E27

15W VT-5117

SKU: 2753 RGB+2700k-6400K EAN: 3800157646642

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant

Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	1300lm
CRI:	>80
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Life Span:	30,000 Hours
Dimension:	Ø65x135mm
Box Qty:	100 pcs

LED Smart Spotlight

4.5W VT-5174

SKU: 2750 3000K-6400K EAN: 3800157646550

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

works with amazon alexa | works with the Google Assistant

Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	300lm
CRI:	>80
Beam Angle:	110°
Wireless Frequency:	2.4Ghz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	GU10
Body Type:	Plastic
Life Span:	30,000 Hours
Dimension:	50x57mm
Box Qty:	200 pcs

LED Smart Spotlight

5W VT-5164

SKU: 2757 RGB+2700K-6400K EAN: 3800157646680

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa | works with the Google Assistant

Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	400lm
CRI:	>80
Beam Angle:	110°
Wireless Frequency:	2.4Ghz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	GU10
Body Type:	Plastic
Life Span:	30,000 Hours
Dimension:	50x57mm
Box Qty:	200 pcs

LED Smart Spotlight

4.5w VT-5015

SKU: 8436 - 3 in 1 EAN: 3800157641326

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

works with amazon alexa | works with the Google Assistant

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	360lm
CRI:	>80
Beam Angle:	100°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	GU10
Body Type:	PBT Aluminium
Life Span:	30,000 Hours
Dimension:	70x50mm
Box Qty:	100 pcs

works with amazon alexa | works with the Google Assistant

10w VT-5050 60 **EU PLUG**

SKU: 2583 RGB EAN: 3800157642682
SKU: 2584 RGB+W EAN: 3800157642699

10w VT-5050 60 **BS PLUG**

SKU: 2585 RGB EAN: 3800157643795
SKU: 2586 RGB+W EAN: 3800157643801

LED Smart Striplight Kit

LED Type:	SMD
Watt/M:	10w
Current/M:	1.5A
Voltage:	DC:12V
lm/M:	1000
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	20 pcs

NEW

works with amazon alexa | works with the Google Assistant

LED Smart Striplight Kit-2IN1

LED Type:	SMD
Watt/M:	4w
Current/M:	0.75A
Voltage:	DC:12V,50/60Hz
lm/M:	230
Beam Angle:	120°
IP Rating:	IP65(LED Striplight)
Width:	10mm
Box Qty:	20 pcs

4w
VT-5050 54
EU PLUG

SKU: 2628 RGB+3IN1 EAN: 3800157655040

4w
VT-5050 54
BS PLUG

SKU: 2629 RGB+3IN1 EAN: 3800157655057

Smart Light

40w VT-5141

SKU: 1497 3IN1 EAN: 3800157648806

Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2800lm
Beam Angle:	120°
Wireless Frequency:	2.4Ghz
PF:	>0.9
CRI:	>80
Life Span:	20,000 Hours
Body Type:	Plastic+Metal
Dimension:	Ø:467x70mm
Box Qty:	5 pcs

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

works with amazon alexa | works with the Google Assistant

Smart Light

60w **VT-5161**

SKU: 1498 3IN1 EAN: 3800157648813

Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	4200lm
Beam Angle:	120°
Wireless Frequency:	2.4Ghz
PF:	>0.9
CRI:	>80
Life Span:	20,000 Hours
Body Type:	Plastic+Metal
Dimension:	Ø572.5x70mm
Box Qty:	5 pcs

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

works with amazon alexa | works with the Google Assistant

LED Smart Panel

40w **VT-5140**

SKU:8080 3IN1 EAN: 3800157646215

Voltage/Frequency:	AC:220-240v,50Hz
Luminous Flux:	4800lm
Beam Angle:	120°
Wireless Frequency:	2.4GHz
PF:	>0.9
CRI:	>80
Life Span:	20,000 Hours
Body Type:	Aluminium
Dimension:	595x595mm
Box Qty:	5 pcs

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

works with amazon alexa | works with the Google Assistant

NEW

Smart Tower Fan

55W

VT-5566

EU PLUG

SKU: 7927 EAN: 3800157655644

55W

VT-5566

BS PLUG

SKU:7928 EAN: 3800157655651

- Power(Watts): 55
- Input Voltage: AC:220–240V,50Hz
- Size(Inches): 46
- Material: ABS
- Speed: 3(Low-Med-High)
- Wind Mode: 3(Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Wireless Frequency: 2.4Ghz
- Remote Control Included

works with amazon alexa | works with the Google Assistant

Real-Time Control

Multi-Brand

Set Timer

Cloud Panel

Power Save

Smart Scene

Easy To Set-Up: Just point your remote to this device, name function on the app, and start managing all IR controls in your home.

IR Remote Control

VT-5151

SKU: 8651 EAN: 3800157650021

Box Qty: 100 pcs

- Input: DC:5V/1A
- Wi-Fi Frequency: 2.4Ghz
- Infrared Frequency: 38Khz
- Inrared Range: ≤ 8meters

works with amazon alexa | works with the Google Assistant

SMART GYRO ROBOT VACUUM

DIGITAL ROBOT CLEANING VACUUM WITH WIFI APP AND WIRELESS REMOTE CONTROL

SMART CLEAN
Smart, Self-Programmed Cleaning Path Navigation

MULTI CLEANER

SMART CONNECT

MOTOR SUCTION POWER
1800 PA

SMART NAVIGATION GYROSCOPE
Robot learns the layout of your home and cleans in S path to more efficiently cover large areas on a single charge.

Automatic Return to Dock Base for Self-Charging

Gyro Robot Vacuum Cleaner

VT-5555-W

SKU: 8649 White EU-Plug	EAN: 3800157649780
SKU: 7911 White BS-Plug	EAN: 3800157653770
SKU: 8650 Black EU-Plug	EAN: 3800157649797
SKU: 7912 Black BS-Plug	EAN: 3800157653787

Box Qty: **4 pcs**

works with amazon alexa

works with the Google Assistant

- Automatic Robot Vacuum Cleaner
- Keep it Clean: Sweep, Dust & Vacuum
- Versatile & Convenient Floor Clean Ability
- Smart, Self-Programmed Cleaning Path Navigation
- WiFi Wireless Network for Hassle-Free Device Pairing
- Take Control of the Vacuum via Remote Control or App
- Preset Multi-Clean Modes: Auto, Single Room, Edge
- Automatic Return to Dock Base for Self-Charging
- One Button Operation & Auto-Start Activation
- 'Bag-less' Waste Bin Integrated HEPA Filter
- Anti-Fall / Anti-Collision Sensors
- Built-in Rechargeable Battery
- Dual Spinning Side Brushes Captures Dirt & Lifts Debris
- Works on Hardwood, Tile, Marble & Hard Carpet Floors
- Slim Low-Profile Housing Slides Underneath Furniture
- Perfect for the Home or Office

SMART GYRO ROBOT VACUUM

DIGITAL ROBOT CLEANING VACUUM WITH WIFI APP AND WIRELESS REMOTE CONTROL

SMART CLEAN
Smart, Self-Programmed Cleaning Path Navigation

MULTI CLEANER

SMART CONNECT

3000mAh
Using LG battery

SMART NAVIGATION GYROSCOPE

MOTOR SUCTION POWER
2200 PA

Robot learns the layout of your home and cleans in S path to more efficiently cover large areas on a single charge.

Automatic Return to Dock Base for Self-Charging

Accessories :

Robot Laser Vacuum Cleaner

VT-5556

SKU: 7933 White EU-Plug EAN: 3800157656689
SKU: 8992 Black EU-Plug EAN: 3800157659178

Box Qty: **3pcs**

works with amazon alexa

works with the Google Assistant

- Automatic Robot Vacuum Cleaner
- Keep it Clean: Sweep, Dust & Vacuum
- 360 Laser scanning provides insight into the whole house
- Smart, Self-Programmed Cleaning Path Navigation
- WiFi Wireless Network for Hassle-Free Device Pairing
- Take Control of the Vacuum via V-TAC App or Alexa and Google Home
- Preset Multi-Clean Modes: Auto, Single Room, Edge
- Automatic Return to Dock Base for Self-Charging
- One Button Operation & Auto-Start Activation
- 'Bag-less' Waste Bin Integrated HEPA Filter
- Anti-Fall / Anti-Collision Sensors
- Built-in Rechargeable Battery
- Dual Spinning Side Brushes Captures Dirt & Lifts Debris
- Works on Hardwood, Tile, Marble & Hard Carpet Floors
- Cleaning area coverage: Up to 120m2 - Dustbin capacity: 600 ml
- Suction Power: Japanese Nidec Motor 2200 PA

NEW

WiFi Thermostat

VT-5888

SKU: 7908 EAN: 3800157651622

works with amazon alexa | works with the Google Assistant

- Power Supply: 95~240 VAC, 50/60Hz
- Fan Relay Amps Resistance: 5A; Inductive: 3A
- Valve Relay Amps Resistance: 3A; Inductive: 1A
- Sensor: NTC 3950, 10K
- Accuracy: +0.5°C
- Set Temp. Range: 5–35°C
- Display Temp. Range: 5~99°C
- Ambient Temp.: 0~45°C
- Ambient Humidity: 5~95%
- RH (Non Condensing)
- Storage Temp.: -5~ 45°C
- Power Consumption: <1.5W
- Timing Error: <1%
- Shell Material: PC + ABS(Fireproof)
- Wire Terminals: Wire 2 × 1.5mm2 or 1 × 2.5mm2
- Protection Class: IP20



works with amazon alexa

works with the Google Assistant

Touch Switch-Wifi

VT-5003-B

SKU: 8423 EAN: 3800157637411

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs

Wall Socket-Wifi(EU)

VT-5134-Black

SKU: 8797 EAN: 3800157645393

works with amazon alexa

works with the Google Assistant

VT-5134-White

Sku: 8798 EAN: 3800157645409

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	3500w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	86x86x45mm
Box Qty:	60 pcs

works with amazon alexa

works with the Google Assistant

Wall Socket-Wifi(BS)

VT-5017

SKU: 8446 EAN: 3800157644648

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4Ghz
Max Watts:	2900w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	146x86x32mm
Box Qty:	100 pcs

works with amazon alexa

works with the Google Assistant

Online Switch-Wifi

VT-5008

SKU: 8422 EAN: 3800157637350

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	90x40x25mm
Box Qty:	100 pcs

works with amazon alexa

works with the Google Assistant

Waterproof Socket

VT-5000

SKU: 8414 EAN: 3800157637275

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP54
Dimension:	86x71x68mm
Box Qty:	50 pcs

BS Plug SKU: 8427

BS PLUG AVAILABLE

works with amazon alexa

works with the Google Assistant

Plug-Wifi

VT-5001

SKU: 8415 EAN: 3800157637282

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	110x62x36mm
Box Qty:	50 pcs

works with amazon alexa

works with the Google Assistant

Plug-Wifi-Italian

VT-5148

SKU: 8470 EAN: 3800157645133

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	110x62x36mm
Box Qty:	50 pcs

BS Plug SKU: 8428

BS PLUG AVAILABLE

works with amazon alexa

works with the Google Assistant

Mini Plug-Wifi

VT-5002

SKU: 8416 EAN: 3800157637299

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	63x45x30mm
Box Qty:	100 pcs

works with amazon alexa

works with the Google Assistant

Power Strip-Wifi(EU)

VT-5018

SKU: 8447 EAN: 3800157644631

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4Ghz
Max Watts:	3500w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	305x58x43mm
Box Qty:	25 pcs

works with amazon alexa

works with the Google Assistant

E27 Lamp Holder-Wifi

VT-5007

SKU: 8421 EAN: 3800157637343

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	20w(LED Bulb)
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	D:67x02mm
Box Qty:	50 pcs

works with amazon alexa

works with the Google Assistant

RF433 Gateway

VT-5144

SKU: 8466 EAN: 3800157645096

- Input Voltage: 90-250V
- Max Current:13A
- Wireless Standard Wi-Fi 2.4Ghz
- Material:PC
- Power supply: Micro USB 5V/1A
- RF:433MHz
- Control Mode:VTAC Smartphone App
- Size: 110x25mm
- Box Qty: 100 pcs

RF Gateway is a bridge converting any device operated with RF functionality into a smart device. One RF Bridge supports a maximum of 4 RF Remotes.

works with amazon alexa

works with the Google Assistant

Temperature Humidity Scheduler

VT-5145

SKU: 8467 EAN: 3800157645102

- Max. Current-16A
- Material: PC
- Input: AC:90-250V,50/60Hz
- 2.4Ghz Wi-Fi
- Smart Link technology
- Remote control connected appliance
- Remotely monitor Temperature & Humidity
- DIY your favorite scenes
- Box Qty: 100 pcs
- Size: 137x45x28mm

works with amazon alexa

works with the Google Assistant

Temperature & Humidity Sensor

VT-5146

SKU: 8468 EAN: 3800157645119

- Material: ABS
- Temperature Humidity: 0~99.9%RH
- Measuring Range: -40~+80°C
- Wire Length: 0.5 Meter
- Compatible with V-TAC Temperature Humidity scheduler (Not included)"
- Box Qty: 200 pcs
- Size: 61x26mm(50cm Wire Length)

works with amazon alexa

works with the Google Assistant

Waterproof Temperature Probe

VT-5147

SKU: 8469 EAN: 3800157645126

- Material: ABS
- Measuring Range: -50~+125°C
- Wire Length: 1 Meter
- Waterproof - IP66 Rated
- Compatible with V-TAC Temperature Humidity scheduler (Not included)
- Box Qty: 200 pcs
- Size: 70x70x1000mm

Smart Cameras

V-TAC introduces its all-new extensive range of smart cameras – fully compatible with any smart device (mobile phones, tablets, or PCs) through WiFi integration. These cameras offer detection alerts via email –– all available in standard UK & EU plugs for compatibility.

Product Features

- Standard wireless frequencies for WiFi transmission
- Equipped with premium quality image sensors – high definition, high resolution videos at standard frames per second,
- Supports iOS & Android devices
- Real-time alerts sent straight to your mobile for motion detected
- Night Vision
- Two-Way Audio
- Video storage: Micro SD storage or cloud transmission

Applications

Designed to add an extra layer of security in houses, condominiums, restaurants, retail shops, office spaces, and more high-definition video feed in real-time, including two-way audio, full security camera sets, motion

NEW

Indoor Camera IP20

VT-5156

SKU: 8986 EAN: 3800157659093 Box Qty: 50 pcs

- Input Power - DC:5V±5%
- Auto tacking
- Motion Detection
- 2.4~2.4835 Ghz Wireless Frequency
- 355°/85° Pan/Tilt
- Resolution - 2304x1296P
- 3.0M pixel HD cmos Image Sensor
- 3.6mm Lens
- H.265/Mjpeg Video Compression
- 10 meters Night Vision
- 25~30fps Frame Rate
- Two way Audio
- WEP/WPA-PSK/WPA2-PSK encryption Wireless Security
- SD up to 128gb Storage
- Indoor Use only – IP20
- Supports Android & IOS devices
- IEEE802.11b/g/n Wireless Frequency

Night Vision | Two Way Audio | Motion Detection | 1296P FULLHD

NEW

Outdoor Camera IP65

VT-5157

SKU: 8987 EAN: 3800157659109 Box Qty: 20 pcs

- Input Power - DC:12V±5%
- 2.4~2.4835 Ghz Wireless Frequency
- Alarm motion detection
- Lan port RJ-45
- 2304x1296P Resolution
- 3.0M pixel HD CMOS
- 3.6mm Lens
- H.265/Mjpeg Video Compression
- Protocol: TCP, UDP, DHCP, DNS, RTSP, P2P
- 10 meters Night Vision
- 25~30fps Frame Rate
- Two way Audio
- Wireless Security: WEP/WPA-PSK/WPA2-PSK data encryption
- Micro SD up to 128gb Storage
- Supports Android & IOS devices
- IEEE802.11b/g/n Wireless LAN
- IP Rating: IP65

Night Vision | Two Way Audio | Motion Detection | 1296P FULLHD

IP65 RATING

NEW

Camera with LED Lights IP65
VT-5158

SKU: 8988 EAN: 3800157659116 Box Qty: 20 pcs

- Input Power - DC:12V±5%
- Auto tracking
- Motion & Sound Detection
- 2.4~2.4835 Ghz Wireless Frequency
- 220°/ 90° Pan/Tilt
- 2304x1296P Resolution
- 3.0M pixel HD CMOS Image Sensor
- 3.6mm Lens
- H.265/Mjpeg Video Compression
- Protocol: TCP, UDP, DHCP, DNS, RTSP, P2P
- 10 meters Night Vision
- 25~30fps Frame Rate
- Two way Audio
- Wireless Security: WEP/WPA-PSK/WPA2- PSK data encryption
- Micro SD up to 128gb Storage
- Lan port RJ-45
- Supports Android & IOS devices
- IEEE802.11b/g/n Wireless LAN
- IP Rating: IP65

Night Vision | Two Way Audio | Motion & Sound Detection | 1296P FULLHD

IP65 RATING

NEW

Camera with LED Lights IP65
VT-5159

SKU: 8989 EAN: 3800157659123 Box Qty: 20 pcs

- Input Power - DC:12V±5%
- Auto tracking
- Motion Detection
- 2.4~2.4835 Ghz Wireless Frequency
- 220°/ 90° Pan/Tilt
- 2304x1296P Resolution
- 3.0M Pixel HD CMOS Image Sensor
- 3.6mm Lens
- H.265/Mjpeg Video Compression
- Protocol: TCP, UDP, DHCP, DNS, RTSP, P2P
- 15 meters Night Vision
- 25~30fps Frame Rate
- Two way Audio
- Wireless Security: WEP/WPA-PSK/WPA2- PSK data encryption
- Micro SD up to 128gb Storage
- Lan port RJ-45
- Supports Android & IOS devices
- IEEE802.11b/g/n Wireless LAN
- IP Rating: IP65

Night Vision | Two Way Audio | Motion Detection | 1296P FULLHD

IP65 RATING

Surveillance Camera

VT-5125

SKU: 8474 EAN: 3800157647878 Box Qty: 80 pcs

- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Lens - 2.8mm @F1.8
- Material - ABS
- Audio - No
- Sensor Type - 2.0MP1/2.7" CMOS
- Signal System - AHD/CVI/TVI/CVBS @1080P
- Minimum illumination - Color:0.01Lux @(F1.2,AGC ON); 0 Lux (IRs on)
- Black & White - 0.001 Lux @ (F1.2,AGC ON),0 Lux (IRs on)
- Shutter - 1/50(1/60) second~ 1/10,000 second
- Lens - High-definition board lens 2.8mm @F1.8
- Lens type M12
- Day and Night IR-Cut
- Video Output - 1Vp-p Composite Output(75Ω/BNC)
- IR Distance - 20 to 30 meters

Night Vision | 1080P FULLHD

Surveillance Camera

VT-5126

SKU: 8475 EAN: 3800157647885 Box Qty: 50 pcs

- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Image Sensor - 2.0MP 1/2.7" Low illumination CMOS Sensor
- Lens - 2.8mm@F1.8
- Audio - No
- IP Rating - IP65
- Built with Aluminium
- Signal System - AHD/CVI/TVI/CVBS @1080P
- Minimum illumination - Color:0.01Lux @(F1.2,AGC ON); 0 Lux (IRs on)
- Black & White - 0.001 Lux @ (F1.2,AGC ON),0 Lux (IRs on)
- Shutter - 1/50(1/60) second~ 1/10,000 second
- Lens - High-definition board lens 2.8mm @F1.8
- Lens type M12
- Day and Night IR-Cut
- Video Output - 1Vp-p Composite Output(75Ω/BNC)
- IR Distance - 20 to 30 meters

Night Vision | 1080P FULLHD | IP65 RATING

4CH DVR

VT-5127

SKU: 8476 EAN: 3800157647892 Box Qty: 10 pcs

- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Image Sensor - 2.0MP 1/2.7" Low illumination CMOS Sensor
- Lens - 2.8mm@F1.8
- Audio - No
- IP Rating - IP65
- Built with Aluminium
- Signal System - AHD/CVI/TVI/CVBS @1080P
- Minimum illumination - Color:0.01Lux @(F1.2,AGC ON); 0 Lux (IRs on)
- Black & White - 0.001 Lux @ (F1.2,AGC ON),0 Lux (IRs on)
- Shutter - 1/50(1/60) second~ 1/10,000 second
- Lens - High-definition board lens 2.8mm @F1.8
- Lens type M12
- Day and Night IR-Cut
- Video Output - 1Vp-p Composite Output (75Ω/BNC)
- IR Distance - 20 to 30 meters

Night Vision | 1080P FULLHD | IP65 RATING

- **Video power cable security camera wire cord extension cable designed for CCTV DVR surveillance system.**
- **Cable Length 60ft(18M)**
- **All in one video and power security camera cable.**
- **Compatible with all TVI, CVI, AHD, CVBS CCTV surveillance DVR Camera system.**
- **Transmits video signals and supplies DC power for security cameras.**
- **Plug and Play red, for the camera with DC power only.**
- **Gold plated core riveted joint type BNC male connector**
- **Nickel plated male and female DC connectors.**

18 Meter Wire

SKU: 8477

Security Camera

VT-5135

SKU: 8478 EAN: 3800157647915 Box Qty: 50 pcs

- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Image Sensor - 1/2.8" Low illumination CMOS Sensor
- Lens - 3.6mm@F1.8
- Minimum illumination - Color-0.01Lux @(F1.2,AGC ON); 0 Lux with IR
- Black and White - 0.001 Lux @ (F1.2, AGC ON), 0 Lux with IR
- Shutter - 1/50 (1/60) seconds to 1/10,000 seconds
- Designed with Lens Type M12
- Day and night conversion mode - Supports IR-CUT
- Frame rate 1080P@20fps
- Supports Protocols - TCP/IP, HTTP, DHCP, DNS, DDNS,PPPoE, SMTP, NTP
- Communication interface - 1 10/100Mbps adaptive Ethernet port, RJ45 interface
- Infrared distance of 20-30 meters
- Audio - No
- IP Rating - IP65

Night Vision | 1080P FULLHD | IP65 RATING

Security Camera
VT-5136

SKU: 8479 EAN: 3800157647922

Box Qty: **20 pcs**

- Input Power - DC:12V
- Resolution - 1920x1080
- Image Sensor - 1/2.7" CMOS 0.001LUX/F1.2(Colorful)
- Video Compression - 32kbps-8mbps
- 2.0 Mega pixel
- Electronic Shutter - 1/25---1/10000 Second
- Day and night conversion mode - Full Color
- 3D DNR (Digital noise reduction)
- H.265 encoding type - Profile_Baseline
- Intelligent Alarm - Motion detection, occlusion alarm, video loss, network cable disconnection, IP address conflict
- Support Protocols - TCP/IP, DHCP, HTTP, DNS, RTP RTSP
- Docking Protocols - ONVIF, Hikvision, Dahua
- Universal feature - One-click recovery, dual stream, heartbeat, mirroring, video masking, anonymous access
- Communication interface - 1 RJ45 10M / 100M adaptive Ethernet port

Night Vision | 1080P FULLHD | IP65 RATING

FULL COLOR NIGHT VISION REC

Wireless NVR Camera-EU
VT-5188

SKU: 8400 EAN: 3800157643757

EU PLUG

Box Qty: **4 pcs**

- **Transmission distance more than 800 meters in open space with no obstacles**
- **Built-in security wireless WIFI module with stable signal transmission and strong anti-interference ability**
- **No need setting WIFI, plug and play**
- **P2P remote viewing in seconds with high-definition video quality**
- **Support motion detection alarm**
- **Support buzzer/Email alarm**
- **Support Android/IOS devices**

SMART HOME WIFKIT | HD HOME SECURITY SYSTEM | WiFi

P2P | Cloud | Wireless | HDMI

Indoor Camera-EU

VT-5122

SKU: 8439 EAN: 3800157644136

Box Qty: **50 pcs**

EU PLUG

VT-5122-BS

SKU: 8438 EAN: 3800157644129

Box Qty: **50 pcs**

BS PLUG

- DC:5V±5% Input Power
- Auto tracking
- Motion Detection
- 2.4~2.4835 Ghz Wireless Frequency
- 355°/85° Pan/Tilt
- 1920×1080P Resolution
- 2.0M pixel HD cmos Image Sensor
- 3.6mm Lens
- H.264/Mjpeg Video Compression
- 10 meters Night Vision
- 25-30fps Frame Rate
- Two way Audio
- WEP/WPA-PSK/WPA2-PSK encryption Wireless Security
- SD up to 64gb Storage
- Indoor Use only – IP20
- Supports Android & IOS devices

Night Vision | Two Way Audio | Motion Detection | 1080P FULLHD

Outdoor Camera-EU

VT-5123

SKU: 8441 EAN: 3800157644150

Box Qty: **30 pcs**

EU PLUG

VT-5123-BS

SKU: 8440 EAN: 3800157644143

Box Qty: **30 pcs**

BS PLUG

- DC:12V±5% Input Power
- Motion detection
- 2.4~2.4835 Ghz Wireless Frequency
- Alarm motion detection
- Lan port RJ-45
- 1920×1080P Resolution
- 2.0M pixel HD cmos
- 3.6mm Lens
- H.264/Mjpeg Video Compression
- 10 meters Night Vision
- 25-30fps Frame Rate
- Two way Audio
- WEP/WPA-PSK/WPA2-PSK encryption Wireless Security
- SD up to 64gb Storage
- IP65(Indoor & Outdoor use)
- Supports Android & IOS devices

IP65 RATING | Night Vision | Two Way Audio | Motion Detection | 1080P FULLHD

Doorbell
VT-5412

SKU: 8355 EAN: 3800157634960

Box Qty: **50 pcs**

Box Qty: **50 pcs**

- Two-way audio
- IR Distance: dual IR cut filter with auto switch, max 5 meters
- Motion detection: alerts users with a push notification
- Remote operation-system settings, account management, stream code setting
- ABS+PC Body Type
- 75×40×143mm
- -10°C ~+50°C Working Temperature
- 1280×720P Resolution
- Rechargeable 18650 Battery 3350mAH or AC 8~24V Power
- HD720P@25FPS Frame Rate
- 166 Degree Field View
- Max 64GB TF Card Storage

Including 8GB Micro SD Card

Including Rechargable Batteries

Chimes-EU
VT-5415

SKU: 8445 EAN: 3800157644594

Box Qty: **100 pcs**

EU PLUG

VT-5413

SKU: 8359 EAN: 3800157635004

Box Qty: **100 pcs**

BS PLUG

- 5 levels of volume
- 55 ringtones
- Voltage: AC100-265V
- Protection Rating: IP54
- Wireless range up to 250 mtrs
- Directly plug into an electrical outlet
- Compatible with V-TAC Doorbell (VT-5412)

55 melodious **Ringtones**

Italian & European Sockets and Adapters

Extensive variety of electrical accessories to power your devices with Italian & European socket and adapters made from high-quality, modern components from V-TAC. Includes cable reels and sockets of different types and lengths, extension cords, travel adapters/converters, grounded counterparts, and more.

- 3/4/5/6/8-way sockets – sockets with switches and/or USB ports also available
- Includes sockets for different socket types compatible in Italy and more European countries
- 2/3/4 Outlet, Universal Travel Adapters available for flexibility of use
- Earthing variants available for select socket types

USB TRAVEL ADAPTOR

VT-1024-W
SKU: 8791
EAN: 3800157644266

Input Power:	AC:100-230V,50/60Hz	Output Current:	2A
Body Type:	ABS	Rated Load:	10W
Dimension:	27×47×70mm	Box Qty:	48 pcs
Input Current:	0.25A		

USB TRAVEL ADAPTOR

VT-1024-B
SKU: 8792
EAN: 3800157644273

Input Power:	AC:100-230V,50/60Hz	Output Current:	2A
Body Type:	ABS	Rated Load:	10W
Dimension:	27×47×70mm	Box Qty:	48 pcs
Input Current:	0.25A		



USB QC3.0 TRAVEL ADAPTOR

VT-1026-W
SKU: 8793
EAN: 3800157644280

Input Power:	AC:100-240V,50/60Hz	Output Current:	3.0A
Body Type:	PC	Rated Load:	18W
Dimension:	42×57×24mm	Box Qty:	48 pcs
Input Current:	0.2A		



USB QC3.0 TRAVEL ADAPTOR

VT-1026-B
SKU: 8794
EAN: 3800157644297

Input Power:	AC:100-240V,50/60Hz	Output Current:	3.0A
Body Type:	PC	Rated Load:	18W
Dimension:	42×57×24mm	Box Qty:	48 pcs
Input Current:	0.2A		

UNIVERSAL ADAPTOR WITH OVERLOAD PROTECTION WITH 2USB 2A

SKU: 8704
EAN: 3800157642163

Input Power:	AC:110-250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	2500W
Dimension:	95×50×40mm	Box Qty:	48 pcs
Input Current:	10A		

UNIVERSAL ADAPTOR WITH OVERLOAD PROTECTION

SKU: 8705
EAN: 3800157642170

Input Power:	AC:110-250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	2500W
Dimension:	70×50×40mm	Box Qty:	100 pcs
Input Current:	10A		

CABLE REEL WITH 4 SOCKET

VT-6002
SKU: 8781
EAN: 3800157643528

Wire Length:	10M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	Black
Dimension:	20X27X6.5mm	Box Qty:	5 pcs

CABLE REEL WITH 4 SOCKET

VT-6003
SKU: 8782
EAN: 3800157643535

Wire Length:	25M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	Black
Dimension:	24X13X33mm	Box Qty:	1 pcs

Extension Cord

VT-3001-3
SKU: 8778
EAN: 3800157643498

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	250×200×150mm	Box Qty:	30 pcs

Extension Cord

VT-3001-5
SKU: 8779
EAN: 3800157643504

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	200X160X90mm	Box Qty:	30 pcs

Extension Cord

VT-3001-10
SKU: 8780
EAN: 3800157643511

Wire Length:	10M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	200×110×40mm	Box Qty:	15 pcs

1.4M Wire

3WAYS SOCKET WITH USB(3G1.5MM2 X1.4M

VT-1153-2
SKU: 8799
EAN: 3800157645669

Wire Length:	1.4M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PC	Color:	White
Dimension:	130X138.30×42mm	Box Qty:	40 pcs

1.4M Wire

4WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

VT-1154-2
SKU: 8800
EAN: 3800157645676

Wire Length:	1.4M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PC	Color:	White
Dimension:	77X77X82.8mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH

4 HOLES SOCKET WITH SWITCH

VT-1117-4
SKU: 8770
EAN: 3800157643412

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174×45×40mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH

4 HOLES SOCKET WITH SWITCH

VT-1117-2
SKU: 8771
EAN: 3800157643429

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	174×45×40mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH

8 HOLES SOCKET WITH SWITCH

VT-1118-8
SKU: 8772
EAN: 3800157643436

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	186×45×40mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH

8 HOLES SOCKET WITH SWITCH

VT-1118-2
SKU: 8773
EAN: 3800157643443

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	186×45×40mm	Box Qty:	40 pcs

1.5M Wire

2 USB PORT

3WAYS SOCKET WITH 2USB

VT-1124-2

SKU: 8774

EAN: 3800157643450

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178×45×40mm	Box Qty:	40 pcs

5M Wire

2 USB PORT

3WAYS SOCKET WITH 2USB

VT-1124-5

SKU: 8775

EAN: 3800157643467

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178×45×40mm	Box Qty:	20 pcs

1.5M Wire

2 USB PORT

3WAYS SOCKET WITH 2USB

VT-1125-2

SKU: 8776

EAN: 3800157643474

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	178×45×40mm	Box Qty:	40 pcs

5M Wire

2 USB PORT

3WAYS SOCKET WITH 2USB

VT-1125-5

SKU: 8777

EAN: 3800157643481

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	178×45×40mm	Box Qty:	20 pcs

1.5M Wire

3 WAYS SOCKET

VT-1103-2

SKU: 8754

EAN: 3800157643252

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	170×45×40mm	Box Qty:	40 pcs

3M Wire

3 WAYS SOCKET

VT-1103-3

SKU: 8755

EAN: 3800157643269

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	170×45×40mm	Box Qty:	30 pcs

1.5M Wire

4 WAYS SOCKET

VT-1104-2
SKU: 8756
EAN: 3800157643276

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174×45×40mm	Box Qty:	40 pcs

3M Wire

4 WAYS SOCKET

VT-1104-3
SKU: 8757
EAN: 3800157643283

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174×45×40mm	Box Qty:	30 pcs

1.5M Wire

5 WAYS SOCKET

VT-1105-2
SKU: 8758
EAN: 3800157643290

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178×45×40mm	Box Qty:	40 pcs

3M Wire

5 WAYS SOCKET

VT-1105-3
SKU: 8759
EAN: 3800157643306

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178×45×40mm	Box Qty:	30 pcs

1.5M Wire

6 WAYS SOCKET

VT-1106-2
SKU: 8760
EAN: 3800157643313

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182×45×40mm	Box Qty:	40 pcs

3M Wire

6 WAYS SOCKET

VT-1106-3
SKU: 8761
EAN: 3800157643320

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182×45×40mm	Box Qty:	30 pcs

1.5M Wire | LIGHTED SWITCH

3WAYS SOCKET WITH SWITCH

VT-1113-2
SKU: 8762
EAN: 3800157643337

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174×45×40mm	Box Qty:	40 pcs

5M Wire | LIGHTED SWITCH

3WAYS SOCKET WITH SWITCH

VT-1113-5
SKU: 8763
EAN: 3800157643344

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174×45×40mm	Box Qty:	20 pcs

1.5M Wire | LIGHTED SWITCH

4WAYS SOCKET WITH SWITCH

VT-1114-2
SKU: 8764
EAN: 3800157643351

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178×45×40mm	Box Qty:	40 pcs

5M Wire | LIGHTED SWITCH

4WAYS SOCKET WITH SWITCH

VT-1114-5
SKU: 8765
EAN: 3800157643368

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178×45×40mm	Box Qty:	20 pcs

1.5M Wire | LIGHTED SWITCH

5WAYS SOCKET WITH SWITCH

VT-1115-2
SKU: 8766
EAN: 3800157643375

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182×45×40mm	Box Qty:	40 pcs

5M Wire | LIGHTED SWITCH

5WAYS SOCKET WITH SWITCH

VT-1115-5
SKU: 8767
EAN: 3800157643382

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182×45×40mm	Box Qty:	20 pcs

1.5M Wire | LIGHTED SWITCH

6WAYS SOCKET WITH SWITCH

VT-1116-2
SKU: 8768
EAN: 3800157643399

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	186×45×40mm	Box Qty:	40 pcs

5M Wire | LIGHTED SWITCH

6WAYS SOCKET WITH SWITCH

VT-1116-5
SKU: 8769
EAN: 3800157643405

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	186×45×40mm	Box Qty:	20 pcs

1.4M Wire | LIGHTED SWITCH | 2 USB PORT | SURGE PROTECTION

3 WAYS DESK SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

VT-1133-2
SKU: 8817
EAN: 3800157648981

Wire Length:	1.4M	Input Current:	3×16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PC,PVC, COPPER	Color:	Black
Dimension:	225×65×73mm	Box Qty:	20 pcs

1.4M Wire | LIGHTED SWITCH | 2 USB PORT

4 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

VT-1144-2
SKU: 8808
EAN: 3800157648882

Wire Length:	1.4M	Input Current:	4×16A
Input Power:	AC:200-240V,50Hz	Rated Load:	3680W
Body Type:	PC,PVC, COPPER	Color:	White
Dimension:	307×46×42mm	Box Qty:	20 pcs

3M Wire | LIGHTED SWITCH | 2 USB PORT

5 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

VT-1115-3
SKU: 8807
EAN: 3800157648875

Wire Length:	3M	Input Current:	5×16A
Input Power:	AC:200-240V,50Hz	Rated Load:	3680W
Body Type:	PP,PVC, COPPER	Color:	White
Dimension:	365×53×44mm	Box Qty:	20 pcs

1.4M Wire | LIGHTED SWITCH | SURGE

5 WAYS SAFE SOCKET WITH LIGHTED SWITCH

VT-1135-2
SKU: 8818
EAN: 3800157648998

Wire Length:	1.4M	Input Current:	5×16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PP,PVC, COPPER	Color:	White
Dimension:	330×55×41mm	Box Qty:	20 pcs

2 WAYS ADAPTER WITH EARTHING CONTACT

VT-1006-2
SKU: 8783
EAN: 3800157643986

Input Power:	AC:250V, 16A	Output Current:	2×16A
Body Type:	PP Plastic+ Copper	Rated Load:	2300W
Dimension:	98×46×74.6mm	Box Qty:	100 pcs
Input Current:	16A		

ADAPTER WITH 3 EURO-SOCKET

VT-1005-2
SKU: 8784
EAN: 3800157643993

Input Power:	AC:250V, 16A	Output Current:	16A+2×2.5A
Body Type:	PP Plastic+ Copper	Rated Load:	3680W
Dimension:	93.1×48×75.3mm	Box Qty:	100 pcs
Input Current:	16A		

4 WAYS ADAPTER WITH EARTHING CONTACT

VT-1004-4
SKU: 8785
EAN: 3800157644006

Input Power:	AC:250V, 16A	Output Current:	4×2.5A
Body Type:	PP Plastic+ Copper	Rated Load:	3680W
Dimension:	91.2×49×78.1mm	Box Qty:	100 pcs
Input Current:	16A		

2 WAYS ADAPTER WITH EARTHING CONTACT

VT-1008-2
SKU: 8786
EAN: 3800157644013

Input Power:	AC:250V, 16A	Output Current:	3×16A
Body Type:	PP Plastic+ Copper	Rated Load:	3680W
Dimension:	87.5×45.8×99.5mm	Box Qty:	100 pcs
Input Current:	16A		

3 WAYS ADAPTER WITH EARTHING CONTACT

VT-1009-3
SKU: 8787
EAN: 3800157644020

Input Power:	AC:250V, 16A	Output Current:	3×16A
Body Type:	PP Plastic+ Copper	Rated Load:	3680W
Dimension:	92.8×72.4×86.1mm	Box Qty:	100 pcs
Input Current:	16A		

3 OUTLET POWER ADAPTER WITH EARTH CONTACT AND SWITCH

VT-1010-3
SKU: 8788
EAN: 3800157644037

Input Power:	AC:250V, 16A	Output Current:	16A+2×2.5A
Body Type:	PP Plastic+ Copper	Rated Load:	3680W
Dimension:	93.1×69.7×76.5mm	Box Qty:	100 pcs
Input Current:	16A		

3 OUTLET POWER ADAPTER WITH EARTH CONTACT

VT-1011-3
SKU: 8789
EAN: 3800157644044

Input Power:	AC:250V, 16A	Output Current:	3×16A
Body Type:	PP Plastic+ Copper	Rated Load:	3680W
Dimension:	133.6×49.5×76.9mm	Box Qty:	100 pcs
Input Current:	16A		

3 OUTLET POWER ADAPTER

VT-1012-3
SKU: 8790
EAN: 3800157644051

Input Power:	AC:250V, 16A	Output Current:	3×16A
Body Type:	PP Plastic+ Copper	Rated Load:	3680W
Dimension:	87.5×84.98×59.4mm	Box Qty:	100 pcs
Input Current:	16A		

2 OUTLET ADAPTER 2.5A

VT-1022
SKU: 8801
EAN: 3800157645683

Input Power:	AC:230V	Output Current:	5A
Body Type:	PP	Rated Load:	1100W
Dimension:	44X39X61mm	Box Qty:	200 pcs
Input Current:	16A		

3 OUTLET ADAPTER 2.5A

VT-1023
SKU: 8802
EAN: 3800157645690

Input Power:	AC:230V	Output Current:	7.5A
Body Type:	PP	Rated Load:	1700W
Dimension:	65×47×72mm	Box Qty:	200 pcs
Input Current:	16A		

ADAPTER WITH 2 SOCKET 2.5A,1 SOCKET 16A WITH EARTHING CONTACT 16A

VT-1053
SKU: 8804
EAN: 3800157645713

Input Power:	AC:230V	Output Current:	16A
Body Type:	PP	Rated Load:	3500W
Dimension:	92×47.5×75mm	Box Qty:	200 pcs
Input Current:	16A		

2 OUTLET ADAPTER 16A WITH EARTHING CONTACT 16A

VT-1042
SKU: 8805
EAN: 3800157645720

Input Power:	AC:230V	Output Current:	16A
Body Type:	PP	Rated Load:	3680W
Dimension:	92×50×75mm	Box Qty:	200 pcs
Input Current:	16A		

4 OUTLET ADAPTER 2.5A

VT-1054
SKU: 8803
EAN: 3800157645706

Input Power:	AC:230V	Output Current:	10A
Body Type:	PP	Rated Load:	2300W
Dimension:	83×47×72mm	Box Qty:	200 pcs
Input Current:	16A		

ADAPTER WITH 2 SOCKET 2.5A,1 SOCKET 16A WITH SWITCH & EARTHING CONTACT16A

VT-1063
SKU: 8806
EAN: 3800157645737

Input Power:	AC:230V	Output Current:	16A
Body Type:	PP	Rated Load:	3500W
Dimension:	95×70×74mm	Box Qty:	200 pcs
Input Current:	16A		

ADAPTER WITH EARTHING CONTACT & CHARGING

VT-1044-W
SKU: 8795
EAN: 3800157644303

Input Power:	AC:110-230V,50/60Hz	Output Current:	16A+2.1A
Body Type:	ABS	Rated Load:	3680W
Dimension:	107×54.2×74.2mm	Box Qty:	60 pcs
Input Current:	16A		

ADAPTER WITH EARTHING CONTACT & CHARGING

VT-1044-B
SKU: 8796
EAN: 3800157644310

Input Power:	AC:110-230V,50/60Hz	Output Current:	16A+2.1A
Body Type:	ABS	Rated Load:	3680W
Dimension:	107×54.2×74.2mm	Box Qty:	60 pcs
Input Current:	16A		

1 WAY ADAPTER-16A

VT-1101-1
SKU: 8809
EAN: 3800157648899

Input Power:	AC:200-240V,50Hz	Output Current:	16A
Body Type:	PP COPPER	Rated Load:	3680W
Dimension:	80×55×72mm	Box Qty:	100 pcs
Input Current:	16A		

ADAPTER WITH 2 POLE SWITCH

VT-1064
SKU: 8841
EAN: 3800157655279

Input Power:	AC:250V	Output Current:	16A
Body Type:	PP Body	Rated Load:	3500W
Dimension:		Box Qty:	100 pcs
Input Current:	16A		

2 WAYS ADAPTER-16A-IP44

VT-1102-2
SKU: 8812
EAN: 3800157648929

Wire Length:	NA	Input Current:	2×16A
Input Power:	AC:200-240V,50Hz	Rated Load:	3680W
Body Type:	PP COPPER	Color:	Green
Dimension:	105×66×106mm	Box Qty:	100 pcs

3M Wire

2 WAYS GARDEN SPIKE SOCKET WITH MECHANICAL TIMER

VT-1112-3
SKU: 8811
EAN: 3800157648912

Wire Length:	3M	Input Current:	2×16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PP,RUBBER, COPPER	Color:	Green
Dimension:	403×145×113mm	Box Qty:	8 pcs

3M Wire

4 WAYS GARDEN SPIKE SOCKET-IP44

VT-1114-3
SKU: 8810
EAN: 3800157648905

Wire Length:	3M	Input Current:	4×16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PP,RUBBER, COPPER	Color:	Green
Dimension:	403×145×113mm	Box Qty:	8 pcs

WATERPROOF SAFE BOX-IP44

SKU: 8819
EAN: 3800157648950

Input Power:	AC:230V	Output Current:	NA
Body Type:	PP	Rated Load:	NA
Dimension:	212×82×72mm	Box Qty:	40 pcs
Input Current:	16A		

3M Wire

4 WAYS SOCKET-IP44

VT-1124-3
SKU: 8814
EAN: 3800157648943

Wire Length:	3M	Input Current:	4×16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PP,RUBBER, COPPER	Color:	Black+Yellow
Dimension:	230×71×94mm	Box Qty:	10 pcs

3M Wire

LIGHTED SWITCH

5 WAYS SOCKET WITH LIGHTED SWITCH-IP44

VT-1125-3

SKU: 8813

EAN: 3800157648936

Wire Length:	3M	Input Current:	5×16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PP,RUBBER, COPPER	Color:	Black+Yellow
Dimension:	403×73×49.5mm	Box Qty:	10 pcs

15M Wire

EXTENSION CORD-1 WAY-16A-IP44

VT-3002-15

SKU: 8816

EAN: 3800157648974

Wire Length:	15M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PVC, COPPER,PP	Color:	Orange+Black
Dimension:	357×130×130mm	Box Qty:	8 pcs

30M Wire

EXTENSION CORD-1 WAY-16A-IP44

VT-3002-30

SKU: 8815

EAN: 3800157648967

Wire Length:	30M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PVC, COPPER,PP	Color:	Orange+Black
Dimension:	473×128×150mm	Box Qty:	4 pcs

2 Way Socket



2 WAYS GARDEN SOCKET IP44

VT-1155-2

SKU: 8820

EAN: 3800157652452

Input Power:	AC:220-240V,50Hz	Input Current:	16A
Body Type:	Stainless Steel	Rated Load:	3680W
Dimension:	127×300mm	Color:	Dark Grey
		Box Qty:	6 pcs

4 Way Socket



2 WAYS GARDEN SOCKET WITH LAMP IP44

VT-1156-2

SKU: 8822

EAN: 3800157652476

Input Power:	AC:220-240V,50Hz	Input Current:	16A
Body Type:	Stainless Steel+PC	Rated Load:	3680W
Dimension:	127×455mm	Color:	Dark Grey
		Box Qty:	4 pcs

2 Way Socket



4 WAYS GARDEN SOCKET IP44

VT-1155-4

SKU: 8821

EAN: 3800157652469

Input Power:	AC:220-240V,50Hz	Input Current:	16A
Body Type:	Stainless Steel	Rated Load:	3680W
Dimension:	157×395mm	Color:	Dark Grey
		Box Qty:	4 pcs

1.5M Wire

Multipresa, 3 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8706
EAN: 3800157642187

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	115×47×22mm	Box Qty:	50 pcs

1.5M Wire

Multipresa, 4 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8707
EAN: 3800157642194

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	135×47×22mm	Box Qty:	50 pcs

1.5M Wire

Multipresa, 5 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8708
EAN: 3800157642200

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	155×47×22mm	Box Qty:	40 pcs

1.5M Wire

Multipresa, 6 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8709
EAN: 3800157642217

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	170×47×22mm	Box Qty:	40 pcs

3 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8710
EAN: 3800157642224

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	200×55×45mm	Box Qty:	50 pcs

4 POS. CON INTERRUTTORE LUMINOSO
10/16A BIPASSO/SCHUKO

SKU: 8711
EAN: 3800157642231

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	245×55×45mm	Box Qty:	40 pcs

5 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8712
EAN: 3800157642248

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	280×55×45mm	Box Qty:	30 pcs

6 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8713
EAN: 3800157642255

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	325×55×45mm	Box Qty:	30 pcs

7 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8714
EAN: 3800157642262

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	370×55×45mm	Box Qty:	30 pcs

5pos. con interruttore luminoso
10/16A Bipasso/schuko + con 2
connessioni USB

SKU: 8715
EAN: 3800157642279

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	335×55×45mm	Box Qty:	30 pcs

1.5M Wire

LIGHTED SWITCH

4 pos.10/16A Bipasso/schuko
con protezione sovratensionni e
interruttori luminoso

SKU: 8748
EAN: 3800157642606

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2500W
Body Type:	PP+COPPER	Color:	White
Dimension:	160×100×45mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH

6 pos.10/16A Bipasso/schuko
con protezione sovratensionni e
interruttori luminoso

SKU: 8749
EAN: 3800157642613

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2500W
Body Type:	PP+COPPER	Color:	White
Dimension:	200×100×45mm	Box Qty:	30 pcs

3M Wire

2 prese 2p+t 10/16A Bipasso
1 prese Bipasso/Schuko

SKU: 8733
EAN: 3800157642453

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2500W
Body Type:	PP+COPPER	Color:	White
Dimension:	100×47×52mm	Box Qty:	50 pcs

1.5M Wire

LIGHTED SWITCH

4 prese 2p+t 10/16A Bipasso
2 prese 10/16A Bipasso/Schuko

SKU: 8734
EAN: 3800157642460

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	150×47×45mm	Box Qty:	25 pcs

1.5M Wire

LIGHTED SWITCH

6 prese 2p+t 10/16A Bipasso
3 prese 10/16A Bipasso/Schuko

SKU: 8735
EAN: 3800157642477

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	195×47×45mm	Box Qty:	25 pcs

1.5M Wire

LIGHTED SWITCH

8 prese 2p+T10/16A Bipasso
4 prese Bipasso/Schuko

SKU: 8736
EAN: 3800157642484

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	240×47×45mm	Box Qty:	30 pcs

4 pos. 10/16A Bipasso/Schuko
Con protezione sovratensionni e interruttore generale luminoso e 4 interruttori indipendenti

SKU: 8737
EAN: 3800157642491

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	225×72×40mm	Box Qty:	30 pcs

5 pos. 10/16A Bipasso/Schuko
Con protezione sovratensionni e interruttore generale luminoso e 5 interruttori indipendenti

SKU: 8738
EAN: 3800157642507

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	260×72×40mm	Box Qty:	30 pcs

6 pos. 10/16A Bipasso/Schuko
Con protezione sovratensionni e interruttori generale luminoso e 6 interruttore indipendenti

SKU: 8739
EAN: 3800157642514

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	305×70×35mm	Box Qty:	30 pcs

2 presa 2p+T10/16A Bipasso + 1 presa Bipasso/schuko
con protezione sovraccarco / con 2USB

SKU: 8745
EAN: 3800157642576

Wire Length:	1.5M	Input Current:	10A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	145×50×40mm	Box Qty:	40 pcs

4 pos. Con interruttore luminoso10/16A Bipasso
Con attacco a parete

SKU: 8740
EAN: 3800157642521

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	160×50×30mm	Box Qty:	30 pcs

5 pos. Con interruttore luminoso 10/16A Bipasso
Con attacco a parete

SKU: 8741
EAN: 3800157642538

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	180×47×30mm	Box Qty:	30 pcs

1.5M Wire

LIGHTED SWITCH

6 pos. Con interruttore luminoso 10/16A Bipasso
Con attacco a parete

SKU: 8742
EAN: 3800157642545

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	200×50×30mm	Box Qty:	30 pcs

5M Wire

2 prese 2P+T 10/16A Bipasso
Con protezione termica ripristinabile

SKU: 8700
EAN: 3800157642125

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	200×160×90mm	Box Qty:	10 pcs

10M Wire

4 prese Bipasso/Schuko
Con protezione termica ripristinabile

SKU: 8701
EAN: 3800157642132

Wire Length:	10M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	250×200×150mm	Box Qty:	6 pcs

15M Wire

4 prese Bipasso/Schuko
Con protezione termica ripristinabile

SKU: 8702
EAN: 3800157642149

Wire Length:	15M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	240×190×160mm	Box Qty:	6 pcs

25M Wire

4 prese Bipasso/Schuko
Con protezione termica ripristinabile

SKU: 8703
EAN: 3800157642156

Wire Length:	25M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	300×240×190mm	Box Qty:	4 pcs

15M Wire

Prolunga, 1 via 10/16A presa italiana/ Schuko con cavo VDE H05VV-F 3G1.5mm2 15m, con spina italiana 16A, con telaio portacavi

SKU: 8834
EAN: 3800157648868

Input Power:	AC:230V	Output Current:	
Body Type:	PVC, COPPER,PP	Rated Load:	2500W
Dimension:	357×130×130mm	Box Qty:	8 pcs
Input Current:	10/16A		

30M Wire

Prolunga, 1 via 10/16A presa italiana/ Schuko con cavo VDE H05VV-F 3G1.5mm2 30m, con spina italiana 16A, con telaio portacavi

SKU: 8833
EAN: 3800157648851

Input Power:	AC:230V	Output Current:	2500W
Body Type:	PVC, COPPER,PP	Rated Load:	4 pcs
Dimension:	473×128×150mm	Box Qty:	
Input Current:	10/16A		

3M Wire

Prolunga lineare spina 10A,2p+T prese 10A

SKU: 8729
EAN: 3800157642415

Wire Length:	3M	Input Current:	10A
Input Power:	AC:250V,50/60Hz	Rated Load:	2300W
Body Type:	PC+COPPER	Color:	White
Dimension:	200×110×40mm	Box Qty:	30 pcs

5M Wire

Prolunga lineare spina 10A,2p+T prese 10A

SKU: 8730
EAN: 3800157642422

Wire Length:	5M	Input Current:	10A
Input Power:	AC:250V,50/60Hz	Rated Load:	2300W
Body Type:	PC+COPPER	Color:	White
Dimension:	230×110×60mm	Box Qty:	30 pcs

3M Wire

Prolunga lineare spina 16A,2p+T prese 10/16Aa

SKU: 8731
EAN: 3800157642439

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PC+COPPER	Color:	White
Dimension:	200×110×40mm	Box Qty:	50 pcs

5M Wire

Prolunga lineare spina 16A,2p+T prese 10/16Aa

SKU: 8732
EAN: 3800157642446

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PC+COPPER	Color:	White
Dimension:	230×110×60mm	Box Qty:	30 pcs

Adattatore spina 16A 2 prese 2P+T
10/16A +
1 presa/Schuko con interruttore

SKU: 8716
EAN: 3800157642286

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	85×75×50mm	Box Qty:	200 pcs
Input Current:	16A		

Adattatore rotante,Spina 10A
2 prese 2P+T 10/16A Bipasso+
1 presa Bipasso/Schuko
Con protezione de sovraccarico

SKU: 8744
EAN: 3800157642569

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	80×75×48mm	Box Qty:	60 pcs
Input Current:	10A		

Adattatore Spina 10A
4 prese 10/16A Bipasso
Con protezione de
sovraccarico

SKU: 8746
EAN: 3800157642583

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95×70×70mm	Box Qty:	200 pcs
Input Current:	10A		

Adattatore Spina 10A
2 prese 2P+T 10/16A Bipasso+
1 presa Bipasso/Schuko
Con protezione de sovraccarico

SKU: 8743
EAN: 3800157642552

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95×50×40mm	Box Qty:	200 pcs
Input Current:	10A		

UNIVERSAL ADAPTOR
10A 250V~

SKU: 8747
EAN: 3800157642590

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	70×55×50mm	Box Qty:	200 pcs
Input Current:	10A		

Adattatore
2 vie 10 / 16A presa Italiana e
1 via 10 / 16A presa Italiano / Schuko
con
interruttore due porte di ricarica USB 2.1A
spina Italiana 16A

SKU: 8830
EAN: 3800157648820

Input Power:	AC:200-240V,50Hz	Output Current:	
Body Type:	PC COPPER	Rated Load:	1500W
Dimension:	120×84×54mm	Box Qty:	100 pcs
Input Current:	10/16A		

Adattatore 3 vie 10 / 16A presa Italiana
con interruttore, con spina Italiana 16A

SKU: 8831
EAN: 3800157648837

Input Power:	AC:200-240V,50Hz	Output Current:	
Body Type:	PC COPPER	Rated Load:	1500W
Dimension:	70×64×54mm	Box Qty:	100 pcs
Input Current:	10/16A		

Adattatore presa Italiana 1 via 10 / 16A,
con protezione contro le sovratensioni,
con spina Italiana da 16A

SKU: 8832
EAN: 3800157648844

Input Power:	AC:200-240V,50Hz	Output Current:	
Body Type:	PC PP COPPER	Rated Load:	3680W
Dimension:	80×55×72mm	Box Qty:	100 pcs
Input Current:	10/16A		

Spina 2p+t 10A

SKU: 8717
EAN: 3800157642293

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	65×32×15mm	Box Qty:	200 pcs
Input Current:	10A		

Spina 2p+t 16A

SKU: 8718
EAN: 3800157642309

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	70×43×20mm	Box Qty:	200 pcs
Input Current:	16A		

Spina 2p+t 10A

SKU: 8719
EAN: 3800157642316

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	70×40×40mm	Box Qty:	200 pcs
Input Current:	10A		

Adattatore spina 16A presa 2p+T 10A schuko

SKU: 8720
EAN: 3800157642323

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	75×40×40mm	Box Qty:	200 pcs
Input Current:	16A		

10A adattatore spina 10 A 3 prese10 A

SKU: 8721
EAN: 3800157642330

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	60×50×48mm	Box Qty:	200 pcs
Input Current:	10A		

Adattatore spina 16A 3 presa 10A /16A Bipasso

SKU: 8722
EAN: 3800157642347

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	60×47×40mm	Box Qty:	200 pcs
Input Current:	16A		

Adattatore spina 10A 2presa 10/ 10A schuko

SKU: 8723
EAN: 3800157642354

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	75×50×40mm	Box Qty:	200 pcs
Input Current:	10A		

Adattatore spina 16A 2presa 10/ 16A Bipasso + 1 Bipasso/ schuko

SKU: 8724
EAN: 3800157642361

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	75×50×40mm	Box Qty:	200 pcs
Input Current:	16A		

Adattatore spina 10A 4 prese 10A

SKU: 8725
EAN: 3800157642378

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95×60×45mm	Box Qty:	200 pcs
Input Current:	10A		

Spina 2p+t 16A

SKU: 8726
EAN: 3800157642385

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95×60×45mm	Box Qty:	200 pcs
Input Current:	16A		

Spina 2p+t 10A

SKU: 8727
EAN: 3800157642392

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	65×35×25mm	Box Qty:	200 pcs
Input Current:	10A		

Prese 10A /16A Bipasso 2p+T

SKU: 8728
EAN: 3800157642408

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	65×43×25mm	Box Qty:	200 pcs
Input Current:	16A		



LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these wall lamps.

Product Features

- Modern wall lights available in sleek and stylish designs.
- Adjustable beam angle.
- Available in black, grey & white colors
- Easy installation
- Perfect for halls, pathways, bedroom, kitchen & terrace

Applications

Suitable for residential lighting, hotels, restaurants, resorts, residential lighting and similar environment

NEW

Black

SKU: 8684 - 4000K Day White 3800157654890

White

SKU: 8683 - 4000K Day White 3800157654883

Up-Down Lights

10W **VT-815-B**

Sensor Compatible:	Yes	PF:	>0.45
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	120°
Luminous Flux:	800lm	Body Type:	Aluminum
IP Rating:	IP54	Dimension:	200x130x100mm
CRI:	>80	Box Qty:	20 Pcs

IP54 RATING

Black

SKU: 8615 - 3000K Warm White 3800157652278
SKU: 8616 - 4000K Day White 3800157652285

White

SKU: 8613 - 3000K Warm White 3800157652254
SKU: 8614 - 4000K Day White 3800157652261





Up-Down Lights

6W **VT-846-B**

Sensor Compatible:	Yes	PF:	>0.6
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	Up150° / Down150°
Luminous Flux:	540lm	Body Type:	Aluminium
IP Rating:	IP54	Dimension:	170x40x80mm
CRI:	>80	Box Qty:	20 Pcs

IP54 RATING

Black

SKU: 8619 - 3000K Warm White	3800157652315
SKU: 8620 - 4000K Day White	3800157652322

White

SKU: 8617 - 3000K Warm White	3800157652292
SKU: 8618 - 4000K Day White	3800157652308





Up-Down Lights

8W **VT-848-B**

Sensor Compatible:	**Yes**	PF:	**>0.6**
Voltage/Frequency:	**AC:220-240V,50Hz**	Beam Angle:	**Up150° / Down150°**
Luminous Flux:	**800lm**	Body Type:	**Aluminium**
IP Rating:	**IP54**	Dimension:	**220x48x90mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP54 RATING



Black

SKU: 8563 - 3000K White	3800157643740
SKU: 8561 - 6400K White	3800157643726

White

SKU: 8562 - 3000K Warm White	3800157643733
SKU: 8560 - 6400K White	3800157643719

LED Wall Lights

4W **VT-844-B**

Sensor Compatible:	**Yes**	PF:	**>0.4**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**41°**
Luminous Flux:	**150lm**	Body Type:	**Nylon**
IP Rating:	**IP65**	Dimension:	**83x123x30mm**
CRI:	**>80**	Box Qty:	**10 Pcs**

IP65 RATING



Round

SKU: 8609 - 3000K Warm White 3800157652063

Square

SKU: 8610 - 3000K Warm White 3800157652070





LED Wall Lights

7W **VT-831-CRD**

Sensor Compatible:	Yes	PF:	>0.6
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	128°
Luminous Flux:	400lm	Body Type:	PC
IP Rating:	IP65	Dimension:	133x133mx67m
CRI:	>80	Box Qty:	20 Pcs

IP65 RATING



Round

SKU: 8537 - 3000K Warm White 3800157638869
SKU: 8538 - 4000K Day White 3800157638876

Square

SKU: 8539 - 3000K Warm White 3800157638883
SKU: 8540 - 4000K Day White 3800157638890





LED Wall Lights

12W **VT-827-RD**

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	128°
Luminous Flux:	650lm	Body Type:	PC
IP Rating:	IP65	Dimension:	169x100mm
CRI:	>80	Box Qty:	20 Pcs

IP65 RATING



Round

SKU: 8611 - 3000K Warm White 3800157652087

Square

SKU: 8612 - 3000K Warm White 3800157652094



LED Wall Lights

7W **VT-831-RD**

Sensor Compatible:	Yes	PF:	>0.6
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	128°
Luminous Flux:	550lm	Body Type:	PC
IP Rating:	IP65	Dimension:	133x133mx67m
CRI:	>80	Box Qty:	20 Pcs

IP65 RATING



Round

SKU: 8541 - 3000K Warm White 3800157638906
SKU: 8542 - 4000K Day White 3800157638913

Square

SKU: 8543 - 3000K Warm White 3800157638920
SKU: 8544 - 4000K Day White 3800157638937



LED Wall Lights

12W **VT-828-RD**

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	158°
Luminous Flux:	900lm	Body Type:	PC
IP Rating:	IP65	Dimension:	169x100mm
CRI:	>80	Box Qty:	20 Pcs

IP65 RATING

NEW

Dark Grey

SKU: 8698 - 3000K Warm White 3800157655392

Light Grey

SKU: 8699 - 3000K Warm White 3800157655408

Bollard Lights

12W **VT-898-D**

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	24°
Luminous Flux:	720lm	Body Type:	Concrete
IP Rating:	IP65	Dimension:	495x180x120mm
CRI:	>80	Box Qty:	1 Pc

IP65 RATING

NEW

Black

SKU: 8682 - 4000K Day White 3800157654876

Grey

SKU: 8681 - 4000K Day White 3800157654869

Bollard Lights

7W **VT-896-B**

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	180°
Luminous Flux:	750lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	150x95x805mm
CRI:	>80	Box Qty:	20 Pcs

IP65 RATING

White

SKU: 8316 - 3000K Warm White	3800157632270
SKU: 8317 - 4000K Day White	3800157632287
SKU: 8318 - 6400K White	3800157632294

Black

SKU: 8322 - 3000K Warm White	3800157632331
SKU: 8323 - 4000K Day White	3800157632348
SKU: 8324 - 6400K White	3800157632355

Grey

SKU: 8319 - 3000K Warm White	3800157632300
SKU: 8320 - 4000K Day White	3800157632317
SKU: 8321 - 6400K White	3800157632324



Bollard Lights

10w **VT-830**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:100-240V,50/60Hz**	Beam Angle:	**72°**
Luminous Flux:	**450lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**108x250mm**
CRI:	**>80**	Box Qty:	**8 Pcs**

IP65 RATING

White

SKU: 8325 - 3000K Warm White	3800157632362
SKU: 8326 - 4000K Day White	3800157632379
SKU: 8327 - 6400K White	3800157632386

Black

SKU: 8331 - 3000K Warm White	3800157632423
SKU: 8332 - 4000K Day White	3800157632430
SKU: 8333 - 6400K White	3800157632447

Grey

SKU: 8328 - 3000K Warm White	3800157632393
SKU: 8329 - 4000K Day White	3800157632409
SKU: 8330 - 6400K White	3800157632416



Bollard Lights

10w **VT-820**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:100-240V,50/60Hz**	Beam Angle:	**72°**
Luminous Flux:	**450lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**108x800mm**
CRI:	**>80**	Box Qty:	**4 Pcs**

IP65 RATING



White

SKU: 8334 - 3000K Warm White	3800157632454
SKU: 8335 - 4000K Day White	3800157632461
SKU: 8336 - 6400K White	3800157632478

Black

SKU: 8340 - 3000K Warm White	3800157632515
SKU: 8341 - 4000K Day White	3800157632522
SKU: 8342 - 6400K White	3800157632539

Grey

SKU: 8337 - 3000K Warm White	3800157632485
SKU: 8338 - 4000K Day White	3800157632492
SKU: 8339 - 6400K White	3800157632508



Wall Lights

12W **VT-822**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:100-240V,50/60Hz**	Beam Angle:	**140°**
Luminous Flux:	**750lm**	Body Type:	**PC**
IP Rating:	**IP65**	Dimension:	**130x160mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING



White

SKU: 8209 - 3000K Warm White	3800157623261
SKU: 8210 - 4000K Day White	3800157623278

Black

SKU: 8211 - 3000K Warm White	3800157623285
SKU: 8212 - 4000K Day White	3800157623292



Square-IP65

4W **VT-704**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**4*60°**
Luminous Flux:	**440lm**	Body Type:	**Aluminium+Acrylic**
IP Rating:	**IP65**	Dimension:	**150x150x50mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING



White

SKU: 8213 - 3000K Warm White	3800157623308
SKU: 8214 - 4000K Day White	3800157623315

Black

SKU: 8215 - 3000K Warm White	3800157623322
SKU: 8216 - 4000K Day White	3800157623339



Round-IP65

4W **VT-706**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**4*60°**
Luminous Flux:	**440lm**	Body Type:	**Aluminium+Acrylic**
IP Rating:	**IP65**	Dimension:	**150x50mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING



White

SKU: 8551 - 3000K Warm White	3800157640459
SKU: 8552 - 4000K Day White	3800157640466

Black

SKU: 8553 - 3000K Warm White	3800157640473
SKU: 8554 - 4000K Day White	3800157640480



Round-IP65

4W **VT-834-W**

Sensor Compatible:	**Yes**	PF:	**>0.45**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**4*90°**
Luminous Flux:	**440lm**	Body Type:	**Aluminum**
IP Rating:	**IP65**	Dimension:	**Ø112mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING

White

SKU: 8280 - 3000K Warm White	3800157629744
SKU: 8281 - 4000K Day White	3800157629751

Black

SKU: 8282 - 3000K Warm White	3800157629768
SKU: 8283 - 4000K Day White	3800157629775

Grey

SKU: 8284 - 3000K Warm White	3800157629782
SKU: 8285 - 4000K Day White	3800157629799



Modern Wall Lights

5W **VT-825**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**120°**
Luminous Flux:	**550lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**170x170x75mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING

White

SKU: 8295 - 3000K Warm White	3800157629898
SKU: 8296 - 4000K Day White	3800157629904

Black

SKU: 8297 - 3000K Warm White	3800157629911
SKU: 8298 - 4000K Day White	3800157629928

Grey

SKU: 8299 - 3000K Warm White	3800157629935
SKU: 8300 - 4000K Day White	3800157629942



Triangle Light

6W **VT-826**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**Up15°-Down120°**
Luminous Flux:	**660lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**90x200x90mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING

White

SKU: 8286 - 3000K Warm White 3800157629805
SKU: 8287 - 4000K Day White 3800157629812

Black

SKU: 8288 - 3000K Warm White 3800157629829
SKU: 8289 - 4000K Day White 3800157629836

Grey

SKU: 8290 - 3000K Warm White 3800157629843
SKU: 8291 - 4000K Day White 3800157629850



Single Head-Rotatable

6W **VT-816**

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**660lm**
IP Rating:	**IP65**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**350°**
Body Type:	**Aluminium**
Dimension:	**110x54x97mm**
Box Qty:	**20 Pcs**

IP65 RATING

White

SKU: 8292 - 3000K Warm White 3800157629867

Black

SKU: 8293 - 3000K Warm White 3800157629874

Grey

SKU: 8294 - 3000K Warm White 3800157629881



Double Head-Rotatable

12W **VT-814**

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:110-240V,50/60Hz**
Luminous Flux:	**1320lm**
IP Rating:	**IP65**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**350°**
Body Type:	**Aluminium**
Dimension:	**230x54x97mm**
Box Qty:	**20 Pcs**

IP65 RATING

White

SKU: 7079 - 3000K Warm White	3800157616386
SKU: 7088 - 4000K Day White	3800157616881

Black

SKU: 7078 - 3000K Warm White	3800157616379
SKU: 7087 - 4000K Day White	3800157616874

Grey

SKU: 7080 - 3000K Warm White	3800157616393
SKU: 7089 - 4000K Day White	3800157616898



Square-Bridgelux

6w **VT-759**

Sensor Compatible:	**Yes**	PF:	**>0.45**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**Adjustable 5°-120°**
Luminous Flux:	**660lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**100x100x100mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING



White

SKU: 8527 - 3000K Warm White	3800157638616
SKU: 8528 - 4000K Day White	3800157638623

Black

SKU: 8529 - 3000K Warm White	3800157638630
SKU: 8530 - 4000K Day White	3800157638647

Grey

SKU: 8531 - 3000K Warm White	3800157638654
SKU: 8532 - 4000K Day White	3800157638661



Square-Bridgelux

12w **VT-759-12**

Sensor Compatible:	**Yes**	PF:	**>0.45**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**Adjustable 5°-120°**
Luminous Flux:	**1100lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**100x100x100mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING

White

SKU: 7082 - 3000K Warm White	3800157616416
SKU: 7091 - 4000K Day White	3800157616911

Black

SKU: 7081 - 3000K Warm White	3800157616409
SKU: 7090 - 4000K Day White	3800157616904

Grey

SKU: 7083 - 3000K Warm White	3800157616423
SKU: 7092 - 4000K Day White	3800157616928



Round-Bridgelux

6W **VT-756**

Sensor Compatible:	**Yes**	PF:	**>0.45**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**Adjustable 5°-120°**
Luminous Flux:	**660lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**140x115x100mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING



Grey

SKU: 8305 - 3000K Warm White	3800157629997
SKU: 8306 - 4000K Day White	3800157630009

Black

SKU: 8303 - 3000K Warm White	3800157629973
SKU: 8304 - 4000K Day White	3800157629980

White

SKU: 8301 - 3000K Warm White	3800157629959
SKU: 8302 - 4000K Day White	3800157629966



Round Light

6W **VT-836**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**Up-Down 90°**
Luminous Flux:	**660lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**112x112x93mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING

White

SKU: 8217 - 3000K Warm White 3800157623346
SKU: 8218 - 4000K Day White 3800157623353

Black

SKU: 8219 - 3000K Warm White 3800157623360
SKU: 8220 - 4000K Day White 3800157623377



Ceiling-Blade Lights

7W **VT-707**

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	360°
Luminous Flux:	770lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	110x120x170mm
CRI:	>80	Box Qty:	20 Pcs

IP65 RATING



IP65 RATING

Round-Bridgelux

6W **VT-741**

SKU: 7524 - 3000K Warm White 3800157620017
SKU: 7525 - 4000K Day White 3800157620024

Sensor Compatible:	Yes	PF:	>0.55
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	360°
Luminous Flux:	660lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	Ø135mm
CRI:	>80	Box Qty:	20 Pcs



IP65 RATING

Round-Bridgelux

9W **VT-743**

SKU: 7526 - 3000K Warm White 3800157620031
SKU: 7527 - 4000K Day White 3800157620048

Sensor Compatible:	Yes	PF:	>0.55
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	360°
Luminous Flux:	990lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	Ø180mm
CRI:	>80	Box Qty:	20 Pcs



IP65 RATING

Up-Down Light-Medium

9W **VT-8056**

SKU: 8239 - 3000K Warm White	3800157625791
SKU: 8240 - 4000K Day White	3800157625807
SKU: 8241 - 6400K White	3800157625814

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**400lm**
IP Rating:	**IP65**
CRI:	**>80**

PF:	**>0.9**
Beam Angle:	**90°**
Body Type:	**PC**
Dimension:	**173x81x46mm**
Box Qty:	**20 Pcs**



IP65 RATING

Up-Down Light-Large

12W **VT-8057**

SKU: 8242 - 3000K Warm White	3800157625821
SKU: 8243 - 4000K Day White	3800157625838
SKU: 8244 - 6400K White	3800157625845

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**600lm**
IP Rating:	**IP65**
CRI:	**>80**

PF:	**>0.9**
Beam Angle:	**92°**
Body Type:	**PC**
Dimension:	**230x100x90mm**
Box Qty:	**20 Pcs**



IP65 RATING

Softlight-Bulkhead

12W **VT-8058**

SKU: 8245 - 3000K Warm White	3800157625852
SKU: 8246 - 4000K Day White	3800157625869
SKU: 8247 - 6400K White	3800157625876

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**500lm**
IP Rating:	**IP65**
CRI:	**>80**

PF:	**>0.9**
Beam Angle:	**130°**
Body Type:	**PC**
Dimension:	**230x110x76mm**
Box Qty:	**20 Pcs**



IP65 RATING

Landscape-Soft Light-Medium

12W **VT-8054**

SKU: 8233 - 3000K Warm White	3800157625739
SKU: 8234 - 4000K Day White	3800157625746
SKU: 8235 - 6400K White	3800157625753

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**600lm**
IP Rating:	**IP65**
CRI:	**>80**

PF:	**>0.9**
Beam Angle:	**110°**
Body Type:	**PC**
Dimension:	**265x120x81mm**
Box Qty:	**20 Pcs**



IP65 RATING

Landscape-Soft Light-Large

20w **VT-8055**

SKU: 8236 - 3000K Warm White	3800157625760
SKU: 8237 - 4000K Day White	3800157625777
SKU: 8238 - 6400K White	3800157625784

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**1000lm**
IP Rating:	**IP65**
CRI:	**>80**

PF:	**>0.9**
Beam Angle:	**110°**
Body Type:	**PC**
Dimension:	**319x170x114mm**
Box Qty:	**20 Pcs**



Indoor Wall Lights



Wall Lights

5w **VT-705**

SKU: 8208 - 3000K Warm White	3800157623254
SKU: 8232 - 4000K Day White	3800157624756

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**550lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**150°**
Body Type:	**Aluminium**
Dimension:	**175x80x96mm**
Box Qty:	**20 Pcs**



Rotatable-360-White

5w **VT-757**

SKU: 7086 - 3000K Warm White	3800157616454
SKU: 7093 - 4000K Day White	3800157616935

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:110-240V,50/60Hz**
Luminous Flux:	**560lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.45**
Beam Angle:	**10-360°**
Body Type:	**Aluminium**
Dimension:	**140x105x140mm**
Box Qty:	**20 Pcs**



White

SKU: 8344 - 3000K Warm White 3800157633000
SKU: 8345 - 4000K Day White 3800157633017

Black

SKU: 8346 - 3000K Warm White 3800157633024
SKU: 8347 - 4000K Day White 3800157633031



Square-Bridgelux

3W **VT-803**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:110-240V,50/60Hz**	Beam Angle:	**120°**
Luminous Flux:	**300lm**	Body Type:	**Iron**
IP Rating:	**IP20**	Dimension:	**220x80x200mm**
CRI:	**>80**	Box Qty:	**20 Pcs**



White

SKU: 8225 - 3000K Warm White 3800157623421
SKU: 8226 - 4000K Day White 3800157623438

Black

SKU: 8227 - 3000K Warm White 3800157623445
SKU: 8228 - 4000K Day White 3800157623452



Modern Wall Lights

9W **VT-710**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**360°**
Luminous Flux:	**990lm**	Body Type:	**Aluminium+Acrylic**
IP Rating:	**IP20**	Dimension:	**210x80mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

White

SKU: 8221 - 3000K Warm White 3800157623384
SKU: 8222 - 4000K Day White 3800157623391

Black

SKU: 8223 - 3000K Warm White 3800157623407
SKU: 8224 - 4000K Day White 3800157623414



Modern Wall Lights

9W **VT-709**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**360°**
Luminous Flux:	**990lm**	Body Type:	**Aluminium**
IP Rating:	**IP20**	Dimension:	**440x335x75mm**
CRI:	**>80**	Box Qty:	**10 Pcs**

White

SKU: 8307 - 3000K Warm White 3800157630016
SKU: 8308 - 4000K Day White 3800157630023

Black Grey

SKU: 8309 - 3000K Warm White 3800157630030
SKU: 8310 - 4000K Day White 3800157630047



Modern Wall Lights

10W **VT-811**

Sensor Compatible:	**Yes**	PF:	**>0.45**
Voltage/Frequency:	**AC:110-240V,50/60Hz**	Beam Angle:	**360°**
Luminous Flux:	**1100lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**300x215x60mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

White

SKU: 8202 - 3000K Warm White 3800157623193
SKU: 8203 - 4000K Day White 3800157623209

Black

SKU: 8204 - 3000K Warm White 3800157623216
SKU: 8205 - 4000K Day White 3800157623223

Grey

SKU: 8206 - 3000K Warm White 3800157623230
SKU: 8207 - 4000K Day White 3800157623247



Modern Wall Lights

12W **VT-712**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:100-240V,50/60Hz**	Beam Angle:	**360°**
Luminous Flux:	**1100lm**	Body Type:	**Aluminium+Acrylic**
IP Rating:	**IP20**	Dimension:	**260x125x55mm**
CRI:	**>80**	Box Qty:	**20 Pcs**



Adjustable Modern Wall Lights

18W **VT-819-W**

SKU: 8533 - 3000K Warm White 3800157638678
SKU: 8534 - 4000K Day White 3800157638685

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**Adjustable 5°-90°**
Luminous Flux:	**1800lm**	Body Type:	**Aluminium**
IP Rating:	**IP44**	Dimension:	**600x100x42mm**
CRI:	**>80**	Box Qty:	**10 Pcs**



Modern Wall Lights

20W **VT-821-W**

SKU: 8535 - 3000K Warm White 3800157638692
SKU: 8536 - 4000K Day White 3800157638708

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**150°**
Luminous Flux:	**2000**	Body Type:	**Aluminium**
IP Rating:	**IP44**	Dimension:	**610x90x35mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

NEW

White **VT-805-N-W**

SKU: 8675 - 3000K Warm White 3800157653961
SKU: 8677 - 4000K Day White 3800157653985

Black **VT-805-N-B**

SKU: 8676 - 3000K Warm White 3800157653978
SKU: 8678 - 4000K Day White 3800157653992

Single Head

4.5w

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	360lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	100x94x45mm
CRI:	>80	Box Qty:	24 Pcs



White **VT-805-W**

SKU: 8262 - 3000K Warm White 3800157627122
SKU: 8264 - 4000K Day White 3800157627146

Black **VT-805-B**

SKU: 8263 - 3000K Warm White
SKU: 8265 - 4000K Day White

Single Head

4.5w

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	360lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	100x94x45mm
CRI:	>80	Box Qty:	12 Pcs





Double Head

9w **VT-810-W**

SKU: 8266 - 3000K Warm White 3800157627160
SKU: 8268 - 4000K Day White 3800157627184

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	720lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	400x100x94mm
CRI:	>80	Box Qty:	12 Pcs



Double Head

9w **VT-810-B**

SKU: 8267 - 3000K Warm White 3800157627177
SKU: 8269 - 4000K Day White 3800157627191

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	720lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	400x100x94mm
CRI:	>80	Box Qty:	12 Pcs



Tripple Head

13.5W VT-813-W

SKU: 8270 - 3000K Warm White 3800157627207
SKU: 8272 - 4000K Day White 3800157627221

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**1080lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**100°**
Body Type:	**Plastic+Metal**
Dimension:	**600x100x94mm**
Box Qty:	**12 Pcs**



Tripple Head

13.5W VT-813-B

SKU: 8271 - 3000K Warm White 3800157627214
SKU: 8273 - 4000K Day White 3800157627238

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**1080lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**100°**
Body Type:	**Plastic+Metal**
Dimension:	**600x100x94mm**
Box Qty:	**12 Pcs**



Single Head

6W VT-806-W

SKU: 8250 - 3000K Warm White 3800157627009
SKU: 8252 - 4000K Day White 3800157627023

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**480lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**100°**
Body Type:	**Plastic+Metal**
Dimension:	**100x93mm**
Box Qty:	**24 Pcs**



Single Head

6W VT-806-B

SKU: 8251 - 3000K Warm White 3800157627016
SKU: 8253 - 4000K Day White 3800157627030

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**480lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**100°**
Body Type:	**Plastic+Metal**
Dimension:	**100x93mm**
Box Qty:	**24 Pcs**



Double Head

12W VT-812-W

SKU: 8254 - 3000K Warm White 3800157627047
SKU: 8256 - 4000K Day White 3800157627061

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	960lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	405x100x93mm
Box Qty:	12 Pcs



Double Head

12W VT-812-B

SKU: 8255 - 3000K Warm White 3800157627054
SKU: 8257 - 4000K Day White 3800157627078

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	960lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	405x100x93mm
Box Qty:	12 Pcs



Tripple Head

18W VT-818-W

SKU: 8258 - 3000K Warm White 3800157627085
SKU: 8260 - 4000K Day White 3800157627108

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1440lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	605x100x93mm
Box Qty:	12 Pcs



Tripple Head

18W VT-818-B

SKU: 8259 - 3000K Warm White 3800157627092
SKU: 8261 - 4000K Day White 3800157627115

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1440lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	605x100x93mm
Box Qty:	12 Pcs

LED Outdoor Lights

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.

Product Features

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from -20° to +45° without any adverse effects
- Specifically designed for Outdoor use
- IP65 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

Applications

Used for gardens, outdoor residential areas, walkways & passages, driveways, fountains, lawns, entrance, patio or terrace and similar environments

Wall Fitting-IP44-GU10-PIR

VT-7621PIR

SKU: 7502 3800157617611

MOTION PIR SENSOR

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x67x163mm
Box Qty:	24 Pcs

Wall Fitting-Up-Down-GU10-PIR

VT-7622PIR

SKU: 7503 3800157617628

UP & DOWN LIGHTS

MOTION PIR SENSOR

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x67x220mm
Box Qty:	12 Pcs

Wall Fitting-Up-Down-GU10-IP44

VT-7622

SKU: 7500 3800157617598

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	93x85x163mm
Box Qty:	16 Pcs

Wall Fitting-IP44-GU10

VT-7621

SKU: 7501 3800157617604

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	93x85x118mm
Box Qty:	24 Pcs

Wall Fitting-Up-Down-GU10-IP44

VT-7632

SKU: 7504 3800157617635

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x60x178mm
Box Qty:	12 Pcs

Wall Fitting-IP44-GU10

VT-7631

SKU: 7505 3800157617642

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x60x125mm
Box Qty:	24 Pcs

Wall Light-IP44-GU10

VT-7641

SKU: 7506 3800157617659

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	105x76x118mm
Box Qty:	24 Pcs

Wall Fitting-Up-Down-GU10

VT-7642

SKU: 7507 3800157617666

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	105x76x207mm
Box Qty:	16 Pcs

Wall Fitting-Round-IP44-GU10

VT-7651RD

SKU: 7508 3800157617673

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs

Wall Fitting-Up-Down-GU10-IP44

VT-7652RD

SKU: 7509 3800157617680

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x150mm
Box Qty:	16 Pcs

Wall Fitting-Square-IP44-GU10

VT-7651SQ

SKU: 7510 3800157617697

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs

Wall Fitting-Up-Down-GU10-IP44

VT-7652SQ

SKU: 7511 3800157617703

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x150mm
Box Qty:	16 Pcs

Wall Fitting-Up-Down-GU10-IP44

VT-7662

SKU: 7512 3800157617710

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	85x87x250mm
Box Qty:	12 Pcs

Wall Fitting-Up-Down-GU10

VT-7662-W

SKU: 7543 3800157630740

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	White
IP Rating:	IP44
Dimension:	85x87x250mm
Box Qty:	12 Pcs

Wall Fitting-Square-IP44-GU10

VT-7651SQ-W

SKU: 7539 3800157630702

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs

Wall Fitting-Round-IP44-GU10

VT-7651RD-W

SKU: 7540 3800157630719

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs

Wall Fitting-Square-IP44-GU10

VT-7652SQ-W

SKU: 7541 3800157630726

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x150mm
Box Qty:	16 Pcs

Wall Fitting-Up-Down-GU10-IP44

VT-7652RD-W

SKU: 7542 3800157630733

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2xGU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	16 Pcs

Wall Fitting-Up-Down-GU10

VT-7622-W

SKU: 7570 3800157640442

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Matt White
IP Rating:	IP44
Dimension:	93x85x163mm
Box Qty:	16 Pcs

Wall Fitting-Up-Down-GU10

VT-7622-B

SKU: 7569 3800157640435

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Matt Black
IP Rating:	IP44
Dimension:	93x85x163mm
Box Qty:	16 Pcs

Wall Fitting-IP44-GU10

VT-7611

SKU: 7553 3800157633574

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	100x66x92mm
Box Qty:	24 Pcs

Wall Fitting-IP44-GU10

VT-7612

SKU: 7554 3800157633581

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	1170x50mm
Box Qty:	6 Pcs

Underground Fittings-MR16

VT-7678-1

SKU:8567 3800157644518

IP67 RATING

Type:	Underground Fittings
Holder:	MR16
Material:	Stainless Steel
Color of Fixture:	Black+Silver
IP Rating:	IP67
Dimension:	D:87x128mm
Box Qty:	12 Pcs

Underground Fittings-MR16

VT-7678-2

SKU:8568 3800157644525

IP67 RATING

Type:	Underground Fittings
Holder:	MR16
Material:	Stainless Steel
Color of Fixture:	Black+Silver
IP Rating:	IP67
Dimension:	D:87x128mm
Box Qty:	12 Pcs

Wall Fitting-IP44-GU10

VT-841

SKU: 8626 3800157652483

Type:	**Wall Fixtures**
Holder:	**GU10**
Material:	**Aluminium+Glass**
Color of Fixture:	**Dark Grey**
IP Rating:	**IP44**
Dimension:	**63x99x120mm**
Box Qty:	**24 Pcs**

Wall Fitting-Up-Down-GU10

VT-842

SKU: 8627 3800157652490

UP & DOWN LIGHTS

Type:	**Wall Fixtures**
Holder:	**GU10**
Material:	**Aluminium+Glass**
Color of Fixture:	**Dark Grey**
IP Rating:	**IP44**
Dimension:	**63x99x170mm**
Box Qty:	**24 Pcs**

Underground Fittings-MR16

VT-7678-3

SKU:8566 3800157644532

IP67 RATING

Type:	**Underground Fittings**
Holder:	**MR16**
Material:	**Stainless Steel**
Color of Fixture:	**Black+Silver**
IP Rating:	**IP67**
Dimension:	**D:87x128mm**
Box Qty:	**12 Pcs**

Underground Fitting-Round-GU10

VT-7677RD

SKU: 7515 3800157617741

IP65 RATING

Type:	**Underground Fittings**
Holder:	**GU10**
Material:	**Stainless Steel**
Color of Fixture:	**Black**
IP Rating:	**IP65**
Dimension:	**110x110x120mm**
Box Qty:	**24 Pcs**

Underground Fitting-Square-GU10

VT-7677SQ

SKU: 7516 3800157617758

IP65 RATING

Type:	**Underground Fittings**
Holder:	**GU10**
Material:	**Stainless Steel**
Color of Fixture:	**Black**
IP Rating:	**IP65**
Dimension:	**110x110x120mm**
Box Qty:	**24 Pcs**

Garden Spike-Single Head-E27

VT-728

SKU: 7044 3800157606332

Type:	**Garden Lamps**
Holder:	**E27**
Material:	**ABS**
Color of Fixture:	**Black**
IP Rating:	**IP44**
Dimension:	**450x27mm**
Box Qty:	**12 Pcs**

Garden Spike-Double Head-E27

VT-729

SKU: 7045 3800157606349

Type:	**Garden Lamps**
Holder:	**E27**
Material:	**ABS**
Color of Fixture:	**Black**
IP Rating:	**IP44**
Dimension:	**450x205mm**
Box Qty:	**12 Pcs**

Garden Spike-Black-IP44

VT-769

SKU: 7517 3800157617765

Type:	**Garden Lamps**
Holder:	**GU10**
Material:	**Aluminium**
Color of Fixture:	**Black**
IP Rating:	**IP44**
Dimension:	**95x95x335mm**
Box Qty:	**12 Pcs**

Garden Spike-White-IP44

VT-770

SKU: 7518 3800157617772

Type:	**Garden Lamps**
Holder:	**GU10**
Material:	**Stainless Steel**
Color of Fixture:	**Silver**
IP Rating:	**IP44**
Dimension:	**60x60x420mm**
Box Qty:	**8 Pcs**

Garden Lamp

12W **VT-857-B**

SKU: 7544 - 3000K Warm White 3800157633444
SKU: 7545 - 4000K Day White 3800157633451
SKU: 7546 - Green 3800157633468

IP65 RATING

Commercial Type:	**Garden Spike Light**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**720lm**
Beam Angle:	**30°**
PF	**>0.6**

CRI:	**>80**
IP Rating:	**IP65**
Body Type:	**Aluminium**
Dimension:	**73x255mm**
Box Qty:	**50 Pcs**

Garden Lamp

12W **VT-857-W**

SKU: 7547 - 3000K Warm White 3800157633475
SKU: 7548 - 4000K Day White 3800157633482
SKU: 7549 - Green 3800157633499

IP65 RATING

Commercial Type:	**Garden Spike Light**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**720lm**
Beam Angle:	**30°**
PF	**>0.6**

CRI:	**>80**
IP Rating:	**IP65**
Body Type:	**Aluminium**
Dimension:	**73x255mm**
Box Qty:	**50 Pcs**

Garden Lamp

12W **VT-857-G**

SKU: 7550 - 3000K Warm White 3800157633505
SKU: 7551 - 4000K Day White 3800157633512
SKU: 7552 - Green 3800157633529

IP65 RATING

Commercial Type:	**Garden Spike Light**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**720lm**
Beam Angle:	**30°**
PF	**>0.6**

CRI:	**>80**
IP Rating:	**IP65**
Body Type:	**Aluminium**
Dimension:	**73x255mm**
Box Qty:	**50 Pcs**

Underground Light- Oblique Angle

8W **VT-7679**

IP67 RATING

SKU: 8621 - 4000K Day White 3800157652407

Commercial Type:	**Underground Light**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**350lm**
Beam Angle:	**20°**
PF	**>0.5**

CRI:	**>80**
IP Rating:	**IP67**
Body Type:	**Stainless Steel+Aluminium+Glass Cover**
Dimension:	**Ø150X153mm**
Box Qty:	**12 Pcs**

Underground Light

12W **VT-7681**

IP67 RATING

SKU: 8622 - 4000K Day White 3800157652414

Commercial Type:	**Underground Light**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**750lm**
Beam Angle:	**40°**
PF	**>0.7**

CRI:	**>80**
IP Rating:	**IP67**
Body Type:	**Stainless Steel+Aluminium+Glass Cover**
Dimension:	**Ø150X153mm**
Box Qty:	**12 Pcs**

Underground Light

0.5W **VT-1141**

12V

IP67 RATING

SKU: 1463 - 3000K Warm White 3800157643610

Commercial Type:	**Underground Light**
Voltage/Frequency:	**DC:12V**
Luminous Flux:	**5lm**
Beam Angle:	**90°**
PF	**>0.4**

CRI:	**>80**
IP Rating:	**IP67**
Body Type:	**PC**
Dimension:	**Ø26X82mm**
Box Qty:	**50 Pcs**

Underground Light

1W **VT-1151**

12V

IP67 RATING

SKU: 1464 - 6500K White 3800157643627

Commercial Type:	**Underground Light**
Voltage/Frequency:	**DC:12V**
Luminous Flux:	**50lm**
Beam Angle:	**90°**
PF	**>0.4**

CRI:	**>80**
IP Rating:	**IP67**
Body Type:	**PC**
Dimension:	**Ø48X82mm**
Box Qty:	**50 Pcs**

Underground Light

1W **VT-1161-W** 12V

SKU: 1465 - 3000K Warm White 3800157643658
SKU: 1467 - 6500K White 3800157643634

IP67 RATING

Commercial Type:	Underground Light	CRI:	>80
Voltage/Frequency:	DC:12V	IP Rating:	IP67
Luminous Flux:	10lm	Body Type:	PC+AL
Beam Angle:	90°	Dimension:	Ø60X93mm
PF	>0.4	Box Qty:	50 Pcs

Underground Light

1W **VT-1161-B** 12V

SKU: 1466 - 3000K Warm White 3800157643665
SKU: 1468 - 6500K White 3800157643641

IP67 RATING

Commercial Type:	Underground Light	CRI:	>80
Voltage/Frequency:	DC:12V	IP Rating:	IP67
Luminous Flux:	10lm	Body Type:	PC+AL
Beam Angle:	90°	Dimension:	Ø60X93mm
PF	>0.4	Box Qty:	50 Pcs

Underground Light

1W **VT-1171-W** 12V

SKU: 1469 - 3000K Warm White 3800157643696
SKU: 1471 - 6500K White 3800157643672

IP67 RATING

Commercial Type:	Underground Light	CRI:	>80
Voltage/Frequency:	DC:12V	IP Rating:	IP67
Luminous Flux:	10lm	Body Type:	PC+AL
Beam Angle:	90°	Dimension:	Ø60X93mm
PF	>0.4	Box Qty:	50 Pcs

Underground Light

1W **VT-1171-B** 12V

SKU: 1470 - 3000K Warm White 3800157643702
SKU: 1472 - 6500K White 3800157643689

IP67 RATING

Commercial Type:	Underground Light	CRI:	>80
Voltage/Frequency:	DC:12V	IP Rating:	IP67
Luminous Flux:	10lm	Body Type:	PC+AL
Beam Angle:	90°	Dimension:	Ø60X93mm
PF	>0.4	Box Qty:	50 Pcs

Pool Lights-PAR56

8W **VT-1258**

SKU: 7556 - 3000K Warm White	3800157633789
SKU: 7555 - 6400K White	3800157633772
SKU: 7557 - Blue	3800157633796



IP68 RATING

Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	800lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	NA
Box Qty:	12 Pcs

Pool Lights-PAR56-RGB

8W **VT-1268**

SKU: 7558 - RGB	3800157633802



IP68 RATING

Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	800lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	NA
Box Qty:	12 Pcs

Pool Lights-PAR56

12W **VT-1262**

SKU: 7560 - 3000K Warm White	3800157633826
SKU: 7559 - 6500K White	3800157633819
SKU: 7561 - Blue	3800157633833



IP68 RATING

Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	1200lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	NA
Box Qty:	12 Pcs

Pool Lights-PAR56-RGB

12W **VT-1263**

SKU: 7562 - RGB	3800157633840



IP68 RATING

Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	1200lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	NA
Box Qty:	12 Pcs

Garden Lamps

V-TAC presents an elegant series of garden lighting-allowing your garden to glow in style when the sun goes down.Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors and ceilings with our modern designs.

Product Features

- Traditional Garden Lamps designed to fit the Modern day requirements
- Available in different designs, shapes and sizes
- Easy installation
- Applicable with GU10 -E27 base lights
- Suitable for Walls, Floor, Pathways and Ceiling Lights

Applications

Suitable for Outdoor Lighting



NEW

Wall Fittings-E27

VT-832

SKU: 8623 3800157652421

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	White+Stainless Steel
Body Type:	Stainless Steel+PC
Size:	76x375mm
Box Qty:	12 Pcs



NEW

Wall Fittings-E27

VT-833

SKU: 8624 3800157652438

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	White+Stainless Steel
Body Type:	Stainless Steel+PC
Size:	76x140x335mm
Box Qty:	12 Pcs

NEW

Bollard Lamps

VT-838-S45

SKU: 8958 3800157658348

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Satin Nickel
Body Type:	Stainless Steel+PC Diffuser
Size:	76x110x450mm
Box Qty:	6 Pcs



NEW

Bollard Lamp

VT-838-S80

SKU: 8625 3800157652445

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Satin Nickel
Body Type:	Stainless Steel+PC Diffuser
Size:	76x110x450mm
Box Qty:	6 Pcs

NEW

Bollard Lamps

VT-838-S110

SKU: 8962 3800157658386

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Satin Nickel
Body Type:	Stainless Steel+PC Diffuser
Size:	76x110x1100mm
Box Qty:	6 Pcs

Bollard Lamps

9W VT-909

NEW

SKU: 5154 - 3000K Warm White 3800157660822
SKU: 5155 - 4000K Day White 3800157660839

Voltage/Frequency:	AC:100-240V 50/60Hz
Luminous Flux:	500lm
Beam Angle:	350°
PF	>0.9
CRI:	>80
IP Rating:	IP54
Body Type:	Die Cast Aluminium
Dimension:	200x80x300mm
Box Qty:	8 Pcs

NEW

Bollard Lamps

VT-838-B45

SKU: 8593 3800157659895

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Stainless Steel+PC Diffuser
Size:	76x110x450mm
Box Qty:	6 Pcs

NEW

Bollard Lamps

VT-838-B80

SKU: 8978 3800157659918

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Stainless Steel+PC Diffuser
Size:	76x110x450mm
Box Qty:	6 Pcs

NEW

Bollard Lamps

VT-838-B110

SKU: 8594 3800157659901

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Stainless Steel+PC Diffuser
Size:	76x110x1100mm
Box Qty:	6 Pcs

NEW

Bollard Lamps

VT-838-G45

SKU: 8959 3800157658355

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Grey
Body Type:	Stainless Steel+PC Diffuser
Size:	76x110x450mm
Box Qty:	6 Pcs

NEW

Bollard Lamps

VT-838-G80

SKU: 8961 3800157658379

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Grey
Body Type:	Stainless Steel+PC Diffuser
Size:	76x110x800mm
Box Qty:	6 Pcs

NEW

Bollard Lamps

VT-838-G110

SKU: 8963 3800157658393

Voltage:	AC:220-240V,50Hz
Max.Watts:	60w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Grey
Body Type:	Stainless Steel+PC Diffuser
Size:	76x110x1100mm
Box Qty:	6 Pcs

NEW

Bollard Lamps with Sensor

VT-838-BS45

SKU: 8985 3800157659932

MOTION PIR SENSOR

Max.Watts:	60w	Voltage:	AC:220-240V,50Hz
IP Rating:	IP44	Body Type:	Stainless Steel+PC Diffuser
Holder:	E27	Ambient Light:	2-200Lux
Color of Fixture:	Black	Time Delay:	5sec to 5min
Detection Angle:	100°	Size:	76x110x450mm
Detection Range:	2-8M	Box Qty:	6 Pcs



NEW

Bollard Lamps with Sensor

VT-838-BS80

SKU: 8984 3800157659949

MOTION PIR SENSOR

Max.Watts:	60w	Voltage:	AC:220-240V,50Hz
IP Rating:	IP44	Body Type:	Stainless Steel+PC Diffuser
Holder:	E27	Ambient Light:	2-200Lux
Color of Fixture:	Black	Time Delay:	5sec to 5min
Detection Angle:	100°	Size:	76x110x800mm
Detection Range:	2-8M	Box Qty:	6 Pcs

NEW

Bollard Lamps with Sensor

VT-838-BS110

SKU: 8983 3800157659956

MOTION PIR SENSOR

Max.Watts:	60w	Voltage:	AC:220-240V,50Hz
IP Rating:	IP44	Body Type:	Stainless Steel+PC Diffuser
Holder:	E27	Ambient Light:	2-200Lux
Color of Fixture:	Black	Time Delay:	5sec to 5min
Detection Angle:	100°	Size:	76x110x1100mm
Detection Range:	2-8M	Box Qty:	6 Pcs

NEW

Bollard Lamps with Sensor

VT-838-SE45

SKU: 8964 3800157658409

MOTION PIR SENSOR

Max.Watts:	60w	Voltage:	AC:220-240V,50Hz
IP Rating:	IP44	Body Type:	Stainless Steel+PC Diffuser
Holder:	E27	Ambient Light:	2-200Lux
Color of Fixture:	Satin Nickel	Time Delay:	5sec to 5min
Detection Angle:	100°	Size:	76x110x450mm
Detection Range:	2-8M	Box Qty:	6 Pcs

NEW

Bollard Lamps with Sensor

VT-838-SS80

SKU: 8960 3800157658362

MOTION PIR SENSOR

Max.Watts:	60w	Voltage:	AC:220-240V,50Hz
IP Rating:	IP44	Body Type:	Stainless Steel+PC Diffuser
Holder:	E27	Ambient Light:	2-200Lux
Color of Fixture:	Satin Nickel	Time Delay:	5sec to 5min
Detection Angle:	100°	Size:	76x110x800mm
Detection Range:	2-8M	Box Qty:	6 Pcs

NEW

Bollard Lamps with Sensor

VT-838-SE110

SKU: 8967 3800157658430

MOTION PIR SENSOR

Max.Watts:	60w	Voltage:	AC:220-240V,50Hz
IP Rating:	IP44	Body Type:	Stainless Steel+PC Diffuser
Holder:	E27	Ambient Light:	2-200Lux
Color of Fixture:	Satin Nickel	Time Delay:	5sec to 5min
Detection Angle:	100°	Size:	76x110x1100mm
Detection Range:	2-8M	Box Qty:	6 Pcs

NEW

Bollard Lamps with Sensor

VT-838-GS45

SKU: 8965 3800157658416

MOTION PIR SENSOR

Max.Watts:	60w	Voltage:	AC:220-240V,50Hz
IP Rating:	IP44	Body Type:	Stainless Steel+PC Diffuser
Holder:	E27	Ambient Light:	2-200Lux
Color of Fixture:	Grey	Time Delay:	5sec to 5min
Detection Angle:	100°	Size:	76x110x450mm
Detection Range:	2-8M	Box Qty:	6 Pcs

NEW

Bollard Lamps with Sensor

VT-838-GS80

SKU: 8966 3800157658423

MOTION PIR SENSOR

Max.Watts:	60w	Voltage:	AC:220-240V,50Hz
IP Rating:	IP44	Body Type:	Stainless Steel+PC Diffuser
Holder:	E27	Ambient Light:	2-200Lux
Color of Fixture:	Grey	Time Delay:	5sec to 5min
Detection Angle:	100°	Size:	76x110x800mm
Detection Range:	2-8M	Box Qty:	6 Pcs

NEW

Bollard Lamps with Sensor

VT-838-GS110

SKU: 8968 3800157658447

MOTION PIR SENSOR

Max.Watts:	60w	Voltage:	AC:220-240V,50Hz
IP Rating:	IP44	Body Type:	Stainless Steel+PC Diffuser
Holder:	E27	Ambient Light:	2-200Lux
Color of Fixture:	Grey	Time Delay:	5sec to 5min
Detection Angle:	100°	Size:	76x110x1100mm
Detection Range:	2-8M	Box Qty:	6 Pcs



NEW

Bollard Lamps with Sensor and Socket

VT-838-BSS60

SKU: 8979 3800157659925

MOTION PIR SENSOR

- Socket Rated Current: 16A
- Socket Rated Power: Max 3680W

Max.Watts:	60w	Voltage:	AC:220-240V,50Hz
IP Rating:	IP44	Body Type:	Stainless Steel+PC Diffuser
Holder:	E27	Ambient Light:	2-200Lux
Color of Fixture:	Black	Time Delay:	5sec to 5min
Detection Angle:	100°	Size:	76x110x600mm
Detection Range:	2-8M	Box Qty:	6 Pcs

NEW

Bollard Lamps with Sensor and Socket

VT-838-GS60

SKU: 8976 3800157658829

MOTION PIR SENSOR

- Socket Rated Current: 16A
- Socket Rated Power: Max 3680W

Max.Watts:	60w	Voltage:	AC:220-240V,50Hz
IP Rating:	IP44	Body Type:	Stainless Steel+PC Diffuser
Holder:	E27	Ambient Light:	2-200Lux
Color of Fixture:	Grey	Time Delay:	5sec to 5min
Detection Angle:	100°	Size:	76x110x600mm
Detection Range:	2-8M	Box Qty:	6 Pcs

NEW

Bollard Lamps with Sensor and Socket

VT-838-SS60

SKU: 8977 3800157658836

MOTION PIR SENSOR

- Socket Rated Current: 16A
- Socket Rated Power: Max 3680W

Max.Watts:	60w	Voltage:	AC:220-240V,50Hz
IP Rating:	IP44	Body Type:	Stainless Steel+PC Diffuser
Holder:	E27	Ambient Light:	2-200Lux
Color of Fixture:	Satin	Time Delay:	5sec to 5min
Detection Angle:	Nickel	Size:	76x110x600mm
Detection Range:	100°	Box Qty:	6 Pcs
	2-8M		



Wall Fittings GU10

VT-7613

SKU: 7563 3800157636360

Voltage:	AC:220-240V/50-60HZ
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+clear PC diffuser
Size:	121x80x220mm
Box Qty:	6 Pcs

Bollard Lamps GU10

VT-7614

SKU: 7564 3800157636377

Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+clear PC diffuser
Size:	80x80x500mm
Box Qty:	4 Pcs

Bollard Lamps GU10

VT-7615

SKU: 7565 3800157636384

Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+clear PC diffuser
Size:	80x80x800mm
Box Qty:	4 Pcs



Wall Fittings GU10

VT-7616

SKU: 7566 3800157636391

Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+opal PC diffuser
Size:	121x80x220mm
Box Qty:	6 Pcs

Bollard Lamps GU10

VT-7617

SKU: 7567 3800157636407

Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+opal PC diffuser
Size:	80x500mm
Box Qty:	4 Pcs



Bollard Lamps GU10

VT-7618

SKU: 7568 3800157636414

Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+opal PC diffuser
Size:	80x800mm
Box Qty:	4 Pcs

Wall Lamp

VT-837-B

SKU: 8517 3800157637435



Voltage:	AC:220-240V, 50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Clear Glass
Size:	113x236x113mm
Box Qty:	10 Pcs

Wall Lamp

VT-837

SKU: 8518 3800157637442



Voltage:	AC:220-240V, 50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Clear Glass
Size:	113x236x113mm
Box Qty:	10 Pcs



Wall Lamp

VT-7670

SKU: 7513 3800157617727

PROTECTION

Voltage:	AC:220-240V,50Hz
Max.Watts:	14W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Stainless Steel
Body Type:	Stainless Steel+PC
Size:	250x90x100mm
Box Qty:	12 Pcs



Wall Lamp

VT-7680

SKU: 7514 3800157617734

PROTECTION

Voltage:	AC:220-240V
Max.Watts:	14W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Stainless Steel
Body Type:	Stainless Steel+PC
Size:	250x90x100mm
Box Qty:	12 Pcs



Wall Lamp

VT-745-B

SKU: 7064 3800157614399

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP54
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium
Size:	145X265mm
Box Qty:	12 Pcs



Wall Lamp

VT-745-DG

SKU: 7065 3800157614405

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP54
Holder:	E27
Color of Fixture:	Dark Grey
Body Type:	Aluminium
Size:	145X265mm
Box Qty:	12 Pcs



Wall Lamp

VT-754-MB

SKU: 7076 3800157616294

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	245x180x93mm
Box Qty:	10 Pcs



Wall Lamp

VT-754-MW

SKU: 7077 3800157616300

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	245x180x93mm
Box Qty:	10 Pcs



Wall Lamp

VT-760-B

SKU: 7519 3800157617789

Voltage:	AC:220-240V
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	225x400x148mm
Box Qty:	12 Pcs



Wall Lamp

VT-760-W

SKU: 7520 3800157617796

Voltage:	AC:220-240V
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	225x400x148mm
Box Qty:	12 Pcs



Wall Lamp

VT-761-B

SKU: 7521 3800157617802

Voltage:	AC:220-240V
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	245x445x185mm
Box Qty:	8 Pcs



Wall Lamp

VT-761-W

SKU: 7522 3800157617819

Voltage:	AC:220-240V
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	245x445x185mm
Box Qty:	8 Pcs

Wall Lamp

VT-730

SKU: 7046 3800157610391

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	200x238mm
Box Qty:	6 Pcs

Wall Lamp

VT-731

SKU: 7047 3800157610407

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Plastic
Size:	200x238mm
Box Qty:	6 Pcs



Wall Lamp

VT-852

SKU: 7531 3800157630078

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium, Glass
Size:	290x250x525mm
Box Qty:	6 Pcs



Wall Lamp

VT-853

SKU: 7532 3800157630085

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium, Glass
Size:	290x250x525mm
Box Qty:	6 Pcs



Wall Lamp

VT-751-B

SKU: 7070 3800157616232

MOTION PIR SENSOR

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	215x375x170mm
Box Qty:	10 Pcs

Wall Lamp

VT-751-W

SKU: 7071 3800157616249

MOTION PIR SENSOR

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	215x375x170mm
Box Qty:	10 Pcs

Wall Lamp

VT-749-B

SKU: 7066 3800157616195

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs

Wall Lamp

VT-749-W

SKU: 7067 3800157616201

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs



Wall Lamp

VT-750-B

SKU: 7068 3800157616218

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs



Wall Lamp

VT-835

SKU: 8628 3800157652506

Voltage:	AC:220-240V,50Hz
Max.Watts:	40w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Dark Grey
Body Type:	Stainless Steel+PC
Size:	148x165x245mm
Box Qty:	6 Pcs

Wall Lamp

VT-843

SKU: 8686 3800157654913

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	235x225mm
Box Qty:	10 Pcs



Wall Lamp

VT-750-W

SKU: 7069 3800157616225

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs



Ceiling Lamp

VT-752-B

SKU: 7072 3800157616256

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	170x840mm
Box Qty:	10 Pcs



Ceiling Lamp

VT-752-W

SKU: 7073 3800157616263

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	White
Body Type:	Aluminium+Glass
Size:	170x840mm
Box Qty:	10 Pcs



Ceiling Lamp

VT-735

SKU: 7058 3800157612616

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Plastic
Size:	170x740mm
Box Qty:	10 Pcs



Pole Lamp

VT-839

SKU: 8629 3800157652513

Voltage:	AC:220-240V,50Hz
Max.Watts:	40w
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Dark Grey
Body Type:	Stainless Steel+PC
Size:	Ø148X800mm
Box Qty:	6 Pcs



Stand Lamp

VT-736

SKU: 7059 3800157612623

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	170x600mm
Box Qty:	10 Pcs



Pole Lamp

VT-845

SKU: 8687 3800157654920

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	175x950mm
Box Qty:	10 Pcs



Ceiling Lamp

VT-850

SKU: 7529 3800157630054

Voltage:	AC:200-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+PC
Size:	250x890mm
Box Qty:	8 Pcs



Pole Lamp

VT-851

SKU: 7530 3800157630061

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+PC
Size:	250x1110mm
Box Qty:	1 Pcs



Stand Lamp

VT-734

SKU: 7057 3800157612609

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+PC
Size:	170x290mm
Box Qty:	10 Pcs



Stand Lamp

VT-753-B

SKU: 7074 3800157616270

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	170x403mm
Box Qty:	10 Pcs



Stand Lamp

VT-753-W

SKU: 7075 3800157616287

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	170x403mm
Box Qty:	10 Pcs



Pole Lamp

VT-847

SKU: 8688 3800157654937

Voltage:	AC:220-240V,50Hz
Max.Watts:	60Wx2
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	522x2320mm
Box Qty:	1 Pcs



Stand Lamp

VT-737

SKU: 7060 3800157612630

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	345x1365mm
Box Qty:	1 Pcs



Stand Lamp

VT-738

SKU: 7061 3800157612647

Voltage:	AC:220-240V,50Hz
Max.Watts:	60Wx2
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	480x1410mm
Box Qty:	1 Pcs



Stand Lamp

VT-739

SKU: 7062 3800157612654

Voltage:	AC:220-240V,50Hz
Max.Watts:	60Wx2
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	500x1990mm
Box Qty:	1 Pcs



Stand Lamp

VT-740

SKU: 7063 3800157612661

Voltage:	AC:220-240V,50Hz
Max.Watts:	60Wx3
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	500x1990mm
Box Qty:	1 Pcs



LED Display Screen

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. Offering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.

Product Features

- Powerful LED display screen available in Indoor and Outdoor series
- Displays digital content such as Video, Images & Information
- Good Brand Value addition for Advertising
- Easy Installation

Applications

Suitable for Outdoor and Indoor Advertising, Hotel conference room, Restaurants, Showrooms, Casinos, Government facilities, Theaters, Retail outlets, Traffic control room, Security monitoring room, Stage background, HD cinema, Shopping malls, Railway stations, Airports.

Indoor Display Screen

P3 Indoor LED Display Screen

Box Qty. **6 Pcs**

SKU: 11109 3800157644686



Pixel pitch	3mm
Panel size	L192xH192xT13mm
Physical density	111111/M2
Pixel configuration	1,1,1(R,G,B)
Driving method	1/16 Constant current
LED Chip Type	SMD2121
Display resolution	4096(64x64)dots
Module weight	0.35Kg
Module port	HUB75-B
Module working voltage	5VDC
Power	30W
Viewing angle	120 Degrees
Option distance	3-45M
Driving device	5020
Every square metre module	27.13 PCS
Maximum power	1000 W/M2
Frame Frequency	60Hz
Refresh frequency	400-800 Hz/S

Brightness	≥1100 CD/M2
Working environment temperature	-10 to +40°c
Working environment humidity	10%~70% RH
Display working voltage	AC46~4HZ,220V±15%/110V±15%
Color temperature	8500K-11500K
Gray scale/color	≥16.7M color
Input signal	RF\ S-Video\ RGB etc
Control system	PCTV nonlinearity card, DVI Display card, Linsn control system
Mean free error time	>5000 Hours
Life Hours	100000 Hours
Steel box weight	40 Kg/M2
Steel box size	L576Xh768x80mm

Indoor Display Screen

P4 Indoor LED Display Screen

Box Qty. **6 Pcs**

SKU: 11079 3800157619493

- Plug & Play
- Ideal For Renting Purpose
- Portable Moving For Events

Screen Parameter

Pixel Density	62500dots/sqm
Brightness	1100nits
Optimum View Distance	more than 5m
Gray Scale	16bits
Display Color	281 trillions(synchronized)
Operation Power	AC 220V-240V/ 50/60Hz
Power Consumption	300W/cabinet
Control Mode	Synchronized
Refresh Frequency	400-700HZ
Surport Signal Input	S-Video,RGBHV,YUV etc.
Control Distance	UTP140M,SINGLE MODE FIBER 15KM
Life Span(50% Brightness)	100000hrs
IP(Front)	IP40
Control System	PCTV nonlinearity card, DVI display card
	Linsn control system

LED Cabinet Parameter

Cabinet Size(L*h*d)	512*512*85mm
Cabinet Resolution	128*128
Module Quantity Each Cabinet	2*4=8
Power Consumption	300w/cabinet
Cabinet Material	Iron
Cabinet Weight	8kg/cabine

LED Module Parameter

Pixel Pitch	4mm
Led Specification	SMD2121
Led Configuration	SMD 3 in 1
Module Size	256*128mm
Module Resolution	64*32=2048dot
Drive Method	1/16 scan constant current
Drive IC	SM16106
Power Consumption	25-30W



Indoor Display Screen

P5 Indoor LED Finished Cabinet

Box Qty. **6 Pcs**

SKU: 11077 3800157617468

Screen Parameter

Pixel Density:	**40000dots/sqm**
Brightness:	**1800nits**
Optimum View Distance:	**more than 5m**
Gray Scale:	**16bits**
Display Color:	**281 trillions(synchronized)**
Operation Power:	**220V-240V**
Max Power Consumption:	**750W/sqm**
Control Mode:	**Synchronized**
Refresh Frequency:	**400-700HZ**
Fram Frequency:	**60HZ**
Surport Signal Input:	**S-Video,RGBHV,YUV etc.**
Control Distance:	**UTP140M,SINGLE MODE FIBER 15KM**
Life Span(50% Brightness):	**100000hrs**
IP(Front/rear):	**IP20**

LED Cabinet Parameter

Cabinet Size(L*h*d):	**640*640mm**
Cabinet Resolution:	**128*128**
Module Quantity Each Cabinet:	**2*4=8**
Average Power Consumption:	**300w/cabinet**
Cabinet Material:	**Iron**
Cabinet Size:	**8kg/cabinet**

LED Module Parameter

Pixel Pitch:	**5mm**
Led Specification:	**SMD3528**
Led Configuration:	**SMD 3 in 1**
Module Size:	**320*160mm**
Module Resolution:	**64*32=2048dot**
Drive Method:	**1/16 scan constant current**
Drive IC:	**SM16106**

Windows 10

Dual display touch screen

COM700-MEDIA PLAYER

SKU: 11088 3800157622820

- LED Display Player with Industrial PC
- One TS802 sending card inside
- Dual Display - Supports Max 1280*800
- Supports SD Memory Card/USB/HDMI Out/Internet
- USB and SD Card Memory Playing
- Compact and Easy to Install
- 7" Touch Screen with windows 10 Inside
- Size - 320*180*50mm
- Input - AC:120-260V
- 1 x Audio In
- 1 x Audio Out
- 1 x DVI In
- 1 x HDMI Out
- 4 USB Interface

Sending Box

Box Qty. **20 Pcs**

SKU: 500082

Sending Card

Box Qty. **20 Pcs**

SKU: 500081

Outdoor Display Screen

P6 Outdoor LED Finished Cabinet Box Qty. **6 Pcs**

SKU: 11078 3800157617475



Screen Parameter

Pixel Density	**27777dots/sqm**
Brightness	**6500nits**
Optimum View Distance	**more than 6m**
Gray Scale	**16bits**
Display Color	**281 Trillions(synchronized)**
Operation Power	**220V-240V**
Max Power Consumption	**1350W/sqm**
Control Mode	**Synchronized**
Refresh Frequency	**400-800HZ**
Fram Frequency	**60HZ**
Surport Signal Input	**S-Video,RGBHV,YUV etc.**
Control Distance	**Utp140m, Single Mode Fiber 15km**
Operating Humidity	**10%-90%**
Life Span(50% Brightness)	**100000hrs**
IP(Front/rear)	**IP65/IP45**

LED Cabinet Parameter

Cabinet Size(L*h*d)	**768*768mm**
Cabinet Resolution	**128*128**
Module Quantity Each Cabinet	**4*4=16**
Average Power Consumption	**800w/cabinet**
Cabinet Material	**Iron**
Cabinet Size	**25kg/cabinet**

LED Module Parameter

Pixel Pitch	**6mm**
Led Specification	**SMD3535**
Led Configuration	**SMD 3 in 1**
Module Size	**192*192mm**
Module Resolution	**32*32=1024dot**
Drive Method	**1/8 scan constant current**
Drive IC	**SM16106**

Stylish

Pendants

Includes all mounting hardware for quick and easy installation and filament vintage style bulb recommended (sold separately).

Product Features

- Stylish pendant lamps available in various shapes, material, and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting.

NEW

EU PLUG

IP65 RATING

String Lights

VT-717S SKU : 8974 EAN Code: 3800157655859

Lampshade:	Black ø250mm (Galvanized Iron)
Bulb Holder:	Brushed Brown Bronze ø49mm (Aluminum)
Cable:	Black (H05RN-F-3×1mm²)
L/S Wireguard:	Black ø256mm (Galvanized Iron)
Catenary Length:	3M Total Length (6 Luminiares at 50cm spacing)
IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W x6
Box Qty:	1Pc



NEW

EU PLUG

IP65 RATING

String Lights

VT-717BS SKU : 8975 EAN Code: 3800157655866

Lampshade:	Natural ø250mm (Galvanized Iron)
Bulb Holder:	Rose Gold ø49mm (Aluminum)
Cable:	Black (H05RN-F-3×1mm²)
L/S Wireguard:	Rose Gold ø256mm (Galvanized Iron)
Catenary Length:	3M Total Length (6 Luminiares at 50cm pacing)
IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W x6
Box Qty:	1Pc



NEW

EU PLUG

IP65 RATING

String Lights

VT-720S SKU : 8971 EAN Code: 3800157655828

Globe:	Clear ø150mm (PMMA)
Bulb Holder:	Brushed Brown Bronze ø49mm (Aluminum)
Cable:	Black (H05RN-F-3×1mm²)
Catenary Length:	3M Total Length (6 Luminiares at 50cm spacing)
IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W x6
Box Qty:	1Pc



NEW

IP65 RATING

Wall Lamp

VT-720BW SKU : 8970 EAN Code: 3800157655811

Globe:	Clear ø150mm (PMMA)
Bulb Holder:	Brushed Brown Bronze ø49mm (Aluminum)
Cable:	Black (H05RN-F-3×0.75mm²)
Wall Lamp Arm:	Black ø14mm (Galvanized Iron)
Wall Mount:	Black ø130mm (Galvanized Iron)
IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W
Box Qty:	8Pc



NEW

IP65 RATING

Wall Lamp

VT-720B SKU : 8972 EAN Code: 3800157655835

Lampshade:	Black ø250mm (Galvanized Iron)
Bulb Holder:	Brushed Brown Bronze (Aluminum)
Cable:	Black (H05RN-F-3×0.75mm²)
Wall Lamp Arm:	Black ø14mm (Galvanized Iron)
Wall Mount:	Black ø130mm (Galvanized Iron)
L/S Wire Guard:	Black ø256mm (Galvanized Iron)
IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W
Box Qty:	4Pc



NEW

IP65 RATING

Wall Lamp

VT-720R SKU : 8973 EAN Code: 3800157655842

Lampshade:	Natural ø250mm (Galvanized Iron)
Bulb Holder:	Rose Gold ø49mm (Aluminum)
Cable:	Black (H05RN-F-3×0.75mm²)
Wall Lamp Arm:	Natural ø14mm (Galvanized Iron)
Wall Mount:	Rose Gold ø130mm (Galvanized Iron)
L/S Wire Guard:	Rose Gold ø256mm (Galvanized Iron)
IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W
Box Qty:	4Pc



Rattan Floor Lamp

Model:	VT-4150
SKU:	40561
EAN:	3800157655170
Size:	Ø400xH1500mm
Box Qty:	1Pcs
Material:	Rattan Finish



Rattan Floor Lamp

Model:	VT-3100
SKU:	40571
EAN:	3800157655187
Size:	Ø300xH940mm
Box Qty:	1Pcs
Material:	Rattan Finish



Wooden Pendant

Model:	VT-3450
SKU:	40501
EAN:	3800157655118
Size:	Ø350xH450mm
Box Qty:	1Pcs
Material:	Wooden



Wooden Pendant

Model:	VT-4453
SKU:	40551
EAN:	3800157655163
Size:	Ø450xH450mm
Box Qty:	1Pcs
Material:	Wooden



Wooden Pendant

Model:	VT-3350
SKU:	40511
EAN:	3800157655125
Size:	Ø350xH310mm
Box Qty:	4Pcs
Material:	Wooden



Wooden Pendant

Model:	VT-2450
SKU:	40521
EAN:	3800157655132
Size:	Ø250xH450mm
Box Qty:	4Pcs
Material:	Wooden



Wooden Pendant

Model:	VT-3200
SKU:	40531
EAN:	3800157655149
Size:	Ø330xH220mm
Box Qty:	8Pcs
Material:	Wooden



Wooden Pendant

Model:	VT-4280
SKU:	40541
EAN:	3800157655156
Size:	Ø440xH280mm
Box Qty:	1Pcs
Material:	Wooden



Diamond Cut Glass-Transparent

Model:	VT-7350-HT
SKU:	3879
EAN:	3800157620970
Size:	Ø330x260x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Diamond Cut Glass-Black

Model:	VT-7350-HB
SKU:	3880
EAN:	3800157620987
Size:	330x260x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Designer Glass-Transparent

Model:	VT-7254
SKU:	3882
EAN:	3800157621007
Size:	Ø250x230x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Designer Glass-Transparent

Model:	VT-7306
SKU:	3883
EAN:	3800157621014
Size:	Ø300x265x1000mm
Box Qty:	8Pcs
Material:	Glass



Designer Glass-Transparent

Model:	VT-7305
SKU:	3881
EAN:	3800157620994
Size:	Ø270x1280mm
Box Qty:	4Pcs
Material:	Glass



Designer Glass-Gun Grey

Model:	VT-7292
SKU:	3887
EAN:	3800157621052
Size:	Ø300x265x1000mm
Box Qty:	8Pcs
Material:	Glass



Designer Glass-Gun Grey

Model:	VT-7380
SKU:	3888
EAN:	3800157621069
Size:	Ø380x330x1000mm
Box Qty:	4Pcs
Material:	Glass



Amber Glass-Metal Series

Model:	VT-7303
SKU:	3866
EAN:	3800157620765
Size:	300x280x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-Metal Series

Model:	VT-7302
SKU:	3865
EAN:	3800157620758
Size:	300x280x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-Metal Series

Model:	VT-7229
SKU:	3867
EAN:	3800157620772
Size:	265x190x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal

Double Glass-Amber-White

Model:	VT-7304-AW
SKU:	3875
EAN:	3800157620932
Size:	Ø250x420x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Double Glass-Amber-White

Model:	VT-7181-AW
SKU:	3878
EAN:	3800157620963
Size:	180x350x1000mm
Box Qty:	9Pcs
Material:	Glass+Metal



Double Glass-Gungrey-White

Model:	VT-7304-GW
SKU:	3876
EAN:	3800157620949
Size:	250x420x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Double Glass-Gungrey-White

Model:	VT-7181-GW
SKU:	3877
EAN:	3800157620956
Size:	180x350x1000mm
Box Qty:	9Pcs
Material:	Glass+Metal



Modern-White Glass Pendant

Model:	VT-7281-WG
SKU:	3884
EAN:	3800157621021
Size:	Ø285x440x1000mm
Box Qty:	4Pcs
Material:	Glass+Metal



Modern-Black Glass Pendant

Model:	VT-7281-BG
SKU:	3885
EAN:	3800157621038
Size:	285x440x1000mm
Box Qty:	4Pcs
Material:	Glass+Metal



Modern-Amber Glass Pendant

Model:	VT-7281-AG
SKU:	3886
EAN:	3800157621045
Size:	285x440x1000mm
Box Qty:	4Pcs
Material:	Glass+Metal



Glass-Metal Series

Model:	VT-7210
SKU:	3730
EAN:	3800157611039
Size:	245x230x1100mm
Box Qty:	8Pcs
Material:	Glass+Metal



Amber Glass-Metal Series

Model:	VT-7140-A
SKU:	3736
EAN:	3800157611091
Size:	140x240x1130mm
Box Qty:	12Pcs
Material:	Glass+Metal



Transparent Glass-Metal Series

Model:	VT-7140-T
SKU:	3735
EAN:	3800157611084
Size:	140x240x1130mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-Metal Series

Model:	VT-7185
SKU:	3738
EAN:	3800157611114
Size:	180x230x1110mm
Box Qty:	12Pcs
Material:	Glass+Metal



Transparent Glass-Metal Series

Model:	VT-7250
SKU:	3739
EAN:	3800157611121
Size:	250x330x1220mm
Box Qty:	8Pcs
Material:	Glass+Metal



Amber Glass-Metal Series

Model:	VT-7290
SKU:	3741
EAN:	3800157611145
Size:	260x260x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-Metal Series

Model:	VT-7300
SKU:	3737
EAN:	3800157611107
Size:	300x250x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal



Amber Glass-Metal Series

Model:	VT-7320
SKU:	3740
EAN:	3800157611138
Size:	250x280x1180mm
Box Qty:	8Pcs
Material:	Glass+Metal



Amber Glass-Metal Series

Model:	VT-7150-AG
SKU:	3732
EAN:	3800157611053
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal



Green Glass-Metal Series

Model:	VT-7150-GG
SKU:	3734
EAN:	3800157611077
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal



Red Glass-Metal Series

Model:	VT-7150-RG
SKU:	3731
EAN:	3800157611046
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal



Glass-Metal Series

Model:	VT-7150-CG
SKU:	3733
EAN:	3800157611060
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal



Amber Glass Pendant

Model:	VT-7220-A
SKU:	3726
EAN:	3800157610995
Size:	220x280x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass Pendant

Model:	VT-7220-T
SKU:	3727
EAN:	3800157611008
Size:	220x280x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal



Trio Glass Pendant-Lampholder

Model:	VT-7307
SKU:	3926
EAN:	3800157626217
Size:	300x1300mm
Box Qty:	4Pcs
Material:	Glass+Wood





3D Glass-Black Canopy

Model:	VT-7152
SKU:	40111
EAN:	3800157640619
Size:	ø150x100x1020mm
Box Qty:	8Pcs
Material:	Glass



3D Glass-Black Canopy

Model:	VT-7206
SKU:	40121
EAN:	3800157651059
Size:	ø200x100x1070mm
Box Qty:	8Pcs
Material:	Glass



3D Glass-Black Canopy

Model:	VT-7256
SKU:	40131
EAN:	3800157651066
Size:	ø250x100x1110mm
Box Qty:	8Pcs
Material:	Glass



Transparent Glass-V Shape

Model:	VT-7180
SKU:	3863
EAN:	3800157620734
Size:	Ø250x90mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-Globe

Model:	VT-7226
SKU:	3864
EAN:	3800157620741
Size:	Ø250x230mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-Cone Shape

Model:	VT-7142
SKU:	3861
EAN:	3800157620710
Size:	140x160mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-V Shape

Model:	VT-7143
SKU:	3862
EAN:	3800157620727
Size:	185x140 mm
Box Qty:	8Pcs
Material:	Glass+Metal



Aluminium Shade-Black

Model:	VT-7422-B
SKU:	3728
EAN:	3800157611015
Size:	230x310x1150mm
Box Qty:	8Pcs
Material:	Aluminium



Aluminium Shade-White

Model:	VT-7422-WH
SKU:	3729
EAN:	3800157611022
Size:	230x310x1150mm
Box Qty:	8Pcs
Material:	Aluminium



Mesh Metal-Grey

Model:	VT-7200-MG
SKU:	3822
EAN:	3800157616577
Size:	200x270x1300mm
Box Qty:	8Pcs
Material:	Metal



Mesh Metal-Gold

Model:	VT-7200-CG
SKU:	3821
EAN:	3800157616560
Size:	200x270x1300mm
Box Qty:	8Pcs
Material:	Metal



Mesh Metal-White

Model:	VT-7200-MW
SKU:	3823
EAN:	3800157616584
Size:	200x270x1300mm
Box Qty:	8Pcs
Material:	Metal



Can Shape-Gold Pendant

Model:	VT-7131-CG
SKU:	3824
EAN:	3800157616591
Size:	130x250x1300mm
Box Qty:	10Pcs
Material:	Metal



Can Shape-Black Pendant

Model:	VT-7131-MB
SKU:	3825
EAN:	3800157616607
Size:	130x250x1300mm
Box Qty:	10Pcs
Material:	Metal



Can Shape-WhitePendant

Model:	VT-7131-MW
SKU:	3826
EAN:	3800157616614
Size:	130x250x1300mm
Box Qty:	10Pcs
Material:	Metal



Can Shape-Gold Pendant

Model:	VT-7132-CG
SKU:	3827
EAN:	3800157616621
Size:	130x220x1300mm
Box Qty:	10Pcs
Material:	Metal



Can Shape-Black Pendant

Model:	VT-7132-MB
SKU:	3828
EAN:	3800157616638
Size:	130x220x1300mm
Box Qty:	10Pcs
Material:	Metal



Can Shape-WhitePendant

Model:	VT-7132-MW
SKU:	3829
EAN:	3800157616645
Size:	130x220x1300mm
Box Qty:	10Pcs
Material:	Metal



Mesh Metal-Globe

Model:	VT-7332
SKU:	3859
EAN:	3800157620697
Size:	Ø290x1000x1340mm
Box Qty:	8Pcs
Material:	Metal



Mesh Metal-GV Shape

Model:	VT-7252
SKU:	3860
EAN:	3800157620703
Size:	285x170x1000mm
Box Qty:	12Pcs
Material:	Metal



Copper Series-Rose Gold

Model:	VT-8150-CO
SKU:	3713
EAN:	3800157610865
Size:	Ø150
Box Qty:	10Pcs
Material:	Metal

Copper Series-Rose Gold

Model:	VT-8300
SKU:	3710
EAN:	3800157610834
Size:	Ø300
Box Qty:	4Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8220
SKU:	3711
EAN:	3800157610841
Size:	Ø220
Box Qty:	4Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8255
SKU:	3709
EAN:	3800157610827
Size:	Ø250mm
Box Qty:	4Pcs
Material:	Iron with electric copper paint

Copper Series-Chrome

Model:	VT-8150-CH
SKU:	3712
EAN:	3800157610858
Size:	Ø150mm
Box Qty:	10Pcs
Material:	Iron with electric copper paint

Copper Series-Chrome

Model:	VT-8180-CH
SKU:	3707
EAN:	3800157610803
Size:	Ø180mm
Box Qty:	4Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8180-CO
SKU:	3708
EAN:	3800157610810
Size:	Ø180mm
Box Qty:	8Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8170
SKU:	3714
EAN:	3800157610872
Size:	Ø170mm
Box Qty:	8Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8230
SKU:	3715
EAN:	3800157610889
Size:	Ø230mm
Box Qty:	4Pcs
Material:	Iron with electric copper paint

Copper Series-Chrome

Model:	VT-8175-CH
SKU:	3705
EAN:	3800157610780
Size:	Ø170
Box Qty:	4Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8175-CO
SKU:	3706
EAN:	3800157610797
Size:	Ø170mm
Box Qty:	8Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8200
SKU:	3716
EAN:	3800157610896
Size:	Ø200mm
Box Qty:	4Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8250
SKU:	3717
EAN:	3800157610902
Size:	Ø250mm
Box Qty:	4Pcs
Material:	Iron with electric copper paint

White Glass-Wood Pendant

Model:	VT-7205
SKU:	3759
EAN:	3800157611329
Size:	190x320x1120mm
Box Qty:	8Pcs
Material:	Glass+Wood



White Glass-Wood Pendant

Model:	VT-7177
SKU:	3760
EAN:	3800157611336
Size:	170x320x1120mm
Box Qty:	8Pcs
Material:	Glass+Wood



Aluminum Pendant-White

Model:	VT-7162-WH
SKU:	3868
EAN:	3800157620789
Size:	Ø160x350x600mm
Box Qty:	20Pcs
Material:	Aluminium



Aluminum Pendant-Black

Model:	VT-7162-B
SKU:	3869
EAN:	3800157620796
Size:	Ø160x350x600mm
Box Qty:	20Pcs
Material:	Aluminium



Concrete-Mesh

Model:	VT-7253
SKU:	3848
EAN:	3800157618977
Size:	250x310x1200mm
Box Qty:	4Pcs
Material:	Concrete+Iron



Concrete-Lampshade

Model:	VT-7202
SKU:	3853
EAN:	3800157619028
Size:	180x160x1100mm
Box Qty:	4Pcs
Material:	Concrete



Concrete-Wooden

Model:	VT-7301
SKU:	3858
EAN:	3800157619073
Size:	290x250x1150mm
Box Qty:	4Pcs
Material:	Concrete+Wood



Concrete-Wooden

Model:	VT-7125-GN
SKU:	3856
EAN:	3800157619059
Size:	120x210x1080mm
Box Qty:	8Pcs
Material:	Concrete+Wood



Concrete-Wooden

Model:	VT-7125-R
SKU:	3857
EAN:	3800157619066
Size:	120x210x1080mm
Box Qty:	8Pcs
Material:	Concrete+Wood



Concrete-Table Lamp

Model:	VT-7160
SKU:	3851
EAN:	3800157619004
Size:	160x150x2000mm
Box Qty:	4Pcs
Material:	Concrete



Concrete-Table Lamp

Model:	VT-7171
SKU:	3852
EAN:	3800157619011
Size:	180x130x2000mm
Box Qty:	8Pcs
Material:	Concrete



Geometric Series-Gold Canopy

Model:	VT-7141-CG
SKU:	3831
EAN:	3800157616669
Size:	250x190x1250mm
Box Qty:	8Pcs
Material:	Metal



Geometric Series-Black Canopy

Model:	VT-7141-MB
SKU:	3832
EAN:	3800157616676
Size:	250x190x1250mm
Box Qty:	8Pcs
Material:	Metal



Geometric Series-Gold Canopy

Model:	VT-7161-CG
SKU:	3833
EAN:	3800157616683
Size:	225x225x1250mm
Box Qty:	10Pcs
Material:	Metal



Geometric Series-Black Canopy

Model:	VT-7161-MB
SKU:	3834
EAN:	3800157616690
Size:	225x225x1250mm
Box Qty:	8Pcs
Material:	Metal



Geometric Series-Black Canopy

Model:	VT-7144
SKU:	3927
EAN:	3800157626224
Size:	300x1300mm
Box Qty:	4Pcs
Material:	Metal Finish





Geometric Series-Gold Canopy

Model:	VT-7322-CG
SKU:	3835
EAN:	3800157616706
Size:	320x320x1350mm
Box Qty:	10Pcs
Material:	Metal



Geometric Series-Black Canopy

Model:	VT-7322-MB
SKU:	3836
EAN:	3800157616713
Size:	320x320x1350mm
Box Qty:	10Pcs
Material:	Metal





Geometric Series-Gold Canopy

Model:	VT-7321-CG
SKU:	3837
EAN:	3800157616720
Size:	320x320x1350mm
Box Qty:	10Pcs
Material:	Metal



Geometric Series-Black Canopy

Model:	VT-7321-MB
SKU:	3838
EAN:	3800157616737
Size:	320x320x1350mm
Box Qty:	10Pcs
Material:	Metal

Danish Wood-Bronze Canopy

Model:	VT-7225
SKU:	3816
EAN:	3800157612760
Size:	260x330x1111mm
Box Qty:	8Pcs
Material:	Aluminium+Sand Finish



Danish Wood-Bronze Canopy

Model:	VT-7340
SKU:	3817
EAN:	3800157612777
Size:	360x420x1200mm
Box Qty:	4Pcs
Material:	Aluminium+Sand Finish



Aluminum-Sand finish-Black

Model:	VT-7520-B
SKU:	3700
EAN:	3800157610735
Size:	220x310x1375mm
Box Qty:	4Pcs
Material:	Aluminium+ Sand Finish



Aluminum-Sand finish-Grey

Model:	VT-7520-G
SKU:	3701
EAN:	3800157610742
Size:	220x310x1375mm
Box Qty:	4Pcs
Material:	Aluminium+Sand Finish





Aluminum-Sand finish-White

Model:	VT-7520-WH
SKU:	3702
EAN:	3800157610759
Size:	220x310x1375mm
Box Qty:	4Pcs
Material:	Aluminium+ Sand Finish



Modern Wooden Top-White

Model:	VT-7425-WH
SKU:	3756
EAN:	3800157611299
Size:	250x200x1100mm
Box Qty:	8Pcs
Material:	Aluminium+Wooden Top



Modern Wooden Top-Black

Model:	VT-7425-B
SKU:	3757
EAN:	3800157611305
Size:	250x200x1100mm
Box Qty:	8Pcs
Material:	Aluminium+Wooden Top

Wooden Top Iron-White

Model:	VT-7525-WH
SKU:	3761
EAN:	3800157611343
Size:	250x400x1200mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top



Wooden Top Iron-Black

Model:	VT-7525-B
SKU:	3762
EAN:	3800157611350
Size:	250x400x1200mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top



Wooden Top Iron-White

Model:	VT-7535-W
SKU:	3763
EAN:	3800157611367
Size:	350x300x1100mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top



Wooden Top Iron-Black

Model:	VT-7535-B
SKU:	3764
EAN:	3800157611374
Size:	350x300x1100mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top



Wooden Top Iron-White

Model:	VT-7545-WH
SKU:	3765
EAN:	3800157611381
Size:	350x300x1100mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top



Wooden Top Iron-Black

Model:	VT-7545-B
SKU:	3766
EAN:	3800157611398
Size:	350x300x1100mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top



E14 HOLDER

Pendant-Aluminium Shade-White

Model:	VT-7100-WH
SKU:	3920
EAN:	3800157626156
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium



E14 HOLDER

Pendant-Aluminium Shade-Black

Model:	VT-7100-B
SKU:	3921
EAN:	3800157626163
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium



E14 HOLDER



Pendant-Aluminium Shade-Grey

Model:	VT-7100-G
SKU:	3922
EAN:	3800157626170
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium

E14 HOLDER



Pendant-Aluminium Shade-Pink

Model:	VT-7100-P
SKU:	3923
EAN:	3800157626187
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium

E14 HOLDER



Pendant-Aluminium Shade-Red

Model:	VT-7100-R
SKU:	3924
EAN:	3800157626194
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium

E14 HOLDER



Pendant-Aluminium Shade-Blue

Model:	VT-7100-BL
SKU:	3925
EAN:	3800157626200
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium

Metal Plate-Rose Gold

Model:	VT-7777-RG
SKU:	3751
EAN:	3800157611244
Size:	300x90x1000mm
Box Qty:	20Pcs
Material:	Metal



Metal Plate-Matt Gold

Model:	VT-7777-MG
SKU:	3752
EAN:	3800157611251
Size:	300x90x1000mm
Box Qty:	20Pcs
Material:	Metal





Net Prism-White Pendant

Model:	VT-7401-W
SKU:	3943
EAN:	3800157630115
Size:	400x540mm
Box Qty:	2Pcs
Material:	Metal



Net Prism-Black Pendant

Model:	VT-7401-B
SKU:	3944
EAN:	3800157630122
Size:	400x540mm
Box Qty:	2Pcs
Material:	Metal



Net Prism-Black Pendant

Model:	VT-7401-BG
SKU:	3945
EAN:	3800157630139
Size:	400x540mm
Box Qty:	2Pcs
Material:	Metal



Prism-Blue Pendant

Model:	VT-7310-B
SKU:	3946
EAN:	3800157630146
Size:	310x190mm
Box Qty:	4Pcs
Material:	Metal

Prism-Yellow Pendant

Model:	VT-7310-Y
SKU:	3947
EAN:	3800157630153
Size:	310x190mm
Box Qty:	4Pcs
Material:	Metal





Prism-White Pendant

Model:	VT-7310-W
SKU:	3948
EAN:	3800157630160
Size:	310x190mm
Box Qty:	4Pcs
Material:	Metal



Prism-Wooden-White

Model:	VT-7323-W
SKU:	3949
EAN:	3800157630177
Size:	320x270mm
Box Qty:	4Pcs
Material:	Metal

Prism-Wooden-Yellow

Model:	VT-7323-Y
SKU:	3950
EAN:	3800157630184
Size:	320x270mm
Box Qty:	4Pcs
Material:	Metal



Prism-Wooden-Pink

Model:	VT-7323-P
SKU:	3951
EAN:	3800157630191
Size:	320x270mm
Box Qty:	4Pcs
Material:	Metal

Cone Prism-White

Model:	VT-7255-W
SKU:	3952
EAN:	3800157630207
Size:	250x255mm
Box Qty:	4Pcs
Material:	Metal

Cone Prism-Blue

Model:	VT-7255-B
SKU:	3953
EAN:	3800157630214
Size:	250x255mm
Box Qty:	4Pcs
Material:	Metal

Cone Prism-Yellow

Model:	VT-7255-Y
SKU:	3954
EAN:	3800157630221
Size:	250x255mm
Box Qty:	4Pcs
Material:	Metal



Metal W/Crystal

Model:	VT-7334-T
SKU:	3955
EAN:	3800157630238
Size:	300x360mm
Box Qty:	4Pcs
Material:	Metal



Metal W/Crystal

Model:	VT-7334-M
SKU:	3956
EAN:	3800157630245
Size:	330x300mm
Box Qty:	4Pcs
Material:	Metal



Metal W/Crystal

Model:	VT-7334-B
SKU:	3957
EAN:	3800157630252
Size:	300x360mm
Box Qty:	4Pcs
Material:	Metal



Vintage Metal

Model:	VT-7424
SKU:	3753
EAN:	3800157611268
Size:	260x170x1080mm
Box Qty:	12Pcs
Material:	Metal





Vintage Metal-Pulley

Model:	VT-7201
SKU:	3845
EAN:	3800157617192
Size:	220x140x600-1600mm
Box Qty:	8Pcs
Material:	Metal



Pendant-Hemp Rope

Model:	VT-7118
SKU:	3754
EAN:	3800157611275
Size:	45x57x1500mm
Box Qty:	12Pcs
Material:	Rope

Globe-Chrome Canopy

Model:	VT-7251
SKU:	3839
EAN:	3800157616744
Size:	250x250x1300mm
Box Qty:	4Pcs
Material:	Acrylic Glass



Pendant Holder-Bottle-E14

Model:	VT-7558-GN
SKU:	3767
EAN:	3800157611404
Size:	72x280x1150mm
Box Qty:	25Pcs
Material:	Glass





Pendant Holder-Bottle-E14

Model:	VT-7558-BL
SKU:	3768
EAN:	3800157611411
Size:	72x280x1150mm
Box Qty:	25Pcs
Material:	Glass



Pendant Holder-Bottle-E14

Model:	VT-7558-R
SKU:	3769
EAN:	3800157611428
Size:	72x280x1150mm
Box Qty:	25Pcs
Material:	Glass



Pendant Holder-Bottle-E14

Model:	VT-7558-A
SKU:	3770
EAN:	3800157611435
Size:	72x280x1150mm
Box Qty:	25Pcs
Material:	Glass



Pendant Holder-Bottle-E14

Model:	VT-7558-T
SKU:	3771
EAN:	3800157611442
Size:	72x280x1150mm
Box Qty:	25Pcs
Material:	Glass



Pendant Holder-Bottle-E14

Model:	VT-7558-P
SKU:	3772
EAN:	3800157611459
Size:	72x280x1150mm
Box Qty:	25Pcs
Material:	Glass



Pendant Holder-Bottle-E14

Model:	VT-7558-Y
SKU:	3773
EAN:	3800157611466
Size:	72x280x1150mm
Box Qty:	25Pcs
Material:	Glass



Pendant Holder-Bottle-E14

Model:	VT-7558-RO
SKU:	3774
EAN:	3800157611473
Size:	72x280x1150mm
Box Qty:	25Pcs
Material:	Glass



Pendant Holder-Bottle-E14

Model:	VT-7558-GY
SKU:	3775
EAN:	3800157611480
Size:	78x280x1150mm
Box Qty:	25Pcs
Material:	Glass



Pendant Holder-Bottle-E14

Model:	VT-7558-BR
SKU:	3776
EAN:	3800157611497
Size:	72x280x1150mm
Box Qty:	25Pcs
Material:	Glass

Metal Holder-Canopy

Model:	VT-7555-RB
Color:	Red Bronze
SKU:	3840
EAN:	3800157617147
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs

Metal Holder-Canopy

Model:	VT-7555-BBR
Color:	Brown Bronze
SKU:	3841
EAN:	3800157617154
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs

Metal Holder-Canopy

Model:	VT-7555-BB
Color:	Brass Bronze
SKU:	3842
EAN:	3800157617161
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs

Metal Holder-Canopy

Model:	VT-7555-BR
Color:	Bronze
SKU:	3843
EAN:	3800157617178
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs

Metal Holder-Canopy

Model:	VT-7555-MG
Color:	Gold
SKU:	3844
EAN:	3800157617185
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs

Wooden Holder-White Wire

Model:	VT-7778-W
Color:	White Wire
SKU:	3720
EAN:	3800157610933
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs

Wooden Holder-Blue Wire

Model:	VT-7778-BL
Color:	Blue Wire
SKU:	3722
EAN:	3800157610957
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs

Wooden Holder-Red Wire

Model:	VT-7778-R
Color:	Red Wire
SKU:	3723
EAN:	3800157610964
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs

Wooden Holder-Purple Wire

Model:	VT-7778-PR
Color:	Purple Wire
SKU:	3724
EAN:	3800157610971
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs

Wooden Holder-Green Wire

Model:	VT-7778-GN
Color:	Green Wire
SKU:	3725
EAN:	3800157610988
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs

Pendant-Porcelain Set

Model:	VT-7998-W
Color:	White
SKU:	3803
EAN:	3800157612340
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Pendant-Porcelain Set

Model:	VT-7998-BK
Color:	Black
SKU:	3804
EAN:	3800157612357
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Pendant-Porcelain Set

Model:	VT-7998-GN
Color:	Green
SKU:	3805
EAN:	3800157612364
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Pendant-Porcelain Set

Model:	VT-7998-BL
Color:	Blue
SKU:	3806
EAN:	3800157612371
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Pendant-Porcelain Set

Model:	VT-7998-R
Color:	Red
SKU:	3807
EAN:	3800157612388
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Pendant-Porcelain Set

Model:	VT-7998-GY
Color:	Grey
SKU:	3808
EAN:	3800157612395
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Pendant-Porcelain Set

Model:	VT-7998Y
Color:	Yellow
SKU:	3809
EAN:	3800157612401
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Pendant-Porcelain Set

Model:	VT-7998-BR
Color:	Brown
SKU:	3810
EAN:	3800157612418
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Porcelain Holder

Model:	VT-799-W
Color:	White
SKU:	3795
EAN:	3800157612265
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Porcelain Holder

Model:	VT-799-BK
Color:	Black
SKU:	3796
EAN:	3800157612272
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Porcelain Holder

Model:	VT-799-GN
Color:	Green
SKU:	3797
EAN:	3800157612289
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Porcelain Holder

Model:	VT-799-BL
Color:	Blue
SKU:	3798
EAN:	3800157612296
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Porcelain Holder

Model:	VT-799-R
Color:	Red
SKU:	3799
EAN:	3800157612302
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Porcelain Holder

Model:	VT-799-GY
Color:	Grey
SKU:	3800
EAN:	3800157612319
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Porcelain Holder

Model:	VT-799-Y
Color:	Yellow
SKU:	3801
EAN:	3800157612326
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Porcelain Holder

Model:	VT-799-BR
Color:	Brown
SKU:	3802
EAN:	3800157612333
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Concrete Holder-Canopy

Model:	VT-7668-GN
Color:	Green
SKU:	3742
EAN:	3800157611152
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-R
Color:	Red
SKU:	3743
EAN:	3800157611169
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-BL
Color:	Blue
SKU:	3744
EAN:	3800157611176
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-Y
Color:	Yellow
SKU:	3745
EAN:	3800157611183
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-W
Color:	White
SKU:	3746
EAN:	3800157611190
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-BK
Color:	Black
SKU:	3747
EAN:	3800157611206
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-GY
Color:	Grey
SKU:	3748
EAN:	3800157611213
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-BR
Color:	Brown
SKU:	3749
EAN:	3800157611220
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-BE
Color:	Beige
SKU:	3750
EAN:	3800157611237
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Gold Holder-Gold Canopy

Model:	VT-7448
Color:	Rose Gold Set
SKU:	3777
EAN:	3800157611503
Material:	
Size:	Ø39x1000mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-W
Color:	White Wire
SKU:	3755
EAN:	3800157611282
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-BK
Color:	Black Wire
SKU:	3782
EAN:	3800157611558
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-BL
Color:	Blue Wire
SKU:	3783
EAN:	3800157611565
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-BN
Color:	Brown Wire
SKU:	3784
EAN:	3800157611572
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-GN
Color:	Green Wire
SKU:	3785
EAN:	3800157611589
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-GY
Color:	Grey Wire
SKU:	3786
EAN:	3800157611596
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	1Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-LB
Color:	Light Blue Wire
SKU:	3787
EAN:	3800157611602
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-O
Color:	Orange Wire
SKU:	3788
EAN:	3800157611619
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-PK
Color:	Pink Wire
SKU:	3789
EAN:	3800157611626
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	1Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-PE
Color:	Purple Wire
SKU:	3790
EAN:	3800157611633
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-R
Color:	Red Wire
SKU:	3791
EAN:	3800157611640
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-RR
Color:	Rose Red Wire
SKU:	3792
EAN:	3800157611657
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-Y
Color:	Yellow Wire
SKU:	3793
EAN:	3800157611664
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-BE
Color:	Beige Wire
SKU:	3794
EAN:	3800157611671
Material:	Chrome
Size:	Ø39x1000mm
Box Qty:	40Pcs

Pendant-Silicone

Model:	VT-7228-BN
Color:	Brown
SKU:	3475
EAN:	3800157607919
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-BE
Color:	Blue
SKU:	3476
EAN:	3800157607926
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-W
Color:	White
SKU:	3477
EAN:	3800157607933
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-BK
Color:	Black
SKU:	3478
EAN:	3800157607940
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-PN
Color:	Pink
SKU:	3479
EAN:	3800157607957
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-R
Color:	Red
SKU:	3480
EAN:	3800157607964
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-GY
Color:	Grey
SKU:	3481
EAN:	3800157607971
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-LB
Color:	Light Blue
SKU:	3482
EAN:	3800157609463
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-PE
Color:	Purple
SKU:	3483
EAN:	3800157609470
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-O
Color:	Orange
SKU:	3484
EAN:	3800157609487
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-Y
Color:	Yellow
SKU:	3485
EAN:	3800157609494
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-GN
Color:	Green
SKU:	3486
EAN:	3800157609500
Material:	Silicone
Size:	Ø40x1000mm
Box Qty:	100Pcs

Sleek Designer

LED Pendants

Offering cutting edge designs as per your mood. From warm to bright task lighting, our pendants come in a wide variety of styles, colors and materials



Anti-fog
With demister pad

Mirror Lights

17W **VT-8505**

SKU: 40441 - 6400K White 3800157654982

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	600lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	6 Kg
IP Rating:	IP44
Size :	500x390x35mm
Box Qty:	1Pcs



Anti-fog
With demister pad

Mirror Lights

30W **VT-8700**

SKU: 40451 - 6400K White 3800157654999

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	750lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	9.2 Kg
IP Rating:	IP44
Size :	700x500x35mm
Box Qty:	1Pcs



Anti-fog
With demister pad

Mirror Lights

37W **VT-8701**

SKU: 40461 - 3IN1 3800157655002

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	800lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	9.3 Kg
IP Rating:	IP44
Size :	700x500x35mm
Box Qty:	1Pcs

COLOR CHANGING (3000K-6400K)

TOUCH CONTROL



Anti-fog
With demister pad

Mirror Lights

38W **VT-8800**

SKU: 40471 - 6400K White 3800157655019

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	700lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	12 Kg
IP Rating:	IP44
Size :	800x600x35mm
Box Qty:	1Pcs



Anti-fog
With demister pad

Mirror Lights

25W **VT-8601**

SKU: 40481 - 6400K White 3800157655026

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	750lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	8 Kg
IP Rating:	IP44
Size :	D:600x35mm
Box Qty:	1Pcs



Anti-fog
With demister pad

Mirror Lights

25W **VT-8602**

SKU: 40491 - 3IN1 3800157655033

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	750lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	8.1 Kg
IP Rating:	IP44
Size :	D:600x35mm
Box Qty:	1Pcs

COLOR CHANGING
(3000K-6400K)

TOUCH CONTROL



Mirror Light-Picture Chrome Wall Lamp

8W **VT-7008** Built In LED

SKU: 3985 - 3000K Warm White 3800157637978
SKU: 3894 - 4000K Day White 3800157621120

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Metal+PMMA
Unit GW :	0.72 Kg
Life Span:	20,000 Hours
Size :	500x55x185mm
Box Qty:	12Pcs



Mirror Light-Picture Chrome Wall Lamp

12W **VT-7012** Built In LED

SKU: 3982 - 3000K Warm White 3800157637947
SKU: 3895 - 4000K Day White 3800157621137

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°

No. of LED:	60 pcs
Material :	Metal+PMMA
Unit GW :	0.82 Kg
Life Span:	20,000 Hours
Size :	640x55x185mm
Box Qty:	12Pcs





Mirror Movable Wall Lamp

8W **VT-7009CH** Built In LED

SKU: 3984 - 3000K Warm White 3800157637961
SKU: 3900 - 4000K Day white 3800157621854

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Stainless Steel+Aluminium+PMMA
Unit GW :	0.8 Kg
Life Span:	20,000 Hours
Size :	455x45x190mm
Box Qty:	11Pcs



Mirror Movable Wall Lamp Golden

8w **VT-7009** Built In LED

SKU: 3983 - 3000K Warm White	3800157637954
SKU: 3901 - 4000K Day white	3800157621861

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Stainless Steel+Aluminium+PMMA
Unit GW :	0.8 Kg
Life Span:	20,000 Hours
Size :	455x45x190mm
Box Qty:	11Pcs





Mirror Surface Light - Chrome Cap

10w **VT-7010-CH** Built In LED

SKU: 3916 - 4000K Day White	3800157626118
SKU: 3917 - 6400K White	3800157626125

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	950lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	150°

No. of LED:	N/A
Material :	Aluminium+PC
Unit GW :	0.63 Kg
Life Span:	30,000 Hours
Size :	605x53.6x64.6mm
Box Qty:	10Pcs



Mirror Surface Light - White Cap

10w **VT-7010-WH** Built In LED

SKU: 3918 - 4000K Day White	3800157626132
SKU: 3919 - 6400K White	3800157626149

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	950lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	150°

No. of LED:	N/A
Material :	Aluminium+PC
Unit GW :	0.63 Kg
Life Span:	30,000 Hours
Size :	605x53.6x64.6mm
Box Qty:	10Pcs





Mirror Surface Light-Chrome

18W **VT-7021** Built In LED

SKU: 3903 - 4000K Day white 3800157621885

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.28 Kg
Life Span:	20,000 Hours
Size :	940x65x65mm
Box Qty:	12Pcs



Designer Bend Glass-Surface Lamp

18W **VT-7019** Built In LED

SKU: 3897 - 4000K Day white 3800157621151

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	1.50 Kg
Life Span:	20,000 Hours
Size :	985x55x65mm
Box Qty:	6Pcs





Designer Bend Glass-Hanging Pendant

18W **VT-7020** Built In LED

SKU: 3898 - 4000K Day white 3800157621168

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	1.98 Kg
Life Span:	20,000 Hours
Size :	985x55x800mm
Box Qty:	6Pcs





Designer Bend Series - Surface Chrome

36w **VT-7038**

Built In LED

SKU: 3899 - 4000K Day white

3800157621175

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2700lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	180 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	3.53 Kg
Life Span:	20,000 Hours
Size :	985x120x75mm
Box Qty:	6Pcs





Designer Sleek Pendant-Chrome

24w **VT-7024**

Built In LED

SKU: 3891 - 4000K Day White

3800157621090

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1800lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	120 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.59 Kg
Life Span:	20,000 Hours
Size :	1220x55x800mm
Box Qty:	12Pcs





Designer Sleek Pendant-Chrome

36w **VT-7036**

Built In LED

SKU: 3892 - 4000K Day White

3800157621106

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2700lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	180 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.82 Kg
Life Span:	20,000 Hours
Size :	1820x55x800mm
Box Qty:	12Pcs





Designer Sleek Chrome Surface Lamp

36w **VT-7037**

Built In LED

SKU: 3893 - 4000K Day White

3800157621113

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2700lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	180 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	2.24 Kg
Life Span:	20,000 Hours
Size :	940x120x60mm
Box Qty:	6Pcs



Pendant Light-Gold Lamp Shade

7W **VT-7333-G** Built In LED

SKU: 3934 - 3000K Warm White 3800157628952
SKU: 3928 - 4000K Day White 3800157626569

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.4 Kg
Life Span:	30,000 Hours
Size :	Ø120xH190mm
Box Qty:	12Pcs



Pendant Light-White Lamp Shade

7W **VT-7333-WH** Built In LED

SKU: 3935 - 3000K Warm White 3800157628969
SKU: 3929 - 4000K Day White 3800157626576

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.4 Kg
Life Span:	30,000 Hours
Size :	Ø120xH190mm
Box Qty:	12Pcs



Pendant Light-Gold Lamp Shade

7W **VT-7444-G** Built In LED

SKU: 3936 - 3000K Warm White 3800157628976
SKU: 3930 - 4000K Day White 3800157626583

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.9 Kg
Life Span:	30,000 Hours
Size :	Ø250xH190mm
Box Qty:	8Pcs



Pendant Light-White Lamp Shade

7W **VT-7444-WH** Built In LED

SKU: 3937 - 3000K Warm White 3800157628983
SKU: 3931 - 4000K Day White 3800157626590

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.9 Kg
Life Span:	30,000 Hours
Size :	Ø250xH190mm
Box Qty:	8Pcs



Pendant Light-Gold Lamp Shade

7W **VT-7666-G** Built In LED

SKU: 3938 - 3000K Warm White 3800157628990
SKU: 3932 - 4000K Day White 3800157626606

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	2.4 Kg
Life Span:	30,000 Hours
Size :	Ø340xH190mm
Box Qty:	4Pcs



Pendant Light-White Lamp Shade

7W **VT-7666-WH** Built In LED

SKU: 3939 - 3000K Warm White 3800157629003
SKU: 3933 - 4000K Day White 3800157626613

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	2.4 Kg
Life Span:	30,000 Hours
Size :	Ø340xH190mm
Box Qty:	4Pcs



Pendant Light-White

20W **VT-25-1-W** Built In LED

SKU: 3992 -3000K Warm White 3800157638777

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs



Pendant Light-Black

20W **VT-25-1-B** Built In LED

SKU: 3993 -3000K Warm White 3800157638784

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs



Pendant Light-Coffee

20W **VT-25-1-C** Built In LED

SKU: 3994 -3000K Warm White 3800157638791

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs



Pendant Light-White

30W **VT-32-1-W** Built In LED

SKU: 3995 -3000K Warm White 3800157638807

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2250lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	180 pcs
Material :	Iron+Acrylic
Unit GW :	4.3 Kg
Life Span:	30,000 Hours
Size :	600mm
Box Qty:	1Pcs



Pendant Light-Black

30W **VT-32-1-B** Built In LED

SKU: 3996 -3000K Warm White 3800157638814

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2250lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	180 pcs
Material :	Iron+Acrylic
Unit GW :	4.3 Kg
Life Span:	30,000 Hours
Size :	600mm
Box Qty:	1Pcs



Pendant Light-Coffee

30W **VT-32-1-C** Built In LED

SKU: 3997 -3000K Warm White 3800157638821

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2250lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	180 pcs
Material :	Iron+Acrylic
Unit GW :	4.3 Kg
Life Span:	30,000 Hours
Size :	600mm
Box Qty:	1Pcs





TRIAC DIMMABLE

Designer Series-TRIAC Dimmable

25W VT-7351

SKU: 40021 - 3000K Warm White 3800157640503

Voltage/Frequency:	AC:220-240V
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	132 pcs
Material :	PC + Iron
Unit GW :	2.2 kgs
Life Span:	30,000 Hours
Size :	ø350x2000mm
Box Qty:	1Pcs



TRIAC DIMMABLE

Designer Series-TRIAC Dimmable

40W VT-7502

SKU: 40031 - 3000K Warm White 3800157640510

Voltage/Frequency:	AC:220-240V
Luminous Flux:	3200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	216 pcs
Material :	PC + Iron
Unit GW :	3.8 kgs
Life Span:	30,000 Hours
Size :	ø500x2000mm
Box Qty:	1Pcs





TRIAC DIMMABLE

Designer Series-TRIAC Dimmable

72W VT-7390

SKU: 40011 - 3000K Warm White 3800157640497

Voltage/Frequency:	AC:220-240V
Luminous Flux:	6500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	432 pcs
Material :	PC + Iron
Unit GW :	6.2 kgs
Life Span:	30,000 Hours
Size :	ø390x2000mm
Box Qty:	1Pcs





TRIAC DIMMABLE

Ceiling Lamp-TRIAC Dimmable

12W VT-7203

SKU: 40041 - 3000K Warm White 3800157640527

Voltage/Frequency:	AC:220-240V
Luminous Flux:	1000lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	72 pcs
Material :	PC + Iron
Unit GW :	1.2 kgs
Life Span:	30,000 Hours
Size :	ø200x125mm
Box Qty:	1Pcs





TRIAC DIMMABLE

Ceiling Lamp-TRIAC Dimmable

25W VT-7352

SKU: 40051 - 3000K Warm White 3800157640534

Voltage/Frequency:	AC:220-240V
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	132 pcs
Material :	PC + Iron
Unit GW :	2.1 kgs
Life Span:	30,000 Hours
Size :	ø350x168mm
Box Qty:	1Pcs





TRIAC DIMMABLE

Ceiling Lamp-TRIAC Dimmable

40W VT-7503

SKU: 40061 - 3000K Warm White 3800157640541

Voltage/Frequency:	AC:220-240V
Luminous Flux:	3100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	216 pcs
Material :	PC + Iron
Unit GW :	3.8 kgs
Life Span:	30,000 Hours
Size :	ø500x215mm
Box Qty:	1Pcs



TRIAC DIMMABLE

Wall Lamp-TRIAC Dimmable

20W **VT-7331**

SKU: 40091 - 3000K Warm White 3800157640572

Voltage/Frequency:	AC:220-240V
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC + Iron
Unit GW :	0.187 kgs
Life Span:	30,000 Hours
Size :	330x380x230mm
Box Qty:	6Pcs





TRIAC DIMMABLE

Designer Series-TRIAC Dimmable

105W **VT-7910**

SKU: 40101 - 3000K Warm White 3800157640589

Voltage/Frequency:	AC:220-240V
Luminous Flux:	6300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	576 pcs
Material :	PC + Iron
Unit GW :	11.05 kgs
Life Span:	30,000 Hours
Size :	910x2000mm
Box Qty:	1Pcs





TOUCH DIMMING

Table Lamps

12W **VT-7204**

SKU: 40071 - 3000K Warm White 3800157640558

Voltage/Frequency:	AC:220-240V
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	72 pcs
Material :	PC + Iron
Unit GW :	0.483 kgs
Life Span:	30,000 Hours
Size :	ø200x335mm
Box Qty:	6Pcs



TOUCH DIMMING

Table Lamps

25W VT-7353

SKU: 40081 - 3000K Warm White 3800157640565

Voltage/Frequency:	AC:220-240V
Luminous Flux:	2550lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	132 pcs
Material :	PC + Iron
Unit GW :	5.5 kgs
Life Span:	30,000 Hours
Size :	ø350x365mm
Box Qty:	1Pcs





COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Changing

32W VT-7460

SKU: 3958 -3IN1 3800157636520

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	320 pcs
Material :	PC
Unit GW :	2.20 kgs
Life Span:	30,000 Hours
Size :	460x2000mm
Box Qty:	1Pcs





COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Changing

38W VT-7605

SKU: 3959 -3IN1 3800157636537

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	3.90 kgs
Life Span:	30,000 Hours
Size :	600x2000mm
Box Qty:	1Pcs



COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Changing

82W **VT-7750**

SKU: 3960 -3IN1 3800157636544

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	7300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	768 pcs
Material :	PC
Unit GW :	6.85 kgs
Life Span:	30,000 Hours
Size :	795x2000mm
Box Qty:	1Pcs



COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Changing

40W **VT-7461**

SKU: 3962 -3IN1 3800157636568

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	3.00 kgs
Life Span:	30,000 Hours
Size :	460x460x2000mm
Box Qty:	1Pcs





COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Changing

42W **VT-7607**

SKU: 3963 -3IN1 3800157636575

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3400lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	4.80 kgs
Life Span:	30,000 Hours
Size :	600x600x2000mm
Box Qty:	1Pcs



COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Changing

80W VT-7751

SKU: 3964 -3IN1 3800157636582

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	768 pcs
Material :	PC
Unit GW :	7.00 kgs
Life Span:	30,000 Hours
Size :	750x750x2000mm
Box Qty:	1Pcs



COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Changing

60W VT-7606

SKU: 3961 -3IN1 3800157636551

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	5400lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	604 pcs
Material :	PC
Unit GW :	7.5 kgs
Life Span:	30,000 Hours
Size :	600x300x2000mm
Box Qty:	1Pcs





COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Changing

68W VT-7608

SKU: 3965 -3IN1 3800157636599

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6000lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	624 pcs
Material :	PC
Unit GW :	6.50 kgs
Life Span:	30,000 Hours
Size :	600x300x2000mm
Box Qty:	1Pcs



COLOR CHANGING WITH REMOTE

Designer Series Surface-Color Changing

22W VT-7308

SKU: 3966 -3IN1 3800157636605

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	240 pcs
Material :	PC
Unit GW :	16.50 kgs
Life Span:	30,000 Hours
Size :	300x85mm
Box Qty:	1Pcs



COLOR CHANGING WITH REMOTE

Designer Series Surface-Color Changing

32W VT-7462

SKU: 3967 -3IN1 3800157636612

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	2.90 kgs
Life Span:	30,000 Hours
Size :	460x100mm
Box Qty:	1Pcs



COLOR CHANGING WITH REMOTE

Designer Series Surface-Color Changing

38W VT-7609

SKU: 3968 -3IN1 3800157636629

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	4.90 kgs
Life Span:	30,000 Hours
Size :	600x120mm
Box Qty:	1Pcs



COLOR CHANGING WITH REMOTE

Designer Series Surface-Color Changing

82W VT-7752

SKU: 3969 -3IN1 3800157636636

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	7300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	768 pcs
Material :	PC
Unit GW :	9.65 kgs
Life Span:	30,000 Hours
Size :	750x130mm
Box Qty:	1Pcs





COLOR CHANGING WITH REMOTE

Designer Series Surface-Color Changing

26W VT-7309

SKU: 3970 -3IN1 3800157636643

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	240 pcs
Material :	PC
Unit GW :	18.50 kgs
Life Span:	30,000 Hours
Size :	300x300x80mm
Box Qty:	1Pcs





COLOR CHANGING WITH REMOTE

Designer Series Surface-Color Changing

40W VT-7463

SKU: 3971 -3IN1 3800157636650

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	3.95 kgs
Life Span:	30,000 Hours
Size :	460x460x95mm
Box Qty:	1Pcs





COLOR CHANGING WITH REMOTE

Designer Series Surface-Color Changing

42W **VT-7610**

SKU: 3972 -3IN1 3800157636667

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3400lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	6.55 kgs
Life Span:	30,000 Hours
Size :	600x600x115mm
Box Qty:	1Pcs





COLOR CHANGING WITH REMOTE

Designer Series Surface-Color Changing

80W **VT-7753**

SKU: 3973 -3IN1 3800157636674

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	768 pcs
Material :	PC
Unit GW :	10.50 kgs
Life Span:	30,000 Hours
Size :	750x750x125mm
Box Qty:	1Pcs

TRIAC DIMMABLE



Designer Series Pendant-TRIAC Dimmable

32W **VT-7049**

SKU: 3978 -3000K Warm White 3800157636728

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	200 pcs
Material :	PC
Unit GW :	2.6 kgs
Life Span:	30,000 Hours
Size :	890x125x2000mm
Box Qty:	1Pcs





TRIAC DIMMABLE

Designer Series Pendant-TRIAC Dimmable

52W **VT-7072**

SKU: 3979 -3000K Warm White 3800157636735

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3400lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	300 pcs
Material :	PC
Unit GW :	3.5 kgs
Life Span:	30,000 Hours
Size :	1310x125x2000mm
Box Qty:	1Pcs



TRIAC DIMMABLE

Designer Series Pendant-TRIAC Dimmable

18W **VT-7027**

SKU: 3980 -3000K Warm White 3800157636742

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC
Unit GW :	2.05 kgs
Life Span:	30,000 Hours
Size :	ø125x2500mm
Box Qty:	1Pcs



TRIAC DIMMABLE

Designer Series Pendant-TRIAC Dimmable

32W **VT-7050**

SKU: 3981 -3000K Warm White 3800157636759

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	200 pcs
Material :	PC
Unit GW :	2.60 kgs
Life Span:	30,000 Hours
Size :	ø125x2900mm
Box Qty:	1Pcs



TRIAC DIMMABLE

Wall Lamp-TRIAC Dimmable

18W **VT-7025**

SKU: 3974 - 3000K Warm White 3800157636681

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC+Iron
Unit GW :	2.05 kgs
Life Span:	30,000 Hours
Size :	ø125x530mm
Box Qty:	1Pcs

TOUCH DIMMING

Table Lamps

18W **VT-7026**

SKU: 3975 3000K Warm White 3800157636698

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC
Unit GW :	2.80 kgs
Life Span:	30,000 Hours
Size :	130x480mm
Box Qty:	1Pcs



TOUCH DIMMING

Floor Lamps

32W **VT-7048**

SKU: 3976 3000K Warm White 3800157636704

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	200 pcs
Material :	PC
Unit GW :	5.60 kgs
Life Span:	30,000 Hours
Size :	200x900mm
Box Qty:	1Pcs



Floor Lamps

65W VT-7096

SKU: 3977 3000K Warm White 3800157636711

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	864 pcs
Material :	PC
Unit GW :	6.50 Kgs
Life Span:	30,000 Hours
Size :	420x1790mm
Box Qty:	1Pcs



Wall Lamps

VT-7402

SKU:	40431
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	Chrome
Input Power:	AC:220-240V,50Hz
EAN:	3800157648578
Size:	610x220x330mm
Box Qty:	6Pcs



Table Lamps

VT-7513-W

SKU:	40371
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	White
Input Power:	AC:220-240V,50Hz
EAN:	3800157648516
Size:	360x155x730mm
Box Qty:	6Pcs



Table Lamps

VT-7513-B

SKU:	40361
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648509
Size:	360x155x730mm
Box Qty:	6Pcs



Table Lamps

VT-7512-W

SKU:	40351
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	White
Input Power:	AC:220-240V,50Hz
EAN:	3800157648493
Size:	380x155x440mm
Box Qty:	6Pcs



Table Lamps

VT-7512-B

SKU:	40341
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648486
Size:	380x155x440mm
Box Qty:	6Pcs



Table Lamps

VT-7412

SKU:	40331
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	Red+Bronze
Input Power:	AC:220-240V,50Hz
EAN:	3800157648479
Size:	150x420mm
Box Qty:	4Pcs



Table Lamps

VT-7712

SKU:	40381
Watts:	Max 60W
Material:	Fabric+Metal
Base:	E27
Color:	Ivory+Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648523
Size:	320x200x570mm
Box Qty:	1Pcs



Table Lamps

VT-7713

SKU:	40391
Watts:	Max 60W
Material:	Fabric+Metal
Base:	E27
Color:	Ivory+Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648530
Size:	300x180x550mm
Box Qty:	1Pcs



Floor Lamps

VT-7912

SKU:	40401
Watts:	Max 60W
Material:	Fabric+Metal
Base:	E27
Color:	Ivory+Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648547
Size:	450x300x1630mm
Box Qty:	1Pcs



Floor Lamps

VT-7913

SKU:	40411
Watts:	Max 60W
Material:	Fabric+Metal
Base:	E27
Color:	Ivory+Black
Input Power:	AC:220-240V,50Hz
EAN:	3800157648554
Size:	450x285x1620mm
Box Qty:	1Pcs



Floor Lamps

VT-7702

SKU:	40421
Watts:	Max 60W
Material:	Metal
Base:	E27
Color:	Black+Chrome
Input Power:	AC:220-240V,50Hz
EAN:	3800157648561
Size:	140x200x1540mm
Box Qty:	4Pcs

Ball Light

VT-7801

SKU: 40141 - RGB 3800157641029

RGB

RECHARGEABLE

Watts:	1w
Luminous Flux:	18lm
Size :	200x200x140mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	8Pcs



Stone Light

VT-7802

SKU: 40151 - RGB 3800157641036

RGB

RECHARGEABLE

Watts:	1w
Luminous Flux:	18lm
Size :	280x210x170mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	8Pcs

Ball Light

VT-7803

SKU: 40161 - RGB 3800157641043

RGB

RECHARGEABLE

Watts:	1w
Luminous Flux:	18lm
Size :	300x300x290mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	1Pcs



Stone Light

VT-7804

SKU: 40171 - RGB 3800157641050

RGB

RECHARGEABLE

Watts:	1w
Luminous Flux:	18lm
Size :	320x250x170mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	1Pcs

Pot Light

VT-7805

SKU: 40181 - RGB 3800157641067

RGB

RECHARGEABLE

Watts:	1w
Luminous Flux:	18lm
Size :	280x280x290mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP54
Box Qty:	1Pcs

Pot Light

VT-7808

SKU: 40211 - RGB 3800157641098

RGB

RECHARGEABLE

Watts:	1.5w
Luminous Flux:	54lm
Size :	355x355x325mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 2000mAh
IP Rating:	IP54
Box Qty:	1Pcs

Ice Bucket Light

VT-7806

SKU: 40191 - RGB 3800157641074

RGB

RECHARGEABLE

Watts:	1.5w
Luminous Flux:	54lm
Size :	290x330x350mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 2000mAh
IP Rating:	IP54
Box Qty:	1Pcs



Ball Light

VT-7807

SKU: 40201 - RGB 3800157641081

RGB

RECHARGEABLE

Watts:	3w
Luminous Flux:	54lm
Size :	400x400x390mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 2000mAh
IP Rating:	IP54
Box Qty:	1Pcs

Ball Light

VT-7809

SKU: 40221 - RGB 3800157641104

RGB

RECHARGEABLE

Watts:	6w
Luminous Flux:	108lm
Size :	500x500x260mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 3600mAh
IP Rating:	IP54
Box Qty:	1Pcs

Stool Light

VT-7810

SKU: 40231 - RGB 3800157641111

RGB

RECHARGEABLE

Watts:	3w
Luminous Flux:	54lm
Size :	400x400x360mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 2000mAh
IP Rating:	IP54
Box Qty:	1Pcs



Cube Light

VT-7811

SKU: 40241 - RGB 3800157641128

RGB

RECHARGEABLE

Watts:	3w
Luminous Flux:	108lm
Size :	400x400x400mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 3600mAh
IP Rating:	IP54
Box Qty:	1Pcs

Table Light

VT-7812

SKU: 40251 - RGB 3800157641135

RGB

RECHARGEABLE

Watts:	6w
Luminous Flux:	108lm
Size :	720x720x580mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 3600mAh
IP Rating:	IP54
Box Qty:	1Pcs



Table Light

VT-7813

SKU: 40261 - RGB 3800157641142

RGB

RECHARGEABLE

Watts:	5w
Luminous Flux:	100lm
Size :	600x600x1100mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 5200mAh
IP Rating:	IP54
Box Qty:	1Pcs

Stool Light

VT-7814

SKU: 40271 - RGB 3800157641159

RGB

RECHARGEABLE

Watts:	5w
Luminous Flux:	100lm
Size :	500x560x1100mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 5200mAh
IP Rating:	IP54
Box Qty:	1Pcs

Solar Egg Light

VT-7815

SKU: 8557 - RGB+WW 3800157641418

Watts:	0.2W
Luminous Flux:	4lm
Size :	D:188x395mm
Material :	PC
Life Span:	20000 Hours
Battery:	1xAA BATTERY, 1.2V/500mAH NI-MH
IP Rating:	IP44
Box Qty:	4Pcs

Solar Lights 2 IN 1 COLOR CHANGING + WARM WHITE

Solar Light

VT-719

SKU: 8558 - 2200K Warm White 3800157641425

Watts:	0.4W
Size :	100x100x650mm
Material :	PC
Life Span:	20000 Hours
Battery:	3.7V/500mAH Lithium Battery,
IP Rating:	IP44
Box Qty:	12Pcs

Solar Lights

Solar Flame Light

VT-724

SKU: 8689 - 2200K Warm White 3800157654975

Watts:	1w
Size :	75x75x500mm
Material :	PP
Battery:	1.2V 2/3AAA NI-MH
IP Rating:	IP44
Box Qty:	24Pcs

Solar Lights 4 PCS PACK

Modern Circular

Chandeliers & Pendants

With Built in LED lights





TRIAC DIMMABLE

White Chandelier-2 Step-Dimmable

115w **VT-101-2-W**

Built In LED

SKU: 3986 - 3000K Warm White

3800157638715

Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**8050lm**
LED Type:	**SMD**
CRI:	**>80**
PF:	**>0.9**
Beam Angle:	**120°**

No. of LED:	**600 pcs**
Material :	**Aluminium+Acrylic**
Unit GW :	**4.7 Kg**
Life Span:	**25,000 Hours**
Size :	**600/400**
Box Qty:	**1Pcs**



TRIAC DIMMABLE

Black Chandelier-2 Step-Dimmable

115w **VT-101-2-B**

Built In LED

SKU: 3987 - 3000K Warm White

3800157638722

Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**8050lm**
LED Type:	**SMD**
CRI:	**>80**
PF:	**>0.9**
Beam Angle:	**120°**

No. of LED:	**600 pcs**
Material :	**Aluminium+Acrylic**
Unit GW :	**4.7 Kg**
Life Span:	**25,000 Hours**
Size :	**600/400**
Box Qty:	**1Pcs**



TRIAC DIMMABLE

Coffee Chandelier-2 Step-Dimmable

115w **VT-101-2-C**

Built In LED

SKU: 3988 - 3000K Warm White 3800157638739

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	8050lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	600 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/400
Box Qty:	1Pcs



TRIAC DIMMABLE

White Chandelier-3 Step-Dimmable

92w **VT-82-3-W**

Built In LED

SKU: 3989 - 3000K Warm White 3800157638746

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs



TRIAC DIMMABLE

Black Chandelier-3 Step-Dimmable

92w **VT-82-3-B** Built In LED

SKU: 3990 - 3000K Warm White 3800157638753

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs



TRIAC DIMMABLE

Coffee Chandelier-3 Step-Dimmable

92w **VT-82-3-C** Built In LED

SKU: 3991 - 3000K Warm White 3800157638760

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs



Chandelier Series

40w **VT-40-1**

Built In LED

SKU: 3874 - 3000K Warm White 3800157620888

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	2800lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	240 pcs
Material :	Steel+PC
Unit GW :	3.90 Kg
Life Span:	20,000 Hours
Size :	400X210X1000mm
Box Qty:	1Pcs



TRIAC DIMMABLE

Chandelier-3 Step

70w **VT-70-3D**

Built In LED

SKU: 3904 - 3000K Warm White 3800157624633
SKU: 3905 - 4000K Day White 3800157624640

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	4900lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	360 pcs
Material :	Acrylic+Aluminium
Unit GW :	3.50 Kg
Life Span:	20,000 Hours
Size :	600x600x1200mm
Box Qty:	1Pcs



TRIAC DIMMABLE

Chandelier-3 Step

80w **VT-80-3D**

Built In LED

SKU: 3906 - 3000K Warm White 3800157624657

Voltage/Frequency:	**AC:100-240V,50Hz**
Luminous Flux:	**5600lm**
LED Type:	**SMD**
CRI:	**>80**
PF:	**>0.9**
Beam Angle:	**120°**

No. of LED:	**510 pcs**
Material :	**Acrylic+Aluminium**
Unit GW :	**4.7 Kg**
Life Span:	**20,000 Hours**
Size :	**600x600x1200mm**
Box Qty:	**1Pcs**



TRIAC DIMMABLE

Ceiling Light

85w **VT-85-3**

Built In LED

SKU: 3910 - 3000K Warm White 3800157624695
SKU: 3911 - 4000K Day White 3800157624701

Voltage/Frequency:	**AC:100-240V,50Hz**
Luminous Flux:	**6400lm**
LED Type:	**SMD**
CRI:	**>80**
PF:	**>0.9**
Beam Angle:	**120°**

No. of LED:	**510 pcs**
Material :	**Acrylic+Aluminium**
Unit GW :	**5.5 Kg**
Life Span:	**20,000 Hours**
Size :	**200x400x600mm**
Box Qty:	**1Pcs**

TOWER **FANS**

WITH TEMPERATURE DISPLAY AND REMOTE CONTROL

- 3 speeds with remote control
- 3 fan mode (Normal / Natural / Sleep)

REMOTE CONTROL

CONTROL PANEL



CONTROL PANEL





Tower Fan

VT-4538

SKU: 7926 EAN: 3800157654517

Oscillation
Low | Medium | High

3 Fan Speed
Low | Medium | High

- Power(Watts): 45
- Voltage/Freq: AC:220-240V,50/60Hz
- Size(inches): 31
- Material: ABS
- Unit Color: White
- Speed: 3(Low-Med-High)
- Function: Oscillation Function
- Timer: 1hr(Max)
- Plug Type: EU
- IP Rating: IP20
- Box Qty: 1pc



Tower Fan

VT-5536

SKU: 7900 EAN: 3800157644709

3 Wind Mode
Normal | Natural | Sleep

3 Fan Speed
Low | Medium | High

- Power(Watts): 55
- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 36
- Material: ABS
- Unit Color: White
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.8m
- Plug Type: EU
- IP Rating: IP20
- Box Qty: 1pc

Tower Fan

VT-5546

SKU: 7901 EAN: 3800157644716

3 Wind Mode
Normal | Natural | Sleep

3 Fan Speed
Low | Medium | High

- Power(Watts): 55
- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 46
- Material: ABS
- Unit Color: Black Finish
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.75m
- Plug Type: EU
- IP Rating: IP20
- Box Qty: 1pc

Tower Fan

VT-5547

SKU: 7902 EAN: 3800157644723

3 Wind Mode
Normal | Natural | Sleep

3 Fan Speed
Low | Medium | High

- Power(Watts): 55
- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 46
- Material: ABS
- Unit Color: White & Black Finish
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.8m
- Plug Type: EU
- IP Rating: IP20
- Box Qty: 1pc

LED Ceiling Fan

Add a modern touch to your room with V-TAC's Ceiling Fans. Available with up to 3 speeds and in different sizes, these fans offer quiet, efficient, and wobble-free performance. Additionally, the fixtures feature integrated LEDs and come in several finishes to match any interior décor. Equipped with a pull chain and both forward and reverse function modes, V-TAC's ceiling fans are a modern twist on a classic design.

- Both AC and DC motor variations available
- Available in a range of sizes and finishes
- Remote Control and Pull chain for speed control and On/Off
- Forward and reverse function for cool or warm airflow

Ceiling Fan AC Motor

50W **VT-6042-4**

SKU: 7914 EAN: 3800157654036

4 MDF BLADES | 3 SPEEDS AND LIGHT PULL CHAIN | AC -POWER MOTOR

- 42" (107CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades with cane and double color
- Powerful Motor:153 x 10mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 12°
- 3 speeds and light pull chain
- 1xE27 light kit (light source NOT included)
- Motor Power AC:220V,50Hz,50W (power of the motor)
- G.W.: 4.0KG / N.W.: 3.28KG
- Box Qty: 1pc

Ceiling Fan AC Motor

55W **VT-6056-4**

SKU: 7921 EAN: 3800157654104

4 GLASS SHADES | 3 SPEEDS AND LIGHT PULL CHAIN | AC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades with cane and double color
- Powerful Motor:153 × 11mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 12°
- 3 speeds and light pull chain
- 4xE27 light kit (light source NOT included)
- 4 glass shade
- Motor Power AC:220V,50HZ,55W (power of the motor)
- G.W.:4.5KG / N.W.:3.8KG
- Box Qty: 1pc

Ceiling Fan AC Motor

60W **VT-6054-4**

SKU: 7917 EAN: 3800157654067

LIGHT KIT | 4 MDF BLADES | AC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Motor Power AC:220V,50HZ,60W (power of the motor)
- G.W.: 7.6KG / N.W.: 6.8KG
- Box Qty: 1pc

Ceiling Fan AC Motor

60W **VT-6043-4**

SKU: 7915 EAN: 3800157654043

LIGHT KIT | 4 MDF BLADES | AC -POWER MOTOR

- 42" (107CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power AC:220V,50HZ,60W (power of the motor)
- G.W.: 6.8KG / N.W.: 6.1KG
- Box Qty: 1pc

Ceiling Fan AC Motor

60W **VT-6053-5**

SKU: 7916 EAN: 3800157654050

LIGHT KIT | 5 MDF BLADES | AC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 5 MDF blades
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Power:AC:220V,50HZ,60W (power of the motor)
- G.W.: 7.3KG / N.W.:6.7KG
- Box Qty: 1pc

Ceiling Fan AC Motor

50W **VT-6053-5-2**

SKU:8669 EAN: 3800157659079

LIGHT KIT | 5 MDF BLADES | AC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 5 MDF blades
- Powerful motor:153 × 15mm, 2.3kg
- Revolutions per minute:170±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Glass Shade
- Motor Power AC:220-240V,50Hz,50W

Ceiling Fan AC Motor

50W **VT-4530-6**

SKU:8666 EAN: 3800157659048

3 speeds and light Pull Chain | 32" (81.2CM) 6 MDF blades | AC -POWER MOTOR

- 42" (81.20CM) Decorative ceiling fan
- With forward and reverse function
- 6 MDF blades with double color
- Powerful Motor:153 × 10mm, 2.3kg
- Revolutions per minute:230±10 RPM
- Blade angle 13°
- 3 speeds and light pull chain
- 1xE27 light kit(Light source not included)
- Motor Power AC:220-240V,50Hz,50W
- G.W.: 4.6KG / N.W.: 4.1KG

Ceiling Fan AC Motor

50W **VT-4530-6-2**

SKU:8667 EAN: 3800157659055

3 speeds and light Pull Chain | 32" (81.2CM) 6 MDF blades | AC -POWER MOTOR

- 42" (81.20CM) Decorative ceiling fan
- With forward and reverse function
- 6 MDF blades with double color
- Powerful Motor:153 × 10mm, 2.3kg
- Revolutions per minute:230±10 RPM
- Blade angle 13°
- 3 speeds and light pull chain
- 1xE27 light kit(Light source not included)
- Motor Power AC:220-240V,50Hz,50W
- G.W.: 4.6KG / N.W.: 4.1KG

Ceiling Fan AC Motor

50W **VT-6054-4**

SKU:8668 EAN: 3800157659062

3 speeds and light Pull Chain | Glass Shade with 2XE27 holders | AC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades with cane and double color
- Powerful motor:153 × 15mm, 2.3kg
- Revolutions per minute:170±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Glass Shade
- Motor Power AC:220-240V,50Hz,50W

Ceiling Fan AC Motor

50W VT-6054-4-2

SKU:8991 EAN: 3800157659062

LIGHT KIT | 4 MDF BLADES | AC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades with cane and double color
- Powerful motor:153 × 15mm, 2.3kg
- Revolutions per minute:170±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Glass Shade
- Motor Power AC:220-240V,50Hz,50W

Ceiling Fan AC Motor

60W VT-6052-5

SKU: 7913 EAN: 3800157654029

LIGHT KIT | 5 MDF BLADES DOUBLE COLOR | AC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 5 MDF blades double color
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Power:AC:220V,50HZ,60W (power of the motor)
- G.W.: 7.3KGS / N.W.: 6.5KGS
- Box Qty: 1pc

Ceiling Fan DC Motor

35W VT-6054-4

SKU: 7918 EAN: 3800157654074

LIGHT KIT | 4 MDF BLADES | DC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- Reversable Double Color Blades
- With forward and reverse function
- 4 MDF blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.: 7.3KG / N.W.: 6.5KG
- Box Qty: 1pc

Ceiling Fan DC Motor

35W **VT-6055-3**

SKU: 7919 EAN: 3800157654081

LIGHT KIT | 3 ABS PLASTIC BLADES | DC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG
- Box Qty: 1pc

Ceiling Fan DC Motor

35W **VT-6055-3**

SKU: 7920 EAN: 3800157654098

LIGHT KIT | 3 ABS PLASTIC BLADES | DC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG
- Box Qty: 1pc

Ceiling Fan DC Motor

35W **VT-3042-3**

SKU: 7929 EAN: 3800157656009

LIGHT KIT | 3 PC PLASTIC BLADES | DC -POWER MOTOR

- 42" (107CM) Decorative ceiling fan
- With forward and reverse function
- 3 PC Plastic blades
- DC powerful motor:153 × 15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- LED 30W 3IN1 CCT - 3000 Lumens
- Motor Power DC:220V,50HZ,35W (motor)
- G.W.: 9.8KG / N.W.: 9.1KG
- Box Qty: 1pc

Box Fan AC Motor

45W **VT-5022-B**

SKU:7934 EAN: 3800157656870

LED - 3IN1 CCT | 7 MDF BLADES | AC -POWER MOTOR

- 24inch(60cm) Decorative ceiling box fan
- 45W AC Motor, 220V 50Hz
- 35W LED (3000lm) - 3IN1 CCT (3000K/4000K/6500K)
- 3 Speeds(low, medium and high) and light remote control
- 7 ABS Blades
- Blade angle 13°
- 360° Air flow
- Revolutions per minute 1100±10RPM

Box Fan AC Motor

45W **VT-5022-G**

SKU:7935 EAN: 3800157656887

LED - 3IN1 CCT | 7 MDF BLADES | AC -POWER MOTOR

- 24inch(60cm) Decorative ceiling box fan
- 45W AC Motor, 220V 50Hz
- 35W LED (3000lm) - 3IN1 CCT (3000K/4000K/6500K)
- 3 Speeds(low, medium and high) and light remote control
- 7 ABS Blades
- Blade angle 13°
- 360° Air flow
- Revolutions per minute 1100±10RPM



Stand Fan Cross Base

40W **VT-4016-3**

SKU: 7922 EAN: 3800157654470

- 16" STAND FAN
- AC: 220-240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- 1.2m height
- 600mm Cross Base
- GW:2.6KGS
- Size:600 × 600 × 1200mm
- Box Qty: 1pc

Oscillation
Low | Medium | High

3 Fan Speed
Low | Medium | High

Stand Fan Round Base

55W **VT-5016-5**

SKU: 7923 EAN: 3800157654487

- 16" STAND FAN
- AC: 220-240V~50/60Hz 55W
- 3 speed control
- Oscillation function
- 1.25m height
- 410mm Round Base
- GW:4.3KGS
- Size:430 × 410 × 1200mm
- Box Qty: 1pc

Oscillation
Low | Medium | High

3 Fan Speed
Low | Medium | High

Desk Fan 12 inch

40W **VT-4012-3**

SKU: 7924 EAN: 3800157654494

- 12”DESK FAN
- AC: 220-240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- GW:2.0KGS
- Size: 340 × 260 × 480mm
- Box Qty: 1pc

Oscillation
Low | Medium | High

3 Fan Speed
Low | Medium | High

Desk Fan 16 inch

40W **VT-4017-3**

SKU: 7925 EAN: 3800157654500

- 16”DESK FAN
- AC: 220-240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- GW:2.15KGS
- Size: 410 × 260 × 510mm
- Box Qty: 1pc

Oscillation
Low | Medium | High

3 Fan Speed
Low | Medium | High

Cable Ties

Keep installations clean with V-TAC's tough cable ties. Made of nylon and Stainless Steel the cable ties feature high tensile strength and are an essential item for any toolbox.

- High quality
- Suitable for a multitude of uses
- Easy to thread

NEW

Stainless Steel Cable Tie

- Secure loose wires and components easily with no slipping
- Features locking mechanism
- Stainless steel cable tie of 304 Grade - Non-Rustable

SKU	EAN	Maximum Hold	Dimension	Unit Color	Box Qty
SKU: 11188	3800157656634	60 Kgs	**4.6x200mm**	Stainless steel	50
SKU: 11189	3800157656641	60 Kgs	**4.6x250mm**	Stainless steel	50
SKU: 11190	3800157656658	60 Kgs	**4.6x300mm**	Stainless steel	50
SKU: 11191	3800157656665	60 Kgs	**4.6x350mm**	Stainless steel	50

Nylon Cable Tie White

- High quality
- Suitable for a multitude of uses
- Easy to thread

SKU	EAN	Maximum Hold	Dimension	Unit Color	Box Qty
SKU: 11159	3800157654142	8 Kgs	**2.5x100mm**	White	500
SKU: 11161	3800157654166	8 Kgs	**2.5x150mm**	White	400
SKU: 11163	3800157654180	8 Kgs	**2.5x200mm**	White	300
SKU: 11165	3800157654203	18 Kgs	**3.5x150mm**	White	250
SKU: 11167	3800157654227	18 Kgs	**3.5x200mm**	White	200
SKU: 11171	3800157654265	22 Kgs	**4.5x150mm**	White	200
SKU: 11175	3800157654302	22 Kgs	**4.5x350mm**	White	100
SKU: 11173	3800157654289	22 Kgs	**4.5x300mm**	White	100

Nylon Cable Tie Black

- High quality
- Suitable for a multitude of uses
- Easy to thread

UV PROTECTION

SKU	EAN	Maximum Hold	Dimension	Unit Color	Box Qty
SKU: 11160	3800157654159	8 Kgs	**2.5x100mm**	Black	500
SKU: 11162	3800157654173	8 Kgs	**2.5x150mm**	Black	400
SKU: 11164	3800157654197	8 Kgs	**2.5x200mm**	Black	300
SKU: 11166	3800157654210	18 Kgs	**3.5x150mm**	Black	250
SKU: 11168	3800157654234	18 Kgs	**3.5x200mm**	Black	200
SKU: 11169	3800157654241	18 Kgs	**3.5x250mm**	Black	150
SKU: 11170	3800157654258	18 Kgs	**3.5x300mm**	Black	150
SKU: 11172	3800157654272	22 Kgs	**4.5x150mm**	Black	200
SKU: 11174	3800157654296	22 Kgs	**4.5x300mm**	Black	100
SKU: 11176	3800157654319	22 Kgs	**4.5x350mm**	Black	100
SKU: 11177	3800157654326	22 Kgs	**4.8x200mm**	Black	150
SKU: 11178	3800157654333	23 Kgs	**7.6x300mm**	Black	60

Electrical Solutions

At V-TAC, we believe in utilising existing technology and resources to continuously improve our way of living.
This new category comprises of our latest tech innovations for a safe, modern, and comfortable space.

- **Includes Insect Killer, the Robot Vacuum Cleaner & Convection Heaters**
- **Made with high-quality materials for long-lasting performance**
- **Easy to install and operate**
- **Designed for residential & commercial use**

NEW

TÜV Rheinland ZERTIFIZIERT

www.tuv.com ID 1111227954

Also available in
WHITE COLOR

Glass Convector Heater

2000W **VT-2000WRD**

SKU:8663 (White) EAN: 3800157658454
SKU:8664 (Black) EAN: 3800157658461

Box Qty : 1

TOUCHSCREEN

LCD DISPLAY

TIMER

TEMPERATURE SETTING

TEMPERED GLASS PANEL

- Touchscreen control panel.
- LCD Display.
- With Infrared Remote.
- Feet with lockable swiveling wheels.
- Timer from 1 to 24 hours to turn on/off as per desired time.
- Aluminum heating element.
- Self-resetting thermostat and thermal fuse.
- Noiseless heating.
- Temperature Setting from 15°-35°.
- Tempered glass panel.
- Splash water protected (IP24)
- Cable length: 1.5M
- Input: AC220-240V, 50/60 Hz
- Plug Type: EU Plug

NEW

TÜV Rheinland ZERTIFIZIERT

www.tuv.com ID 1111227954

Also available in
WHITE COLOR

Glass Convector Heater

2000W **VT-2000**

SKU:8661 (White) EAN: 3800157658287
SKU:8662 (Black) EAN: 3800157658294

Box Qty : 1

ALUMINUM HEATING ELEMENT

SELF-RESETTING THERMOSTAT AND THERMAL FUSE

TEMPERED GLASS PANEL

- Aluminum heating element.
- Self-resetting thermostat and thermal fuse.
- Noiseless heating.
- Free standing.
- Tempered glass panel.
- Splash water protected (IP24)
- Cable length: 1.5M
- Input: AC220-240V, 50/60 Hz
- Plug Type: EU Plug

Electronic Insect Killer

Perfect for home, Office, Garage, kitchens, Schools, Hospitals, Courtyard and Commercial Areas

Wire chain for hanging or set it on a flat surface.

- Lamp life time up to 8000 hours
- Slim design - ON/OFF switch
- Removable tray
- For Indoor Use Only
- Housing made of special treated, aluminum, scratch-proof, corrosion-proof and easy to clean
- Power supply: AC:220-240V 50/60Hz

CHEMICAL **FREE**
Eco friendly

50m² Coverage Area

Electronic Insect Killer

16W **VT-3216**

SKU: 11179 - (EU Plug)
SKU: 11179 - BS(BS Plug)

Box Qty : 6

8W
Tube is also available separately
SKU: 11215



80m² Coverage Area

Electronic Insect Killer

20W **VT-3220**

SKU: 11180- (EU Plug)
SKU: 11180 - BS(BS Plug)

Box Qty : 6

10W
Tube is also available separately
SKU: 11216



100m² Coverage Area

Electronic Insect Killer

30W **VT-3230**

SKU: 11181- (EU Plug)
SKU: 11181 - BS(BS Plug)

Box Qty : 6

15W
Tube is also available separately
SKU: 11217



150m² Coverage Area

Electronic Insect Killer

40W **VT-3240**

SKU: 11182- (EU Plug)
SKU: 11182 - BS(BS Plug)

Box Qty : 4

20W
Tube is also available separately
SKU: 11218



NEW

Robotic Vacuum Cleaner

VT-5522

SKU: 8659 Black
SKU: 8660 White+Blue

EAN: 3800157658010
EAN: 3800157658027

Box Qty : 4

MULTI CLEANER
Hardwood, Tile, Marble & Hard Carpet Floors

SMART CLEAN
Smart, Self-Programmed Cleaning Path Navigation

- Automatic Robot Vacuum Cleaner
- Keep it Clean: Sweep, Dust & Vacuum
- Smart, Self-Programmed Cleaning Path Navigation
- Dustbin Capacity 430ml
- Construction Material: ABS Housing
- Preset Multi-Clean Modes: Auto, Spot, Edge
- Cleaning area coverage upto 120Sq. Meters
- One Button Operation & Auto-Start Activation
- 'Bag-less' Waste Bin Integrated HEPA Filter
- Anti-Fall / Anti-Collision Sensors
- Built-in Rechargeable Battery 14.4V Li-ion, 2000mAh
- Power Supply 120-240V (12V Power Adaptor)
- Dual Spinning Side Brushes Captures Dirt & Lifts Debris
- Works on Hardwood, Tile, Marble & Hard Carpet Floors
- Noise level less than 65db
- Suction Power Brusless Motor 800PA

Wireless **Speakers**

Bring the music anywhere you want to — these speakers are perfect for beach parties, your garden, or any indoor or outdoor event.
Achieve full sound clarity even without a full sound system — enjoy the convenience of our new wireless speaker and its powerful sound quality, perfect for music and movies.

V-TAC® AUDIO

SOUNDOR 8
Wireless Party Speaker

Trolley Speaker

15W **VT-6208**

Box Qty: 1 pc SKU: 7735 EAN: 3800157649681

RGB LED Light with On/Off Switch

2-4 Hours Battery Time

Wireless - USB Micro-SD - Remote Control

- P.M.P.O 300W
- Rechargeable Trolley speaker - 8 inch with handle.
- Woofer:203mm with an output of 15W.
- RGB LED lights with On/Off switch.
- Input power AC:100-240V.
- Rechargeable battery 3.7V/2200mAh.
- Charging time 3-4 Hours.
- Working time 2-4 Hours.
- Types of control - Wireless, USB, Micro-SD & remote control.
- FM Radio function & Mic input.
- Working distance up to 15 meters in open space.
- Dimensions:360x235x190mm
- Includes one wired microphone, remote control & USB rechargeable cable.

SOUNDOR 12
Wireless Party Speaker

Trolley Speaker

35W **VT-6212**

Box Qty: 1 pc SKU: 7736 EAN: 3800157649698

RGB LED Light with On/Off Switch

2-4 Hours Battery Time

Wireless - USB Micro-SD - Remote Control

- P.M.P.O 500W
- Rechargeable Trolley speaker - 12 inch with handle and wheels.
- Woofer:305mm with an output of 35W.
- RGB LED lights with On/Off switch.
- Input power AC:100-240V.
- Rechargeable battery 3.7V/2200mAh.
- Charging time 3-4 Hours.
- Working time 2-4 Hours.
- Types of control - Wireless, USB, Micro-SD & remote control.
- FM Radio function & Mic input.
- Working distance up to 15 meters in open space.
- Dimensions:510x320x270mm
- Includes one wired microphone, remote control & power cord.

SOUNDOR 12
Wireless Party Speaker

Trolley Speaker

35W **VT-6312**

Box Qty: 1 pc SKU: 7737 EAN: 3800157649704

RGB LED Light with On/Off Switch

2-4 Hours Battery Time

Wireless - USB Micro-SD - Remote Control

- P.M.P.O 500W
- Rechargeable Trolley speaker - 12 inch with handle and wheels.
- Woofer:305mm with an output of 35W.
- RGB LED lights with On/Off switch.
- Input power AC:100-240V.
- Rechargeable battery 3.7V/2200mAh.
- Charging time 3-4 Hours.
- Working time 2-4 Hours.
- Types of control - Wireless, USB, Micro-SD & remote control.
- FM Radio function & Mic input.
- Working distance up to 15 meters in open space.
- Dimensions:510x320x295mm
- Includes one wired microphone, remote control & power cord.

NEW

SOUNDOR 6x2
Wireless Party Speaker

Trolley Speakers

30W **VT-6207-2**

Box Qty: 1 Pc SKU: 8680 EAN: 3800157654388

LED Light with On/Off Switch

2-4 Hours Battery Time

Wireless - USB Micro-SD - Remote Control

- P.M.P.O 700W
- Rechargeable Trolley speaker - Dual 6.5 inch Woofer with Handle.
- Woofer:2x165.1mm with an output of 30W.
- RGB LED lights with On/Off switch.
- Input power AC:100-240V.
- Rechargeable battery 7.4V/2600mAh.
- Charging time 5-6 Hours.
- Working time 2-4 Hours.
- Types of control - Wireless, USB, Micro-SD & remote control.
- FM Radio function & Mic input.
- Working distance up to 15 meters in open space.
- Dimensions:610x240x230mm
- Includes one wired microphone, remote control & USB rechargeable cable.

NEW

SOUNDOR 6x2
Wireless Party Speaker

Rechargeable Speaker

35W **VT-6307-2**

Box Qty: 1 pc SKU: 8981 EAN: 3800157658102

LED Light with On/Off Switch

2-4 Hours Battery Time

Wireless - USB Micro-SD - Remote Control

- P.M.P.O 700W
- Rechargeable speaker - Dual 6.5 inch woofer with handle.
- Woofer:2x6.5inch
- Disco LED lights.
- Input power AC:100-240V.
- Rechargeable battery 7.4V 3000mAh Battery.
- Charging time 5-6 Hours.
- Working time 2-4 Hours.
- Types of control - Wireless, USB, SD & remote control.
- FM Radio.
- Aux input/Mic input option.
- Dimensions:255x245x555mm
- Includes one power adaptor, one wired microphone & remote control.

TWS TRUE WIRELESS STEREO

NEW

SOUNDOR 8x2
Wireless Party Speaker

Rechargeable Speaker

40W **VT-6308-2**

Box Qty: 1 pc SKU: 8980 EAN: 3800157656863

LED Light with On/Off Switch

2-4 Hours Battery Time

Wireless - USB Micro-SD - Remote Control

- P.M.P.O 800W
- Rechargeable speaker - Dual 8 inch with handle and wheels.
- Woofer:2x203mm with an output of 40W.
- Disco lights with On/Off switch.
- Input power AC:100-240V.
- Rechargeable battery 7.4V 3000mAh Battery.
- Charging time 5-6 Hours.
- Working time 2-4 Hours.
- Types of control - Wireless, USB, SD & remote control.
- FM Radio.
- Aux input/Mic input/Guitar input option.
- Dimensions:320x310x685mm
- Includes one wired microphone & remote control.

TWS TRUE WIRELESS STEREO

SOUNDOR 15
Wireless Party Speaker

Trolley Speaker

50W **VT-6315**

Box Qty: 1 pc SKU: 7738 EAN: 3800157649711

RGB LED Light with On/Off Switch

2-4 Hours Battery Time

Wireless - USB Micro-SD - Remote Control

- P.M.P.O 600W
- Rechargeable Trolley speaker - 15 inch with handle and wheels.
- Woofer:381mm with an output of 50W.
- RGB LED lights with On/Off switch.
- Input power AC:100-240V.
- Rechargeable battery 7.4V/2200mAh.
- Charging time 3-4 Hours.
- Working time 2-4 Hours.
- Types of control - Wireless, USB, Micro-SD & remote control.
- FM Radio function & Mic input.
- Working distance up to 15 meters in open space.
- Dimensions:600x370x340mm
- Includes one wired microphone, one wireless microphone, remote control & power cord.

NEW

SOUNDOR 15
Wireless Party Speaker

Rechargeable Speaker

100W **VT-6310-2**

Box Qty: 1 pc SKU: 8982 EAN: 3800157658119

LED Light with On/Off Switch

2-4 Hours Battery Time

Wireless - USB Micro-SD - Remote Control

- P.M.P.O 2000W
- Rechargeable speaker - Dual 10 inch woofer with handle.
- Woofer:2x254mm
- Disco LED lights.
- Input power AC:100-240V.
- Rechargeable battery 12V/7.5A Battery.
- Charging time 5-6 Hours.
- Working time 2-4 Hours.
- Types of control - Wireless, USB, SD & remote control.
- FM Radio.
- Aux input/Mic/ Guitar input option.
- Dimensions:340x320x862mm
- Includes UHF Microphone & remote control.

TWS TRUE WIRELESS STEREO

SOUNDOR 10 X2
Wireless Party Speaker

Trolley Speaker

120W **VT-6210-2**

Box Qty: 1 pc SKU: 7734 EAN: 3800157649674

Woofer with Disco Light with On/Off Switch

2-4 Hours Batteru Time

Wireless - USB Micro-SD - Remote Control

- P.M.P.O 2000W
- Rechargeable Trolley speaker - Dual 10 inch with handle and wheels.
- Woofer:2x254mm with an output of 120W.
- Disco lights with On/Off switch.
- Input power AC:100-240V.
- Rechargeable battery 12V/4.5A Acid Battery.
- Charging time 5-6 Hours.
- Working time 2-4 Hours.
- Types of control - Wireless, USB, SD & remote control.
- FM Radio function.
- Aux input/Mic input/Guitar input.
- Working distance up to 15 meters in open space.
- Dimensions:870x310x290mm
- Includes one wireless microphone, one wired microphone & remote control.

SOUNDOR 15 X2
Wireless Party Speaker

Trolley Speaker

150W **VT-6215-2**

Box Qty: 1 pc SKU: 7733 EAN: 3800157649667

Woofer with Disco Light with On/Off Switch

2-4 Hours Batteru Time

Wireless - USB Micro-SD - Remote Control

- P.M.P.O 2500W
- Rechargeable Trolley speaker - Dual 15 inch with handle and wheels.
- Woofer:2x381mm with an output of 150W.
- Disco lights with On/Off switch.
- Input power AC:100-240V.
- Rechargeable battery 12V/7.2A Acid Battery.
- Charging time 5-6 Hours.
- Working time 2-4 Hours.
- Types of control - Wireless, USB, SD & remote control.
- FM Radio with antenna.
- Aux input/Mic input/Guitar input and Recording option.
- Working distance up to 15 meters in open space.
- Dimensions:1100x450x350mm
- Includes one wireless microphone, one wired microphone & remote control.

UVC Germicidal Lamps

V-TAC new ultraviolet Germicidal lamp can deodorize and sanitize those hard to reach places on your equip-ment, making sure you get a greater than 99.9% kill rate of bacteria, viruses and molds.

These UV ultraviolet disinfection sterilization light can be widely used in kitchen, living room, bedroom, bath-room, closet, office, school, and hospital.

Kills Bacteria | Kills Virus | Kills Germs

UVC Lamp With Sensor & Remote

38W **VT-3338**

SKU:11224 - EU Plug EAN: 3800157657358
SKU:11209 - BS Plug EAN: 3800157657099
Box Qty : 9

- Covers up to 60m2 with a wavelength of 185-253 NM and 360° sterilization
- Kills bacteria, mites & virus
- Ozone, radar sensor and remote control functionality
- Radar sensor working distance above 5 meters
- Display screen with working time and status
- 15/30/60 minutes timer on ON/OFF Switch setting
- 10 seconds delay
- Touch Switch and LED working instruction light
- After Sterilization, ventilate for 20-30 minutes

O_3 Ozone | RADAR SENSOR | 60m² Coverage Area

Kills Bacteria | Kills Virus | Kills Germs

UVC Germicidal Lamp

38W **VT-3239**

SKU: 11208 - EU Plug EAN:3800157657082

Box Qty : 9

- Covers up to 60m2 with a wavelength of 185-253 NM and 360° sterilization
- Kills bacteria, mites & virus
- Ozone and radar sensor function
- Radar sensor working distance above 5 meters
- Display screen with working time and status
- 15/30/60 minutes timer on ON/OFF Switch setting
- 10 seconds delay
- Touch Switch and LED working instruction light
- After Sterilization, ventilate for 20-30 minutes

O_3 Ozone | RADAR SENSOR | 60m² Coverage Area

Kills Bacteria | Kills Virus | Kills Germs

UVC Germicidal Lamp

38W **VT-3238**

SKU:11203 - EU Plug EAN: 3800157656962

Box Qty : 12

- Double Protection - UV & Ozone
- Covers up to 60m2, 360 degrees radiation
- Kills bacteria, mites & virus
- 30 minutes timer
- 10 seconds delay
- Touch Switch
- After Sterilization, ventilate for 20-30 minutes

O_3 Ozone | 60m² Coverage Area

Kills Bacteria | Kills Virus | Kills Germs

UV Lamps Rechargeable

14W **VT-3214**

SKU:11220 EAN: 3800157657211

Box Qty : 20

- 3cm distance, uniform back and forth sweeping 5-6 times to complete disinfection
- 99.9% bactericidal rate with no harmful chemicals
- Dark violet power 14MW
- UVC wavelength: 275nm
- Irradiation distance: <30mm
- 3000mA rechargeable battery
- Quickly kills all kinds of common germs
- Size: 268x22mm

BATTERY RECHARGEABLE | METAL SHELL

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
101	213	176	209	253	205	373	151	439	26	507	177	616	86	715	84
102	214	186	219	254	205	374	124	440	26	508	177	617	88	716	84
103	212	187	219	255	205	375	124	441	26	509	69	618	88	717	84
104	212	188	219	256	205	376	124	442	21	511	191	619	88	718	82
105	201	189	193	257	205	377	126	443	21	512	191	621	86	719	82
106	200	190	193	258	204	378	126	444	21	517	106	622	86	720	82
107	198	191	193	259	204	379	126	445	29	519	106	628	86	721	84
108	191	192	192	260	204	380	130	446	29	521	219	632	76	722	84
109	191	193	192	261	204	381	130	447	29	525	57	633	76	723	84
110	214	194	192	262	204	382	132	448	33	526	57	634	76	724	82
111	208	195	193	263	204	383	128	449	33	527	57	650	95	725	82
112	208	196	193	264	204	384	128	450	33	528	57	651	95	726	82
113	208	197	193	265	204	385	131	451	35	529	57	652	95	727	78
114	210	198	193	266	204	386	131	452	35	530	57	653	95	728	78
115	210	199	193	267	207	387	131	453	35	531	57	654	95	729	78
116	210	200	193	268	207	388	131	454	29	532	57	655	95	730	80
117	208	201	191	269	207	389	131	455	29	533	59	656	95	731	80
118	208	202	191	272	201	390	131	456	29	534	59	657	95	732	80
119	208	203	191	275	201	391	131	457	33	535	59	658	95	733	78
123	218	204	192	278	201	392	131	458	33	536	59	659	100	734	78
124	218	205	192	279	201	393	131	459	33	537	59	660	100	735	78
125	218	206	192	280	202	394	131	460	35	538	59	661	100	736	80
126	211	207	192	283	219	395	133	461	35	539	59	662	101	737	80
127	211	208	192	284	219	396	133	462	35	540	59	663	101	738	80
128	211	209	192	285	219	397	133	463	29	541	47	664	101	739	78
131	190	210	215	286	198	398	133	464	29	542	47	665	101	740	78
132	190	211	215	287	200	399	133	465	29	543	47	666	101	741	78
133	190	212	215	290	199	400	26	466	33	544	47	667	101	742	80
135	215	213	217	291	199	401	26	467	33	545	49	668	101	743	80
136	215	214	217	292	202	402	26	468	33	558	68	669	101	744	80
137	215	215	217	294	202	403	21	469	35	559	68	670	101	748	77
138	215	216	217	320	187	404	21	470	35	560	67	671	101	749	77
139	215	217	217	321	187	405	21	471	35	561	67	672	94	750	76
140	215	218	217	322	187	406	26	472	30	562	67	673	94	751	76
141	215	219	217	323	187	407	26	473	30	563	67	674	94	753	107
142	215	220	217	324	187	408	26	474	30	564	67	675	94	754	107
143	215	221	217	325	187	409	22	475	27	565	67	676	109	757	104
144	207	222	218	326	187	410	22	476	27	566	65	677	109	759	104
145	207	223	218	327	187	411	22	477	27	567	65	678	109	760	15
146	207	224	218	328	187	412	27	478	22	568	65	679	109	761	15
147	216	226	218	331	186	413	27	479	22	569	65	680	109	762	13
148	216	228	210	332	186	414	27	480	22	572	73	681	109	763	13
149	216	229	210	333	186	415	22	481	30	573	73	686	94	764	19
150	216	230	210	350	149	416	22	482	30	575	63	687	94	765	19
151	216	231	210	351	149	417	22	483	30	576	63	688	94	766	15
152	216	232	210	352	149	418	27	484	30	577	63	689	105	767	15
153	216	233	210	353	148	419	27	485	30	578	63	690	105	768	13
154	216	234	207	354	148	420	23	486	23	580	68	691	105	769	13
155	216	235	207	355	148	421	23	487	23	581	68	692	105	770	19
159	211	236	207	356	149	422	27	488	30	583	63	693	105	771	19
160	211	237	211	357	149	423	27	489	30	584	63	694	105	772	15
161	211	238	211	358	149	424	26	490	41	585	67	695	105	773	15
162	211	239	211	359	148	425	26	493	41	600	124	696	105	774	13
163	211	240	190	360	148	426	26	494	43	601	124	697	105	775	13
164	211	241	190	361	148	427	21	495	43	602	124	703	84	776	19
165	193	242	190	362	149	428	21	496	43	603	130	704	84	777	19
166	193	243	190	363	149	429	21	497	43	604	130	705	84	778	15
167	193	244	190	364	149	430	29	498	43	606	120	706	82	779	15
168	209	245	190	365	148	431	29	499	43	607	120	707	82	780	179
169	209	246	190	366	148	432	29	500	43	608	122	708	82	781	179
170	209	247	190	367	148	433	33	501	43	609	122	709	84	782	49
171	208	248	190	368	151	434	33	502	36	611	88	710	84	783	49
172	208	249	205	369	151	435	33	503	36	612	88	711	84	784	179
173	208	250	205	370	151	436	35	504	36	613	88	712	82	785	179
174	209	251	205	371	151	437	35	505	177	614	86	713	82	787	13
175	209	252	205	372	151	438	35	506	177	615	86	714	82	788	13

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
789	19	864	209	966	16	1277	383	1391	399	2032	351	2537	359	2612	354
790	19	865	209	967	16	1278	383	1392	400	2034	351	2538	359	2613	354
791	16	866	209	968	16	1279	383	1393	400	2035	351	2539	359	2614	354
792	16	867	209	969	16	1280	383	1394	400	2036	351	2540	359	2615	354
793	13	868	209	970	168	1284	384	1395	400	2037	351	2541	359	2616	354
794	13	869	191	971	168	1285	378	1396	400	2038	351	2543	359	2617	354
795	19	870	191	972	168	1286	378	1397	400	2041	351	2544	347	2618	354
796	19	871	191	973	168	1287	378	1398	387	2042	351	2545	347	2619	354
797	191	872	193	974	168	1294	376	1399	387	2043	351	2546	347	2620	354
798	94	873	193	975	168	1297	376	1400	387	2044	351	2547	352	2621	354
799	94	874	193	976	169	1300	376	1401	387	2118	352	2548	345	2622	348
801	159	875	193	977	169	1303	376	1402	388	2120	352	2549	345	2623	348
802	159	876	193	978	169	1308	400	1403	388	2122	352	2550	345	2624	348
803	160	877	193	979	169	1309	400	1404	388	2124	352	2551	345	2625	348
804	160	878	193	980	169	1310	400	1405	388	2126	352	2552	353	2626	348
805	160	879	193	981	169	1311	401	1406	388	2128	352	2553	353	2627	348
806	159	880	193	982	169	1312	401	1407	388	2133	352	2554	365	2628	441
807	165	881	175	983	169	1313	401	1408	388	2135	352	2556	365	2629	441
808	165	882	124	984	169	1314	386	1409	388	2137	352	2557	365	2630	346
809	165	883	53	985	168	1315	386	1412	375	2138	352	2558	347	2631	346
812	161	884	53	986	168	1316	386	1424	404	2143	352	2559	348	2635	346
813	176	885	53	987	168	1317	386	1446	415	2144	352	2560	348	2636	346
814	176	886	53	988	168	1318	386	1451	137	2145	352	2561	348	2637	346
815	159	887	53	989	168	1319	386	1452	137	2148	353	2562	354	2638	358
816	159	888	53	990	168	1320	387	1453	383	2149	353	2563	354	2639	358
817	161	889	53	991	169	1321	387	1456	374	2150	353	2564	354	2640	358
818	160	890	53	992	169	1322	387	1457	374	2155	353	2565	358	2641	358
819	160	891	71	993	169	1323	387	1458	374	2156	352	2566	358	2642	358
820	162	892	71	994	169	1324	387	1459	374	2159	353	2567	358	2643	358
821	163	893	71	995	169	1325	387	1463	510	2161	350	2568	356	2644	358
822	163	894	71	996	169	1326	385	1464	510	2162	350	2569	356	2645	358
823	163	895	71	997	169	1327	385	1465	511	2163	350	2570	356	2646	346
824	177	896	71	998	169	1328	386	1466	511	2164	349	2571	358	2647	346
825	177	897	191	999	169	1329	386	1467	511	2165	349	2573	345	2648	346
826	177	899	183	1100	383	1330	386	1468	511	2166	349	2574	345	2649	347
827	177	935	162	1192	377	1331	386	1469	511	2350	359	2580	350	2650	347
828	177	936	162	1207	385	1333	375	1470	511	2351	359	2581	350	2651	347
829	177	937	163	1208	385	1334	375	1471	511	2352	359	2582	350	2652	347
830	177	938	163	1209	384	1337	375	1472	511	2353	359	2583	440	2653	347
831	177	939	150	1210	384	1338	375	1477	381	2354	359	2584	440	2654	347
832	167	940	150	1232	377	1340	375	1478	381	2355	359	2585	440	2655	357
835	182	941	150	1235	377	1349	402	1479	381	2356	359	2586	440	2656	357
836	182	942	150	1237	377	1350	403	1480	381	2371	221	2587	359	2657	357
838	183	943	214	1238	377	1351	403	1481	381	2372	221	2588	359	2658	357
839	167	944	202	1245	269	1352	403	1482	381	2373	221	2589	359	2659	357
840	167	945	37	1255	378	1353	403	1483	381	2403	350	2591	353	2660	357
841	167	946	37	1256	378	1354	412	1484	381	2404	350	2592	353	2661	357
842	167	947	25	1257	378	1355	412	1485	382	2405	350	2593	348	2662	357
843	167	948	25	1259	402	1356	412	1486	382	2430	353	2594	348	2663	357
844	167	949	25	1260	402	1360	135	1487	382	2431	353	2595	348	2664	357
845	167	950	21	1261	402	1361	135	1488	382	2459	353	2596	349	2665	357
846	167	951	25	1262	402	1362	135	1489	382	2460	352	2597	349	2666	357
850	213	952	22	1263	401	1363	136	1497	441	2461	349	2598	349	2700	240
851	213	953	51	1264	401	1364	136	1498	442	2462	349	2599	349	2701	255
852	213	954	51	1265	401	1365	136	1685	267	2463	349	2600	349	2702	255
853	214	955	51	1266	401	1366	137	1686	267	2512	354	2601	349	2703	255
854	214	956	55	1267	401	1367	137	1687	267	2513	355	2602	350	2704	239
855	214	957	55	1268	401	1368	137	2002	351	2514	355	2603	350	2705	240
856	209	958	55	1269	403	1369	412	2005	351	2515	355	2604	350	2706	240
857	209	959	55	1270	383	1382	137	2009	351	2516	355	2605	345	2707	231
858	208	960	55	1271	383	1383	137	2011	351	2517	355	2606	345	2708	231
859	208	961	55	1272	383	1384	137	2013	351	2518	356	2607	345	2709	231
860	212	962	55	1273	383	1385	137	2015	351	2527	357	2608	352	2710	231
861	212	963	55	1274	383	1388	400	2016	351	2529	356	2609	352	2713	234
862	202	964	16	1275	383	1389	400	2025	351	2531	356	2610	356	2714	234
863	209	965	16	1276	383	1390	399	2031	351	2535	359	2611	356	2715	234

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
2716	235	2797	266	3134	286	3264	372	3500	359	3630	276	3720	571	3792	574
2717	235	2799	268	3135	286	3265	370	3501	359	3631	276	3722	571	3793	574
2718	235	2800	268	3136	287	3269	372	3502	359	3632	276	3723	571	3794	574
2720	266	2801	268	3137	287	3270	372	3503	359	3640	278	3724	571	3795	572
2721	266	2802	256	3138	287	3271	370	3504	359	3641	278	3725	571	3796	572
2728	263	2803	262	3139	287	3272	372	3505	359	3642	280	3726	544	3797	572
2730	232	2806	197	3140	287	3273	368	3507	359	3643	280	3727	545	3798	572
2731	232	2807	197	3141	288	3274	369	3508	359	3644	280	3728	547	3799	572
2732	232	2808	197	3142	288	3275	369	3512	359	3645	280	3729	547	3800	572
2733	234	2809	197	3143	288	3300	365	3522	378	3646	281	3730	541	3801	572
2734	234	2810	197	3144	291	3303	365	3523	378	3647	281	3731	544	3802	573
2735	234	2811	197	3145	291	3307	365	3524	378	3648	278	3732	543	3803	572
2736	233	2812	197	3146	291	3309	365	3525	378	3649	278	3733	544	3804	572
2737	233	2813	197	3147	291	3312	365	3526	378	3650	278	3734	544	3805	572
2738	233	2814	197	3148	291	3322	365	3527	378	3651	278	3735	542	3806	572
2739	267	2815	255	3149	291	3326	365	3528	379	3652	278	3736	542	3807	572
2740	267	2816	197	3150	291	3327	365	3529	379	3653	278	3737	543	3808	572
2741	267	2817	197	3151	291	3331	357	3559	379	3654	278	3738	542	3809	572
2742	265	2818	230	3152	291	3333	357	3560	379	3655	378	3739	542	3810	572
2744	265	2819	230	3153	273	3334	357	3565	379	3656	378	3740	543	3816	559
2745	265	2820	230	3154	273	3337	365	3566	379	3657	378	3741	543	3817	559
2746	265	2834	235	3155	273	3338	365	3578	306	3658	378	3742	573	3821	548
2747	265	2835	235	3156	273	3339	366	3584	280	3659	378	3743	573	3822	548
2748	241	2836	235	3157	274	3340	366	3585	280	3660	378	3744	573	3823	548
2749	242	2837	192	3158	274	3341	365	3586	280	3664	277	3745	573	3824	548
2750	439	2838	192	3159	274	3350	361	3587	284	3665	277	3746	573	3825	549
2751	439	2839	192	3160	274	3351	361	3588	285	3666	277	3747	573	3826	549
2752	439	2842	259	3161	274	3352	361	3589	285	3667	277	3748	573	3827	549
2753	439	2843	259	3162	274	3353	361	3590	285	3668	59	3749	573	3828	549
2754	438	2844	259	3163	274	3354	362	3591	285	3669	283	3750	573	3829	550
2755	438	2845	261	3164	274	3355	362	3592	285	3673	263	3751	564	3831	556
2756	438	2846	261	3165	275	3356	362	3593	280	3674	279	3752	564	3832	557
2757	440	2847	261	3166	275	3357	362	3594	280	3675	277	3753	568	3833	557
2760	226	2848	258	3167	275	3358	362	3595	284	3676	277	3754	568	3834	557
2761	226	2849	258	3168	275	3359	363	3596	284	3677	277	3755	573	3835	558
2762	226	2850	258	3169	276	3360	363	3597	284	3680	405	3756	560	3836	558
2763	226	2851	259	3170	276	3361	363	3598	284	3681	405	3757	560	3837	558
2764	226	2852	259	3228	369	3362	363	3599	281	3682	405	3759	554	3838	558
2765	226	2853	259	3231	370	3363	363	3600	281	3683	405	3760	554	3839	569
2766	226	2854	261	3232	370	3364	362	3601	281	3684	405	3761	561	3840	571
2767	226	2855	261	3233	370	3365	362	3602	281	3685	406	3762	561	3841	571
2768	226	2856	261	3234	371	3366	362	3603	281	3689	283	3763	561	3842	571
2769	226	3018	365	3235	371	3367	361	3604	282	3690	283	3764	561	3843	571
2770	226	3035	372	3236	370	3368	361	3605	282	3691	279	3765	562	3844	571
2771	226	3070	370	3237	371	3369	361	3606	282	3692	279	3766	562	3845	568
2772	227	3101	370	3238	371	3370	361	3607	282	3694	286	3767	569	3848	555
2773	227	3111	286	3239	372	3371	360	3608	282	3695	286	3768	569	3851	556
2774	227	3112	286	3240	372	3372	360	3609	282	3696	286	3769	569	3852	556
2775	227	3113	287	3243	368	3469	282	3610	282	3697	286	3770	569	3853	555
2776	227	3114	287	3244	368	3470	282	3611	283	3698	263	3771	570	3856	555
2777	227	3115	288	3246	368	3471	283	3612	283	3700	559	3772	570	3857	556
2778	266	3116	288	3247	368	3472	283	3613	284	3701	559	3773	570	3858	555
2779	266	3117	289	3248	371	3473	283	3614	284	3702	560	3774	570	3859	550
2780	266	3118	289	3249	372	3474	283	3615	284	3705	553	3775	570	3860	550
2781	220	3119	289	3250	371	3475	574	3616	284	3706	553	3776	570	3861	547
2782	220	3120	290	3251	371	3476	574	3617	292	3707	552	3777	573	3862	547
2783	220	3121	290	3252	371	3477	574	3618	292	3708	552	3782	573	3863	546
2784	220	3122	290	3253	369	3478	574	3619	292	3709	551	3783	573	3864	546
2785	220	3123	290	3255	367	3479	574	3621	306	3710	551	3784	573	3865	539
2786	220	3124	290	3256	369	3480	575	3622	307	3711	551	3785	574	3866	539
2790	242	3125	290	3257	369	3481	575	3623	307	3712	551	3786	574	3867	539
2791	438	3126	290	3258	369	3482	575	3624	59	3713	550	3787	574	3868	554
2792	268	3127	290	3259	368	3483	575	3625	365	3714	552	3788	574	3869	554
2793	268	3128	290	3261	368	3484	575	3627	276	3715	552	3789	574	3874	612
2794	268	3129	287	3262	368	3485	575	3628	277	3716	553	3790	574	3875	540
2796	266	3130	287	3263	369	3486	575	3629	277	3717	553	3791	574	3876	540

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
3877	540	3954	567	4276	236	4499	251	4916	324	5088	410	5948	297	6262	332
3878	540	3955	567	4277	236	4737	330	4917	324	5089	410	5949	294	6263	332
3879	537	3956	567	4278	236	4738	330	4918	324	5090	410	5950	294	6264	332
3880	537	3957	568	4300	260	4739	329	4919	324	5091	411	5951	294	6265	333
3881	538	3958	591	4301	257	4740	329	4920	324	5116	366	5952	297	6268	315
3882	538	3959	591	4302	258	4741	330	4921	324	5117	366	5953	297	6270	315
3883	538	3960	592	4306	259	4742	330	4922	327	5118	366	5954	297	6271	315
3884	541	3961	593	4307	257	4743	329	4923	327	5119	366	5955	294	6272	332
3885	541	3962	592	4308	257	4744	329	4924	327	5120	366	5956	294	6273	332
3886	541	3963	592	4361	245	4745	330	4925	328	5121	366	5957	294	6276	330
3887	538	3964	593	4362	246	4746	330	4926	328	5123	366	5958	297	6277	329
3888	539	3965	593	4364	255	4759	329	4927	328	5124	366	5959	297	6278	330
3891	582	3966	594	4365	257	4760	329	4928	328	5127	366	5960	297	6279	329
3892	583	3967	594	4366	258	4797	323	4929	328	5128	366	5961	295	6280	330
3893	583	3968	594	4367	257	4798	323	4930	328	5129	367	5962	295	6281	329
3894	579	3969	595	4369	234	4802	325	4931	322	5130	367	5963	295	6282	339
3895	579	3970	595	4388	258	4803	325	4932	322	5131	367	5964	298	6283	339
3897	581	3971	595	4390	234	4808	325	4933	322	5132	367	5965	298	6284	339
3898	581	3972	596	4394	260	4824	321	4934	322	5133	367	5966	298	6285	339
3899	582	3973	596	4399	261	4826	321	4935	322	5134	367	5967	295	6286	339
3900	579	3974	598	4407	256	4833	321	4936	322	5135	367	5968	295	6287	339
3901	580	3975	598	4408	256	4854	318	4937	322	5136	367	5969	295	6292	318
3903	581	3976	598	4409	256	4855	318	4938	322	5137	367	5972	295	6293	318
3904	612	3977	599	4410	256	4856	318	4939	322	5138	367	5977	305	6294	318
3905	612	3978	596	4411	256	4857	319	4940	322	5139	367	5978	305	6295	320
3906	613	3979	597	4412	256	4858	319	4941	322	5140	367	5979	305	6296	320
3910	613	3980	597	4413	257	4859	319	4942	322	5141	367	5980	306	6297	320
3911	613	3981	597	4414	257	4860	319	4943	322	5150	302	5981	306	6309	333
3912	428	3982	579	4418	235	4861	319	4944	322	5151	302	5982	306	6310	333
3913	428	3983	580	4419	235	4862	319	4945	322	5152	302	5983	306	6313	335
3914	428	3984	579	4420	235	4863	320	4946	323	5153	302	5984	304	6314	335
3916	580	3985	579	4421	246	4864	320	4947	323	5154	515	5985	304	6318	333
3917	580	3986	609	4425	260	4865	320	4948	323	5155	515	5986	305	6319	333
3918	580	3987	609	4426	260	4866	320	4949	323	5502	301	5987	305	6320	333
3919	580	3988	610	4427	259	4867	320	4966	403	5503	303	5988	296	6321	333
3920	562	3989	610	4428	259	4868	320	4967	411	5504	303	5989	296	6322	334
3921	562	3990	611	4429	258	4869	320	4968	411	5505	302	5990	296	6324	334
3922	563	3991	611	4432	257	4870	320	4973	403	5506	302	5991	296	6325	334
3923	563	3992	586	4444	256	4871	320	4982	411	5566	400	5992	296	6328	315
3924	563	3993	586	4445	256	4872	319	4997	402	5567	399	5993	296	6332	313
3925	563	3994	586	4446	256	4873	319	4998	403	5570	384	5995	303	6333	313
3926	545	3995	587	4448	228	4874	319	4999	402	5571	414	5996	303	6340	325
3927	557	3996	587	4449	228	4887	320	5031	323	5572	414	6018	315	6346	326
3928	584	3997	587	4453	231	4888	320	5032	323	5588	343	6019	315	6347	326
3929	584	4061	269	4454	231	4889	320	5033	323	5607	343	6052	335	6348	326
3930	584	4062	269	4455	231	4890	328	5050	403	5608	343	6053	335	6352	326
3931	585	4084	269	4456	231	4891	328	5051	402	5609	343	6054	335	6353	326
3932	585	4122	232	4457	231	4892	328	5052	402	5611	343	6055	335	6354	326
3933	585	4123	233	4458	231	4893	328	5053	402	5745	304	6056	335	6355	326
3934	584	4124	233	4459	227	4894	328	5056	401	5896	306	6057	335	6356	326
3935	584	4156	232	4460	227	4895	328	5068	336	5897	306	6184	341	6357	326
3936	584	4160	231	4461	227	4896	328	5070	336	5917	304	6185	341	6358	326
3937	585	4162	231	4466	265	4897	328	5071	336	5918	11	6198	341	6361	327
3938	585	4164	232	4467	265	4898	328	5072	336	5919	11	6199	341	6364	326
3939	585	4166	232	4468	265	4904	323	5073	336	5920	11	6200	341	6365	326
3943	564	4174	233	4472	244	4905	323	5074	336	5921	11	6201	341	6366	326
3944	564	4207	231	4473	248	4906	323	5076	336	5922	11	6217	311	6367	327
3945	565	4216	232	4479	252	4907	324	5077	411	5923	11	6221	311	6369	327
3946	565	4223	269	4482	253	4908	324	5078	414	5940	296	6222	311	6370	327
3947	565	4224	269	4483	253	4909	324	5081	415	5941	296	6229	332	6376	312
3948	565	4225	269	4484	253	4910	324	5082	415	5942	296	6238	312	6384	313
3949	566	4254	236	4485	253	4911	324	5083	415	5943	294	6239	312	6386	315
3950	566	4255	269	4486	252	4912	324	5084	414	5944	294	6256	313	6387	339
3951	566	4256	269	4487	252	4913	324	5085	414	5945	294	6257	313	6388	339
3952	566	4257	269	4488	252	4914	324	5086	410	5946	297	6258	313	6392	332
3953	567	4259	255	4498	244	4915	324	5087	410	5947	297	6259	315	6393	332

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
6394	332	6493	99	7119	255	7309	238	7468	243	7540	506	7924	625	8183	173
6399	339	6494	99	7120	255	7317	228	7472	250	7541	507	7925	625	8184	173
6400	339	6495	99	7121	227	7328	248	7473	249	7542	507	7926	615	8197	173
6401	317	6600	77	7142	249	7335	244	7474	245	7543	506	7927	443	8198	173
6403	317	6601	77	7143	250	7336	244	7475	248	7544	509	7928	443	8199	173
6404	317	6602	77	7144	250	7341	228	7477	265	7545	509	7929	622	8202	500
6406	317	6603	310	7145	247	7342	228	7479	225	7546	509	7933	445	8203	500
6407	317	6604	310	7146	247	7343	229	7480	225	7547	509	7934	623	8204	500
6409	317	6605	309	7147	247	7344	229	7481	225	7548	509	7935	623	8205	500
6412	317	6606	408	7148	246	7349	230	7482	225	7549	509	7950	143	8206	500
6415	318	6607	408	7150	227	7350	230	7483	225	7550	509	7951	143	8207	500
6418	318	6608	408	7151	227	7351	230	7484	225	7551	509	7952	143	8208	497
6422	319	6609	408	7154	254	7352	230	7485	225	7552	509	7953	143	8209	489
6423	319	6610	409	7155	249	7353	230	7486	225	7553	507	7954	142	8210	489
6424	319	6611	409	7156	247	7354	230	7487	225	7554	507	7955	142	8211	489
6427	315	6612	409	7157	244	7355	237	7488	224	7555	512	7956	142	8212	489
6428	319	6613	409	7164	236	7356	237	7489	224	7556	512	7957	142	8213	490
6429	319	6622	114	7166	236	7357	234	7490	224	7557	512	7958	139	8214	490
6430	321	7044	508	7173	235	7358	234	7491	224	7558	512	7959	139	8215	490
6431	321	7045	508	7177	252	7359	234	7492	224	7559	512	7960	139	8216	490
6436	315	7046	522	7178	252	7360	237	7493	224	7560	512	7961	139	8217	495
6437	315	7047	522	7179	252	7362	232	7494	224	7561	512	7962	140	8218	495
6438	96	7055	430	7180	252	7363	232	7495	224	7562	512	7963	140	8219	495
6440	97	7057	526	7181	253	7364	232	7496	224	7563	518	7964	140	8220	495
6442	96	7058	525	7183	253	7365	236	7497	266	7564	519	7965	140	8221	499
6444	97	7059	525	7184	254	7366	236	7498	266	7565	519	7966	141	8222	499
6449	340	7060	527	7186	254	7402	230	7499	266	7566	519	7967	141	8223	499
6450	315	7061	527	7187	254	7403	230	7500	505	7567	519	7968	141	8224	499
6451	312	7062	527	7188	254	7407	232	7501	505	7568	519	7969	141	8225	498
6452	312	7063	527	7189	254	7408	232	7502	505	7569	507	7970	143	8226	498
6453	312	7064	520	7190	254	7409	232	7503	505	7570	507	7971	143	8227	498
6454	312	7065	521	7191	254	7410	259	7504	505	7602	390	7972	143	8228	498
6458	314	7066	523	7194	236	7411	260	7505	505	7603	391	7973	143	8232	497
6459	338	7067	523	7195	236	7412	260	7506	505	7604	390	7974	143	8233	496
6460	338	7068	524	7216	248	7413	260	7507	505	7605	391	7975	143	8234	496
6461	338	7069	524	7217	247	7415	248	7508	506	7606	390	7977	143	8235	496
6462	338	7070	523	7218	245	7416	246	7509	506	7607	391	7978	143	8236	497
6463	338	7071	523	7220	246	7420	245	7510	506	7608	390	7979	143	8237	497
6464	338	7072	524	7229	230	7422	230	7511	506	7609	391	7980	292	8238	497
6465	338	7073	525	7234	269	7423	259	7512	506	7610	384	7981	292	8239	496
6466	338	7074	526	7235	269	7424	259	7513	520	7611	384	7982	292	8240	496
6467	340	7075	526	7236	269	7425	259	7514	520	7612	384	8073	330	8241	496
6468	340	7076	521	7240	229	7427	261	7515	508	7613	399	8074	330	8242	496
6469	340	7077	521	7241	229	7431	265	7516	508	7733	638	8075	330	8243	496
6470	340	7078	493	7242	229	7432	266	7517	509	7734	638	8076	330	8244	496
6471	311	7079	493	7246	229	7435	263	7518	509	7735	634	8080	442	8245	496
6472	340	7080	493	7251	255	7436	263	7519	521	7736	634	8081	310	8246	496
6473	340	7081	494	7252	249	7437	263	7520	521	7737	635	8082	310	8247	496
6474	93	7082	494	7260	229	7438	263	7521	522	7738	637	8083	310	8250	502
6475	93	7083	494	7261	229	7439	263	7522	522	7900	615	8084	310	8251	502
6476	93	7086	497	7262	229	7440	263	7523	432	7901	616	8085	310	8252	502
6477	93	7087	493	7263	233	7453	261	7524	495	7902	616	8086	309	8253	502
6478	93	7088	493	7264	233	7454	261	7525	495	7908	446	8087	309	8254	503
6479	93	7089	493	7265	233	7455	261	7526	495	7911	444	8088	309	8255	503
6481	93	7090	494	7269	267	7456	249	7527	495	7912	444	8156	315	8256	503
6482	93	7091	494	7270	267	7457	245	7529	526	7913	621	8157	315	8257	503
6483	108	7092	494	7271	267	7458	256	7530	526	7914	618	8173	172	8258	503
6484	108	7093	497	7285	237	7459	256	7531	522	7915	619	8174	172	8259	503
6485	108	7098	427	7288	237	7460	256	7532	523	7916	619	8175	172	8260	503
6486	108	7099	427	7289	237	7461	242	7533	307	7917	618	8176	172	8261	503
6487	99	7100	251	7290	237	7462	242	7534	307	7918	621	8177	172	8262	501
6488	99	7112	252	7291	237	7463	243	7535	307	7919	622	8178	172	8263	501
6489	99	7113	250	7293	237	7464	243	7536	307	7920	622	8179	172	8264	501
6490	99	7114	250	7297	238	7465	243	7537	307	7921	618	8180	172	8265	501
6491	99	7115	251	7300	238	7466	243	7538	307	7922	624	8181	172	8266	501
6492	99	7116	251	7302	238	7467	243	7539	506	7923	624	8182	173	8267	501

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
8268	501	8339	489	8500	428	8584	288	8678	501	8745	475	8811	470	8961	516
8269	501	8340	489	8504	429	8585	288	8679	49	8746	478	8812	470	8962	514
8270	502	8341	489	8505	429	8586	288	8680	635	8747	478	8813	471	8963	516
8271	502	8342	489	8506	429	8587	288	8681	487	8748	474	8814	470	8964	517
8272	502	8343	114	8517	520	8588	289	8682	487	8749	474	8815	471	8965	517
8273	502	8344	498	8518	520	8589	289	8683	483	8750	262	8816	471	8966	517
8274	419	8345	498	8519	427	8590	289	8684	483	8751	262	8817	466	8967	517
8275	316	8346	498	8520	427	8591	289	8686	524	8752	262	8818	466	8968	518
8276	432	8347	498	8521	421	8592	289	8687	525	8753	262	8819	470	8970	534
8277	432	8348	385	8522	421	8593	515	8688	527	8754	463	8820	471	8971	534
8278	432	8349	385	8523	422	8594	515	8689	607	8755	463	8821	471	8972	535
8279	433	8350	385	8524	422	8595	273	8690	271	8756	464	8822	471	8973	535
8280	491	8351	385	8525	423	8596	274	8691	271	8757	464	8830	479	8974	534
8281	491	8352	385	8526	423	8597	272	8692	271	8758	464	8831	479	8975	534
8282	491	8353	385	8527	493	8598	272	8693	271	8759	464	8832	479	8976	518
8283	491	8354	435	8528	493	8599	272	8694	271	8760	464	8833	477	8977	518
8284	491	8355	458	8529	493	8600	425	8695	271	8761	464	8834	477	8978	515
8285	491	8357	435	8530	493	8601	425	8696	271	8762	465	8839	262	8979	518
8286	492	8359	458	8531	493	8602	424	8697	271	8763	465	8840	262	8980	636
8287	492	8360	435	8532	493	8603	424	8698	487	8764	465	8841	469	8981	636
8288	492	8369	436	8533	500	8604	424	8699	487	8765	465	8874	173	8982	637
8289	492	8372	436	8534	500	8605	424	8700	476	8766	465	8875	173	8983	516
8290	492	8379	436	8535	500	8608	272	8701	476	8767	465	8876	173	8984	516
8291	492	8382	418	8536	500	8609	485	8702	476	8768	466	8877	273	8985	516
8292	492	8385	435	8537	485	8610	485	8703	476	8769	466	8878	273	8986	452
8293	492	8387	435	8538	485	8611	486	8704	460	8770	462	8879	273	8987	452
8294	492	8389	435	8539	485	8612	486	8705	461	8771	462	8880	273	8988	453
8295	491	8395	436	8540	485	8613	483	8706	472	8772	462	8881	267	8989	453
8296	491	8397	436	8541	486	8614	483	8707	472	8773	462	8882	267	8991	621
8297	491	8399	436	8542	486	8615	483	8708	472	8774	463	8883	267	8992	445
8298	491	8400	456	8543	486	8616	483	8709	472	8775	463	8884	267	8993	275
8299	491	8401	436	8544	486	8617	484	8710	473	8776	463	8885	267	8994	275
8300	491	8402	436	8547	298	8618	484	8711	473	8777	463	8886	267	8995	275
8301	494	8414	448	8548	301	8619	484	8712	473	8778	461	8887	174	8996	275
8302	494	8415	448	8549	301	8620	484	8713	473	8779	461	8888	174	8997	276
8303	494	8416	448	8550	298	8621	510	8714	473	8780	461	8889	174	8998	276
8304	494	8421	449	8551	490	8622	510	8715	473	8781	461	8890	174	8999	276
8305	494	8422	447	8552	490	8623	514	8716	478	8782	461	8891	174	9104	307
8306	494	8423	447	8553	490	8624	514	8717	479	8783	467	8912	174	9546	307
8307	499	8427	448	8554	490	8625	514	8718	479	8784	467	8913	174	9944	379
8308	499	8428	448	8557	607	8626	508	8719	480	8785	467	8914	174	9945	379
8309	499	8436	440	8558	607	8627	508	8720	480	8786	467	8915	174	9952	379
8310	499	8437	418	8559	263	8628	524	8721	480	8787	467	8916	404	9953	379
8316	488	8438	457	8560	484	8629	525	8722	480	8788	467	8917	404	9954	379
8317	488	8439	457	8561	484	8649	444	8723	480	8789	468	8918	405	9955	379
8318	488	8440	457	8562	484	8650	444	8724	480	8790	468	8930	427	9956	364
8319	488	8441	457	8563	484	8651	443	8725	481	8791	460	8931	426	9986	364
8320	488	8445	458	8564	430	8659	632	8726	481	8792	460	8936	281	9997	315
8321	488	8446	447	8565	430	8660	632	8727	481	8793	460	8937	281	9999	315
8322	488	8447	449	8566	508	8661	630	8728	481	8794	460	8938	279	11077	531
8323	488	8458	434	8567	507	8662	630	8729	477	8795	469	8939	279	11078	532
8324	488	8459	434	8568	507	8663	630	8730	477	8796	469	8940	279	11079	530
8325	488	8460	434	8569	429	8664	630	8731	477	8797	447	8941	279	11088	531
8326	488	8461	434	8570	429	8665	417	8732	477	8798	447	8942	279	11109	529
8327	488	8462	434	8571	429	8666	620	8733	474	8799	462	8943	279	11144	143
8328	488	8463	434	8573	299	8667	620	8734	474	8800	462	8944	271	11145	143
8329	488	8466	450	8574	299	8668	620	8735	474	8801	468	8945	272	11159	628
8330	488	8467	450	8575	300	8669	619	8736	474	8802	468	8946	272	11160	628
8331	488	8468	450	8576	300	8670	426	8737	475	8803	469	8947	272	11161	628
8332	488	8469	450	8577	300	8671	426	8738	475	8804	468	8948	272	11162	628
8333	488	8470	448	8578	301	8672	426	8739	475	8805	468	8949	272	11163	628
8334	489	8474	454	8579	285	8673	426	8740	475	8806	469	8955	285	11164	628
8335	489	8475	454	8580	285	8674	299	8741	475	8807	466	8956	275	11165	628
8336	489	8476	455	8581	286	8675	501	8742	476	8808	466	8958	514	11166	628
8337	489	8478	455	8582	285	8676	501	8743	478	8809	469	8959	515	11167	628
8338	489	8479	456	8583	289	8677	501	8744	478	8810	470	8960	517	11168	628

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
11169	628	20012	25	20122	38	40321	425	71031	251						
11170	628	20013	25	20123	69	40331	601	71811	253						
11171	628	20014	25	20124	39	40341	600	76011	398						
11172	628	20016	164	20125	39	40351	600	80981	419						
11173	628	20017	177	20149	103	40361	600	83111	417						
11174	628	20018	177	20150	103	40371	599	94006	299						
11175	628	20019	177	20152	212	40381	601	94008	299						
11176	628	20020	177	20184	210	40391	601	94010	300						
11177	628	20021	205	20185	210	40401	602	94012	300						
11178	628	20022	205	20186	208	40411	602	94026	300						
11179	631	20023	205	20187	208	40421	602	94027	301						
11179	631	20024	63	20188	211	40431	599	500081	531						
11180	631	20025	63	20189	211	40441	577	500082	531						
11180	631	20026	192	20190	211	40451	577								
11181	631	20027	192	20200	110	40461	577								
11181	631	20028	192	20201	110	40471	578								
11182	631	20037	36	20202	111	40481	578								
11182	631	20038	36	20203	111	40491	578								
11188	628	20039	36	20204	110	40501	536								
11189	628	20044	210	20205	110	40511	536								
11190	628	20045	208	20206	111	40521	536								
11191	628	20047	76	20207	111	40531	537								
11203	641	20048	76	20208	110	40541	537								
11208	640	20049	171	20209	110	40551	536								
11209	640	20050	171	20210	111	40561	535								
11215	631	20051	170	20211	111	40571	535								
11216	631	20052	170	20212	112	42151	233								
11217	631	20053	170	20213	112	42411	233								
11218	631	20054	170	20214	113	42501	234								
11220	641	20055	170	20215	113	42511	234								
11224	640	20056	170	20216	113	42521	234								
11258	302	20057	170	20217	113	42581	233								
13889	166	20058	170	20218	112	43421	233								
13899	166	20059	170	20219	112	43431	233								
13909	166	20060	118	20220	115	43441	233								
13919	166	20063	68	20221	115	43881	258								
13929	166	20064	68	20222	115	44801	253								
13939	166	20065	37	20223	115	45641	240								
13949	166	20066	102	40011	588	45651	241								
13959	166	20067	102	40021	588	45661	241								
13969	166	20068	102	40031	588	45671	241								
13979	166	20069	102	40041	589	45691	235								
14551	397	20070	102	40051	589	55669	166								
14601	396	20071	102	40061	589	55679	166								
14611	396	20072	102	40071	590	55811	68								
14621	398	20073	102	40081	591	55911	68								
14741	397	20074	102	40091	590	58011	69								
14751	395	20075	102	40101	590	58111	69								
14761	395	20088	155	40111	545	60246	310								
14911	394	20089	156	40121	546	60256	310								
14921	393	20090	155	40131	546	60266	313								
14931	393	20091	157	40141	603	60276	313								
14941	394	20092	155	40151	603	60286	310								
14951	392	20093	155	40161	604	60303	316								
15001	413	20094	156	40171	604	60696	313								
15011	413	20095	155	40181	604	62186	311								
15021	413	20096	157	40191	605	62196	311								
15031	413	20097	155	40201	605	62206	311								
20000	146	20113	178	40211	604	62366	312								
20001	146	20114	178	40221	605	62376	312								
20003	147	20115	178	40231	605	62406	311								
20004	147	20116	178	40241	606	62416	311								
20006	146	20117	178	40251	606	62426	311								
20007	146	20118	178	40261	606	63776	312								
20009	147	20119	76	40271	606	64511	312								
20010	147	20121	38	40311	425	64521	312								

Certificates

DIALux Partner

Certificate

This is to cerify that

V-TAC Europe Ltd.

is an official DIALux Partner.

2021

DIALux improves the lighting design process by making it accessible and easy to apply for everyone.

Lüdenscheid, 04.01.2021

Dieter Folle
Chief Executive Officer

Friedrich W. Bremecker
Business Unit Director Sales

DIALux is a registered trademark of DIAL GmbH.

www.dialux.com

DIALux Partner

CERTIFICATE

Holder of Certificate: V-TAC Europe Ltd.

Certification Mark:

Product: LED Lamps
LED Lamp

Tested according to:

TUV

Certificate of Conformity

V-TAC

RoHS

RoHS

Certificate of Conformity

V-TAC

CE

CE / LVD

Certified and Tested

RoHS COMPLIANT

TÜV SÜD

CE/EMC



INTRODUCING THE NEW SERIES

evolution

Our bestselling LED Lights — now upgraded with a superior efficiency of **160 lm/W** through the latest in LED technology.

SuperBRIGHT
160
LUMENS/W

5 YEAR
WARRANTY

Head Offices

Sofia | London

V-TAC EUROPE Ltd
41, bul.Rozhen,
1271 Sofia, Bulgaria
www.v-tac.eu

UK Office
V-TAC House,
Kelpatrick Road,
Slough, Berkshire,
SL1 6BW, UK.
www.v-tac.co.uk

Middle East Office
Unit# 407/8/9 Jumeirah
Bay Towers,
Plot# X3, JLT,
P.O. Box 45244, Dubai.
www.vtacexports.com

SMART SPEAKERS SMART TABLE LAMPS PENDANTS LED STRIP LIGHTS

TOWER FANS LED CEILING FAN POWER BANK LED SPOT LIGHTS CAMERAS

TABLE LIGHTS LED SOLAR LIGHTS FIRE RATED LIGHTS LED LINEAR LIGHTS